

Periklis Davlouros

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3084317/periklis-davlouros-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

2,612
citations

23
h-index

47
g-index

163
ext. papers

3,175
ext. citations

3.6
avg, IF

4.55
L-index

#	Paper	IF	Citations
153	Reply: Distal Transradial Access for Primary PCI in ST-Segment Elevation Myocardial Infarction.. <i>JACC: Cardiovascular Interventions</i> , 2022 , 15, 795-796	5	0
152	Cardiovascular pre-participation evaluation of male competitive athletes; results of a clinical and electrocardiographic screening program in Southwestern Greece.. <i>Hellenic Journal of Cardiology</i> , 2022 ,	2.1	
151	Transradial access through the anatomical snuffbox: Results of a feasibility study. <i>Hellenic Journal of Cardiology</i> , 2021 , 62, 201-205	2.1	7
150	Platelets from patients with myocardial infarction can activate T cells. <i>Haematologica</i> , 2021 , 106, 288-296	6	1
149	Distal or Traditional Transradial Access Site for Coronary Procedures: A Single-Center, Randomized Study.. <i>JACC: Cardiovascular Interventions</i> , 2021 ,	5	5
148	Renin-angiotensin system inhibitors and mortality among diabetic patients with STEMI undergoing mechanical reperfusion during the COVID-19 pandemic.. <i>Diabetes Epidemiology and Management</i> , 2021 , 4, 100022		
147	COVID-19 pandemic, mechanical reperfusion and 30-day mortality in ST elevation myocardial infarction. <i>Heart</i> , 2021 ,	5.1	6
146	Heart failure and atrial fibrillation: new concepts in pathophysiology, management, and future directions. <i>Heart Failure Reviews</i> , 2021 , 1	5	6
145	Trends of Antithrombotic Treatment in Atrial Fibrillation Patients Undergoing Percutaneous Coronary Intervention: Insights from the GREEK-AntiPlatelet Atrial Fibrillation (GRAPE-AF) Registry. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 11-20	3.9	2
144	The "When" and "Where" of Using Anticoagulants in Paroxysmal Atrial Fibrillation: Do All Patients Need Long-Term Anticoagulation?. <i>Angiology</i> , 2021 , 72, 198-199	2.1	
143	Computed tomography guided invasive coronary angiography in patients with a previous coronary artery bypass graft surgery trial (GREECE trial): Rationale and design of a multicenter, randomized control trial. <i>Hellenic Journal of Cardiology</i> , 2021 , 62, 470-472	2.1	0
142	Allergy Associated Myocardial Infarction: A Comprehensive Report of Clinical Presentation, Diagnosis and Management of Kounis Syndrome.. <i>Vaccines</i> , 2021 , 10,	5.3	1
141	Impact of COVID-19 Pandemic on Mechanical Reperfusion for Patients With STEMI. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2321-2330	15.1	61
140	Effect of Colchicine vs Standard Care on Cardiac and Inflammatory Biomarkers and Clinical Outcomes in Patients Hospitalized With Coronavirus Disease 2019: The GRECCO-19 Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e2013136	10.4	243
139	Is anomalous right coronary artery from the pulmonary artery always innocent?. <i>European Heart Journal</i> , 2020 , 41, 4147	9.5	
138	Impact of COVID-19 pandemic and diabetes on mechanical reperfusion in patients with STEMI: insights from the ISACS STEMI COVID 19 Registry. <i>Cardiovascular Diabetology</i> , 2020 , 19, 215	8.7	14
137	The paradox of heparin induced thrombocytopenia-thrombosis, the role of fondaparinux and the need for new therapeutic strategies. <i>International Angiology</i> , 2020 , 39, 350-351	2.2	2

136	Coronary fistulae behind an abnormal electrocardiogram interpretation: an unexpected guest. <i>European Heart Journal - Case Reports</i> , 2020 , 4, 1-2	0.9	
135	Assessing Intermediate Lesions: Comparing "Apples and Oranges": FFR or OCT. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 1133	5	0
134	"Missing" acute coronary syndrome hospitalizations during the COVID-19 era in Greece: Medical care avoidance combined with a true reduction in incidence?. <i>Clinical Cardiology</i> , 2020 , 43, 1142-1149	3.3	20
133	Gadolinium-induced Kounis syndrome including electrocardiographic considerations. <i>Baylor University Medical Center Proceedings</i> , 2020 , 33, 474-476	0.6	1
132	Kounis syndrome caused by double allergens: the more allergens present, the easier, the quicker, and the more severe the anaphylaxis. <i>Chinese Medical Journal</i> , 2020 , 133, 1889-1890	2.9	1
131	The L-RECORD Study. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 1014-1016	5	4
130	Myocarditis Caused by in the Absence of Endocarditis: Case Report and Review of the Literature. <i>Case Reports in Medicine</i> , 2019 , 2019, 3701016	0.7	5
129	Angiographic and Midterm Thrombosis of Bioresorbable Vascular Scaffold for Coronary Bifurcation Narrowings. <i>American Journal of Cardiology</i> , 2019 , 123, 1189-1190	3	
128	Vasospastic coronary event following a single dose of amoxicillin in a patient with normal coronary arteries: Kounis syndrome and the myocardial infarction with normal coronary arteries conundrum. <i>Cardiovascular Diagnosis and Therapy</i> , 2019 , 9, 110-111	2.6	1
127	Intraoperative Anaphylaxis to Chlorhexidine During LVAD and Transplant Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019 , 33, 582-584	2.1	0
126	Impact of Arteriovenous Fistula on Cardiac Size and Function in Kidney Transplant Recipients: A Retrospective Evaluation of 5-Year Echocardiographic Outcome. <i>Experimental and Clinical Transplantation</i> , 2019 , 17, 619-626	0.8	
125	Hypotension Associated With IV Acetaminophen Administration in Pediatric Cardiac Patients. <i>Pediatric Critical Care Medicine</i> , 2019 , 20, 1003-1004	3	1
124	Emergence, development, and future of cardio-oncology in China: cardiohypersensitivity, cardiotoxicity and the Kounis syndrome. <i>Chinese Medical Journal</i> , 2019 , 132, 753-754	2.9	2
123	The Humble Relation of Hypersensitivity-Associated Acute Coronary Syndrome (Kounis Syndrome) and Acute and Sub-Acute Triggers of Cardiovascular Events. <i>American Journal of Cardiology</i> , 2019 , 123, 701	3	
122	Respiratory Infections as Predictors of Hospital Admission for Myocardial Infarction and Stroke: Pathophysiologic and Therapeutic Considerations. <i>Clinical Infectious Diseases</i> , 2019 , 68, 533	11.6	2
121	Severe allergic reaction during angioplasty culminating to fatal acute stent thrombosis: An association with Kounis syndrome. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019 , 48, 138-140	2.6	4
120	Prevention of Radial Artery Occlusions Following Coronary Procedures: Forward and Backward Steps in Improving Radial Artery Patency Rates. <i>Angiology</i> , 2018 , 69, 755-762	2.1	6
119	Contemporary Antithrombotic Treatment in Patients with Non-valvular Atrial Fibrillation Undergoing Percutaneous Coronary Intervention: Rationale and Design of the Greek AntiPlatElet Atrial Fibrillation (GRAPE-AF) Registry. <i>Cardiovascular Drugs and Therapy</i> , 2018 , 32, 191-196	3.9	5

118	Absence of differential effect of ticagrelor versus prasugrel maintenance dose on endothelial function in patients with stable coronary artery disease. <i>Hellenic Journal of Cardiology</i> , 2018 , 59, 338-343 ^{2,1}		5
117	The Humble Relation of Kounis Syndrome, MINOCA (Myocardial Infarction With Nonobstructive Coronary Arteries) and MACE (Major Adverse Cardiac Events). <i>Canadian Journal of Cardiology</i> , 2018 , 34, 1089.e7	3.8	4
116	An uncommon variant of double-chambered right ventricle masquerading as double-chambered left ventricle. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018 , 26, 350-352	1.8	2
115	Direct Oral Anticoagulants in Nonvalvular Atrial Fibrillation: Practical Considerations on the Choice of Agent and Dosing. <i>Cardiology</i> , 2018 , 140, 126-132	1.6	14
114	Ramipril and left ventricular diastolic function in stable patients with pulmonary regurgitation after repair of tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2018 , 272, 64-69	3.2	8
113	Incidence, pathophysiology, predictive factors and prognostic implications of new onset atrial fibrillation following transcatheter aortic valve implantation. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 50-54	1.7	
112	Randomised comparison of JUDKins vs. tiGER catheter in coronary angiography via the right radial artery: the JUDGE study. <i>EuroIntervention</i> , 2018 , 13, 1950-1958	3.1	6
111	Kounis syndrome: an additional etiologic factor of myocardial infarction with non-obstructive coronary arteries. <i>Cardiology Journal</i> , 2018 , 25, 648-649	1.4	4
110	Hypersensitivity to corticosteroids, Kounis syndrome, myocardial infarction with normal coronary arteries, and triamcinolone. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018 , 46, 330-331	0.3	
109	Negative association between previous allergy and intradermal tests for rocuronium and cisatracurium: what about additional tests?. <i>Korean Journal of Anesthesiology</i> , 2018 , 71, 328-329	3.8	
108	Acute Myocardial Infarction Induced by Anaphylaxis in China: The Kounis Syndrome. <i>Chinese Medical Journal</i> , 2018 , 131, 2392-2393	2.9	1
107	Increase in Carotid Temperature Heterogeneity Is Associated With Cardiovascular and Cerebrovascular Events. <i>Circulation: Cardiovascular Imaging</i> , 2018 , 11, e008292	3.9	3
106	Multicenter Randomized Evaluation of High Versus Standard Heparin Dose on Incident Radial Arterial Occlusion After Transradial Coronary Angiography: The SPIRIT OF ARTEMIS Study. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 2241-2250	5	33
105	Inflammatory Bowel Disease: A Potential Risk Factor for Coronary Artery Disease. <i>Angiology</i> , 2017 , 68, 845-849	2.1	7
104	Percutaneous coronary intervention vs. cardiac surgery in diabetic patients. Where are we now and where should we be going?. <i>Hellenic Journal of Cardiology</i> , 2017 , 58, 178-189	2.1	13
103	Complete Healing of Spontaneous Coronary Artery Dissection Demonstrated by Optical Coherence Tomography in a Young Postpartum Female Presenting With Acute Coronary Syndrome. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, e89-e90	5	3
102	Multi-center feasibility study of microwave radiometry thermometry for non-invasive differential diagnosis of arterial disease in diabetic patients with suspected critical limb ischemia. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1109-1114	3.2	17
101	Noninvasive detection of increased carotid artery temperature in patients with coronary artery disease predicts major cardiovascular events at one year: Results from a prospective multicenter study. <i>Atherosclerosis</i> , 2017 , 262, 25-30	3.1	13

100	Gender-related differences in antiplatelet treatment patterns and outcome: Insights from the GREEKAntiPlatElet Registry. <i>Cardiovascular Therapeutics</i> , 2017 , 35, e12270	3.3	6
99	Needle versus cannula over needle for radial artery cannulation during transradial coronary angiography and interventions. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 436-439	1.6	2
98	Impact of QT interval prolongation following antiarrhythmic drug therapy on left ventricular function. <i>Future Cardiology</i> , 2017 , 13, 13-22	1.3	0
97	Low-Dose Ticagrelor Versus Clopidogrel in Patients With Prior Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 2091-2092	15.1	6
96	Thrombotic responses to coronary stents, bioresorbable scaffolds and the Kounis hypersensitivity-associated acute thrombotic syndrome. <i>Journal of Thoracic Disease</i> , 2017 , 9, 1155-1164	2.6	32
95	Bioresorbable stents: quo vantis?. <i>Journal of Thoracic Disease</i> , 2017 , 9, E1032-E1034	2.6	1
94	Radial Artery and Ulnar Artery Occlusions Following Coronary Procedures and the Impact of Anticoagulation: (Radial and Ulnar ry Occlusion eta-Analys) Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	36
93	Contemporary Antiplatelet Treatment in Acute Coronary Syndrome Patients with Impaired Renal Function Undergoing Percutaneous Coronary Intervention. <i>Cardiology</i> , 2017 , 138, 186-194	1.6	3
92	Pulmonary valve replacement in patients with corrected tetralogy of Fallot. <i>Journal of Cardiovascular and Thoracic Research</i> , 2017 , 9, 71-77	1.3	9
91	Crushed Versus Integral Tablets of Ticagrelor in ST-Segment Elevation Myocardial Infarction Patients: A Randomized Pharmacokinetic/Pharmacodynamic Study. <i>Clinical Pharmacokinetics</i> , 2016 , 55, 359-67	6.2	40
90	Vascular Complications Following Transradial and Transulnar Coronary Angiography in 1600 Consecutive Patients. <i>Angiology</i> , 2016 , 67, 438-43	2.1	13
89	Factors Affecting Platelet Reactivity 2 Hours After P2Y1 Receptor Antagonist Loading in Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction - Impact of Pain-to-Loading Time. <i>Circulation Journal</i> , 2016 , 80, 442-9	2.9	10
88	Contemporary antiplatelet treatment in acute coronary syndrome patients undergoing percutaneous coronary intervention: 1-year outcomes from the GREEK AntiPlatElet (GRAPE) Registry. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 1146-54	15.4	47
87	Ticagrelor vs clopidogrel followed by ticagrelor re-loading in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: A randomized, pharmacodynamic comparison. <i>Platelets</i> , 2016 , 27, 420-6	3.6	4
86	Comparison of Ticagrelor Versus Thienopyridine Loading Effect on Fractional Flow Reserve in Patients With Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2016 , 117, 22-8	3	2
85	Lack of Evidence for Deterioration in Endothelial Function Following Ticagrelor Treatment Cessation. <i>Current Vascular Pharmacology</i> , 2016 , 14, 487-491	3.3	9
84	Role of Calcium in Platelet Activation: Novel Insights and Pharmacological Implications. <i>Medicinal Chemistry</i> , 2016 , 12, 131-8	1.8	14
83	Calcium Ions in Inherited Cardiomyopathies. <i>Medicinal Chemistry</i> , 2016 , 12, 139-50	1.8	4

82	Effect of High (200µg/kg per Minute) Adenosine Dose Infusion on Fractional Flow Reserve Variability. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	3
81	A predictive score of radial artery spasm in patients undergoing transradial percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2015 , 188, 76-80	3.2	14
80	Combined etiology of anaphylactic cardiogenic shock: amiodarone, epinephrine, cardioverter defibrillator, left ventricular assist devices and the Kounis syndrome. <i>Annals of Cardiac Anaesthesia</i> , 2015 , 18, 261-4	1.3	7
79	A comparison of low versus standard heparin dose for prevention of forearm artery occlusion after 5 French coronary angiography. <i>International Journal of Cardiology</i> , 2015 , 187, 404-10	3.2	14
78	Adenosine as an Adjunct Therapy in ST Elevation Myocardial Infarction Patients: Myth or Truth?. <i>Cardiovascular Drugs and Therapy</i> , 2015 , 29, 481-93	3.9	7
77	Assessment of absolute Tc-99m tetrofosmin retention in the myocardium as an index of myocardial blood flow and coronary flow reserve by gated-SPECT/CT: a feasibility study. <i>Annals of Nuclear Medicine</i> , 2015 , 29, 588-602	2.5	5
76	In-hospital switching of oral P2Y12 inhibitor treatment in patients with acute coronary syndrome undergoing percutaneous coronary intervention: prevalence, predictors and short-term outcome. <i>American Heart Journal</i> , 2014 , 167, 68-76.e2	4.9	66
75	Heterogeneity of ventricular repolarization in newborns with intrauterine growth restriction. <i>Early Human Development</i> , 2014 , 90, 857-62	2.2	8
74	Catheter based inhibition of arterial calcification by bisphosphonates in an experimental atherosclerotic rabbit animal model. <i>International Journal of Cardiology</i> , 2014 , 176, 177-81	3.2	10
73	Neonatal cardiac dysfunction in intrauterine growth restriction. <i>Pediatric Research</i> , 2014 , 75, 651-7	3.2	40
72	Onset of antiplatelet action with high (100 mg) versus standard (60 mg) loading dose of prasugrel in patients with ST-segment-elevation myocardial infarction undergoing primary percutaneous coronary intervention: pharmacodynamic study. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 233-9	6	20
71	Fixed combination dual antiplatelet therapy and the risk of stent thrombosis. <i>International Journal of Cardiology</i> , 2014 , 174, e79-80	3.2	
70	Interatrial conduction time and incident atrial fibrillation: a prospective cohort study. <i>Heart Rhythm</i> , 2014 , 11, 1095-101	6.7	14
69	Contraindications/special warnings and precautions for use of contemporary oral antiplatelet treatment in patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Circulation Journal</i> , 2014 , 78, 180-7	2.9	15
68	Thrombus Formation Patterns in HeartMate II Continuous-Flow Left Ventricular Assist Devices: A Multifactorial Phenomenon Involving Kounis Syndrome?. <i>ASAIO Journal</i> , 2014 , 60, 369-71	3.6	7
67	Bleeding complication with dual antiplatelet therapy: spontaneous uvula hematoma. <i>Cmaj</i> , 2014 , 186, 1168	3.5	2
66	Effect of Angiotensin converting enzyme inhibitors on soluble tumor-necrosis-factor-related apoptosis-inducing ligand levels - association with neointimal hyperplasia in drug eluting stents. <i>Journal of Interventional Cardiology</i> , 2014 , 27, 582-90	1.8	1
65	Diagnostic accuracy of electrocardiographic ST-segment depression in patients with rapid atrial fibrillation for the prediction of coronary artery disease. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 920-4	3.8	9

64	Device thrombosis in continuous-flow left ventricular assist devices: a new manifestation of Kounis syndrome?. <i>Journal of Heart and Lung Transplantation</i> , 2014 , 33, 665	5.8	
63	Differential effect of ticagrelor versus prasugrel on coronary blood flow velocity in patients with non-ST-elevation acute coronary syndrome undergoing percutaneous coronary intervention: an exploratory study. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 277-83	6	49
62	Randomized assessment of ticagrelor versus prasugrel antiplatelet effects in patients with diabetes. <i>Diabetes Care</i> , 2013 , 36, 2211-6	14.6	55
61	First-line treatment patterns and lipid target levels attainment in very high cardiovascular risk outpatients. <i>Lipids in Health and Disease</i> , 2013 , 12, 170	4.4	10
60	Pharmacodynamic effect of prasugrel 5 mg vs clopidogrel 150 mg in elderly patients with high on-clopidogrel platelet reactivity. <i>American Heart Journal</i> , 2013 , 165, 73-9	4.9	11
59	Intrinsic platelet reactivity and thrombus burden in patients with ST-elevation myocardial infarction. <i>Thrombosis Research</i> , 2013 , 131, 333-7	8.2	9
58	Platelet reactivity measurements reveal patient noncompliance during ticagrelor maintenance therapy. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1743.e13-4	3.8	4
57	Platelet inhibition by IV glyceryl trinitrate in patients with stable coronary artery disease on dual antiplatelet therapy subjected to PCI. <i>International Journal of Cardiology</i> , 2013 , 168, 3069-70	3.2	1
56	DES thrombosis related to antiplatelet therapy noncompliance: a consequence of the Greek financial crisis. <i>International Journal of Cardiology</i> , 2013 , 168, 4497-9	3.2	4
55	Acute effect of sildenafil on central hemodynamics in mechanically ventilated patients with WHO group III pulmonary hypertension and right ventricular failure necessitating administration of dobutamine. <i>International Journal of Cardiology</i> , 2013 , 167, 848-54	3.2	6
54	Evolving pattern of on-prasugrel and on-ticagrelor platelet reactivity over time in ST elevation myocardial infarction patients. <i>International Journal of Cardiology</i> , 2013 , 168, 629-30	3.2	8
53	Double versus standard loading dose of ticagrelor: onset of antiplatelet action in patients with STEMI undergoing primary PCI. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 940-1	15.1	34
52	Pretreatment platelet reactivity contribution to residual, post-treatment platelet reactivity in prasugrel-treated and ticagrelor-treated patients. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 381-4	15.4	4
51	Evaluation of below-the-knee drug-eluting stents with frequency-domain optical coherence tomography: neointimal hyperplasia and neoatherosclerosis. <i>Journal of Endovascular Therapy</i> , 2013 , 20, 80-93	2.5	15
50	Response to letter regarding article, "Randomized assessment of ticagrelor versus prasugrel antiplatelet effects in patients with ST-segment-elevation myocardial infarction". <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, e29	6	2
49	Transulnar compared with transradial artery approach as a default strategy for coronary procedures: a randomized trial. The Transulnar or Transradial Instead of Coronary Transfemoral Angiographies Study (the AURA of ARTEMIS Study). <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 252-61	6	46
48	Factors affecting residual platelet aggregation in prasugrel treated patients. <i>Current Pharmaceutical Design</i> , 2013 , 19, 5121-6	3.3	9
47	ST-segment depression during vasodilator stress is of minor clinical importance in women with normal myocardial perfusion imaging and low or intermediate risk of coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 437-45	8.8	2

46	Commentary on: Feltracco P, Barbieri S, Galligioni H, Pasin L, Gaudio RM, Tommasi A, et al. A fatal case of anaphylactic shock during paragliding. <i>J Forensic Sci</i> 2012; doi: 10.1111/j.1556-4029.2012.02187.x [Epub ahead of print]. <i>Journal of Forensic Sciences</i> , 2012 , 57, 1400-1; author reply 1402	1.8	
45	Prasugrel versus high dose clopidogrel to overcome early high on clopidogrel platelet reactivity in patients with ST elevation myocardial infarction. <i>Cardiovascular Drugs and Therapy</i> , 2012 , 26, 393-400	3.9	32
44	CYP2C19*2 and other genetic variants affecting platelet response to clopidogrel in patients undergoing percutaneous coronary intervention. <i>Thrombosis Research</i> , 2012 , 129, 441-6	8.2	25
43	Flat panel digital detector cinefluoroscopy late following SES or BMS implantation for detection of coronary stent fracture in asymptomatic patients. <i>International Journal of Cardiology</i> , 2012 , 156, 277-82	3.2	2
42	An optical coherence tomography study of two new generation stents with biodegradable polymer carrier, eluting paclitaxel vs. biolimus-A9. <i>International Journal of Cardiology</i> , 2012 , 157, 341-6	3.2	19
41	Coronary artery calcium detection using flat panel digital cinefluoroscopy: comparison to coronary artery calcium score assessed with multiple detector computerized tomography. <i>International Journal of Cardiology</i> , 2012 , 158, 370-5	3.2	2
40	An unexpected cause of acute ST-elevation: an unconsciously swallowed sewing needle migrating to the heart. <i>International Journal of Cardiology</i> , 2012 , 158, e9-e10	3.2	2
39	Ticagrelor versus prasugrel in acute coronary syndrome patients with high on-clopidogrel platelet reactivity following percutaneous coronary intervention: a pharmacodynamic study. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 193-9	15.1	164
38	The heart seems to be the primary site and the target of anaphylaxis resulting in the development of Kounis syndrome. <i>Internal and Emergency Medicine</i> , 2012 , 7 Suppl 2, S119-20	3.7	17
37	Randomized assessment of ticagrelor versus prasugrel antiplatelet effects in patients with ST-segment-elevation myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 797-804	6	298
36	Thrombus extraction catheters vs. angiojet rheolytic thrombectomy in thrombotic lesions/SV grafts. <i>Current Cardiology Reviews</i> , 2012 , 8, 202-8	2.4	4
35	Predictors of high on-treatment platelet reactivity early after clopidogrel loading in ST-elevation myocardial infarction. <i>Circulation Journal</i> , 2012 , 76, 2183-7	2.9	9
34	Long-term clinical outcome after percutaneous coronary intervention in grafts vs native vessels in patients with previous coronary artery bypass grafting. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 716-24	3.8	15
33	Intimal hyperplasia by optical coherence tomography after BMS and DES implantation in the same artery. <i>International Journal of Cardiology</i> , 2011 , 148, e66-7	3.2	
32	Late asymptomatic sirolimus-eluting stent fracture in a female with systemic lupus erythematosus. <i>International Journal of Cardiology</i> , 2011 , 149, e72-e74	3.2	1
31	Diagnostic role of plasma BNP levels in neonates with signs of congenital heart disease. <i>International Journal of Cardiology</i> , 2011 , 147, 42-6	3.2	20
30	An unusual case of cor triatriatum sinister presenting as pulmonary oedema during labor. <i>International Journal of Cardiology</i> , 2011 , 150, e92-3	3.2	9
29	Neointimal coverage and stent strut apposition six months after implantation of a paclitaxel eluting stent in acute coronary syndromes: an optical coherence tomography study. <i>International Journal of Cardiology</i> , 2011 , 151, 155-9	3.2	15

28	Neointimal tissue rupture as a mechanism of myocardial infarction very late following implantation of bare metal stents. Insights from optical coherence tomography. <i>International Journal of Cardiology</i> , 2011 , 148, 348-9	3.2	3
27	Long term outcome of routine early versus late transfer for coronary angiography following presumably successful thrombolysis for ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 147, 292-3	3.2	
26	Revascularization strategies for stable multivessel and unprotected left main coronary artery disease: from BARI to SYNTAX. <i>International Journal of Cardiology</i> , 2011 , 153, 126-34	3.2	5
25	Prasugrel overcomes high on-clopidogrel platelet reactivity in chronic coronary artery disease patients more effectively than high dose (150 mg) clopidogrel. <i>American Heart Journal</i> , 2011 , 162, 733-9	4.9	56
24	Angiographic estimation of atherosclerotic disease burden in a coronary artery fed by collaterals: a potential pitfall in decision for revascularization. <i>Vascular Health and Risk Management</i> , 2011 , 7, 165-7	4.4	3
23	Real-time ultrasound-guided subclavian vein cannulation versus the landmark method in critical care patients: a prospective randomized study. <i>Critical Care Medicine</i> , 2011 , 39, 1607-12	1.4	265
22	Mechanisms of non-fatal stent-related myocardial infarction late following coronary stenting with drug-eluting stents and bare metal stents. Insights from optical coherence tomography. <i>Circulation Journal</i> , 2011 , 75, 2789-97	2.9	8
21	Antiplatelet effects of prasugrel vs. double clopidogrel in patients on hemodialysis and with high on-treatment platelet reactivity. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 2379-85	15.4	68
20	Simultaneous drug-eluting and bare-metal stent implantation: long-term clinical outcome and findings of clinically indicated coronary angiography. <i>Clinical Cardiology</i> , 2011 , 34, 317-21	3.3	1
19	Prevalence of contraindications and conditions for precaution for prasugrel administration in a real world acute coronary syndrome population. <i>Journal of Thrombosis and Thrombolysis</i> , 2011 , 32, 328-33	5.1	9
18	Prasugrel overcomes high on-clopidogrel platelet reactivity post-stenting more effectively than high-dose (150-mg) clopidogrel: the importance of CYP2C19*2 genotyping. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 403-10	5	101
17	Evaluation of culprit saphenous vein graft lesions with optical coherence tomography in patients with acute coronary syndromes. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 683-93	5	20
16	Supernumerary umbilical vein in a hydropic neonate with hypertrophic cardiomyopathy. <i>Fetal and Pediatric Pathology</i> , 2011 , 30, 173-6	1.7	5
15	Fever with multiple organ failure: not always sepsis. <i>Anaesthesia and Intensive Care</i> , 2010 , 38, 1090-3	1.1	7
14	Mechanisms of nonfatal acute myocardial infarction late after stent implantation: the relative impact of disease progression, stent restenosis, and stent thrombosis. <i>American Heart Journal</i> , 2010 , 159, 439-45	4.9	12
13	Double-barrel stenting of distal left main stenosis in a patient with acute coronary syndrome: intravascular ultrasound and optical coherence tomography follow-up at six months. <i>Canadian Journal of Cardiology</i> , 2010 , 26, e282-5	3.8	
12	Ad hoc percutaneous coronary intervention after in-laboratory high dose clopidogrel loading for clopidogrel-naive patients: safe for all?. <i>American Journal of Cardiology</i> , 2010 , 106, 139-40; author reply 140-1	3	
11	Morphological characteristics of culprit atheromatic plaque are associated with coronary flow after thrombolytic therapy: new implications of optical coherence tomography from a multicenter study. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 507-14	5	27

10	Cardiac mortality in β -thalassemia major: resting but not dobutamine stress echocardiography predicts mortality among initially cardiac disease-free patients in a prospective 12-year study. <i>European Journal of Heart Failure</i> , 2009 , 11, 1178-81	12.3	10
9	Timing of clopidogrel loading before percutaneous coronary intervention in clopidogrel-naive patients with stable or unstable angina: a comparison of two strategies. <i>American Heart Journal</i> , 2009 , 158, 585-91	4.9	11
8	Interventional treatment in diabetics in the era of drug-eluting stents and compliance to the ESC guidelines: lessons learned from the Euro Heart Survey Programme. <i>EuroIntervention</i> , 2009 , 4, 578-87	3.1	7
7	Immunosuppressive treatment of idiopathic focal segmental glomerulosclerosis: a five-year follow-up study. <i>Nephron Clinical Practice</i> , 2006 , 104, c75-82		27
6	Release of endothelin-1 from human endocardium after radiofrequency catheter ablation and coronary angioplasty: comparative results. <i>International Journal of Cardiology</i> , 2005 , 102, 187-93	3.2	6
5	Enzyme replacement therapy in severe Fabry disease with renal failure: a 1-year follow-up. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 389-92	2.2	5
4	Coronary calcium detected by digital cinefluoroscopy and coronary artery disease in patients undergoing coronary arteriography: effects of age and sex. <i>International Journal of Cardiology</i> , 2003 , 87, 159-66	3.2	2
3	Prognostic significance of coronary artery calcium in asymptomatic subjects with usual cardiovascular risk. <i>American Heart Journal</i> , 2003 , 145, 542-8	4.9	19
2	Diagnostic superiority of continuous-loop electrocardiographic recording over other testing in a patient with recurrent syncope and underlying coronary artery disease with severe left ventricular dysfunction. <i>Clinical Cardiology</i> , 2001 , 24, 419-21	3.3	
1	Significance of R-on-T phenomenon in early ventricular tachyarrhythmia susceptibility after acute myocardial infarction in the thrombolytic era. <i>American Journal of Cardiology</i> , 2000 , 85, 289-93	3	11