

Marta Miola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3085029/publications.pdf>

Version: 2024-02-01

90
papers

3,208
citations

159358

30
h-index

174990

52
g-index

96
all docs

96
docs citations

96
times ranked

3783
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface functionalization of bioactive glasses and hydroxyapatite with polyphenols from organic red grape pomace. <i>Journal of the American Ceramic Society</i> , 2022, 105, 1697-1710.	1.9	11
2	Magneto-plasmonic heterodimers: Evaluation of different synthesis approaches. <i>Journal of the American Ceramic Society</i> , 2022, 105, 1276.	1.9	3
3	Synthesis and characterization of sol-gel bioactive glass nanoparticles doped with boron and copper. <i>Ceramics International</i> , 2022, 48, 13706-13718.	2.3	20
4	In situ reduction of Ag on magnetic nanoparticles with gallic acid: effect of the synthesis parameters on morphology. <i>Nanomedicine</i> , 2022, 17, 499-511.	1.7	2
5	Angiogenesis induction by bioactive glasses and glass-ceramics. , 2022, , 203-226.		0
6	Tellurium: A new active element for innovative multifunctional bioactive glasses. <i>Materials Science and Engineering C</i> , 2021, 123, 111957.	3.8	17
7	The effect of magnesium on bioactivity, rheology and biology behaviors of injectable bioactive glass-gelatin-3-glycidyoxypropyl trimethoxysilane nanocomposite-paste for small bone defects repair. <i>Ceramics International</i> , 2021, 47, 12526-12536.	2.3	9
8	Synthesis and characterization of magnetic and antibacterial nanoparticles as filler in acrylic cements for bone cancer and comorbidities therapy. <i>Ceramics International</i> , 2021, 47, 17633-17643.	2.3	8
9	Electrophoretic deposition of composite coatings based on alginate matrix/45S5 bioactive glass particles doped with B, Zn or Sr. <i>Surface and Coatings Technology</i> , 2021, 418, 127183.	2.2	13
10	Melt-derived copper-doped ferrimagnetic glass-ceramic for tumor treatment. <i>Ceramics International</i> , 2021, 47, 31749-31755.	2.3	3
11	Bioactive materials: In vitro investigation of different mechanisms of hydroxyapatite precipitation. <i>Acta Biomaterialia</i> , 2020, 102, 468-480.	4.1	115
12	Enhancing Mechanical Properties and Biological Performances of Injectable Bioactive Glass by Gelatin and Chitosan for Bone Small Defect Repair. <i>Biomedicines</i> , 2020, 8, 616.	1.4	22
13	The mechanical and chemical stability of the interfaces in bioactive materials: The substrate-bioactive surface layer and hydroxyapatite-bioactive surface layer interfaces. <i>Materials Science and Engineering C</i> , 2020, 116, 111238.	3.8	27
14	Competitive Surface Colonization of Antibacterial and Bioactive Materials Doped with Strontium and/or Silver Ions. <i>Nanomaterials</i> , 2020, 10, 120.	1.9	38
15	Antibacterial and Bioactive Composite Bone Cements. <i>Current Materials Science</i> , 2020, 12, 144-153.	0.2	7
16	In situ chemical and physical reduction of copper on bioactive glass surface. <i>Applied Surface Science</i> , 2019, 495, 143559.	3.1	11
17	Tumor Targeting by Monoclonal Antibody Functionalized Magnetic Nanoparticles. <i>Nanomaterials</i> , 2019, 9, 1575.	1.9	26
18	Electrospun Filaments Embedding Bioactive Glass Particles with Ion Release and Enhanced Mineralization. <i>Nanomaterials</i> , 2019, 9, 182.	1.9	17

#	ARTICLE	IF	CITATIONS
19	Antibacterial nanostructured composite coating on high performance Vectran [®] , [®] fabric for aerospace structures. <i>Surface and Coatings Technology</i> , 2019, 373, 47-55.	2.2	19
20	Bioactive superparamagnetic nanoparticles for multifunctional composite bone cements. <i>Ceramics International</i> , 2019, 45, 14533-14545.	2.3	10
21	Magnetoplasmonic nanoparticles for photothermal therapy. <i>Nanotechnology</i> , 2019, 30, 255705.	1.3	21
22	PMMA-Based Bone Cements and the Problem of Joint Arthroplasty Infections: Status and New Perspectives. <i>Materials</i> , 2019, 12, 4002.	1.3	62
23	Glass-ceramics for cancer treatment: So close, or yet so far?. <i>Acta Biomaterialia</i> , 2019, 83, 55-70.	4.1	85
24	Fe-doped bioactive glass-derived scaffolds produced by sol-gel foaming. <i>Materials Letters</i> , 2019, 235, 207-211.	1.3	47
25	Multifunctional Bioactive Glasses and Glass-Ceramics: Beyond "Traditional" Bioactivity. , 2019, , 35-67.		1
26	Synthesis and characterization of silica-coated superparamagnetic iron oxide nanoparticles and interaction with pancreatic cancer cells. <i>International Journal of Applied Ceramic Technology</i> , 2018, 15, 947-960.	1.1	7
27	Bioactive sol-gel glasses: Processing, properties, and applications. <i>International Journal of Applied Ceramic Technology</i> , 2018, 15, 841-860.	1.1	124
28	Surface modification of titanium surfaces through a modified oxide layer and embedded silver nanoparticles: Effect of reducing/stabilizing agents on precipitation and properties of the nanoparticles. <i>Surface and Coatings Technology</i> , 2018, 344, 177-189.	2.2	25
29	Fe-Doped Sol-Gel Glasses and Glass-Ceramics for Magnetic Hyperthermia. <i>Materials</i> , 2018, 11, 173.	1.3	45
30	PPARs are mediators of anti-cancer properties of superparamagnetic iron oxide nanoparticles (SPIONs) functionalized with conjugated linoleic acid. <i>Chemico-Biological Interactions</i> , 2018, 292, 9-14.	1.7	13
31	Copper-Doped Bioactive Glass as Filler for PMMA-Based Bone Cements: Morphological, Mechanical, Reactivity, and Preliminary Antibacterial Characterization. <i>Materials</i> , 2018, 11, 961.	1.3	38
32	Biocompatibility versus peritoneal mesothelial cells of polypropylene prostheses for hernia repair, coated with a thin silica/silver layer. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017, 105, 1586-1593.	1.6	23
33	Composites bone cements with different viscosities loaded with a bioactive and antibacterial glass. <i>Journal of Materials Science</i> , 2017, 52, 5133-5146.	1.7	19
34	Innovative superparamagnetic iron-oxide nanoparticles coated with silica and conjugated with linoleic acid: Effect on tumor cell growth and viability. <i>Materials Science and Engineering C</i> , 2017, 76, 439-447.	3.8	18
35	Antimicrobial functionalization of cotton fabric with silver nanoclusters/silica composite coating via RF co-sputtering technique. <i>Cellulose</i> , 2017, 24, 2331-2345.	2.4	75
36	Nanogrooves and keratin nanofibers on titanium surfaces aimed at driving gingival fibroblasts alignment and proliferation without increasing bacterial adhesion. <i>Materials Science and Engineering C</i> , 2017, 76, 1-12.	3.8	66

#	ARTICLE	IF	CITATIONS
37	Multifunctional ferrimagnetic glass-ceramic for the treatment of bone tumor and associated complications. <i>Journal of Materials Science</i> , 2017, 52, 9192-9201.	1.7	11
38	Characterization of antibacterial silver nanocluster/silica composite coating on high performance Kevlar® textile. <i>Surface and Coatings Technology</i> , 2017, 321, 438-447.	2.2	32
39	Polypropylene prostheses coated with silver nanoclusters/silica coating obtained by sputtering: Biocompatibility and antibacterial properties. <i>Surface and Coatings Technology</i> , 2017, 319, 326-334.	2.2	18
40	Magnetite and silica-coated magnetite nanoparticles are highly biocompatible on endothelial cells <i>in vitro</i> . <i>Biomedical Physics and Engineering Express</i> , 2017, 3, 025015.	0.6	11
41	Bioactivity, mechanical properties and drug delivery ability of bioactive glass-ceramic scaffolds coated with a natural-derived polymer. <i>Materials Science and Engineering C</i> , 2017, 77, 342-351.	3.8	29
42	In vitro biocompatibility of a ferrimagnetic glass-ceramic for hyperthermia application. <i>Materials Science and Engineering C</i> , 2017, 73, 778-787.	3.8	31
43	Composite bone cements for hyperthermia: modeling and characterization of magnetic, calorimetric and in vitro heating properties. <i>Ceramics International</i> , 2017, 43, 4831-4840.	2.3	13
44	Antibacterial silver nanocluster/silica composite coatings on stainless steel. <i>Applied Surface Science</i> , 2017, 396, 1546-1555.	3.1	34
45	Reductant-free synthesis of magnetoplasmonic iron oxide-gold nanoparticles. <i>Ceramics International</i> , 2017, 43, 15258-15265.	2.3	21
46	Tumor targeting by lentiviral vectors combined with magnetic nanoparticles in mice. <i>Acta Biomaterialia</i> , 2017, 59, 303-316.	4.1	33
47	In situ reduction of antibacterial silver ions to metallic silver nanoparticles on bioactive glasses functionalized with polyphenols. <i>Applied Surface Science</i> , 2017, 396, 461-470.	3.1	49
48	Bioactive and Antibacterial Glass Powders Doped with Copper by Ion-Exchange in Aqueous Solutions. <i>Materials</i> , 2016, 9, 405.	1.3	30
49	Bioactive Glasses with Low Ca/P Ratio and Enhanced Bioactivity. <i>Materials</i> , 2016, 9, 226.	1.3	24
50	Antibacterial Bioglass-Derived Scaffolds: Innovative Synthesis Approach and Characterization. <i>International Journal of Applied Glass Science</i> , 2016, 7, 238-247.	1.0	30
51	Glass coatings on zirconia with enhanced bioactivity. <i>Journal of the European Ceramic Society</i> , 2016, 36, 3201-3210.	2.8	24
52	Physico-chemical and biological studies on three-dimensional porous silk/spray-dried mesoporous bioactive glass scaffolds. <i>Ceramics International</i> , 2016, 42, 13761-13772.	2.3	18
53	Novel antibacterial ocular prostheses: Proof of concept and physico-chemical characterization. <i>Materials Science and Engineering C</i> , 2016, 60, 467-474.	3.8	29
54	Enhanced apatite precipitation on a biopolymer-coated bioactive glass. <i>Biomedical Glasses</i> , 2015, 1, .	2.4	2

#	ARTICLE	IF	CITATIONS
55	Electrophoretic Deposition of Chitosan/45S5 Bioactive Glass Composite Coatings Doped with Zn and Sr. <i>Frontiers in Bioengineering and Biotechnology</i> , 2015, 3, 159.	2.0	59
56	Structure optimisation and biological evaluation of bone scaffolds prepared by co-sintering of silicate and phosphate glasses. <i>Advances in Applied Ceramics</i> , 2015, 114, S48-S55.	0.6	11
57	Antibacterial and bioactive composite bone cements containing surface silver-doped glass particles. <i>Biomedical Materials (Bristol)</i> , 2015, 10, 055014.	1.7	31
58	A unified in vitro evaluation for apatite-forming ability of bioactive glasses and their variants. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 115.	1.7	275
59	On the mechanism of apatite-induced precipitation on 45S5 glass pellets coated with a natural-derived polymer. <i>Applied Surface Science</i> , 2015, 353, 137-149.	3.1	20
60	Micro- and nano-textured, hydrophilic and bioactive titanium dental implants. <i>Surface and Coatings Technology</i> , 2015, 276, 374-383.	2.2	79
61	Composite bone cements loaded with a bioactive and ferrimagnetic glass-ceramic: Leaching, bioactivity and cytocompatibility. <i>Materials Science and Engineering C</i> , 2015, 53, 95-103.	3.8	42
62	Composite bone cements loaded with a bioactive and ferrimagnetic glass-ceramic. Part I: Morphological, mechanical and calorimetric characterization. <i>Journal of Biomaterials Applications</i> , 2014, 29, 254-267.	1.2	30
63	Biomaterials for orbital implants and ocular prostheses: Overview and future prospects. <i>Acta Biomaterialia</i> , 2014, 10, 1064-1087.	4.1	87
64	In vitro study of manganese-doped bioactive glasses for bone regeneration. <i>Materials Science and Engineering C</i> , 2014, 38, 107-118.	3.8	105
65	Antibiotic-free composite bone cements with antibacterial and bioactive properties. A preliminary study. <i>Materials Science and Engineering C</i> , 2014, 43, 65-75.	3.8	39
66	Chemical, mechanical and antibacterial properties of silver nanocluster/silica composite coated textiles for safety systems and aerospace applications. <i>Applied Surface Science</i> , 2014, 317, 131-139.	3.1	22
67	Silver nanocluster-silica composite antibacterial coatings for materials to be used in mobile telephones. <i>Applied Surface Science</i> , 2014, 313, 107-115.	3.1	26
68	Antibacterial and bioactive nanostructured titanium surfaces for bone integration. <i>Applied Surface Science</i> , 2014, 311, 279-291.	3.1	91
69	Antibiotic-loaded acrylic bone cements: An in vitro study on the release mechanism and its efficacy. <i>Materials Science and Engineering C</i> , 2013, 33, 3025-3032.	3.8	29
70	Antibiotic loading on bioactive glasses and glass-ceramics: An approach to surface modification. <i>Journal of Biomaterials Applications</i> , 2013, 28, 308-319.	1.2	17
71	Silver Nanocluster/Silica Composite Coatings Obtained by Sputtering for Antibacterial Applications. <i>Engineering Materials</i> , 2013, , 225-247.	0.3	4
72	Effect of thermal treatments on sputtered silver nanocluster/silica composite coatings on soda-lime glasses: ionic exchange and antibacterial activity. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	22

#	ARTICLE	IF	CITATIONS
73	Silver nanocluster/silica composite coatings obtained by sputtering for antibacterial applications. IOP Conference Series: Materials Science and Engineering, 2012, 40, 012037.	0.3	24
74	Antibacterial coating on polymer for space application. Materials Chemistry and Physics, 2012, 135, 714-722.	2.0	46
75	Influence of the Chemical Composition on Nature and Activity of the Surface Layer of Zn-Substituted Solâ~Gel (Bioactive) Glasses. Journal of Physical Chemistry C, 2011, 115, 2196-2210.	1.5	26
76	Biocompatibility and Antibacterial Effect of Silver Doped 3D-Glass-Ceramic Scaffolds for Bone Grafting. Journal of Biomaterials Applications, 2011, 25, 595-617.	1.2	18
77	Antibiotic-Loaded Cement in Orthopedic Surgery: A Review. ISRN Orthopedics, 2011, 2011, 1-8.	0.7	149
78	Silver nanoclusterâ€™silica composite coatings with antibacterial properties. Materials Chemistry and Physics, 2010, 120, 123-126.	2.0	50
79	Chemical, Mechanical, and Antibacterial Properties of Silver Nanoclusterâ€™Silica Composite Coatings Obtained by Sputtering. Advanced Engineering Materials, 2010, 12, B276.	1.6	31
80	Surface Activation of a Ferrimagnetic Glassâ€™Ceramic for Antineoplastic Drugs Grafting. Advanced Engineering Materials, 2010, 12, B309.	1.6	14
81	In Vitro Comparison between Commercially and Manually Mixed Antibiotic-Loaded Bone Cements. Journal of Applied Biomaterials and Biomechanics, 2010, 8, 166-174.	0.4	13
82	In vitro comparison between commercially and manually mixed antibiotic-loaded bone cements. Journal of Applied Biomaterials and Biomechanics, 2010, 8, 166-74.	0.4	8
83	Surface silver-doping of biocompatible glass to induce antibacterial properties. Part I: massive glass. Journal of Materials Science: Materials in Medicine, 2009, 20, 733-740.	1.7	47
84	Surface silver-doping of biocompatible glasses to induce antibacterial properties. Part II: plasma sprayed glass-coatings. Journal of Materials Science: Materials in Medicine, 2009, 20, 741-749.	1.7	52
85	Glassâ€™ceramic scaffolds containing silica mesophases for bone grafting and drug delivery. Journal of Materials Science: Materials in Medicine, 2009, 20, 809-820.	1.7	46
86	<i>In situ</i> Raman study to monitor bioactive glasses reactivity. Journal of Raman Spectroscopy, 2008, 39, 260-264.	1.2	24
87	3D-glassâ€™ceramic scaffolds with antibacterial properties for bone grafting. Chemical Engineering Journal, 2008, 137, 129-136.	6.6	113
88	Synthesis and characterisation of bioactive and antibacterial glassâ€™ceramic Part 1 â€™ Microstructure, properties and biological behaviour. Advances in Applied Ceramics, 2008, 107, 234-244.	0.6	33
89	Synthesis and characterisation of bioactive and antibacterial glass-ceramic Part 2 â€™ plasma spray coatings on metallic substrates. Advances in Applied Ceramics, 2008, 107, 245-253.	0.6	19
90	Development and Characterization of PEEK/B<sub>2</sub>O<sub>3</sub>-Doped 45S5 Bioactive Glass Composite Coatings Obtained by Electrophoretic Deposition. Key Engineering Materials, 0, 654, 165-169.	0.4	11