

Judith E Bosmans

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3086260/publications.pdf>

Version: 2024-02-01

113
papers

2,346
citations

236833

25
h-index

315616

38
g-index

122
all docs

122
docs citations

122
times ranked

3829
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost-effectiveness of Guided Internet-Delivered Cognitive Behavioral Therapy in Comparison with Care-as-Usual for Patients with Insomnia in General Practice. <i>Behavioral Sleep Medicine</i> , 2022, 20, 188-203.	1.1	10
2	The cost effectiveness of personalized dietary advice to increase protein intake in older adults with lower habitual protein intake: a randomized controlled trial. <i>European Journal of Nutrition</i> , 2022, 61, 505-520.	1.8	7
3	Cost-effectiveness of exergaming compared to regular day-care activities in dementia: Results of a randomised controlled trial in The Netherlands. <i>Health and Social Care in the Community</i> , 2022, 30, .	0.7	5
4	Can EQ-5D-3L utility values of low back pain patients be validly predicted by the Oswestry Disability Index for use in cost-effectiveness analyses?. <i>Quality of Life Research</i> , 2022, 31, 2153-2165.	1.5	5
5	The Cardiac Care Bridge transitional care program for the management of older high-risk cardiac patients: An economic evaluation alongside a randomized controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263130.	1.1	0
6	Trial-based Cost-effectiveness Analysis of an Immediate Postoperative Mitomycin C Instillation in Patients with Non-muscle-invasive Bladder Cancer. <i>European Urology Open Science</i> , 2022, 37, 7-13.	0.2	1
7	Cost-Effectiveness of Routine Third Trimester Ultrasound Screening for Fetal Growth Restriction Compared to Care as Usual in Low-Risk Pregnancies: A Pragmatic Nationwide Stepped-Wedge Cluster-Randomized Trial in The Netherlands (the IRIS Study). <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3312.	1.2	4
8	Effectiveness and cost-effectiveness of a combined lifestyle intervention compared with usual care for patients with early-stage knee osteoarthritis who are overweight (LITE): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e059554.	0.8	0
9	A multi-centre, randomized, non-inferiority trial to compare ulipristal with standard surgical treatment in women with symptomatic uterine fibroids: Protocol of the MYOMEX-2 trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 256, 63-69.	0.5	6
10	Effect of single- versus double-layer uterine closure during caesarean section on postmenstrual spotting (2Close): multicentre, double-blind, randomised controlled superiority trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 866-878.	1.1	30
11	Evaluation of FindMyApps: protocol for a randomized controlled trial of the effectiveness and cost-effectiveness of a tablet-based intervention to improve self-management and social participation of community-dwelling people with mild dementia, compared to usual tablet use. <i>BMC Geriatrics</i> , 2021, 21, 138.	1.1	8
12	Economic evaluations of educational, physical, and psychological treatments for fibromyalgia: a systematic review with meta-analysis. <i>Pain</i> , 2021, 162, 2331-2345.	2.0	12
13	The statistical approach in trial-based economic evaluations matters: get your statistics together!. <i>BMC Health Services Research</i> , 2021, 21, 475.	0.9	19
14	The (cost-)effectiveness of an implemented fall prevention intervention on falls and fall-related injuries among community-dwelling older adults with an increased risk of falls: protocol for the in balance randomized controlled trial. <i>BMC Geriatrics</i> , 2021, 21, 381.	1.1	5
15	Cost-effectiveness of single-layer versus double-layer uterine closure during caesarean section on postmenstrual spotting: economic evaluation alongside a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e044340.	0.8	2
16	Interpretation of trial-based economic evaluations of musculoskeletal physical therapy interventions. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 514-529.	1.1	11
17	Benchmarking European Home Care Models for Older Persons on Societal Costs: The IBenC Study. <i>Health Services Insights</i> , 2021, 14, 117863292110224.	0.6	1
18	Assessing the Impact of EQ-5D Country-specific Value Sets on Cost-utility Outcomes. <i>Medical Care</i> , 2021, 59, 82-90.	1.1	13

#	ARTICLE	IF	CITATIONS
19	Cost-Effectiveness of perioperative Vaginally Administered estrogen in postmenopausal women undergoing prolapse surgery (EVA trial): study protocol for a multicenter double-blind randomized placebo-controlled trial. <i>BMC Women's Health</i> , 2021, 21, 439.	0.8	3
20	Effectiveness of spinal manipulation and myofascial release compared with spinal manipulation alone on health-related outcomes in individuals with non-specific low back pain: randomized controlled trial. <i>Physiotherapy</i> , 2020, 107, 71-80.	0.2	13
21	What do national pharmacoeconomic guidelines recommend regarding the statistical analysis of trial-based economic evaluations?. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020, 20, 27-37.	0.7	10
22	Ulipristal acetate versus gonadotropin-releasing hormone agonists prior to laparoscopic myomectomy (MYOMEX trial): Long term results of a double-blind randomized controlled trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 252, 256-264.	0.5	3
23	Cost-effectiveness of the Namaste care family program for nursing home residents with advanced dementia in comparison with usual care: a cluster-randomized controlled trial. <i>BMC Health Services Research</i> , 2020, 20, 831.	0.9	15
24	Taking the Analysis of Trial-Based Economic Evaluations to the Next Level: The Importance of Accounting for Clustering. <i>Pharmacoeconomics</i> , 2020, 38, 1247-1261.	1.7	19
25	Effectiveness and cost-effectiveness of personalised dietary advice aiming at increasing protein intake on physical functioning in community-dwelling older adults with lower habitual protein intake: rationale and design of the PROMISS randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e040637.	0.8	18
26	Observational retrospective study of UK national success, risks and costs for 319,105 IVF/ICSI and 30,669 IUI treatment cycles. <i>BMJ Open</i> , 2020, 10, e034566.	0.8	46
27	Low back pain should be considered a health and research priority in Brazil: Lost productivity and healthcare costs between 2012 to 2016. <i>PLoS ONE</i> , 2020, 15, e0230902.	1.1	60
28	Five-year cost-effectiveness analysis of the European Fans in Training (EuroFIT) physical activity intervention for men versus no intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 30.	2.0	5
29	The effects of once-versus twice-weekly sessions on psychotherapy outcomes in depressed patients. <i>British Journal of Psychiatry</i> , 2020, 216, 222-230.	1.7	60
30	Comparing the EQâ€Dâ€L crosswalks and value sets for England, the Netherlands and Spain: Exploring their impact on costâ€utility results. <i>Health Economics (United Kingdom)</i> , 2020, 29, 640-651.	0.8	7
31	Nurse-Guided Internet-Delivered Cognitive Behavioral Therapy for Insomnia in General Practice: Results from a Pragmatic Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 174-184.	4.0	36
32	Effectiveness of the multi-component dynamic work intervention to reduce sitting time in office workers â€ Results from a pragmatic cluster randomised controlled trial. <i>Applied Ergonomics</i> , 2020, 84, 103027.	1.7	24
33	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. <i>Palliative Medicine</i> , 2020, 34, 934-945.	1.3	8
34	Development and Validation of a Prediction Model for 6-Month Societal Costs in Older Community Care-Recipients in Multiple Countries; the IBenC Study. <i>Health Services Insights</i> , 2020, 13, 117863292098046.	0.6	0
35	Supported self-help to prevent relapse or recurrence of depression: Who benefits most?. <i>Journal of Affective Disorders</i> , 2019, 257, 180-186.	2.0	2
36	Long-term effectiveness and cost-effectiveness of an 18-week supervised exercise program in patients treated with autologous stem cell transplantation: results from the EXIST study. <i>Journal of Cancer Survivorship</i> , 2019, 13, 558-569.	1.5	31

#	ARTICLE	IF	CITATIONS
37	SUGAR-DIP trial: oral medication strategy versus insulin for diabetes in pregnancy, study protocol for a multicentre, open-label, non-inferiority, randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e029808.	0.8	6
38	Diagnostic accuracy of depression questionnaires in adult patients with diabetes: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2019, 14, e0218512.	1.1	23
39	Signs of Inequality? Variations in Providing Home Health Care Across Care Organizations and Across European Countries in the IBenC Study. <i>Health Services Insights</i> , 2019, 12, 117863291983763.	0.6	5
40	Development of a novel benchmark method to identify and characterize best practices in home care across six European countries: design, baseline, and rationale of the IBenC project. <i>BMC Health Services Research</i> , 2019, 19, 310.	0.9	15
41	The Cost-Effectiveness of an Intervention Program to Enhance Adherence to Antihypertensive Medication in Comparison With Usual Care in Community Pharmacies. <i>Frontiers in Pharmacology</i> , 2019, 10, 210.	1.6	13
42	What does quality of life mean to older adults? A thematic synthesis. <i>PLoS ONE</i> , 2019, 14, e0213263.	1.1	176
43	Predictors of Societal Costs of Older Care-Dependent Adults Living in the Community in 11 European Countries. <i>Health Services Insights</i> , 2019, 12, 117863291882094.	0.6	3
44	The (cost-) effectiveness of exergaming in people living with dementia and their informal caregivers: protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2019, 19, 50.	1.1	9
45	Cost-effectiveness of laparoscopic ileocaecal resection versus infliximab treatment of terminal ileitis in Crohn's disease: the LIRIC Trial. <i>Gut</i> , 2019, 68, 1774-1780.	6.1	56
46	The effect of a programme to improve men's sedentary time and physical activity: The European Fans in Training (EuroFIT) randomised controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002736.	3.9	61
47	The Dynamic Work study: study protocol of a cluster randomized controlled trial of an occupational health intervention aimed at reducing sitting time in office workers. <i>BMC Public Health</i> , 2019, 19, 188.	1.2	9
48	Study protocol for a randomised trial for atosiban versus placebo in threatened preterm birth: the APOSTEL 8 study. <i>BMJ Open</i> , 2019, 9, e029101.	0.8	6
49	Doxycycline Added to Prednisolone in Outpatient-Treated Acute Exacerbations of COPD: A Cost-Effectiveness Analysis Alongside a Randomised Controlled Trial. <i>Pharmacoeconomics</i> , 2019, 37, 689-699.	1.7	4
50	Direct and indirect costs associated with nonoperative treatment for shoulder instability: an observational study in 132 patients. <i>Shoulder and Elbow</i> , 2019, 11, 265-274.	0.7	9
51	Measurement properties of depression questionnaires in patients with diabetes: a systematic review. <i>Quality of Life Research</i> , 2018, 27, 1415-1430.	1.5	30
52	Cost-effectiveness of curettage vs. expectant management in women with an incomplete evacuation after misoprostol treatment for first-trimester miscarriage: a randomized controlled trial and cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 294-300.	1.3	13
53	Consensus-based cross-European recommendations for the identification, measurement and valuation of costs in health economic evaluations: a European Delphi study. <i>European Journal of Health Economics</i> , 2018, 19, 993-1008.	1.4	39
54	Cost effectiveness of guided Internet-based interventions for depression in comparison with control conditions: An individual-participant data meta-analysis. <i>Depression and Anxiety</i> , 2018, 35, 209-219.	2.0	47

#	ARTICLE	IF	CITATIONS
55	Cost-effectiveness of healthy eating and/or physical activity promotion in pregnant women at increased risk of gestational diabetes mellitus: economic evaluation alongside the DALI study, a European multicenter randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 23.	2.0	34
56	A supported self-help for recurrent depression in primary care; An economic evaluation alongside a multi-center randomised controlled trial. <i>PLoS ONE</i> , 2018, 13, e0208570.	1.1	5
57	Optimizing psychotherapy dosage for comorbid depression and personality disorders (PsyDos): a pragmatic randomized factorial trial using schema therapy and short-term psychodynamic psychotherapy. <i>BMC Psychiatry</i> , 2018, 18, 252.	1.1	15
58	Two-year effectiveness of a stepped-care depression prevention intervention and predictors of incident depression in primary care patients with diabetes type 2 and/or coronary heart disease and subthreshold depression: data from the Step-Dep cluster randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e020412.	0.8	11
59	Effects of the Namaste Care Family programme on quality of life of nursing home residents with advanced dementia and on family caregiving experiences: study protocol of a cluster-randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e025411.	0.8	21
60	Effectiveness of a transdiagnostic individually tailored Internet-based and mobile-supported intervention for the indicated prevention of depression and anxiety (ICare Prevent) in Dutch college students: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 118.	0.7	23
61	Utility scores for different health states related to depression: individual participant data analysis. <i>Quality of Life Research</i> , 2017, 26, 1649-1658.	1.5	26
62	Guided and unguided internet-based vestibular rehabilitation versus usual care for dizzy adults of 50 years and older: a protocol for a three-armed randomised trial. <i>BMJ Open</i> , 2017, 7, e015479.	0.8	9
63	The effect of treatment as usual on major depressive disorder: A meta-analysis. <i>Journal of Affective Disorders</i> , 2017, 210, 72-81.	2.0	52
64	Targeting the underlying causes of undernutrition. Cost-effectiveness of a multifactorial personalized intervention in community-dwelling older adults: A randomized controlled trial. <i>Clinical Nutrition</i> , 2017, 36, 1498-1508.	2.3	20
65	Reporting and Analysis of Trial-Based Cost-Effectiveness Evaluations in Obstetrics and Gynaecology. <i>Pharmacoeconomics</i> , 2017, 35, 1007-1033.	1.7	13
66	Exploring the patient perspective of fatigue in adults with visual impairment: a qualitative study. <i>BMJ Open</i> , 2017, 7, e015023.	0.8	14
67	Model-Based Economic Evaluation of Treatments for Depression: A Systematic Literature Review. <i>Pharmacoeconomics - Open</i> , 2017, 1, 149-165.	0.9	16
68	Behavioural activation by mental health nurses for late-life depression in primary care: a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 230.	1.1	15
69	Process evaluation of a stepped-care program to prevent depression in primary care: patients' and practice nurses' experiences. <i>BMC Family Practice</i> , 2017, 18, 26.	2.9	11
70	Cost-effectiveness of a nurse-led intervention to optimise implementation of guideline-concordant continence care: Study protocol of the COCON study. <i>BMC Nursing</i> , 2017, 16, 10.	0.9	2
71	Economic evaluations of health technologies in Dutch healthcare decision-making: a qualitative study of the current and potential use, barriers, and facilitators. <i>BMC Health Services Research</i> , 2017, 17, 89.	0.9	11
72	The (cost-)effectiveness of a patient-tailored intervention programme to enhance adherence to antihypertensive medication in community pharmacies: study protocol of a randomised controlled trial. <i>Trials</i> , 2017, 18, 29.	0.7	9

#	ARTICLE	IF	CITATIONS
73	Early rehabilitation after lumbar disc surgery is not effective or cost-effective compared to no referral: a randomised trial and economic evaluation. <i>Journal of Physiotherapy</i> , 2017, 63, 144-153.	0.7	31
74	Cost-effectiveness of a transitional pharmaceutical care program for patients discharged from the hospital. <i>PLoS ONE</i> , 2017, 12, e0174513.	1.1	18
75	Cost-effectiveness of nurse-led multifactorial care to prevent or postpone new disabilities in community-living older people: Results of a cluster randomized trial. <i>PLoS ONE</i> , 2017, 12, e0175272.	1.1	9
76	Low dose aspirin in the prevention of recurrent spontaneous preterm labour – the APRIL study: a multicenter randomized placebo controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 223.	0.9	18
77	The CIPRUS study, a nurse-led psychological treatment for patients with undifferentiated somatoform disorder in primary care: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 206.	0.7	4
78	Economic evaluation of stepped-care versus usual care for depression and anxiety in older adults with vision impairment: randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 280.	1.1	26
79	Effectiveness of a stepped-care intervention to prevent major depression in patients with type 2 diabetes mellitus and/or coronary heart disease and subthreshold depression: A pragmatic cluster randomized controlled trial. <i>PLoS ONE</i> , 2017, 12, e0181023.	1.1	22
80	Cost-effectiveness of different strategies for diagnosis of uncomplicated urinary tract infections in women presenting in primary care. <i>PLoS ONE</i> , 2017, 12, e0188818.	1.1	4
81	Convergent validity of the interRAI-HC for societal costs estimates in comparison with the RUD Lite instrument in community dwelling older adults. <i>BMC Health Services Research</i> , 2016, 16, 440.	0.9	14
82	The Cost-Effectiveness of Two Forms of Case Management Compared to a Control Group for Persons with Dementia and Their Informal Caregivers from a Societal Perspective. <i>PLoS ONE</i> , 2016, 11, e0160908.	1.1	36
83	Health-Related Quality of Life at Admission Is Associated with Postdischarge Mortality, Functional Decline, and Institutionalization in Acutely Hospitalized Older Medical Patients. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 761-768.	1.3	25
84	Economic evaluation of Internet-based problem-solving guided self-help treatment in comparison with enhanced usual care for depressed outpatients waiting for face-to-face treatment: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2016, 200, 284-292.	2.0	23
85	Study protocol of European Fans in Training (EuroFIT): a four-country randomised controlled trial of a lifestyle program for men delivered in elite football clubs. <i>BMC Public Health</i> , 2016, 16, 598.	1.2	31
86	Effectiveness and cost-effectiveness of routine third trimester ultrasound screening for intrauterine growth restriction: study protocol of a nationwide stepped wedge cluster-randomized trial in The Netherlands (The IRIS Study). <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 310.	0.9	21
87	One-year effects of two intensive inpatient treatments for severely obese children and adolescents. <i>BMC Pediatrics</i> , 2016, 16, 120.	0.7	11
88	European COMPARative Effectiveness research on blended Depression treatment versus treatment-as-usual (E-COMPARED): study protocol for a randomized controlled, non-inferiority trial in eight European countries. <i>Trials</i> , 2016, 17, 387.	0.7	118
89	Cost-effectiveness of i-Sleep, a guided online CBT intervention, for patients with insomnia in general practice: protocol of a pragmatic randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 85.	1.1	31
90	Diagnostic accuracy of the Patient Health Questionnaire-9 for assessment of depression in type II diabetes mellitus and/or coronary heart disease in primary care. <i>Journal of Affective Disorders</i> , 2016, 190, 68-74.	2.0	24

#	ARTICLE	IF	CITATIONS
91	Improving care after colon cancer treatment in The Netherlands, personalised care to enhance quality of life (I CARE study): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 284.	0.7	18
92	Cost-Effectiveness of a Chronic Care Model for Frail Older Adults in Primary Care: Economic Evaluation Alongside a Stepped-Wedge Cluster-Randomized Trial. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2494-2504.	1.3	53
93	Place of Death with Dementia- Dutch People Rarely Die in the Hospital. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1961-1962.	1.3	2
94	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. <i>BMC Cancer</i> , 2015, 15, 302.	1.1	18
95	Exploration of the content validity and feasibility of the EQ-5D-3L, ICECAP-O and ASCOT in older adults. <i>BMC Health Services Research</i> , 2015, 15, 201.	0.9	45
96	Dutch translation and cross-cultural validation of the Adult Social Care Outcomes Toolkit (ASCOT). <i>Health and Quality of Life Outcomes</i> , 2015, 13, 56.	1.0	22
97	Training mental health professionals in suicide practice guideline adherence: Cost-effectiveness analysis alongside a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2015, 186, 203-210.	2.0	17
98	Predictors of Societal Costs in Dementia Patients and Their Informal Caregivers: A Two-Year Prospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 1193-1203.	0.6	15
99	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. <i>BMC Psychiatry</i> , 2015, 15, 137.	1.1	30
100	An economic evaluation alongside a randomized controlled trial evaluating an individually tailored lifestyle intervention compared with usual care in people with Familial Hypercholesterolemia. <i>BMC Research Notes</i> , 2015, 8, 317.	0.6	2
101	Preventive Cognitive Therapy versus Treatment as Usual in preventing recurrence of depression: protocol of a multi-centered randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 139.	1.1	9
102	Community-Dwelling Patients With Dementia and Their Informal Caregivers With and Without Case Management: 2-Year Outcomes of a Pragmatic Trial. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 800.e1-800.e8.	1.2	25
103	Comparing Measurement Properties of the EQ-5D-3L, ICECAP-O, and ASCOT in Frail Older Adults. <i>Value in Health</i> , 2015, 18, 35-43.	0.1	65
104	Cost-Effectiveness of Cranberries vs Antibiotics to Prevent Urinary Tract Infections in Premenopausal Women: A Randomized Clinical Trial. <i>PLoS ONE</i> , 2014, 9, e91939.	1.1	18
105	Trial-Based Economic Evaluations in Occupational Health. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 563-572.	0.9	57
106	Is Dietetic Treatment for Undernutrition in Older Individuals in Primary Care Cost-Effective?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 226.e7-226.e13.	1.2	13
107	Cost-effectiveness of a stepped-care intervention to prevent major depression in patients with type 2 diabetes mellitus and/or coronary heart disease and subthreshold depression: design of a cluster-randomized controlled trial. <i>BMC Psychiatry</i> , 2013, 13, 128.	1.1	29
108	Effectiveness and cost-effectiveness of rehabilitation after lumbar disc surgery (REALISE): design of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 124.	0.8	7

#	ARTICLE	IF	CITATIONS
109	Addition of a general practitioner to the accident and emergency department: a cost-effective innovation in emergency care. <i>Emergency Medicine Journal</i> , 2012, 29, 192-196.	0.4	29
110	Cost-effectiveness of problem-solving treatment in comparison with usual care for primary care patients with mental health problems: a randomized trial. <i>BMC Family Practice</i> , 2012, 13, 98.	2.9	14
111	Outpatient costs in pharmaceutically treated diabetes patients with and without a diagnosis of depression in a Dutch primary care setting. <i>BMC Health Services Research</i> , 2012, 12, 46.	0.9	14
112	Is Behavioral Graded Activity Cost-Effective in Comparison With Manual Therapy for Patients With Subacute Neck Pain?. <i>Spine</i> , 2011, 36, E1179-E1186.	1.0	21
113	Health care costs of depression in primary care patients in The Netherlands. <i>Family Practice</i> , 2010, 27, 542-548.	0.8	21