Judith E Bosmans

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3086260/publications.pdf

Version: 2024-02-01

236925 315739 2,346 113 25 38 citations h-index g-index papers 122 122 122 3829 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Cost-effectiveness of Guided Internet-Delivered Cognitive Behavioral Therapy in Comparison with Care-as-Usual for Patients with Insomnia in General Practice. Behavioral Sleep Medicine, 2022, 20, 188-203.	2.1	10
2	The cost effectiveness of personalized dietary advice to increase protein intake in older adults with lower habitual protein intake: a randomized controlled trial. European Journal of Nutrition, 2022, 61, 505-520.	3.9	7
3	Costâ€effectiveness of exergaming compared to regular dayâ€care activities in dementia: Results of a randomised controlled trial in The Netherlands. Health and Social Care in the Community, 2022, 30, .	1.6	5
4	Can EQ-5D-3L utility values of low back pain patients be validly predicted by the Oswestry Disability Index for use in cost-effectiveness analyses?. Quality of Life Research, 2022, 31, 2153-2165.	3.1	5
5	The Cardiac Care Bridge transitional care program for the management of older high-risk cardiac patients: An economic evaluation alongside a randomized controlled trial. PLoS ONE, 2022, 17, e0263130.	2.5	O
6	Trial-based Cost-effectiveness Analysis of an Immediate Postoperative Mitomycin C Instillation in Patients with Non–muscle-invasive Bladder Cancer. European Urology Open Science, 2022, 37, 7-13.	0.4	1
7	Cost-Effectiveness of Routine Third Trimester Ultrasound Screening for Fetal Growth Restriction Compared to Care as Usual in Low-Risk Pregnancies: A Pragmatic Nationwide Stepped-Wedge Cluster-Randomized Trial in The Netherlands (the IRIS Study). International Journal of Environmental Research and Public Health. 2022. 19. 3312.	2.6	4
8	Effectiveness and cost-effectiveness of a combined lifestyle intervention compared with usual care for patients with early-stage knee osteoarthritis who are overweight (LITE): protocol for a randomised controlled trial. BMJ Open, 2022, 12, e059554.	1.9	0
9	A multi-centre, randomized, non-inferiority trial to compare ulipristal with standard surgical treatment in women with symptomatic uterine fibroids: Protocol of the MYOMEX-2 trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 63-69.	1.1	6
10	Effect of single―versus doubleâ€layer uterine closure during caesarean section on postmenstrual spotting (2Close): multicentre, doubleâ€blind, randomised controlled superiority trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 866-878.	2.3	30
11	Evaluation of FindMyApps: protocol for a randomized controlled trial of the effectiveness and cost-effectiveness of a tablet-based intervention to improve self-management and social participation of community-dwelling people with mild dementia, compared to usual tablet use. BMC Geriatrics, 2021, 21, 138.	2.7	8
12	Economic evaluations of educational, physical, and psychological treatments for fibromyalgia: a systematic review with meta-analysis. Pain, 2021, 162, 2331-2345.	4.2	12
13	The statistical approach in trial-based economic evaluations matters: get your statistics together!. BMC Health Services Research, 2021, 21, 475.	2.2	19
14	The (cost-)effectiveness of an implemented fall prevention intervention on falls and fall-related injuries among community-dwelling older adults with an increased risk of falls: protocol for the in balance randomized controlled trial. BMC Geriatrics, 2021, 21, 381.	2.7	5
15	Cost-effectiveness of single-layer versus double-layer uterine closure during caesarean section on postmenstrual spotting: economic evaluation alongside a randomised controlled trial. BMJ Open, 2021, 11, e044340.	1.9	2
16	Interpretation of trial-based economic evaluations of musculoskeletal physical therapy interventions. Brazilian Journal of Physical Therapy, 2021, 25, 514-529.	2.5	11
17	Benchmarking European Home Care Models for Older Persons on Societal Costs: The IBenC Study. Health Services Insights, 2021, 14, 117863292110224.	1.3	1
18	Assessing the Impact of EQ-5D Country-specific Value Sets on Cost-utility Outcomes. Medical Care, 2021, 59, 82-90.	2.4	13

#	Article	IF	CITATIONS
19	Cost-Effectiveness of perioperative Vaginally Administered estrogen in postmenopausal women undergoing prolapse surgery (EVA trial): study protocol for a multicenter double-blind randomized placebo-controlled trial. BMC Women's Health, 2021, 21, 439.	2.0	3
20	Effectiveness of spinal manipulation and myofascial release compared with spinal manipulation alone on health-related outcomes in individuals with non-specific low back pain: randomized controlled trial. Physiotherapy, 2020, 107, 71-80.	0.4	13
21	What do national pharmacoeconomic guidelines recommend regarding the statistical analysis of trial-based economic evaluations?. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 27-37.	1.4	10
22	Ulipristal acetate versus gonadotropin-releasing hormone agonists prior to laparoscopic myomectomy (MYOMEX trial): Long term results of a double-blind randomized controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 252, 256-264.	1.1	3
23	Cost-effectiveness of the Namaste care family program for nursing home residents with advanced dementia in comparison with usual care: a cluster-randomized controlled trial. BMC Health Services Research, 2020, 20, 831.	2.2	15
24	Taking the Analysis of Trial-Based Economic Evaluations to the Next Level: The Importance of Accounting for Clustering. Pharmacoeconomics, 2020, 38, 1247-1261.	3.3	19
25	Effectiveness and cost-effectiveness of personalised dietary advice aiming at increasing protein intake on physical functioning in community-dwelling older adults with lower habitual protein intake: rationale and design of the PROMISS randomised controlled trial. BMJ Open, 2020, 10, e040637.	1.9	18
26	Observational retrospective study of UK national success, risks and costs for 319,105 IVF/ICSI and 30,669 IUI treatment cycles. BMJ Open, 2020, 10, e034566.	1.9	46
27	Low back pain should be considered a health and research priority in Brazil: Lost productivity and healthcare costs between 2012 to 2016. PLoS ONE, 2020, 15, e0230902.	2.5	60
28	Five-year cost-effectiveness analysis of the European Fans in Training (EuroFIT) physical activity intervention for men versus no intervention. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 30.	4.6	5
29	The effects of once-versus twice-weekly sessions on psychotherapy outcomes in depressed patients. British Journal of Psychiatry, 2020, 216, 222-230.	2.8	60
30	Comparing the EQâ€5Dâ€5L crosswalks and value sets for England, the Netherlands and Spain: Exploring their impact on costâ€utility results. Health Economics (United Kingdom), 2020, 29, 640-651.	1.7	7
31	Nurse-Guided Internet-Delivered Cognitive Behavioral Therapy for Insomnia in General Practice: Results from a Pragmatic Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2020, 89, 174-184.	8.8	36
32	Effectiveness of the multi-component dynamic work intervention to reduce sitting time in office workers – Results from a pragmatic cluster randomised controlled trial. Applied Ergonomics, 2020, 84, 103027.	3.1	24
33	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. Palliative Medicine, 2020, 34, 934-945.	3.1	8
34	Development and Validation of a Prediction Model for 6-Month Societal Costs in Older Community Care-Recipients in Multiple Countries; the IBenC Study. Health Services Insights, 2020, 13, 117863292098046.	1.3	0
35	Supported self-help to prevent relapse or recurrence of depression: Who benefits most?. Journal of Affective Disorders, 2019, 257, 180-186.	4.1	2
36	Long-term effectiveness and cost-effectiveness of an 18-week supervised exercise program in patients treated with autologous stem cell transplantation: results from the EXIST study. Journal of Cancer Survivorship, 2019, 13, 558-569.	2.9	31

#	Article	IF	Citations
37	SUGAR-DIP trial: oral medication strategy versus insulin for diabetes in pregnancy, study protocol for a multicentre, open-label, non-inferiority, randomised controlled trial. BMJ Open, 2019, 9, e029808.	1.9	6
38	Diagnostic accuracy of depression questionnaires in adult patients with diabetes: A systematic review and meta-analysis. PLoS ONE, 2019, 14, e0218512.	2.5	23
39	Signs of Inequality? Variations in Providing Home Health Care Across Care Organizations and Across European Countries in the IBenC Study. Health Services Insights, 2019, 12, 117863291983763.	1.3	5
40	Development of a novel benchmark method to identify and characterize best practices in home care across six European countries: design, baseline, and rationale of the IBenC project. BMC Health Services Research, 2019, 19, 310.	2.2	15
41	The Cost-Effectiveness of an Intervention Program to Enhance Adherence to Antihypertensive Medication in Comparison With Usual Care in Community Pharmacies. Frontiers in Pharmacology, 2019, 10, 210.	3.5	13
42	What does quality of life mean to older adults? A thematic synthesis. PLoS ONE, 2019, 14, e0213263.	2.5	176
43	Predictors of Societal Costs of Older Care-Dependent Adults Living in the Community in 11 European Countries. Health Services Insights, 2019, 12, 117863291882094.	1.3	3
44	The (cost-) effectiveness of exergaming in people living with dementia and their informal caregivers: protocol for a randomized controlled trial. BMC Geriatrics, 2019, 19, 50.	2.7	9
45	Cost-effectiveness of laparoscopic ileocaecal resection versus infliximab treatment of terminal ileitis in Crohn's disease: the LIR!C Trial. Gut, 2019, 68, 1774-1780.	12.1	56
46	The effect of a programme to improve men's sedentary time and physical activity: The European Fans in Training (EuroFIT) randomised controlled trial. PLoS Medicine, 2019, 16, e1002736.	8.4	61
47	The Dynamic Work study: study protocol of a cluster randomized controlled trial of an occupational health intervention aimed at reducing sitting time in office workers. BMC Public Health, 2019, 19, 188.	2.9	9
48	Study protocol for a randomised trial for atosiban versus placebo in threatened preterm birth: the APOSTEL 8 study. BMJ Open, 2019, 9, e029101.	1.9	6
49	Doxycycline Added to Prednisolone in Outpatient-Treated Acute Exacerbations of COPD: A Cost-Effectiveness Analysis Alongside a Randomised Controlled Trial. Pharmacoeconomics, 2019, 37, 689-699.	3.3	4
50	Direct and indirect costs associated with nonoperative treatment for shoulder instability: an observational study in 132 patients. Shoulder and Elbow, 2019, 11, 265-274.	1.5	9
51	Measurement properties of depression questionnaires in patients with diabetes: a systematic review. Quality of Life Research, 2018, 27, 1415-1430.	3.1	30
52	Costâ€effectiveness of curettage vs. expectant management in women with an incomplete evacuation after misoprostol treatment for firstâ€trimester miscarriage: a randomized controlled trial and cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 294-300.	2.8	13
53	Consensus-based cross-European recommendations for the identification, measurement and valuation of costs in health economic evaluations: a European Delphi study. European Journal of Health Economics, 2018, 19, 993-1008.	2.8	39
54	Cost effectiveness of guided Internet-based interventions for depression in comparison with control conditions: An individual-participant data meta-analysis. Depression and Anxiety, 2018, 35, 209-219.	4.1	47

#	Article	IF	Citations
55	Cost-effectiveness of healthy eating and/or physical activity promotion in pregnant women at increased risk of gestational diabetes mellitus: economic evaluation alongside the DALI study, a European multicenter randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 23.	4.6	34
56	A supported self-help for recurrent depression in primary care; An economic evaluation alongside a multi-center randomised controlled trial. PLoS ONE, 2018, 13, e0208570.	2.5	5
57	Optimizing psychotherapy dosage for comorbid depression and personality disorders (PsyDos): aApragmatic randomized factorial trial using schema therapy and short-term psychodynamic psychotherapy. BMC Psychiatry, 2018, 18, 252.	2.6	15
58	Two-year effectiveness of a stepped-care depression prevention intervention and predictors of incident depression in primary care patients with diabetes type 2 and/or coronary heart disease and subthreshold depression: data from the Step-Dep cluster randomised controlled trial. BMJ Open, 2018, 8, e020412.	1.9	11
59	Effects of the Namaste Care Family programme on quality of life of nursing home residents with advanced dementia and on family caregiving experiences: study protocol of a cluster-randomised controlled trial. BMJ Open, 2018, 8, e025411.	1.9	21
60	Effectiveness of a transdiagnostic individually tailored Internet-based and mobile-supported intervention for the indicated prevention of depression and anxiety (ICare Prevent) in Dutch college students: study protocol for a randomised controlled trial. Trials, 2018, 19, 118.	1.6	23
61	Utility scores for different health states related to depression: individual participant data analysis. Quality of Life Research, 2017, 26, 1649-1658.	3.1	26
62	Guided and unguided internet-based vestibular rehabilitation versus usual care for dizzy adults of 50â€years and older: a protocol for a three-armed randomised trial. BMJ Open, 2017, 7, e015479.	1.9	9
63	The effect of treatment as usual on major depressive disorder: A meta-analysis. Journal of Affective Disorders, 2017, 210, 72-81.	4.1	52
64	Targeting the underlying causes of undernutrition. Cost-effectiveness of a multifactorial personalized intervention in community-dwelling older adults: A randomized controlled trial. Clinical Nutrition, 2017, 36, 1498-1508.	5.0	20
65	Reporting and Analysis of Trial-Based Cost-Effectiveness Evaluations in Obstetrics and Gynaecology. Pharmacoeconomics, 2017, 35, 1007-1033.	3.3	13
66	Exploring the patient perspective of fatigue in adults with visual impairment: a qualitative study. BMJ Open, 2017, 7, e015023.	1.9	14
67	Model-Based Economic Evaluation of Treatments for Depression: A Systematic Literature Review. PharmacoEconomics - Open, 2017, 1, 149-165.	1.8	16
68	Behavioural activation by mental health nurses for late-life depression in primary care: a randomized controlled trial. BMC Psychiatry, 2017, 17, 230.	2.6	15
69	Process evaluation of a stepped-care program to prevent depression in primary care: patients' and practice nurses' experiences. BMC Family Practice, 2017, 18, 26.	2.9	11
70	Cost-effectiveness of a nurse-led intervention to optimise implementation of guideline-concordant continence care: Study protocol of the COCON study. BMC Nursing, 2017, 16, 10.	2.5	2
71	Economic evaluations of health technologies in Dutch healthcare decision-making: a qualitative study of the current and potential use, barriers, and facilitators. BMC Health Services Research, 2017, 17, 89.	2.2	11
72	The (cost-)effectiveness of a patient-tailored intervention programme to enhance adherence to antihypertensive medication in community pharmacies: study protocol of a randomised controlled trial. Trials, 2017, 18, 29.	1.6	9

#	Article	IF	CITATIONS
73	Early rehabilitation after lumbar disc surgery is not effective or cost-effective compared to no referral: a randomised trial and economic evaluation. Journal of Physiotherapy, 2017, 63, 144-153.	1.7	31
74	Cost-effectiveness of a transitional pharmaceutical care program for patients discharged from the hospital. PLoS ONE, 2017, 12, e0174513.	2.5	18
75	Cost-effectiveness of nurse-led multifactorial care to prevent or postpone new disabilities in community-living older people: Results of a cluster randomized trial. PLoS ONE, 2017, 12, e0175272.	2.5	9
76	Low dose aspirin in the prevention of recurrent spontaneous preterm labour – the APRIL study: a multicenter randomized placebo controlled trial. BMC Pregnancy and Childbirth, 2017, 17, 223.	2.4	18
77	The CIPRUS study, a nurse-led psychological treatment for patients with undifferentiated somatoform disorder in primary care: study protocol for a randomised controlled trial. Trials, 2017, 18, 206.	1.6	4
78	Economic evaluation of stepped-care versus usual care for depression and anxiety in older adults with vision impairment: randomized controlled trial. BMC Psychiatry, 2017, 17, 280.	2.6	26
79	Effectiveness of a stepped-care intervention to prevent major depression in patients with type 2 diabetes mellitus and/or coronary heart disease and subthreshold depression: A pragmatic cluster randomized controlled trial. PLoS ONE, 2017, 12, e0181023.	2.5	22
80	Cost-effectiveness of different strategies for diagnosis of uncomplicated urinary tract infections in women presenting in primary care. PLoS ONE, 2017, 12, e0188818.	2.5	4
81	Convergent validity of the interRAI-HC for societal costs estimates in comparison with the RUD Lite instrument in community dwelling older adults. BMC Health Services Research, 2016, 16, 440.	2.2	14
82	The Cost-Effectiveness of Two Forms of Case Management Compared to a Control Group for Persons with Dementia and Their Informal Caregivers from a Societal Perspective. PLoS ONE, 2016, 11, e0160908.	2.5	36
83	Healthâ€Related Quality of Life at Admission Is Associated with Postdischarge Mortality, Functional Decline, and Institutionalization in Acutely Hospitalized Older Medical Patients. Journal of the American Geriatrics Society, 2016, 64, 761-768.	2.6	25
84	Economic evaluation of Internet-based problem-solving guided self-help treatment in comparison with enhanced usual care for depressed outpatients waiting for face-to-face treatment: A randomized controlled trial. Journal of Affective Disorders, 2016, 200, 284-292.	4.1	23
85	Study protocol of European Fans in Training (EuroFIT): a four-country randomised controlled trial of a lifestyle program for men delivered in elite football clubs. BMC Public Health, 2016, 16, 598.	2.9	31
86	Effectiveness and cost-effectiveness of routine third trimester ultrasound screening for intrauterine growth restriction: study protocol of a nationwide stepped wedge cluster-randomized trial in The Netherlands (The IRIS Study). BMC Pregnancy and Childbirth, 2016, 16, 310.	2.4	21
87	One-year effects of two intensive inpatient treatments for severely obese children and adolescents. BMC Pediatrics, 2016, 16, 120.	1.7	11
88	European COMPARative Effectiveness research on blended Depression treatment versus treatment-as-usual (E-COMPARED): study protocol for a randomized controlled, non-inferiority trial in eight European countries. Trials, 2016, 17, 387.	1.6	118
89	Cost-effectiveness of i-Sleep, a guided online CBT intervention, for patients with insomnia in general practice: protocol of a pragmatic randomized controlled trial. BMC Psychiatry, 2016, 16, 85.	2.6	31
90	Diagnostic accuracy of the Patient Health Questionnaire-9 for assessment of depression in type II diabetes mellitus and/or coronary heart disease in primary care. Journal of Affective Disorders, 2016, 190, 68-74.	4.1	24

#	Article	IF	CITATIONS
91	Improving care after colon cancer treatment in The Netherlands, personalised care to enhance quality of life (I CARE study): study protocol for a randomised controlled trial. Trials, 2015, 16, 284.	1.6	18
92	Costâ€Effectiveness of a Chronic Care Model for Frail Older Adults in Primary Care: Economic Evaluation Alongside a Steppedâ€Wedge Clusterâ€Randomized Trial. Journal of the American Geriatrics Society, 2015, 63, 2494-2504.	2.6	53
93	Place of Death with Dementiaâ€"Dutch People Rarely Die in the Hospital. Journal of the American Geriatrics Society, 2015, 63, 1961-1962.	2.6	2
94	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. BMC Cancer, 2015, 15, 302.	2.6	18
95	Exploration of the content validity and feasibility of the EQ-5D-3L, ICECAP-O and ASCOT in older adults. BMC Health Services Research, 2015, 15, 201.	2.2	45
96	Dutch translation and cross-cultural validation of the Adult Social Care Outcomes Toolkit (ASCOT). Health and Quality of Life Outcomes, 2015, 13, 56.	2.4	22
97	Training mental health professionals in suicide practice guideline adherence: Cost-effectiveness analysis alongside a randomized controlled trial. Journal of Affective Disorders, 2015, 186, 203-210.	4.1	17
98	Predictors of Societal Costs in Dementia Patients and Their Informal Caregivers: A Two-Year Prospective Cohort Study. American Journal of Geriatric Psychiatry, 2015, 23, 1193-1203.	1.2	15
99	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. BMC Psychiatry, 2015, 15, 137.	2.6	30
100	An economic evaluation alongside a randomized controlled trial evaluating an individually tailored lifestyle intervention compared with usual care in people with Familial Hypercholesterolemia. BMC Research Notes, 2015, 8, 317.	1.4	2
101	Preventive Cognitive Therapy versus Treatment as Usual in preventing recurrence of depression: protocol of a multi-centered randomized controlled trial. BMC Psychiatry, 2015, 15, 139.	2.6	9
102	Community-Dwelling Patients With Dementia and Their Informal Caregivers With and Without Case Management: 2-Year Outcomes of a Pragmatic Trial. Journal of the American Medical Directors Association, 2015, 16, 800.e1-800.e8.	2.5	25
103	Comparing Measurement Properties of the EQ-5D-3L, ICECAP-O, and ASCOT in Frail Older Adults. Value in Health, 2015, 18, 35-43.	0.3	65
104	Cost-Effectiveness of Cranberries vs Antibiotics to Prevent Urinary Tract Infections in Premenopausal Women: A Randomized Clinical Trial. PLoS ONE, 2014, 9, e91939.	2.5	18
105	Trial-Based Economic Evaluations in Occupational Health. Journal of Occupational and Environmental Medicine, 2014, 56, 563-572.	1.7	57
106	Is Dietetic Treatment for Undernutrition in Older Individuals in Primary Care Cost-Effective?. Journal of the American Medical Directors Association, 2014, 15, 226.e7-226.e13.	2.5	13
107	Cost-effectiveness of a stepped-care intervention to prevent major depression in patients with type 2 diabetes mellitus and/or coronary heart disease and subthreshold depression: design of a cluster-randomized controlled trial. BMC Psychiatry, 2013, 13, 128.	2.6	29
108	Effectiveness and cost-effectiveness of rehabilitation after lumbar disc surgery (REALISE): design of a randomised controlled trial. BMC Musculoskeletal Disorders, 2013, 14, 124.	1.9	7

#	Article	IF	CITATIONS
109	Addition of a general practitioner to the accident and emergency department: a cost-effective innovation in emergency care. Emergency Medicine Journal, 2012, 29, 192-196.	1.0	29
110	Cost-effectiveness of problem-solving treatment in comparison with usual care for primary care patients with mental health problems: a randomized trial. BMC Family Practice, 2012, 13, 98.	2.9	14
111	Outpatient costs in pharmaceutically treated diabetes patients with and without a diagnosis of depression in a Dutch primary care setting. BMC Health Services Research, 2012, 12, 46.	2.2	14
112	Is Behavioral Graded Activity Cost-Effective in Comparison With Manual Therapy for Patients With Subacute Neck Pain?. Spine, 2011, 36, E1179-E1186.	2.0	21
113	Health care costs of depression in primary care patients in The Netherlands. Family Practice, 2010, 27, 542-548.	1.9	21