

# Leisa-Maree Leontjew Toms

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3086794/leisa-maree-leontjew-toms-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32  
papers

1,937  
citations

22  
h-index

35  
g-index

35  
ext. papers

2,139  
ext. citations

9.6  
avg, IF

4.43  
L-index

#	Paper	IF	Citations
32	A systematic review: Impact of endocrine disrupting chemicals exposure on fecundity as measured by time to pregnancy. <i>Environmental Research</i> , <b>2019</b> , 171, 119-133	7.9	6
31	Temporal trends in serum polybrominated diphenyl ether concentrations in the Australian population, 2002-2013. <i>Environment International</i> , <b>2018</b> , 121, 357-364	12.9	11
30	Concentrations of organochlorine pesticides in pooled human serum by age and gender. <i>Environmental Research</i> , <b>2017</b> , 154, 10-18	7.9	22
29	Breast cancer and persistent organic pollutants (excluding DDT): a systematic literature review. <i>Environmental Science and Pollution Research</i> , <b>2016</b> , 23, 22385-22407	5.1	21
28	Cross-sectional biomonitoring study of pesticide exposures in Queensland, Australia, using pooled urine samples. <i>Environmental Science and Pollution Research</i> , <b>2016</b> , 23, 23436-23448	5.1	20
27	BDE-209 in the Australian Environment: Desktop review. <i>Journal of Hazardous Materials</i> , <b>2016</b> , 320, 194-203	20.3	13
26	Concentrations of phthalates and DINCH metabolites in pooled urine from Queensland, Australia. <i>Environment International</i> , <b>2016</b> , 88, 179-186	12.9	33
25	Assessing infant exposure to persistent organic pollutants via dietary intake in Australia. <i>Food and Chemical Toxicology</i> , <b>2016</b> , 87, 166-71	4.7	18
24	Polybrominated diphenyl ethers (PBDEs) in dust from primary schools in South East Queensland, Australia. <i>Environmental Research</i> , <b>2015</b> , 142, 135-40	7.9	25
23	Environmental health risk assessment of dioxin in foods at the two most severe dioxin hot spots in Vietnam. <i>International Journal of Hygiene and Environmental Health</i> , <b>2015</b> , 218, 471-8	6.9	23
22	Sustainability of Public Health Interventions to Reduce the Risk of Dioxin Exposure at Severe Dioxin Hot Spots in Vietnam. <i>Journal of Community Health</i> , <b>2015</b> , 40, 652-9	4	
21	Use of pooled samples to assess human exposure to parabens, benzophenone-3 and triclosan in Queensland, Australia. <i>Environment International</i> , <b>2015</b> , 85, 77-83	12.9	59
20	Elevated levels of PFOS and PFHxS in firefighters exposed to aqueous film forming foam (AFFF). <i>Environment International</i> , <b>2015</b> , 82, 28-34	12.9	72
19	Historical intake and elimination of polychlorinated biphenyls and organochlorine pesticides by the Australian population reconstructed from biomonitoring data. <i>Environment International</i> , <b>2015</b> , 74, 82-8	12.9	36
18	Novel fluorinated surfactants tentatively identified in firefighters using liquid chromatography quadrupole time-of-flight tandem mass spectrometry and a case-control approach. <i>Environmental Science &amp; Technology</i> , <b>2015</b> , 49, 2434-42	10.3	104
17	Levels and trends of PBDEs and HBCDs in the global environment: status at the end of 2012. <i>Environment International</i> , <b>2014</b> , 65, 147-58	12.9	304
16	Decline in perfluorooctane sulfonate and perfluorooctanoate serum concentrations in an Australian population from 2002 to 2011. <i>Environment International</i> , <b>2014</b> , 71, 74-80	12.9	92

15	Bisphenol A exposure is not associated with area-level socioeconomic index in Australian children using pooled urine samples. <i>Environmental Science and Pollution Research</i> , <b>2014</b> , 21, 9344-55	5.1	6
14	Population variation in biomonitoring data for persistent organic pollutants (POPs): an examination of multiple population-based datasets for application to Australian pooled biomonitoring data. <i>Environment International</i> , <b>2014</b> , 68, 127-38	12.9	23
13	Short term variability in urinary bisphenol A in Australian children. <i>Environment International</i> , <b>2014</b> , 68, 139-43	12.9	24
12	Assessing exposure to polybrominated diphenyl ethers (PBDEs) for workers in the vicinity of a large recycling facility. <i>Ecotoxicology and Environmental Safety</i> , <b>2013</b> , 92, 222-8	7	10
11	Spatial mapping of city-wide PBDE levels using an exponential decay model. <i>Journal of Environmental Monitoring</i> , <b>2012</b> , 14, 643-50		11
10	Brominated flame retardants in the Australian population: 1993-2009. <i>Chemosphere</i> , <b>2012</b> , 89, 398-403	8.4	49
9	Triclosan in individual human milk samples from Australia. <i>Chemosphere</i> , <b>2011</b> , 85, 1682-6	8.4	46
8	Use of simple pharmacokinetic modeling to characterize exposure of Australians to perfluorooctanoic acid and perfluorooctane sulfonic acid. <i>Environment International</i> , <b>2010</b> , 36, 390-397	12.9	72
7	Serum polybrominated diphenyl ether (PBDE) levels are higher in children (2-5 years of age) than in infants and adults. <i>Environmental Health Perspectives</i> , <b>2009</b> , 117, 1461-5	8.4	150
6	Concentrations of polybrominated diphenyl ethers (PBDEs) in matched samples of human milk, dust and indoor air. <i>Environment International</i> , <b>2009</b> , 35, 864-9	12.9	127
5	Polyfluoroalkyl chemicals in pooled blood serum from infants, children, and adults in Australia. <i>Environmental Science &amp; Technology</i> , <b>2009</b> , 43, 4194-9	10.3	138
4	The influence of age and gender on triclosan concentrations in Australian human blood serum. <i>Science of the Total Environment</i> , <b>2008</b> , 393, 162-7	10.2	123
3	Polybrominated diphenyl ethers (PBDEs) in sediment by salinity and land-use type from Australia. <i>Environment International</i> , <b>2008</b> , 34, 58-66	12.9	53
2	Higher accumulation of polybrominated diphenyl ethers in infants than in adults. <i>Environmental Science &amp; Technology</i> , <b>2008</b> , 42, 7510-5	10.3	110
1	Levels of 12 perfluorinated chemicals in pooled Australian serum, collected 2002-2003, in relation to age, gender, and region. <i>Environmental Science &amp; Technology</i> , <b>2006</b> , 40, 3742-8	10.3	133