## Ying Sun

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3086936/publications.pdf Version: 2024-02-01



VINC SUN

#	Article	IF	CITATIONS
1	Brassinosteroid signal transduction from cell-surface receptor kinases to nuclear transcription factors. Nature Cell Biology, 2009, 11, 1254-1260.	10.3	571
2	PP2A activates brassinosteroid-responsive geneÂexpression and plant growth by dephosphorylatingÂBZR1. Nature Cell Biology, 2011, 13, 124-131.	10.3	438
3	An Essential Role for 14-3-3 Proteins in Brassinosteroid Signal Transduction in Arabidopsis. Developmental Cell, 2007, 13, 177-189.	7.0	427
4	The Receptor-Like Kinase SIT1 Mediates Salt Sensitivity by Activating MAPK3/6 and Regulating Ethylene Homeostasis in Rice Â. Plant Cell, 2014, 26, 2538-2553.	6.6	203
5	The Brassinosteroid-Activated BRI1 Receptor Kinase Is Switched off by Dephosphorylation Mediated by Cytoplasm-Localized PP2A B′ Subunits. Molecular Plant, 2016, 9, 148-157.	8.3	64
6	The Rice Receptor-Like Kinases DWARF AND RUNTISH SPIKELET1 and 2 Repress Cell Death and Affect Sugar Utilization during Reproductive Development. Plant Cell, 2017, 29, 70-89.	6.6	56
7	Crinkly4 receptorâ€like kinase is required to maintain the interlocking of the palea and lemma, and fertility in rice, by promoting epidermal cell differentiation. Plant Journal, 2012, 70, 940-953.	5.7	42
8	A putative leucine-rich repeat receptor kinase, OsBRR1, is involved in rice blast resistance. Planta, 2009, 230, 377-385.	3.2	40
9	The receptor kinase OsWAK11 monitors cell wall pectin changes to fine-tune brassinosteroid signaling and regulate cell elongation in rice. Current Biology, 2022, 32, 2454-2466.e7.	3.9	30
10	Mutual Regulation of Receptor-Like Kinase SIT1 and B'κ-PP2A Shapes the Early Response of Rice to Salt Stress. Plant Cell, 2019, 31, 2131-2151.	6.6	21
11	Sugar inhibits brassinosteroid signaling by enhancing BIN2 phosphorylation of BZR1. PLoS Genetics, 2021, 17, e1009540.	3.5	18
12	BcLTP, a novel lipid transfer protein in Brassica chinensis, may secrete and combine extracellular CaM. Plant Cell Reports, 2007, 27, 159-169.	5.6	15
13	Protein Phosphatase 2A B'α and B'β Protect Centromeric Cohesion during Meiosis I. Plant Physiology, 2019, 179, 1556-1568.	4.8	6
14	Receptor-like kinase OsCR4 controls leaf morphogenesis and embryogenesis by fixing the distribution of auxin in rice. Journal of Genetics and Genomics, 2020, 47, 577-589.	3.9	6
15	Rice Crinkly4 receptor-like kinase positively regulates culm elongation and amino acid K532 is not essential for its kinase activity. Plant Signaling and Behavior, 2012, 7, 1062-1064.	2.4	5
16	Simple and rapid determination of <i>N</i> <sup>6</sup> -(Δ <sup>2</sup> -isopentenyl)adenine, zeatin, and dihydrozeatin in plants using on-line cleanup liquid chromatography coupled with hybrid quadrupole-Orbitrap high-resolution mass spectrometry. Journal of Separation Science, 2015, 38, 1858-1865.	2.5	4
17	Activation effect of extracellular calmodulin on heterotrimeric G protein in pollen plasma membrane. Science Bulletin, 1999, 44, 190-191.	1.7	0