

# Nicolas Louka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/308808/publications.pdf>

Version: 2024-02-01

107  
papers

2,912  
citations

172207

29  
h-index

205818

48  
g-index

108  
all docs

108  
docs citations

108  
times ranked

2650  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bioproduction of 2-Phenylethanol through Yeast Fermentation on Synthetic Media and on Agro-Industrial Waste and By-Products: A Review. <i>Foods</i> , 2022, 11, 109.	1.9	25
2	Mechanical damage and thermal effect induced by ultrasonic treatment in olive leaf tissue. Impact on polyphenols recovery. <i>Ultrasonics Sonochemistry</i> , 2022, 82, 105895.	3.8	10
3	Valorization of Brewersâ€™ Spent Grains: Pretreatments and Fermentation, a Review. <i>Fermentation</i> , 2022, 8, 50.	1.4	32
4	Detoxification approaches of mycotoxins: by microorganisms, biofilms and enzymes. <i>International Journal of Food Contamination</i> , 2022, 9, .	2.2	15
5	Optimization of cis-9-Heptadecenoic Acid Production from the Oleaginous Yeast <i>Yarrowia lipolytica</i> . <i>Fermentation</i> , 2022, 8, 245.	1.4	4
6	Sprouts Use as Functional Foods. Optimization of Germination of Wheat ( <i>Triticum aestivum</i> L.), Alfalfa ( <i>Medicago sativa</i> L.), and Radish ( <i>Raphanus sativus</i> L.) Seeds Based on Their Nutritional Content Evolution. <i>Foods</i> , 2022, 11, 1460.	1.9	14
7	Stability and Antioxidant Activity of Hydro-Glyceric Extracts Obtained from Different Grape Seed Varieties Incorporated in Cosmetic Creams. <i>Antioxidants</i> , 2022, 11, 1348.	2.2	11
8	Impact of a novel partial defatting technology on oxidative stability and sensory properties of peanut kernels. <i>Food Chemistry</i> , 2021, 334, 127581.	4.2	18
9	Intensification of Vaporization by Decompression to the Vacuum (IVDV), a novel technology applied as a pretreatment to improve polyphenols extraction from olive leaves. <i>Food Chemistry</i> , 2021, 342, 128236.	4.2	17
10	The Importance of Developing Electrochemical Sensors Based on Molecularly Imprinted Polymers for a Rapid Detection of Antioxidants. <i>Antioxidants</i> , 2021, 10, 382.	2.2	7
11	Mechanical Cell Disruption Technologies for the Extraction of Dyes and Pigments from Microorganisms: A Review. <i>Fermentation</i> , 2021, 7, 36.	1.4	30
12	Innovation in cannon puffing technology for the homogenization of bulk treatment: Half-popped purple corn, a new healthy snack. <i>Journal of Food Process Engineering</i> , 2021, 44, e13695.	1.5	1
13	Biological Activities of <i>Saussurea lappa</i> Antioxidants Recovered by Solid-liquid, Ultrasound and Ired-Irrad. <i>Current Bioactive Compounds</i> , 2021, 17, 85-97.	0.2	2
14	Impact of ripening on the physical properties of mango purees and application of simultaneous rheometry and in situ FTIR spectroscopy for rapid identification of biochemical and rheological changes. <i>Journal of Food Engineering</i> , 2021, 300, 110507.	2.7	8
15	<i>Citrus aurantium</i> L. Active Constituents, Biological Effects and Extraction Methods. An Updated Review. <i>Molecules</i> , 2021, 26, 5832.	1.7	30
16	Valorization of Wine-Making By-Productsâ€™ Extracts in Cosmetics. <i>Cosmetics</i> , 2021, 8, 109.	1.5	17
17	Ultrasound-assisted fermentation for cider production from Lebanese apples. <i>Ultrasonics Sonochemistry</i> , 2020, 63, 104952.	3.8	38
18	Pulsed electric field-assisted fermentation of <i>Hanseniaspora</i> sp. yeast isolated from Lebanese apples. <i>Food Research International</i> , 2020, 129, 108840.	2.9	11

#	ARTICLE	IF	CITATIONS
19	Control of the sugar/ethanol conversion rate during moderate pulsed electric field-assisted fermentation of a <i>Hanseniaspora</i> sp. strain to produce low-alcohol cider. <i>Innovative Food Science and Emerging Technologies</i> , 2020, 59, 102258.	2.7	20
20	Optimization of polyphenols extraction from purple com cobs using $\beta$ -cyclodextrin as a green solvent. , 2020, , .		3
21	Innovative non-destructive sorting technique for juicy stone fruits: textural properties of fresh mangos and purees. <i>Food and Bioproducts Processing</i> , 2020, 123, 188-198.	1.8	10
22	Effect of PEF and HVED on polyphenol extraction from pomegranate peels. , 2020, , .		1
23	Green Extraction of Polyphenols from Olive Leaves using Ired-Irrad <sup>®</sup> as a Pretreatment. , 2020, , .		3
24	An eco-friendly process for the preservation of natural nutritious sprouts. , 2020, , .		0
25	Optimization of peanuts <sup>™</sup> defatting using Ired-Irrad <sup>®</sup> , a newly-patented green and low-cost technology. , 2020, , .		1
26	Impact of the Physicochemical Composition and Microbial Diversity in Apple Juice Fermentation Process: A Review. <i>Molecules</i> , 2020, 25, 3698.	1.7	15
27	Treatment of dairy waste by anaerobic digestion to produce methane as green energy. , 2020, , .		7
28	Selective ultrasound <sup>®</sup> -assisted aqueous extraction of polyphenols from pomegranate peels and seeds. <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14545.	0.9	13
29	Evaluation of the fermentative capacity of an indigenous <i>Hanseniaspora</i> sp. strain isolated from Lebanese apples for cider production. <i>FEMS Microbiology Letters</i> , 2020, 367, .	0.7	5
30	Intensification of polyphenols extraction from orange peels using infrared as a novel and energy saving pretreatment. <i>Journal of Food Science</i> , 2020, 85, 414-420.	1.5	17
31	Suitability of the Lebanese <i>Spur</i> Apple Variety for Cider Production Using <i>Hanseniaspora</i> sp. Yeast. <i>Fermentation</i> , 2020, 6, 32.	1.4	4
32	Intensification of Polyphenol Extraction from Olive Leaves Using Ired-Irrad <sup>®</sup> , an Environmentally-Friendly Innovative Technology. <i>Antioxidants</i> , 2019, 8, 227.	2.2	39
33	Comparison of aqueous extraction efficiency and biological activities of polyphenols from pomegranate peels assisted by infrared, ultrasound, pulsed electric fields and high-voltage electrical discharges. <i>Innovative Food Science and Emerging Technologies</i> , 2019, 58, 102212.	2.7	81
34	A novel method for elimination of aflatoxin M1 in milk using <i>Lactobacillus rhamnosus</i> biofilm. <i>International Journal of Dairy Technology</i> , 2019, 72, 248-256.	1.3	48
35	Long-term intake of phenolic compounds attenuates age-related cardiac remodeling. <i>Aging Cell</i> , 2019, 18, e12894.	3.0	26
36	Assorted Methods for Decontamination of Aflatoxin M1 in Milk Using Microbial Adsorbents. <i>Toxins</i> , 2019, 11, 304.	1.5	49

#	ARTICLE	IF	CITATIONS
37	Innovative process of polyphenol recovery from pomegranate peels by combining green deep eutectic solvents and a new infrared technology. <i>LWT - Food Science and Technology</i> , 2019, 111, 138-146.	2.5	80
38	Green extraction of polyphenols from grapefruit peels using high voltage electrical discharges, deep eutectic solvents and aqueous glycerol. <i>Food Chemistry</i> , 2019, 295, 165-171.	4.2	138
39	Optimization of infrared-assisted extraction of bioactive lactones from <i>Saussurea lappa</i> L. and their effects against gestational diabetes. <i>Pharmacognosy Magazine</i> , 2019, 15, 208.	0.3	15
40	Selective multistage extraction process of biomolecules from vine shoots by a combination of biological, chemical, and physical treatments. <i>Comptes Rendus Chimie</i> , 2018, 21, 581-589.	0.2	21
41	High voltage electrical discharges combined with enzymatic hydrolysis for extraction of polyphenols and fermentable sugars from orange peels. <i>Food Research International</i> , 2018, 107, 755-762.	2.9	57
42	The Impact of Long-Term Intake of Phenolic Compounds-Rich Grape Pomace on Rat Gut Microbiota. <i>Journal of Food Science</i> , 2018, 83, 246-251.	1.5	46
43	Development of a novel technology entitled "Intensification of Vaporization by Decompression to the Vacuum (IVDV) for reconstitution and texturing of partially defatted peanuts. <i>Innovative Food Science and Emerging Technologies</i> , 2018, 45, 455-466.	2.7	7
44	Pulsed electric field treatment of citrus fruits: Improvement of juice and polyphenols extraction. <i>Innovative Food Science and Emerging Technologies</i> , 2018, 46, 153-161.	2.7	137
45	Influence of pretreatment conditions on lignocellulosic fractions and methane production from grape pomace. <i>Bioresource Technology</i> , 2018, 247, 881-889.	4.8	46
46	A comparative study of procedures for binding of aflatoxin M1 to <i>Lactobacillus rhamnosus</i> GG. <i>Brazilian Journal of Microbiology</i> , 2018, 49, 120-127.	0.8	43
47	Infrared-Assisted Extraction and HPLC-Analysis of <i>Prunus armeniaca</i> L. Pomace and Detoxified-Kernel and their Antidiabetic Effects. <i>Phytochemical Analysis</i> , 2018, 29, 156-167.	1.2	25
48	Anaerobic digestion of grape pomace: Effect of the hydraulic retention time on process performance and fibers degradability. <i>Waste Management</i> , 2018, 71, 137-146.	3.7	10
49	Olive pomace, a source of green energy using anaerobic digestion. , 2018, , .		6
50	Can coffee grounds be considered as a potential for green energy production?. , 2018, , .		3
51	Study of the Selectivity and Bioactivity of Polyphenols Using Infrared Assisted Extraction from Apricot Pomace Compared to Conventional Methods. <i>Antioxidants</i> , 2018, 7, 174.	2.2	31
52	A novel technique for aflatoxin M1 detoxification using chitin or treated shrimp shells: in vitro effect of physical and kinetic parameters on the binding stability. <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 6687-6697.	1.7	22
53	Systematic and Empirical Study of the Dependence of Polyphenol Recovery from Apricot Pomace on Temperature and Solvent Concentration Levels. <i>Scientific World Journal, The</i> , 2018, 2018, 1-13.	0.8	7
54	Comparative Study between Ethanolic and $\beta$ -Cyclodextrin Assisted Extraction of Polyphenols from Peach Pomace. <i>International Journal of Food Science</i> , 2018, 2018, 1-9.	0.9	17

#	ARTICLE	IF	CITATIONS
55	Emerging technologies for the extraction of polyphenols from natural sources. , 2018, , 265-293.		7
56	Effect of the Extraction Process on the Biological Activity of Lyophilized Apricot Extracts Recovered from Apricot Pomace. <i>Antioxidants</i> , 2018, 7, 11.	2.2	20
57	Identification of Phenolic Compounds-Rich Grape Pomace Extracts Urine Metabolites and Correlation with Gut Microbiota Modulation. <i>Antioxidants</i> , 2018, 7, 75.	2.2	6
58	Biological activity of apricot byproducts polyphenols using solid-liquid and infrared-assisted technology. <i>Journal of Food Biochemistry</i> , 2018, 42, e12552.	1.2	13
59	Food fraud detection in commercial pomegranate molasses syrups by UV-VIS spectroscopy, ATR-FTIR spectroscopy and HPLC methods. <i>Food Control</i> , 2017, 78, 132-137.	2.8	49
60	Expansion of partially defatted peanuts by a new texturizing process called "Intensification of Vaporization by Decompression to the Vacuum" (IVDV). <i>Innovative Food Science and Emerging Technologies</i> , 2017, 41, 179-187.	2.7	14
61	Anaerobic digestion of nine varieties of grape pomace: Correlation between biochemical composition and methane production. <i>Biomass and Bioenergy</i> , 2017, 107, 335-344.	2.9	30
62	Emerging Technologies for the Recovery of Valuable Compounds From Grape Processing By-Products. , 2017, , 155-181.		15
63	A Comparative Study of the Phenolic and Technological Maturities of Red Grapes Grown in Lebanon. <i>Antioxidants</i> , 2017, 6, 8.	2.2	15
64	Pulsed Electric Fields and High-Voltage Electrical Discharge-Assisted Extraction of Biocompounds from Vine Shoots. , 2017, , 2683-2698.		2
65	Effect of pulsed electric field treatment during cold maceration and alcoholic fermentation on major red wine qualitative and quantitative parameters. <i>Food Chemistry</i> , 2016, 213, 352-360.	4.2	23
66	Color and texture of low-calorie peanuts as affected by a new oil extraction process named "Mechanical Expression Preserving Shape Integrity" (MEPSI). <i>Journal of Food Science and Technology</i> , 2016, 53, 1649-1662.	1.4	9
67	Anaerobic digestion of grape pomace: Biochemical characterization of the fractions and methane production in batch and continuous digesters. <i>Waste Management</i> , 2016, 50, 275-282.	3.7	59
68	Study of physiological and textural properties of roasted peanuts defatted by an innovative oil extraction process. Correlation with consumer evaluation. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 33, 450-461.	2.7	9
69	A novel process for preparing low-fat peanuts: Optimization of the oil extraction yield with limited structural and organoleptic damage. <i>Food Chemistry</i> , 2016, 197, 1215-1225.	4.2	11
70	Changes in polyphenol profiles and color composition of freshly fermented model wine due to pulsed electric field, enzymes and thermovinification pretreatments. <i>Food Chemistry</i> , 2016, 194, 944-950.	4.2	60
71	Pulsed Electric Fields and High Voltage Electrical Discharge Assisted Extraction of Biocompounds from Vine Shoots. , 2016, , 1-16.		0
72	Effect of Intensification of Vaporization by Decompression to the Vacuum as a Pretreatment for Roasting Australian Chickpea: Multiple Optimization by Response Surface Methodology of Chemical, Textural and Color Parameters. <i>Journal of Food Quality</i> , 2015, 38, 139-152.	1.4	7

#	ARTICLE	IF	CITATIONS
73	Multiple optimization of polyphenols content, texture and color of roasted chickpea pre-treated by IVDV using response surface methodology. <i>LWT - Food Science and Technology</i> , 2015, 62, 532-540.	2.5	14
74	Electrical, mechanical, and chemical effects of high-voltage electrical discharges on the polyphenol extraction from vine shoots. <i>Innovative Food Science and Emerging Technologies</i> , 2015, 31, 60-66.	2.7	44
75	The effect of aeration conditions, characterized by the volumetric mass transfer coefficient KLa, on the fermentation kinetics of <i>Bacillus thuringiensis kurstaki</i> . <i>Journal of Biotechnology</i> , 2015, 210, 100-106.	1.9	19
76	Effect of alternative physical pretreatments (pulsed electric field, high voltage electrical discharges) on the polyphenol extraction from vine shoots. <i>Journal of Food Engineering</i> , 2015, 146, 243-251.	3.9	49
77	β-Cyclodextrin-Assisted Extraction of Polyphenols from Vine Shoot Cultivars. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 3387-3393.	2.4	47
78	Effect of the Drying Process on the Intensification of Phenolic Compounds Recovery from Grape Pomace Using Accelerated Solvent Extraction. <i>International Journal of Molecular Sciences</i> , 2014, 15, 18640-18658.	1.8	65
79	Industrial byproducts valorization through energy saving processes. Alkaline extraction of polyphenols from vine shoots. , 2014, , .		5
80	Study of Intensification of Vaporization by Decompression to the Vacuum (IVDV) as an environment-friendly process on the expansion of maize. , 2014, , .		1
81	A new eco-friendly defatting process of peanuts by mechanical expression preserving structure integrity (MEPSI). , 2014, , .		6
82	Multiple Response Optimization of High Temperature, Low Time Aqueous Extraction Process of Phenolic Compounds from Grape Byproducts. <i>Food and Nutrition Sciences (Print)</i> , 2014, 05, 351-360.	0.2	11
83	Extraction of Total Phenolic Compounds, Flavonoids, Anthocyanins and Tannins from Grape Byproducts by Response Surface Methodology. Influence of Solid-Liquid Ratio, Particle Size, Time, Temperature and Solvent Mixtures on the Optimization Process. <i>Food and Nutrition Sciences (Print)</i> , 2014, 05, 397-409.	0.2	57
84	Effect of expansion by Intensification of Vaporization by Decompression to the Vacuum (IVDV) on polyphenol content, expansion ratio, texture and color changes of Australian chickpea. <i>LWT - Food Science and Technology</i> , 2014, 59, 874-882.	2.5	19
85	Multiple optimization of chemical and textural properties of roasted expanded purple maize using response surface methodology. <i>Journal of Cereal Science</i> , 2014, 60, 397-405.	1.8	24
86	A comparative study of physical pretreatments for the extraction of polyphenols and proteins from vine shoots. <i>Food Research International</i> , 2014, 65, 462-468.	2.9	125
87	Multiple optimization of chemical components and texture of purple maize expanded by IVDV treatment using the response surface methodology. <i>Food Chemistry</i> , 2014, 165, 60-69.	4.2	19
88	Extraction of Polyphenols from Red Grape Pomace Assisted by Pulsed Ohmic Heating. <i>Food and Bioprocess Technology</i> , 2013, 6, 1281-1289.	2.6	124
89	Pulsed electric field, ultrasound, and thermal pretreatments for better phenolic extraction during red fermentation. <i>European Food Research and Technology</i> , 2013, 236, 47-56.	1.6	78
90	Pulsed Electric Field-Assisted Cold Maceration of Cabernet franc and Cabernet Sauvignon Grapes. <i>American Journal of Enology and Viticulture</i> , 2013, 64, 476-484.	0.9	21

#	ARTICLE	IF	CITATIONS
91	An Environment Friendly, Low-Cost Extraction Process of Phenolic Compounds from Grape Byproducts. Optimization by Multi-Response Surface Methodology. Food and Nutrition Sciences (Print), 2013, 04, 650-659.	0.2	18
92	Antioxidants from Syrah Grapes (&lt;i>Vitis vinifera L.&lt;/i> cv.&lt;i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (&lt;i>Vitis vinifera L. cv. Cabernet Sauvignon). Optimization by Response Surface Methodology. Food and Nutrition Sciences (Print), 2013, 04, 1209-1220.	0.2	4
93	Valorization of industrial waste using energy saving procedures. Phenolic compounds purification from grape by-products by Accelerated Solvent Extraction (ASE). , 2012, , .		4
94	Low Cost Process for Phenolic Compounds Extraction from Cabernet Sauvignon Grapes (&lt;i>Vitis vinifera L. cv. Cabernet Sauvignon). Optimization by Response Surface Methodology. Food and Nutrition Sciences (Print), 2012, 03, 89-103.	0.2	15
95	A Comparative Study on Antiradical and Antimicrobial Properties of Red Grapes Extracts Obtained from Different &lt;i>Vitis vinifera&lt;/i> Varieties. Food and Nutrition Sciences (Print), 2012, 03, 1420-1432.	0.2	28
96	Thermomechanical process intensification for oil extraction from orange peels. Innovative Food Science and Emerging Technologies, 2009, 10, 530-536.	2.7	41
97	Sorption isotherms of potato slices dried and texturized by controlled sudden decompression. Journal of Food Engineering, 2008, 85, 180-190.	2.7	48
98	Sorption Isotherms of Granny Smith Apples Hot-Air Dried and Texturized by "Controlled Sudden Decompression to the Vacuum". International Journal of Food Engineering, 2007, 3, .	0.7	9
99	A Study of Dehydration of Fish Using Successive Pressure Drops (DDS) and Controlled Instantaneous Pressure Drop (DIC). Drying Technology, 2004, 22, 457-478.	1.7	16
100	Expansion ratio and color improvement of dried vegetables texturized by a new process "Controlled Sudden Decompression to the vacuum". Journal of Food Engineering, 2004, 65, 233-243.	2.7	82
101	Quality studies on various types of partially dried vegetables texturized by Controlled Sudden Decompression. Journal of Food Engineering, 2004, 65, 245-253.	2.7	43
102	A novel colorimetry analysis used to compare different drying fish processes. Food Control, 2004, 15, 327-334.	2.8	42
103	New Process for Texturizing Partially Dehydrated Biological Products Using Controlled Sudden Decompression to the Vacuum: Application on Potatoes. Journal of Food Science, 2002, 67, 3033-3038.	1.5	69
104	Application du nouveau procédé de séchage/ texturation par Décompression Instantanée Contr, (DIC) aux poissons : impact sur les caractéristiques physicochimiques du produit fini. Sciences Des Aliments, 2001, 21, 481-498.	0.2	20
105	DRYING OF BAKER'S YEAST BY A NEW METHOD: DEHYDRATION BY SUCCESSIVE PRESSURE DROPS (DDS). EFFECT ON CELL SURVIVAL AND ENZYMATIC ACTIVITIES. Drying Technology, 2000, 18, 2253-2271.	1.7	17
106	Effect of the Main Processing Parameters of the Instantaneous Controlled Pressure Drop Process on Oil Isolation from Rosemary Leaves. Kinetics Aspects. Journal of Essential Oil Research, 2000, 12, 336-344.	1.3	11
107	Study of a new extraction process: controlled instantaneous decompression. Application to the extraction of essential oil from rosemary leaves. Flavour and Fragrance Journal, 1998, 13, 251-258.	1.2	25