

Bo Angelin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3088728/publications.pdf>

Version: 2024-02-01

220
papers

16,052
citations

16791

66
h-index

21843

118
g-index

222
all docs

222
docs citations

222
times ranked

15111
citing authors

#	ARTICLE	IF	CITATIONS
1	Obese mother offspring have hepatic lipidic modulation that contributes to sex-dependent metabolic adaptation later in life. <i>Communications Biology</i> , 2021, 4, 14.	2.0	10
2	Founder effects facilitate the use of a genotyping-based approach to molecular diagnosis in Swedish patients with familial hypercholesterolaemia. <i>Journal of Internal Medicine</i> , 2021, 290, 404-415.	2.7	3
3	Selective estrogen receptor (ER) β activation provokes a redistribution of fat mass and modifies hepatic triglyceride composition in obese male mice. <i>Molecular and Cellular Endocrinology</i> , 2020, 502, 110672.	1.6	20
4	Of mice and men: murine bile acids explain species differences in the regulation of bile acid and cholesterol metabolism. <i>Journal of Lipid Research</i> , 2020, 61, 480-491.	2.0	65
5	A Physiology-Based Model of Bile Acid Distribution and Metabolism Under Healthy and Pathologic Conditions in Human Beings. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 149-170.	2.3	30
6	Regulation of bile acid metabolism in biliary atresia: reduction of FGF19 by Kasai portoenterostomy and possible relation to early outcome. <i>Journal of Internal Medicine</i> , 2020, 287, 534-545.	2.7	12
7	How to handle hypertriglyceridaemia in acute pancreatitis – Still a vote for conservatives?. <i>Journal of Internal Medicine</i> , 2019, 286, 723-725.	2.7	3
8	Unique case of cerebrotendinous xanthomatosis revisited: All the mutations responsible for this disease are present in the <sc>CYP</sc>27A1 gene. <i>Journal of Internal Medicine</i> , 2018, 283, 604-606.	2.7	5
9	Asynchronous rhythms of circulating conjugated and unconjugated bile acids in the modulation of human metabolism. <i>Journal of Internal Medicine</i> , 2018, 284, 546-559.	2.7	26
10	An FXR Agonist Reduces Bile Acid Synthesis Independently of Increases in FGF19 in Healthy Volunteers. <i>Gastroenterology</i> , 2018, 155, 1012-1016.	0.6	44
11	Mental distress in treatment seeking young adults (18–25 years) with severe obesity compared with population controls of different body mass index levels: cohort study. <i>Clinical Obesity</i> , 2017, 7, 1-10.	1.1	16
12	Metabolic Syndrome: One Speckled Stone Kills a Flock of Birds?. <i>Trends in Molecular Medicine</i> , 2017, 23, 97-99.	3.5	0
13	Treatment with the natural <sc>FXR</sc> agonist chenodeoxycholic acid reduces clearance of plasma <sc>LDL</sc> whilst decreasing circulating <sc>PCSK</sc>9, lipoprotein(a) and apolipoprotein C-III. <i>Journal of Internal Medicine</i> , 2017, 281, 575-585.	2.7	52
14	Can <sc>LDL</sc> cholesterol be too low? Possible risks of extremely low levels. <i>Journal of Internal Medicine</i> , 2017, 281, 534-553.	2.7	69
15	Cholestyramine treatment of healthy humans rapidly induces transient hypertriglyceridemia when treatment is initiated. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017, 313, E167-E174.	1.8	24
16	High-density lipoprotein-associated sphingosine-1-phosphate activity in heterozygous familial hypercholesterolaemia. <i>European Journal of Clinical Investigation</i> , 2017, 47, 38-43.	1.7	3
17	Impaired Cholesterol Efflux Capacity of High-Density Lipoprotein Isolated From Interstitial Fluid in Type 2 Diabetes Mellitus – Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 787-791.	1.1	33
18	Arginase inhibition improves endothelial function in patients with familial hypercholesterolaemia irrespective of their cholesterol levels. <i>Journal of Internal Medicine</i> , 2016, 279, 477-484.	2.7	39

#	ARTICLE	IF	CITATIONS
19	Circulating Hepcidin-25 Is Reduced by Endogenous Estrogen in Humans. <i>PLoS ONE</i> , 2016, 11, e0148802.	1.1	56
20	Who is the Treatment-Seeking Young Adult with Severe Obesity: A Comprehensive Characterization with Emphasis on Mental Health. <i>PLoS ONE</i> , 2015, 10, e0145273.	1.1	24
21	Influence of dietary sugar on cholesterol and bile acid metabolism in the rat: Marked reduction of hepatic Abcg5/8 expression following sucrose ingestion. <i>Biochemical and Biophysical Research Communications</i> , 2015, 461, 592-597.	1.0	6
22	Letter to the Editor: Potential Role for FGF21 as a Mediator of Thyroid Hormone Effects on Metabolic Regulation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, L130-L131.	1.8	1
23	Reductions in serum levels of <scp>LDL</scp> cholesterol, apolipoprotein B, triglycerides and lipoprotein(a) in hypercholesterolaemic patients treated with the liver-selective thyroid hormone receptor agonist eprotirome. <i>Journal of Internal Medicine</i> , 2015, 277, 331-342.	2.7	43
24	Influence of physiological changes in endogenous estrogen on circulating PCSK9 and LDL cholesterol. <i>Journal of Lipid Research</i> , 2015, 56, 463-469.	2.0	70
25	Levels of atherogenic lipoproteins are unexpectedly reduced in interstitial fluid from type 2 diabetes patients. <i>Journal of Lipid Research</i> , 2015, 56, 1633-1639.	2.0	4
26	Thyroid hormone reduces PCSK9 and stimulates bile acid synthesis in humans. <i>Journal of Lipid Research</i> , 2014, 55, 2408-2415.	2.0	71
27	Influence of growth hormone on circulating fibroblast growth factor 21 levels in humans. <i>Journal of Internal Medicine</i> , 2013, 274, 227-232.	2.7	19
28	Fifty years of lipoprotein(a) – the Magical Mystery Tour continues. <i>Journal of Internal Medicine</i> , 2013, 273, 3-5.	2.7	4
29	Gut Microbiota Regulates Bile Acid Metabolism by Reducing the Levels of Tauro-beta-muricholic Acid, a Naturally Occurring FXR Antagonist. <i>Cell Metabolism</i> , 2013, 17, 225-235.	7.2	1,671
30	Endogenous Estrogens Lower Plasma PCSK9 and LDL Cholesterol But Not Lp(a) or Bile Acid Synthesis in Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 810-814.	1.1	82
31	Circulating Fibroblast Growth Factors as Metabolic Regulators – A Critical Appraisal. <i>Cell Metabolism</i> , 2012, 16, 693-705.	7.2	184
32	Stimulation of murine biliary cholesterol secretion by thyroid hormone is dependent on a functional ABCG5/G8 complex. <i>Hepatology</i> , 2012, 56, 1828-1837.	3.6	42
33	1414 GUT MICROBIOTA REGULATES BILE ACID METABOLISM BY REDUCING THE LEVELS OF TAURO-BETAMURICHOLIC ACID, A NATURALLY OCCURRING FXR ANTAGONIST. <i>Journal of Hepatology</i> , 2012, 56, S556.	1.8	3
34	Circulating Human Hepcidin-25 Concentrations Display a Diurnal Rhythm, Increase with Prolonged Fasting, and Are Reduced by Growth Hormone Administration. <i>Clinical Chemistry</i> , 2012, 58, 1225-1232.	1.5	80
35	Inhibition of Intestinal Bile Acid Transporter Slc10a2 Improves Triglyceride Metabolism and Normalizes Elevated Plasma Glucose Levels in Mice. <i>PLoS ONE</i> , 2012, 7, e37787.	1.1	32
36	Pronounced variation in bile acid synthesis in humans is related to gender, hypertriglyceridaemia and circulating levels of fibroblast growth factor 19. <i>Journal of Internal Medicine</i> , 2011, 270, 580-588.	2.7	92

#	ARTICLE	IF	CITATIONS
37	Lipid lowering with thyroid hormone and thyromimetics. <i>Current Opinion in Lipidology</i> , 2010, 21, 499-506.	1.2	63
38	Circulating Proprotein Convertase Subtilisin Kexin Type 9 Has a Diurnal Rhythm Synchronous With Cholesterol Synthesis and Is Reduced by Fasting in Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2666-2672.	1.1	147
39	Use of the Thyroid Hormone Analogue Eprotirome in Statin-Treated Dyslipidemia. <i>New England Journal of Medicine</i> , 2010, 362, 906-916.	13.9	275
40	Control of ACAT2 Liver Expression by HNF4 α . <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1235-1241.	1.1	24
41	Importance of Proprotein Convertase Subtilisin/Kexin Type 9 in the Hormonal and Dietary Regulation of Rat Liver Low-Density Lipoprotein Receptors. <i>Endocrinology</i> , 2009, 150, 1140-1146.	1.4	67
42	Dyslipidaemia and lipoprotein pattern in systemic lupus erythematosus (SLE) and SLE-related cardiovascular disease. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 184-189.	0.6	23
43	Dramatically Increased Intestinal Absorption of Cholesterol Following Hypophysectomy Is Normalized by Thyroid Hormone. <i>Gastroenterology</i> , 2008, 134, 1127-1136.	0.6	61
44	The thyroid hormone mimetic compound KB2115 lowers plasma LDL cholesterol and stimulates bile acid synthesis without cardiac effects in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 663-667.	3.3	169
45	The Circulating Metabolic Regulator FGF21 Is Induced by Prolonged Fasting and PPAR α Activation in Man. <i>Cell Metabolism</i> , 2008, 8, 169-174.	7.2	441
46	Cholesterol Synthesis Inhibition Elicits an Integrated Molecular Response in Human Livers Including Decreased ACAT2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1200-1206.	1.1	20
47	Age-induced hypercholesterolemia in the rat relates to reduced elimination but not increased intestinal absorption of cholesterol. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E737-E742.	1.8	37
48	Bile acids and lipoprotein metabolism: Effects of cholestyramine and chenodeoxycholic acid on human hepatic mRNA expression. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 707-711.	1.0	59
49	PPAR α is a key regulator of hepatic FGF21. <i>Biochemical and Biophysical Research Communications</i> , 2007, 360, 437-440.	1.0	337
50	Cholesterol regulates ACAT2 gene expression and enzyme activity in human hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 364, 402-409.	1.0	22
51	Lipoprotein profiles in plasma and interstitial fluid analyzed with an automated gel-filtration system. <i>European Journal of Clinical Investigation</i> , 2006, 36, 98-104.	1.7	111
52	Circulating intestinal fibroblast growth factor 19 has a pronounced diurnal variation and modulates hepatic bile acid synthesis in man. <i>Journal of Internal Medicine</i> , 2006, 260, 530-536.	2.7	355
53	Selective thyroid receptor modulation by GC-1 reduces serum lipids and stimulates steps of reverse cholesterol transport in euthyroid mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10297-10302.	3.3	177
54	Effects of Cholesteryl Ester Transfer Protein Inhibition on High-Density Lipoprotein Subspecies, Apolipoprotein A-I Metabolism, and Fecal Sterol Excretion. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1057-1064.	1.1	228

#	ARTICLE	IF	CITATIONS
55	Telling the liver (not) to make bile acids: a new voice from the gut?. <i>Cell Metabolism</i> , 2005, 2, 209-210.	7.2	3
56	Bile Acid Synthesis in Humans Has a Rapid Diurnal Variation That Is Asynchronous With Cholesterol Synthesis. <i>Gastroenterology</i> , 2005, 129, 1445-1453.	0.6	181
57	ACAT2 Is Localized to Hepatocytes and Is the Major Cholesterol-Esterifying Enzyme in Human Liver. <i>Circulation</i> , 2004, 110, 2017-2023.	1.6	190
58	Growth Hormone Induces Low-Density Lipoprotein Clearance but not Bile Acid Synthesis in Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 349-356.	1.1	40
59	Autosomal recessive hypercholesterolaemia: normalization of plasma LDL cholesterol by ezetimibe in combination with statin treatment. <i>Journal of Internal Medicine</i> , 2004, 256, 406-412.	2.7	55
60	Angiogenesis Inhibitor, TNP-470, Prevents Diet-Induced and Genetic Obesity in Mice. <i>Circulation Research</i> , 2004, 94, 1579-1588.	2.0	294
61	Mutations in a Sar1 GTPase of COPII vesicles are associated with lipid absorption disorders. <i>Nature Genetics</i> , 2003, 34, 29-31.	9.4	359
62	Monitoring hepatic cholesterol 7 α -hydroxylase activity by assay of the stable bile acid intermediate 7 α -hydroxy-4-cholesten-3-one in peripheral blood. <i>Journal of Lipid Research</i> , 2003, 44, 859-866.	2.0	172
63	Leptin Induces the Hepatic High Density Lipoprotein Receptor Scavenger Receptor B Type I (SR-BI) but Not Cholesterol 7 α -Hydroxylase (Cyp7a1) in Leptin-deficient (ob/ob) Mice. <i>Journal of Biological Chemistry</i> , 2003, 278, 43224-43228.	1.6	71
64	Differences in the Regulation of the Classical and the Alternative Pathway for Bile Acid Synthesis in Human Liver. <i>Journal of Biological Chemistry</i> , 2002, 277, 26804-26807.	1.6	55
65	Regulation of Hepatic Low-Density Lipoprotein Receptor, 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase, and Cholesterol 7 α -Hydroxylase mRNAs in Human Liver. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 4307-4313.	1.8	51
66	Accumulation of Foam Cells in Liver X Receptor-Deficient Mice. <i>Circulation</i> , 2002, 106, 1147-1153.	1.6	165
67	Requirement for Thyroid Hormone Receptor β 2 in T3 Regulation of Cholesterol Metabolism in Mice. <i>Molecular Endocrinology</i> , 2002, 16, 1767-1777.	3.7	122
68	Reverse cholesterol transport in man: promotion of fecal steroid excretion by infusion of reconstituted HDL. <i>Atherosclerosis Supplements</i> , 2002, 3, 23-30.	1.2	33
69	Genetic characterization of Swedish patients with familial hypercholesterolemia: a heterogeneous pattern of mutations in the LDL receptor gene. <i>Atherosclerosis</i> , 2002, 163, 399-407.	0.4	22
70	Analysis of the Ileal Bile Acid Transporter Gene, SLC10A2, in Subjects With Familial Hypertriglyceridemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 2039-2045.	1.1	40
71	Growth hormone reduces plasma cholesterol in LDL receptor-deficient mice. <i>FASEB Journal</i> , 2001, 15, 1350-1356.	0.2	28
72	Hepatic cholesterol metabolism and resistance to dietary cholesterol in LXR β -deficient mice. <i>Journal of Clinical Investigation</i> , 2001, 107, 565-573.	3.9	335

#	ARTICLE	IF	CITATIONS
73	LDL-apheresis in patients with nephrotic syndrome: effects on serum albumin and urinary albumin excretion. <i>European Journal of Clinical Investigation</i> , 2000, 30, 866-870.	1.7	26
74	Biphasic Effects of the Natural Estrogen 17 β -Estradiol on Hepatic Cholesterol Metabolism in Intact Female Rats. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1817-1823.	1.1	56
75	Thyroid Hormone Receptor β -Deficient Mice Show Complete Loss of the Normal Cholesterol 7 α -Hydroxylase (CYP7A) Response to Thyroid Hormone but Display Enhanced Resistance to Dietary Cholesterol. <i>Molecular Endocrinology</i> , 2000, 14, 1739-1749.	3.7	105
76	Obesity and Disturbed Lipoprotein Profile in Estrogen Receptor- α -Deficient Male Mice. <i>Biochemical and Biophysical Research Communications</i> , 2000, 278, 640-645.	1.0	299
77	Stimulation of Fecal Steroid Excretion After Infusion of Recombinant Proapolipoprotein A-I. <i>Circulation</i> , 1999, 100, 594-598.	1.6	228
78	Endotoxin suppresses mouse hepatic low-density lipoprotein-receptor expression via a pathway independent of the toll-like receptor 4. <i>Hepatology</i> , 1999, 30, 1252-1256.	3.6	14
79	Cholesterol and Lipoprotein Metabolism in Aging. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 832-839.	1.1	79
80	Bile acids and lipoprotein metabolism. <i>Current Opinion in Lipidology</i> , 1999, 10, 269-274.	1.2	23
81	VLDL activation of plasminogen activator inhibitor-1 (PAI-1) expression: involvement of the VLDL receptor. <i>Journal of Lipid Research</i> , 1999, 40, 913-9.	2.0	22
82	Low frequency of the common Norwegian and Finnish LDL receptor mutations in Swedish patients with familial hypercholesterolaemia. <i>Journal of Internal Medicine</i> , 1998, 243, 19-25.	2.7	10
83	Gemfibrozil-induced decrease in serum ubiquinone and α - and β -tocopherol levels in men with combined hyperlipidaemia. <i>European Journal of Clinical Investigation</i> , 1998, 28, 235-242.	1.7	27
84	Platelet activity in vivo in hyperlipoproteinemia—importance of combined hyperlipidemia. <i>Thrombosis and Haemostasis</i> , 1998, 79, 268-75.	1.8	8
85	Bovine aortic endothelial cells express a variant of the very low density lipoprotein receptor that lacks the O-linked sugar domain. <i>Journal of Lipid Research</i> , 1998, 39, 2172-81.	2.0	21
86	Lipoprotein Metabolism in the Fat Zucker Rat: Reduced Basal Expression but Normal Regulation of Hepatic Low Density Lipoprotein Receptors*. <i>Endocrinology</i> , 1997, 138, 3276-3282.	1.4	26
87	Therapy for lowering lipoprotein (a) levels. <i>Current Opinion in Lipidology</i> , 1997, 8, 337-341.	1.2	51
88	Adipose Tissue Lipoprotein Lipase and Hormone-Sensitive Lipase. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2287-2292.	1.1	58
89	Importance of Estrogen Receptors in Hepatic LDL Receptor Regulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 1800-1805.	1.1	78
90	Simvastatin impairs mitogen-induced proliferation of malignant B-lymphocytes from humans—in vitro and in vivo studies. <i>Lipids</i> , 1997, 32, 255-262.	0.7	37

#	ARTICLE	IF	CITATIONS
91	The influence of age on low density lipoprotein metabolism: effects of cholestyramine treatment in young and old healthy male subjects. <i>Journal of Internal Medicine</i> , 1997, 242, 329-337.	2.7	24
92	Haemostatic markers, inflammatory parameters and lipids in male and female patients in the Angina Prognosis Study In Stockholm (APSIS). A comparison with healthy controls. <i>Journal of Internal Medicine</i> , 1997, 241, 59-69.	2.7	40
93	Hepatic cholesterol metabolism in human obesity. <i>Hepatology</i> , 1997, 25, 1447-1450.	3.6	88
94	SECRETION AND COMPOSITION OF BILE AFTER HUMAN LIVER TRANSPLANTATION. <i>Transplantation</i> , 1997, 63, 74-80.	0.5	37
95	No Influence of Simvastatin Treatment on Platelet Function In Vivo in Patients With Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 273-278.	1.1	26
96	Growth hormone and bile acid synthesis. Key role for the activity of hepatic microsomal cholesterol 7alpha-hydroxylase in the rat.. <i>Journal of Clinical Investigation</i> , 1997, 99, 2239-2245.	3.9	64
97	Bile acid kinetics and biliary lipid composition in cystic fibrosis. <i>Journal of Hepatology</i> , 1996, 25, 43-48.	1.8	40
98	Endotoxin suppresses rat hepatic low-density lipoprotein receptor expression. <i>Biochemical Journal</i> , 1996, 313, 873-878.	1.7	23
99	Growth hormone potentiates the in vivo biological activities of endotoxin in the rat. <i>European Journal of Clinical Investigation</i> , 1996, 26, 254-258.	1.7	44
100	Gemfibrozil Treatment of Combined Hyperlipoproteinemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 16, 511-516.	1.1	19
101	Regulation of rat hepatic low density lipoprotein receptors. In vivo stimulation by growth hormone is not mediated by insulin-like growth factor I.. <i>Journal of Clinical Investigation</i> , 1996, 97, 292-299.	3.9	59
102	Expression of very low density lipoprotein receptor in the vascular wall. Analysis of human tissues by in situ hybridization and immunohistochemistry. <i>American Journal of Pathology</i> , 1996, 148, 1985-97.	1.9	60
103	Increased prevalence of atherosclerotic wall changes in patients with hyperlipidaemia after renal transplantation. <i>Journal of Internal Medicine</i> , 1996, 239, 177-80.	2.7	12
104	VLDL receptor mediates the uptake of human chylomicron remnants in vitro. <i>Journal of Lipid Research</i> , 1996, 37, 1733-42.	2.0	69
105	Gemfibrozil reduces thrombin generation in patients with combined hyperlipidaemia, without influencing plasma fibrinogen, fibrin gel structure or coagulation factor VII. <i>Thrombosis and Haemostasis</i> , 1996, 76, 171-6.	1.8	2
106	Metabolism and excretion of ropivacaine in humans. <i>Drug Metabolism and Disposition</i> , 1996, 24, 962-8.	1.7	34
107	Studies on the regulation of hepatic cholesterol metabolism in humans. <i>European Journal of Clinical Investigation</i> , 1995, 25, 215-224.	1.7	31
108	Studies on lipoprotein metabolism in a family with jejunal chylomicron retention. <i>European Journal of Clinical Investigation</i> , 1995, 25, 271-280.	1.7	28

#	ARTICLE	IF	CITATIONS
109	Influence of bezafibrate on hepatic cholesterol metabolism in gallstone patients: Reduced activity of cholesterol 7 α -hydroxylase. <i>Hepatology</i> , 1995, 21, 1025-1030.	3.6	62
110	Gemfibrozil Enhances Platelet Activity in Patients With Combined Hyperlipoproteinemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 121-127.	1.1	19
111	Hormonal Regulation of Serum Lipoprotein(a) Levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 847-849.	1.1	46
112	Impaired activation of adipocyte lipolysis in familial combined hyperlipidemia.. <i>Journal of Clinical Investigation</i> , 1995, 95, 2161-2169.	3.9	100
113	Effects of Ursodeoxycholic Acid on Plasma Lipids. <i>Scandinavian Journal of Gastroenterology</i> , 1994, 29, 24-26.	0.6	4
114	Apparent selective bile acid malabsorption as a consequence of ileal exclusion: effects on bile acid, cholesterol, and lipoprotein metabolism.. <i>Gut</i> , 1994, 35, 1116-1120.	6.1	34
115	Lack of association between apolipoprotein E allele ϵ 4 and sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 1994, 169, 175-178.	1.0	56
116	Effects of selective LDL α pheresis and pravastatin therapy on platelet function in familial hypercholesterolaemia. <i>European Journal of Clinical Investigation</i> , 1994, 24, 488-496.	1.7	35
117	Growth hormone and hepatic lipoprotein metabolism. <i>Current Opinion in Lipidology</i> , 1994, 5, 160-165.	1.2	100
118	Treatment of IgA nephropathy with omega-3-polyunsaturated fatty acids: a prospective, double-blind, randomized study. <i>Clinical Nephrology</i> , 1994, 41, 183-90.	0.4	94
119	Apolipoprotein E phenotypes in familial hypercholesterolaemia: importance for expression of disease and response to therapy. <i>Journal of Internal Medicine</i> , 1993, 233, 173-178.	2.7	49
120	Pravastatin and gemfibrozil alone and in combination for the treatment of hypercholesterolemia. <i>American Journal of Medicine</i> , 1993, 94, 13-20.	0.6	169
121	Serum 7 alpha-hydroxy-4-cholesten-3-one concentrations in the evaluation of bile acid malabsorption in patients with diarrhoea: correlation to SeHCAT test.. <i>Gut</i> , 1993, 34, 698-701.	6.1	58
122	Adipocyte beta-adrenoceptor sensitivity influences plasma lipid levels.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993, 13, 967-972.	3.8	23
123	Loss of resistance to dietary cholesterol in the rat after hypophysectomy: importance of the presence of growth hormone for hepatic low density lipoprotein-receptor expression.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8851-8855.	3.3	51
124	Apolipoprotein E polymorphism in a healthy Swedish population: variation of allele frequency with age and relation to serum lipid concentrations. <i>Clinical Chemistry</i> , 1993, 39, 2125-2129.	1.5	138
125	Stimulation of rat hepatic low density lipoprotein receptors by glucagon. Evidence of a novel regulatory mechanism in vivo.. <i>Journal of Clinical Investigation</i> , 1993, 91, 2796-2805.	3.9	62
126	Growth hormone and low-density lipoproteins. <i>Acta Endocrinologica</i> , 1993, 128 Suppl 2, 26-8.	0.0	2

#	ARTICLE	IF	CITATIONS
127	Apolipoprotein E polymorphism in a healthy Swedish population: variation of allele frequency with age and relation to serum lipid concentrations. <i>Clinical Chemistry</i> , 1993, 39, 2125-9.	1.5	49
128	Importance of growth hormone for the induction of hepatic low density lipoprotein receptors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 6983-6987.	3.3	233
129	Digoxin-interactions in man: Spironolactone reduces renal but not biliary digoxin clearance. <i>European Journal of Clinical Pharmacology</i> , 1992, 42, 481-485.	0.8	26
130	Hormonal regulation of serum Lp (a) levels. Opposite effects after estrogen treatment and orchidectomy in males with prostatic carcinoma.. <i>Journal of Clinical Investigation</i> , 1992, 89, 1166-1171.	3.9	142
131	Effects of growth hormone on low-density lipoprotein metabolism. <i>Acta Paediatrica, International Journal of Paediatrics, Supplement</i> , 1992, 383, 67-8; discussion 69.	1.0	0
132	Molecular aspects of human lipid metabolism. <i>European Journal of Clinical Nutrition</i> , 1992, 46, 153-60.	1.3	0
133	Influence of age on the metabolism of plasma low density lipoproteins in healthy males.. <i>Journal of Clinical Investigation</i> , 1991, 87, 591-596.	3.9	134
134	Age-related changes in the metabolism of cholesterol in rat liver microsomes. <i>Lipids</i> , 1991, 26, 349-352.	0.7	30
135	Digoxin-verapamil interaction: Reduction of biliary but not renal digoxin clearance in humans. <i>Clinical Pharmacology and Therapeutics</i> , 1991, 49, 256-262.	2.3	73
136	Bile acid sequestrants: Mechanisms of action on bile acid and cholesterol metabolism. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, S53-S58.	0.8	36
137	Bile acid sequestrants: mechanisms of action on bile acid and cholesterol metabolism. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, S53-S58.	0.8	117
138	Effect of ursodeoxycholic acid treatment on ileal absorption of bile acids in man as determined by the SeHCAT test.. <i>Gut</i> , 1991, 32, 1044-1048.	6.1	38
139	Regulation of Hepatic Cholesterol Metabolism in Man. <i>Annals of Medicine</i> , 1991, 23, 177-180.	1.5	13
140	Metabolism of lipoprotein remnants in humans. Studies during intestinal infusion of fat and cholesterol in subjects with varying expression of the low density lipoprotein receptor.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991, 11, 827-837.	3.8	36
141	Effects of pravastatin and cholestyramine on products of the mevalonate pathway in familial hypercholesterolemia. <i>Journal of Lipid Research</i> , 1991, 32, 935-40.	2.0	52
142	Distribution of cholesterol between vesicles and micelles in human gallbladder bile: influence of treatment with chenodeoxycholic acid and ursodeoxycholic acid. <i>Hepatology</i> , 1991, 13, 104-10.	3.6	6
143	Hepatic cholesterol metabolism in cholesterol gallstone disease. <i>Journal of Lipid Research</i> , 1991, 32, 469-75.	2.0	45
144	Low density lipoprotein receptor-binding activity in human tissues: quantitative importance of hepatic receptors and evidence for regulation of their expression in vivo.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 3469-3473.	3.3	97

#	ARTICLE	IF	CITATIONS
145	Uptake of low density lipoproteins by human leukemic cells in vivo: relation to plasma lipoprotein levels and possible relevance for selective chemotherapy.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 2598-2602.	3.3	118
146	Interactions in the renal and biliary elimination of digoxin: Stereoselective difference between quinine and quinidine. Clinical Pharmacology and Therapeutics, 1990, 47, 20-26.	2.3	77
147	Increased turnover of very low density lipoprotein triglyceride during treatment with cholestyramine in familial hypercholesterolaemia. Journal of Internal Medicine, 1990, 227, 201-206.	2.7	28
148	Treatment of familial hypercholesterolaemia: a controlled trial of the effects of pravastatin or cholestyramine therapy on lipoprotein and apolipoprotein levels. Journal of Internal Medicine, 1990, 228, 241-247.	2.7	47
149	Characteristics of biliary lipid metabolism after liver transplantation. Hepatology, 1990, 12, 1222-1228.	3.6	53
150	Apolipoprotein(a) and ischaemic heart disease in familial hypercholesterolaemia. Lancet, The, 1990, 335, 1360-1363.	6.3	197
151	Influence of Pravastatin, a Specific Inhibitor of HMG-CoA Reductase, on Hepatic Metabolism of Cholesterol. New England Journal of Medicine, 1990, 323, 224-228.	13.9	267
152	Platelet aggregability in humans: contrasting <i>in vivo</i> and <i>in vitro</i> findings during sympatho-adrenal activation and relationship to serum lipids. European Journal of Clinical Investigation, 1990, 20, 398-405.	1.7	30
153	Influence of Metoprolol Treatment on Sympatho-Adrenal Activation of Fibrinolysis. Thrombosis and Haemostasis, 1990, 63, 482-487.	1.8	41
154	Regulation of hepatic cholesterol metabolism in humans: stimulatory effects of cholestyramine on HMG-CoA reductase activity and low density lipoprotein receptor expression in gallstone patients. Journal of Lipid Research, 1990, 31, 2219-26.	2.0	66
155	Influence of metoprolol treatment on sympatho-adrenal activation of fibrinolysis. Thrombosis and Haemostasis, 1990, 63, 482-7.	1.8	15
156	Low density lipoprotein receptor activity in human intracranial tumors and its relation to the cholesterol requirement. Cancer Research, 1990, 50, 483-7.	0.4	61
157	Oestrogen-induced changes in lipoprotein metabolism: role in prevention of atherosclerosis in the cholesterol-fed rabbit. European Journal of Clinical Investigation, 1989, 19, 395-403.	1.7	43
158	Early determination of serum lipids and apolipoproteins in acute myocardial infarction: possibility for immediate intervention. Journal of Internal Medicine, 1989, 226, 297-301.	2.7	36
159	Effects of estrogen on low density lipoprotein metabolism in males. Short-term and long-term studies during hormonal treatment of prostatic carcinoma.. Journal of Clinical Investigation, 1989, 84, 802-810.	3.9	90
160	Estrogen-induced gallstone formation in males. Relation to changes in serum and biliary lipids during hormonal treatment of prostatic carcinoma.. Journal of Clinical Investigation, 1989, 84, 811-816.	3.9	96
161	Studies on acyl-coenzyme A: cholesterol acyltransferase activity in human liver microsomes. Journal of Lipid Research, 1989, 30, 739-46.	2.0	47
162	Effects of treatment with clofibrate, bezafibrate, and ciprofibrate on the metabolism of cholesterol in rat liver microsomes. Journal of Lipid Research, 1989, 30, 953-8.	2.0	45

#	ARTICLE	IF	CITATIONS
163	Effect of thiazide treatment on biliary lipid composition in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 1989, 37, 95-96.	0.8	11
164	Interindividual variability in biliary excretion of ceftriaxone: effects on biliary lipid metabolism and on intestinal microflora. <i>European Journal of Clinical Investigation</i> , 1988, 18, 261-266.	1.7	35
165	Sn-protoporphyrin lowers serum bilirubin levels, decreases biliary bilirubin output, enhances biliary heme excretion and potently inhibits hepatic heme oxygenase activity in normal human subjects. <i>Hepatology</i> , 1988, 8, 625-631.	3.6	45
166	Bile acid metabolism in heterozygous familial hypercholesterolaemia: a study comparing affected and unaffected sibilings of four kindreds. <i>European Journal of Clinical Investigation</i> , 1988, 18, 153-161.	1.7	8
167	Plasma cholesterol esterification rate in hyperlipoproteinaemia: Relation to cholesterol elimination. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1988, 48, 481-487.	0.6	2
168	Regulation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity in mouse peritoneal macrophages. <i>Biochemical Journal</i> , 1988, 255, 529-34.	1.7	4
169	Regulation of biliary cholesterol secretion in man. <i>Agents and Actions Supplements</i> , 1988, 26, 83-97.	0.2	0
170	Assay of unesterified cholesterol-5,6-epoxide in human serum by isotope dilution mass spectrometry. Levels in the healthy state and in hyperlipoproteinemia. <i>Journal of Lipid Research</i> , 1988, 29, 1031-8.	2.0	27
171	Bile acid metabolism in hereditary forms of hypertriglyceridemia: evidence for an increased synthesis rate in monogenic familial hypertriglyceridemia.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 5434-5438.	3.3	102
172	Quinidine reduces biliary clearance of digoxin in man. <i>European Journal of Clinical Investigation</i> , 1987, 17, 262-265.	1.7	63
173	Plasma Exchange in a Patient with Heterozygous Familial Hypercholesterolaemia Resistant to Drug Therapy. <i>Acta Medica Scandinavica</i> , 1987, 221, 317-320.	0.0	6
174	Spontaneous Regression of Budd-Chiari Syndrome (Hepatic Venous Occlusion) in a Young Female. <i>Acta Medica Scandinavica</i> , 1987, 221, 503-507.	0.0	3
175	Studies on Human Macrophage Lipoprotein Uptake: Relation to Atherosclerosis. <i>Acta Medica Scandinavica</i> , 1987, 221, 45-49.	0.0	1
176	On the possible use of the serum level of 7 alpha-hydroxycholesterol as a marker for increased activity of the cholesterol 7 alpha-hydroxylase in humans. <i>Journal of Lipid Research</i> , 1987, 28, 889-94.	2.0	85
177	Correlation between serum levels of some cholesterol precursors and activity of HMG-CoA reductase in human liver. <i>Journal of Lipid Research</i> , 1987, 28, 1137-43.	2.0	181
178	Ursodeoxycholic acid treatment in humans: effects on plasma and biliary lipid metabolism with special reference to very low density lipoprotein triglyceride and bile acid kinetics. <i>European Journal of Clinical Investigation</i> , 1986, 16, 169-177.	1.7	23
179	Bile acid synthesis in man: assay of hepatic microsomal cholesterol 7 alpha-hydroxylase activity by isotope dilution-mass spectrometry. <i>Journal of Lipid Research</i> , 1986, 27, 82-8.	2.0	70
180	The diagnostic value of fasting individual serum bile acids in anicteric alcoholic liver disease: Relation to liver morphology. <i>Hepatology</i> , 1985, 5, 108-111.	3.6	11

#	ARTICLE	IF	CITATIONS
181	Portal venous bile acids in cholesterol gallstone disease: Effect of treatment with chenodeoxycholic and cholic acids. <i>Hepatology</i> , 1985, 5, 661-665.	3.6	7
182	Influence of Age on Secretion of Cholesterol and Synthesis of Bile Acids by the Liver. <i>New England Journal of Medicine</i> , 1985, 313, 277-282.	13.9	242
183	Serum Concentrations of Ursodeoxycholic Acid in Portal Venous and Systemic Venous Blood of Fasting Humans as Determined by Isotope Dilution ¹⁴ C Mass Spectrometry. <i>Gastroenterology</i> , 1985, 88, 126-133.	0.6	32
184	Effect of ciprofibrate treatment on biliary lipids in patients with hyperlipoproteinaemia. <i>European Journal of Clinical Investigation</i> , 1984, 14, 73-78.	1.7	27
185	Triglyceride metabolism in human liver: studies on hepatic phosphatidic-acid phosphatase in obese and non-obese subjects. <i>European Journal of Clinical Investigation</i> , 1984, 14, 233-237.	1.7	8
186	3-hydroxy-3-methylglutaryl coenzyme A reductase in human liver microsomes: active and inactive forms and cross-reactivity with antibody against rat liver enzyme. <i>Journal of Lipid Research</i> , 1984, 25, 1159-66.	2.0	38
187	Type III hyperlipoproteinemia: recent insights into the genetic defect of familial dysbetalipoproteinemia. <i>Advances in Internal Medicine</i> , 1984, 29, 385-411.	0.9	72
188	Bile acid metabolism in hypothyroid subjects: response to substitution therapy. <i>European Journal of Clinical Investigation</i> , 1983, 13, 99-106.	1.7	27
189	Regulation of Hepatic Lipoprotein Receptors in the Dog. RAPID REGULATION OF APOLIPOPROTEIN B,E RECEPTORS, BUT NOT OF APOLIPOPROTEIN E RECEPTORS, BY INTESTINAL LIPOPROTEINS AND BILE ACIDS. <i>Journal of Clinical Investigation</i> , 1983, 71, 816-831.	3.9	117
190	Ursodeoxycholic acid treatment in cholesterol gallstone disease: effects on hepatic 3-hydroxy-3-methylglutaryl coenzyme A reductase activity, biliary lipid composition, and plasma lipid levels. <i>Journal of Lipid Research</i> , 1983, 24, 461-8.	2.0	48
191	Ceftriaxone: renal and biliary excretion and effect on the colon microflora. <i>Journal of Antimicrobial Chemotherapy</i> , 1982, 10, 207-215.	1.3	138
192	Hepatic Uptake of Bile Acids in Man. <i>Journal of Clinical Investigation</i> , 1982, 70, 724-731.	3.9	201
193	Hepatic cholesterol metabolism in obesity: activity of microsomal 3-hydroxy-3-methylglutaryl coenzyme A reductase. <i>Journal of Lipid Research</i> , 1982, 23, 770-3.	2.0	36
194	Influence of bile acids on the soluble phosphatidic acid phosphatase in rat liver. <i>Biochemical and Biophysical Research Communications</i> , 1981, 100, 606-612.	1.0	23
195	Clofibrate treatment and bile cholesterol saturation: short-term and long-term effects and influence of combination with chenodeoxycholic acid. <i>European Journal of Clinical Investigation</i> , 1981, 11, 185-189.	1.7	24
196	Effects of feeding chenodeoxycholic acid on metabolism of cholesterol and bile acids in germ-free rats. <i>Lipids</i> , 1981, 16, 228-233.	0.7	16
197	Hepatic 3-hydroxy-3-methylglutaryl coenzyme A reductase activity and biliary lipid composition in man: relation to cholesterol gallstone disease and effects of cholic acid and chenodeoxycholic acid treatment. <i>Journal of Lipid Research</i> , 1981, 22, 410-22.	2.0	80
198	Metabolism of endogenous plasma triglyceride in familial hypercholesterolaemia: studies of affected and unaffected siblings of two kindreds. <i>European Journal of Clinical Investigation</i> , 1980, 10, 23-26.	1.7	2

#	ARTICLE	IF	CITATIONS
199	Metabolism of endogenous plasma triglyceride in familial hypercholesterolaemia: studies of affected and unaffected siblings of two kindreds. <i>European Journal of Clinical Investigation</i> , 1980, 10, 23-26.	1.7	7
200	Effects of cholic acid on the metabolism of endogenous plasma triglyceride and on biliary lipid composition in hyperlipoproteinemia. <i>Journal of Lipid Research</i> , 1980, 21, 1-9.	2.0	21
201	Biliary lipid composition during treatment with different hypolipidaemic drugs. <i>European Journal of Clinical Investigation</i> , 1979, 9, 185-190.	1.7	101
202	Prevalence of gallbladder disease in hyperlipoproteinemia. <i>Digestive Diseases and Sciences</i> , 1979, 24, 459-464.	1.1	48
203	Hepatic cholesterol metabolism in normo- and hyperlipidemic patients with cholesterol gallstones. <i>Journal of Lipid Research</i> , 1979, 20, 107-15.	2.0	36
204	Effect of Chenodeoxycholic Acid on Serum and Biliary Lipids in Patients with Hyperlipoproteinaemia. <i>Clinical Science and Molecular Medicine</i> , 1978, 54, 451-455.	0.8	22
205	Lecithin: Cholesterol Acyl Transfer Rate in Plasma and its Relations to Lipoprotein Concentrations and to Kinetics of Bile Acids and Triglycerides in Hyperlipoproteinemic Subjects. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1978, 38, 103-110.	0.6	9
206	Hypocalcaemia with Zonular Cataract Due to Idiopathic Hypoparathyroidism. <i>Acta Medica Scandinavica</i> , 1978, 203, 223-226.	0.0	17
207	Individual serum bile acid concentrations in normo- and hyperlipoproteinemia as determined by mass fragmentography: relation to bile acid pool size.. <i>Journal of Lipid Research</i> , 1978, 19, 527-537.	2.0	54
208	Individual serum bile acid concentrations in normo- and hyperlipoproteinemia as determined by mass fragmentography: relation to bile acid pool size. <i>Journal of Lipid Research</i> , 1978, 19, 527-37.	2.0	52
209	Bile acid kinetics in relation to endogenous tryglyceride metabolism in various types of hyperlipoproteinemia. <i>Journal of Lipid Research</i> , 1978, 19, 1004-16.	2.0	73
210	Effects of cholestyramine and chenodeoxycholic acid on the metabolism of endogenous triglyceride in hyperlipoproteinemia. <i>Journal of Lipid Research</i> , 1978, 19, 1017-24.	2.0	131
211	Influence of cholestyramine on synthesis of cholesterol and bile acids in germfree rats. <i>Journal of Lipid Research</i> , 1978, 19, 972-7.	2.0	18
212	Postprandial serum bile acids in healthy man. Evidence for differences in absorptive pattern between individual bile acids.. <i>Gut</i> , 1977, 18, 606-609.	6.1	92
213	Influence of Deoxycholic Acid on Biliary Lipids in Man. <i>Clinical Science and Molecular Medicine</i> , 1977, 53, 249-256.	0.8	57
214	Individual Bile Acids in Portal Venous and Systemic Blood Serum of Fasting Man. <i>Gastroenterology</i> , 1977, 73, 1377-1382.	0.6	115
215	Effects of cholesterol feeding on synthesis and metabolism of cholesterol and bile acids in germfree rats. <i>Journal of Lipid Research</i> , 1977, 18, 717-21.	2.0	25
216	Elimination of Cholesterol in Hyperlipoproteinaemia. <i>Clinical Science and Molecular Medicine</i> , 1976, 51, 393-397.	0.8	33

#	ARTICLE	IF	CITATIONS
217	Evidence for the absorption of bile acids in the proximal small intestine of normo- and hyperlipidaemic subjects.. Gut, 1976, 17, 420-425.	6.1	78
218	Novel Effects of Histamine on Lipoprotein Metabolism: Suppression of Hepatic Low Density Lipoprotein Receptor Expression and Reduction of Plasma High Density Lipoprotein Cholesterol in the Rat. , 0, .		4
219	Lipoprotein Metabolism in the Fat Zucker Rat: Reduced Basal Expression but Normal Regulation of Hepatic Low Density Lipoprotein Receptors. , 0, .		6
220	Nutrition and stem cell integrity in aging. Journal of Internal Medicine, 0, , .	2.7	2