

Wanda MaÅ,gorzata Krajewska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3089715/publications.pdf>

Version: 2024-02-01

86
papers

1,358
citations

331259

21
h-index

395343

33
g-index

89
all docs

89
docs citations

89
times ranked

1920
citing authors

#	ARTICLE	IF	CITATIONS
1	Colonic inflammation induces changes in glucose levels through modulation of incretin system. <i>Pharmacological Reports</i> , 2021, 73, 1670-1679.	1.5	3
2	Betaglycan Gene (TGFB3) Polymorphism Is Associated with Increased Risk of Endometrial Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 3082.	1.0	4
3	Cyclic derivative of morphiceptin Dmt-cyclo-(D-Lys-Phe-D-Pro-Asp)-NH ₂ (P-317), a mixed agonist of MOP and KOP opioid receptors, exerts anti-inflammatory and anti-tumor activity in colitis and colitis-associated colorectal cancer in mice. <i>European Journal of Pharmacology</i> , 2020, 885, 173463.	1.7	6
4	Significance of G Protein-Coupled Estrogen Receptor in the Pathophysiology of Irritable Bowel Syndrome, Inflammatory Bowel Diseases and Colorectal Cancer. <i>Frontiers in Endocrinology</i> , 2020, 11, 390.	1.5	15
5	Visualization of Estrogen Receptors in Colons of Mice with TNBS-Induced Crohn's Disease using Immunofluorescence. <i>Journal of Visualized Experiments</i> , 2020, , .	0.2	1
6	G Protein-Coupled Receptor 30 (GPR30) Expression Pattern in Inflammatory Bowel Disease Patients Suggests its Key Role in the Inflammatory Process. A Preliminary Study. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 26, 29-35.	0.5	26
7	Sex- and Age-Related Estrogen Signaling Alteration in Inflammatory Bowel Diseases: Modulatory Role of Estrogen Receptors. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3175.	1.8	29
8	<i>RAD51</i> and <i>XRCC3</i> Polymorphisms Are Associated with Increased Risk of Prostate Cancer. <i>Journal of Oncology</i> , 2019, 2019, 1-8.	0.6	11
9	G protein-coupled estrogen receptor mediates anti-inflammatory action in Crohn's disease. <i>Scientific Reports</i> , 2019, 9, 6749.	1.6	29
10	Systemic administration of serotonin exacerbates abdominal pain and colitis via interaction with the endocannabinoid system. <i>Biochemical Pharmacology</i> , 2019, 161, 37-51.	2.0	22
11	G protein-coupled estrogen receptor in colon function, immune regulation and carcinogenesis. <i>World Journal of Gastroenterology</i> , 2019, 25, 4092-4104.	1.4	51
12	FABP4 blocker attenuates colonic hypomotility and modulates white adipose tissue-derived hormone levels in mouse models mimicking constipation-predominant IBS. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13272.	1.6	8
13	Estrogen signaling deregulation related with local immune response modulation in irritable bowel syndrome. <i>Molecular and Cellular Endocrinology</i> , 2018, 471, 89-96.	1.6	31
14	High activity of the endogenous opioid system and acute but not chronic stress influence experimental colitis development in mice. <i>Journal of Physiology and Pharmacology</i> , 2018, 69, .	1.1	2
15	G protein-coupled receptor 55 (GPR55) expresses differently in patients with Crohn's disease and ulcerative colitis. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 711-715.	0.6	12
16	Systemic Administration of Sialorphan Attenuates Experimental Colitis in Mice via Interaction With Mu and Kappa Opioid Receptors. <i>Journal of Crohn's and Colitis</i> , 2017, 11, 988-998.	0.6	17
17	Pathogenesis of Colorectal Cancer. , 2017, , 105-112.		0
18	Risk Factors in Colorectal Cancer. , 2017, , 113-128.		2

#	ARTICLE	IF	CITATIONS
19	Significance of TGFBR3 allelic loss in the deregulation of TGF β ² signaling in primary human endometrial carcinomas. <i>Oncology Reports</i> , 2016, 35, 932-938.	1.2	5
20	The G protein-coupled estrogen receptor as a modulator of neoplastic transformation. <i>Molecular and Cellular Endocrinology</i> , 2016, 429, 10-18.	1.6	53
21	Orally administered novel cyclic pentapeptide P-317 alleviates symptoms of diarrhoea-predominant irritable bowel syndrome. <i>Journal of Pharmacy and Pharmacology</i> , 2015, 67, 244-254.	1.2	20
22	Polymorphisms of Homologous Recombination<i>RAD51</i>,<i>RAD51B</i>,<i>XRCC2</i>,<i>XRCC3</i> Genes and the Risk of Prostate Cancer. <i>Analytical Cellular Pathology</i> , 2015, 2015, 1-9.	0.7	17
23	Transient receptor potential vanilloid 4 inhibits mouse colonic motility by activating NO-dependent enteric neurotransmission. <i>Journal of Molecular Medicine</i> , 2015, 93, 1297-1309.	1.7	31
24	Orally available extract from <i>Brassica oleracea</i> var. capitata rubra attenuates experimental colitis in mouse models of inflammatory bowel diseases. <i>Journal of Functional Foods</i> , 2015, 17, 587-599.	1.6	35
25	Encenicline, an $\alpha 7$ Nicotinic Acetylcholine Receptor Partial Agonist, Reduces Immune Cell Infiltration in the Colon and Improves Experimental Colitis in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 356, 157-169.	1.3	35
26	Loss of heterozygosity for chromosomal regions 15q14-21.1, 17q21.31, and 13q12.3-13.1 and its relevance for prostate cancer. <i>Medical Oncology</i> , 2015, 32, 246.	1.2	4
27	Preliminary research on amino acid composition and nutritional value of clover proteins. <i>Acta Agrobotanica</i> , 2015, 25, 117-124.	1.0	2
28	Activation of the endogenous nociceptin system by selective nociceptin receptor agonist SCH 221510 produces antitransit and antinociceptive effect: a novel strategy for treatment of diarrhoea-predominant IBS. <i>Neurogastroenterology and Motility</i> , 2014, 26, 1539-1550.	1.6	16
29	Novel orally available salvinorin A analog PR-38 protects against experimental colitis and reduces abdominal pain in mice by interaction with opioid and cannabinoid receptors. <i>Biochemical Pharmacology</i> , 2014, 92, 618-626.	2.0	28
30	Molecular Basis of Taste Sense: Involvement of GPCR Receptors. <i>Critical Reviews in Food Science and Nutrition</i> , 2014, 54, 771-780.	5.4	21
31	The CAG repeat polymorphism of the androgen receptor gene and breast cancer. <i>Open Life Sciences</i> , 2014, 9, 833-840.	0.6	0
32	Polyphenol extract from evening primrose pomace alleviates experimental colitis after intracolonic and oral administration in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 1069-1078.	1.4	40
33	Anti-Inflammatory and Antinociceptive Action of an Orally Available Nociceptin Receptor Agonist SCH 221510 in a Mouse Model of Inflammatory Bowel Diseases. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 348, 401-409.	1.3	28
34	Experimental colitis in mice is attenuated by changes in the levels of endocannabinoid metabolites induced by selective inhibition of fatty acid amide hydrolase (FAAH). <i>Journal of Crohn's and Colitis</i> , 2014, 8, 998-1009.	0.6	85
35	Anti-inflammatory action of a novel orally available peptide 317 in mouse models of inflammatory bowel diseases. <i>Pharmacological Reports</i> , 2014, 66, 741-750.	1.5	18
36	TGF β ² -pathway is down-regulated in a uterine carcinosarcoma: A case study. <i>Pathology Research and Practice</i> , 2013, 209, 740-744.	1.0	5

#	ARTICLE	IF	CITATIONS
37	Endocannabinoid and Cannabinoid-Like Fatty Acid Amide Levels Correlate with Pain-Related Symptoms in Patients with IBS-D and IBS-C: A Pilot Study. <i>PLoS ONE</i> , 2013, 8, e85073.	1.1	45
38	Transient Receptor Potential Vanilloid 4 blockade protects against experimental colitis in mice: a new strategy for inflammatory bowel diseases treatment?. <i>Neurogastroenterology and Motility</i> , 2012, 24, e557-60.	1.6	70
39	The expression of TLR pathway molecules in peripheral blood mononuclear cells and their relationship with tumor invasion and cytokine secretion in laryngeal carcinoma. <i>Advances in Medical Sciences</i> , 2012, 57, 124-135.	0.9	6
40	Structure of <i>Escherichia coli</i> RutC, a member of the YjgF family and putative aminoacylate peracid reductase of the <i>rut</i> operon. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012, 68, 1294-1299.	0.7	15
41	A multi-faceted analysis of RutD reveals a novel family of $\hat{\pm}/\hat{2}$ hydrolases. <i>Proteins: Structure, Function and Bioinformatics</i> , 2012, 80, 2359-2368.	1.5	7
42	Analiza ekspresji JAK1, STAT3, STAT1 i SOCS1 w jednej...drzastych komórkach krwi obwodowej u chorych z rakiem krtani. <i>Otolaryngologia Polska</i> , 2011, 65, 26-32.	0.2	0
43	Expression of Endoglin in Primary Endometrial Cancer. <i>Oncology</i> , 2011, 81, 243-250.	0.9	9
44	Dysregulation of Betaglycan Expression in Primary Human Endometrial Carcinomas. <i>Cancer Investigation</i> , 2011, 29, 137-144.	0.6	9
45	The expression of SOCS1 and TLR4-NF κ B pathway molecules in neoplastic cells as potential biomarker for the aggressive tumor phenotype in laryngeal carcinoma.. <i>Folia Histochemica Et Cytobiologica</i> , 2010, 47, 401-10.	0.6	21
46	xpression of estrogen and progesterone receptor genes in endometrium, myometrium and vagina of postmenopausal women treated with estriol. <i>Sao Paulo Medical Journal</i> , 2009, 127, 128-133.	0.4	12
47	Impact of EGFR immunoexpression on STAT3 activation and association with proinflammatory/regulatory cytokine pattern in laryngeal squamous cell carcinoma. <i>Oncology Reports</i> , 2009, , .	1.2	1
48	Alterations of Chk1 and Chk2 expression in colon cancer. <i>International Journal of Colorectal Disease</i> , 2008, 23, 1243-1249.	1.0	24
49	Dinucleotide repeat polymorphisms of RAD51, BRCA1, BRCA2 gene regions in breast cancer. <i>Pathology International</i> , 2008, 58, 275-281.	0.6	7
50	Loss of heterozygosity in the RAD51 and BRCA2 regions in breast cancer. <i>Cancer Detection and Prevention</i> , 2008, 32, 144-148.	2.1	2
51	Genetic instability in the RAD51 and BRCA1 regions in breast cancer. <i>Cellular and Molecular Biology Letters</i> , 2007, 12, 192-205.	2.7	4
52	TGF- $\hat{2}$ signaling is disrupted in endometrioid-type endometrial carcinomas. <i>Gynecologic Oncology</i> , 2004, 95, 173-180.	0.6	44
53	TGF- $\hat{2}$ signaling is disrupted in endometrioid-type endometrial carcinomas. <i>Women's Oncology Review</i> , 2004, 4, 261-262.	0.0	0
54	Expression and intracellular localization of Smad proteins in human endometrial cancer. <i>Oncology Reports</i> , 2003, 10, 1539-44.	1.2	16

#	ARTICLE	IF	CITATIONS
55	Expression of TGF- β 2 type I and II receptors in normal and cancerous human endometrium. <i>Cancer Letters</i> , 2002, 186, 231-239.	3.2	37
56	Androgen receptor status in female breast cancer: RT-PCR and Western blot studies. <i>Journal of Cancer Research and Clinical Oncology</i> , 2002, 128, 85-90.	1.2	41
57	p53 protein detection by the Western blotting technique in normal and neoplastic specimens of human endometrium. <i>Cancer Letters</i> , 2000, 148, 197-205.	3.2	15
58	Colorectal cancer-associated nuclear antigen. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2000, 1501, 162-170.	1.8	1
59	Allelic polymorphism of histone H1.a in duck erythrocytes. <i>Biochemical Genetics</i> , 1998, 36, 183-191.	0.8	15
60	Zinc and cadmium analysis in human prostate neoplasms. <i>Biological Trace Element Research</i> , 1997, 59, 145-152.	1.9	86
61	Diversity of nuclear protein fractions of hamster liver and hepatoma produced by DNaseI. <i>International Journal of Biochemistry and Cell Biology</i> , 1996, 28, 329-336.	1.2	0
62	Molecular Characterization of Cellular Proteins from Colorectal Tumors. <i>Tumori</i> , 1996, 82, 376-381.	0.6	9
63	Nuclear distribution pattern of tumour-associated nonhistone protein of mol. wt 48,000. <i>International Journal of Biochemistry & Cell Biology</i> , 1992, 24, 759-767.	0.8	2
64	Regulation of transcription in eukaryotes by DNA-binding proteins. <i>International Journal of Biochemistry & Cell Biology</i> , 1992, 24, 1885-1898.	0.8	21
65	Studies on low molecular weight nuclear protein of tumour and normal cells. <i>International Journal of Biochemistry & Cell Biology</i> , 1991, 23, 911-917.	0.8	2
66	Nuclear antigen with a molecular weight of 48,000 associated with malignant transformation. <i>International Journal of Biochemistry & Cell Biology</i> , 1991, 23, 195-201.	0.8	3
67	Hepatoma-associated nuclear matrix nonhistone antigens. <i>Journal of Cellular Biochemistry</i> , 1991, 45, 303-310.	1.2	3
68	Identification of a nuclear antigen with molecular weight of 48 000 differentially expressed in tumour and normal cells. <i>Cell Biochemistry and Function</i> , 1990, 8, 79-89.	1.4	7
69	Growth-related changes of non-histone chromatin proteins from Kirkman-Robbins hepatoma. <i>International Journal of Biochemistry & Cell Biology</i> , 1989, 21, 873-881.	0.8	5
70	Diversity of non-histone protein fraction NHCP2 from hamster Kirkman-Robbins hepatoma and liver. <i>Molecular and Cellular Biochemistry</i> , 1988, 83, 37-46.	1.4	3
71	Molecular and functional diversity of non-histone protein fraction NHCP1 from hamster Kirkman-Robbins hepatoma and liver. <i>Molecular and Cellular Biochemistry</i> , 1986, 71, 167-175.	1.4	4
72	In vitro translation of rat liver and Novikoff hepatoma cytokeratin mRNAs. <i>Molecular and Cellular Biochemistry</i> , 1986, 70, 77-88.	1.4	5

#	ARTICLE	IF	CITATIONS
73	Specificity of kirkman-robbins hepatoma non-histone chromatin proteins: Electrophoretic and immunological analyses. <i>Cell Biochemistry and Function</i> , 1985, 3, 53-60.	1.4	7
74	Chromatin proteins associated with micrococcal nuclease-sensitive and nuclease-resistant chromatin fractions of Kirkman-Robbins hepatoma and hamster liver. <i>Molecular Biology Reports</i> , 1984, 10, 31-39.	1.0	9
75	Effects of chromatin protein fractions on transcriptional activity of chicken thrombocyte and erythrocyte chromatin. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1982, 71, 145-148.	0.2	1
76	Immunospecificity of nonhistone chromatin proteins tightly bound to DNA from chicken thrombocytes and erythrocytes. <i>Molecular Biology Reports</i> , 1982, 8, 199-202.	1.0	1
77	Distribution of chromatin proteins between fractions of hamster liver chromatin differing in their susceptibility to micrococcal nuclease. <i>Molecular Biology Reports</i> , 1982, 8, 203-211.	1.0	7
78	Comparative studies on pancreas chromatin proteins: Species specificity and behaviour during rat pancreas regeneration. <i>International Journal of Biochemistry & Cell Biology</i> , 1981, 13, 851-857.	0.8	0
79	Immunologically specific complexes of chromosomal nonhistone proteins with deoxyribonucleic acid in chicken erythroid nuclei. <i>Biochemistry</i> , 1980, 19, 4667-4673.	1.2	10
80	Tissue- and Species-Specific Nuclear Antigens and the Cell Cycle. , 1980, , 181-201.		2
81	Cell-specific antigens in chicken erythroid nuclei: species specificity. <i>Biochemistry</i> , 1979, 18, 5720-5725.	1.2	14
82	Changes in DNA-binding chromosomal non-histones proteins during chicken erythroid cell maturation. <i>Biochimie</i> , 1978, 60, 211-214.	1.3	2
83	Activity of neutral chromatin protease during maturation of chicken erythroid cells. <i>Biochimie</i> , 1976, 58, 1281-1284.	1.3	1
84	Expression and intracellular localization of Smad proteins in human endometrial cancer. <i>Oncology Reports</i> , 0, , .	1.2	7
85	Expression of erbB-1 and erbB-2 genes in normal and pathological human endometrium. <i>Oncology Reports</i> , 0, , .	1.2	8
86	Androgen receptor versus erbB-1 and erbB-2 expression in human prostate neoplasms. <i>Oncology Reports</i> , 0, , .	1.2	2