

Savvas G Hatzikiriakos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3092826/publications.pdf>

Version: 2024-02-01

260
papers

9,749
citations

36303

51
h-index

54911

84
g-index

265
all docs

265
docs citations

265
times ranked

7194
citing authors

#	ARTICLE	IF	CITATIONS
1	Apparent slip in colloidal suspensions. <i>Journal of Rheology</i> , 2022, 66, 79-90.	2.6	27
2	Photo-oxidative cross-linking of thiol polydimethylsiloxane co-polymers <i>via</i> disulfide formation. <i>Polymer Chemistry</i> , 2022, 13, 395-401.	3.9	2
3	Biochar as a sustainable and renewable additive for the production of Poly(μ -caprolactone) composites. <i>Sustainable Chemistry and Pharmacy</i> , 2022, 25, 100586.	3.3	7
4	Kaolinite colloidal suspensions under the influence of sodium dodecyl sulfate. <i>Physics of Fluids</i> , 2022, 34, .	4.0	11
5	Flow-induced crystallization of polylactides. <i>Journal of Rheology</i> , 2022, 66, 257-273.	2.6	4
6	High-concentrated zirconia suspensions stabilized by cellulose nanocrystals. <i>Ceramics International</i> , 2022, 48, 19694-19702.	4.8	2
7	Rheology of mature fine tailings. <i>Physics of Fluids</i> , 2022, 34, .	4.0	10
8	Calendering of thermoplastics: models and computations. <i>International Polymer Processing</i> , 2022, 37, 341-356.	0.5	2
9	Melt fracture and wall slip of thermoplastic vulcanizates. <i>Polymer Engineering and Science</i> , 2021, 61, 942-958.	3.1	7
10	Rheological Properties Related to Extrusion of Polyolefins. <i>Polymers</i> , 2021, 13, 489.	4.5	10
11	The rectification mechanism in polyelectrolyte gel diodes. <i>Physics of Fluids</i> , 2021, 33, .	4.0	15
12	Opaque and translucent films from aqueous microfiber suspensions by evaporative self-assembly. <i>Physics of Fluids</i> , 2021, 33, 032012.	4.0	2
13	Cellulosic wood fibreâ€œdual functional (<sc>Janus</sc>) mineral filler networks. <i>Canadian Journal of Chemical Engineering</i> , 2021, 99, 2398-2404.	1.7	1
14	Rheological characterization of CNC-CTAB network below and above critical micelle concentration (CMC). <i>Carbohydrate Polymers</i> , 2021, 257, 117552.	10.2	45
15	Catalytic Amine Functionalization and Polymerization of Cyclic Alkenes Creates Adhesive and Self-Healing Materials. <i>ACS Applied Polymer Materials</i> , 2021, 3, 2330-2335.	4.4	13
16	Cationic and anionic cellulose nanocrystalline (CNC) hydrogels: A rheological study. <i>Physics of Fluids</i> , 2021, 33, .	4.0	7
17	Yield stress and wall slip of kaolinite networks. <i>Physics of Fluids</i> , 2021, 33, .	4.0	34
18	Photocross-Linked Antimicrobial Amino-Siloxane Elastomers. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 22195-22203.	8.0	8

#	ARTICLE	IF	CITATIONS
19	J.G. Oldroyd's early ideas leading to the modern understanding of wall slip. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2021, 293, 104566.	2.4	11
20	Rheological modeling of thermoplastic vulcanizates (TPVs) using the Kaye–Bernstein, Kearsley, Zapas (K–BKZ) constitutive law. <i>Physics of Fluids</i> , 2021, 33, 083107.	4.0	4
21	The yielding of attractive gels of nanocrystal cellulose (CNC). <i>Journal of Rheology</i> , 2021, 65, 855-869.	2.6	27
22	Parameter identification of transport PDE/nonlinear ODE cascade model for polymer extrusion with varying die gap. <i>Canadian Journal of Chemical Engineering</i> , 2021, 99, 1158-1176.	1.7	2
23	Synergistic ionic interactions in EMAA ionomer blends: A rheological and mechanical property investigation. <i>Journal of Rheology</i> , 2021, 65, 1373-1389.	2.6	4
24	Poisson–Boltzmann modeling and molecular dynamics simulations of polyelectrolyte gel diodes in the static regime. <i>Soft Matter</i> , 2020, 16, 1091-1101.	2.7	7
25	Effect of Ionic Surfactants on the Viscoelastic Properties of Chiral Nematic Cellulose Nanocrystal Suspensions. <i>Langmuir</i> , 2020, 36, 293-301.	3.5	32
26	One-Pot Synthesis of Oxygenated Block Copolymers by Polymerization of Epoxides and Lactide Using Cationic Indium Complexes. <i>Macromolecules</i> , 2020, 53, 8819-8828.	4.8	14
27	Yielding of cellulose nanocrystal suspensions in the presence of electrolytes. <i>Physics of Fluids</i> , 2020, 32, .	4.0	25
28	Rheology of thermoplastic vulcanizates (TPVs). <i>Journal of Rheology</i> , 2020, 64, 1325-1341.	2.6	20
29	Entry pressure correlations in capillary flow. <i>Physics of Fluids</i> , 2020, 32, .	4.0	6
30	Toward Biodegradable Electronics: Ionic Diodes Based on a Cellulose Nanocrystal–Agarose Hydrogel. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 52182-52191.	8.0	28
31	Flow-induced fractionation effects on slip of polydisperse polymer melts. <i>Physics of Fluids</i> , 2020, 32, 073109.	4.0	7
32	Visible-Light-Sensitized Photo-Oxidative Cross-Linking of Polysiloxanes Using Singlet Oxygen. <i>ACS Applied Polymer Materials</i> , 2020, 2, 4802-4808.	4.4	7
33	Rheology and processing of polytetrafluoroethylene (PTFE) paste. <i>Canadian Journal of Chemical Engineering</i> , 2020, 98, 1852-1865.	1.7	12
34	Capillary flow of sodium and zinc ionomers. <i>Physics of Fluids</i> , 2020, 32, .	4.0	8
35	Dynamic Cross-Linking of Catalytically Synthesized Poly(Aminonorbornenes). <i>Macromolecules</i> , 2020, 53, 2649-2661.	4.8	13
36	Rheology of sodium and zinc ionomers: Effects of neutralization and valency. <i>Physics of Fluids</i> , 2020, 32, .	4.0	12

#	ARTICLE	IF	CITATIONS
37	Thermorheological properties of asphalt binders. Canadian Journal of Chemical Engineering, 2020, 98, 1803-1814.	1.7	9
38	Adsorptive removal of Congo red by surfactant modified cellulose nanocrystals: a kinetic, equilibrium, and mechanistic investigation. Cellulose, 2020, 27, 3211-3232.	4.9	50
39	Freeze-Thaw Gelation of Cellulose Nanocrystals. ACS Macro Letters, 2019, 8, 486-491.	4.8	57
40	Contraction flow of ionomers and their corresponding copolymers: Ionic and hydrogen bonding effects. Physics of Fluids, 2019, 31, .	4.0	19
41	Rheology and diffusivity of bitumen with liquid and supercritical CO ₂ . Fuel, 2019, 244, 431-438.	6.4	11
42	Photoactivated Healable Vitrimeric Copolymers. Macromolecules, 2019, 52, 36-42.	4.8	34
43	A stimulus-responsive, in situ-forming, nanoparticle-laden hydrogel for ocular drug delivery. Drug Delivery and Translational Research, 2018, 8, 484-495.	5.8	35
44	The role of microstructure on melt fracture of linear low density polyethylenes. Polymer Testing, 2018, 67, 266-274.	4.8	7
45	Contraction flow of ionomers. Journal of Non-Newtonian Fluid Mechanics, 2018, 262, 131-141.	2.4	9
46	Designing Stainless Steel Surfaces with Anti-Pitting Properties Applying Laser Ablation and Organofluorine Coatings. Advanced Engineering Materials, 2018, 20, 1700814.	3.5	12
47	Dynamic slip of polydisperse linear polymers using partitioned plate. Physics of Fluids, 2018, 30, .	4.0	29
48	Synthesis and Thermorheological Analysis of Biobased Lignin-graft-poly(lactide) Copolymers and Their Blends. ACS Sustainable Chemistry and Engineering, 2018, 6, 1650-1661.	6.7	31
49	CO ₂ -Switchable Cellulose Nanocrystal Hydrogels. Chemistry of Materials, 2018, 30, 376-385.	6.7	56
50	Influence of stainless steel surface properties on whey protein fouling under industrial processing conditions. Journal of Food Engineering, 2018, 228, 38-49.	5.2	25
51	The sol-gel transition of ultra-low solid content TEMPO-cellulose nanofibril/mixed-linkage β -glucan bionanocomposite gels. Soft Matter, 2018, 14, 9393-9401.	2.7	12
52	Modeling polymer extrusion with varying die gap using Arbitrary Lagrangian Eulerian (ALE) method. Physics of Fluids, 2018, 30, 093103.	4.0	7
53	Nonlinear rheology of poly(ethylene-co-methacrylic acid) ionomers. Journal of Rheology, 2018, 62, 1319-1329.	2.6	23
54	Melt fracture of linear low-density polyethylenes: Die geometry and molecular weight characteristics. Physics of Fluids, 2018, 30, .	4.0	10

#	ARTICLE	IF	CITATIONS
55	Molecular simulations of the piezoionic effect. <i>Soft Matter</i> , 2018, 14, 6222-6229.	2.7	15
56	Microstructure characterization of polyethylene using thermo-rheological methods. <i>Polymer Testing</i> , 2017, 60, 68-77.	4.8	12
57	Melt fracture of polyisobutylenes. <i>Polymer Testing</i> , 2017, 60, 30-38.	4.8	5
58	The extrudate swell of HDPE: Rheological effects. <i>AIP Conference Proceedings</i> , 2017, , .	0.4	5
59	Flow behaviour of rubber in capillary and injection moulding dies. <i>Plastics, Rubber and Composites</i> , 2017, 46, 110-118.	2.0	15
60	Binary Blends of Entangled Star and Linear Poly(hydroxybutyrate): Effect of Constraint Release and Dynamic Tube Dilation. <i>Macromolecules</i> , 2017, 50, 2535-2546.	4.8	23
61	Wall slip of polyisobutylenes: effect of molecular characteristics. <i>Rheologica Acta</i> , 2017, 56, 85-94.	2.4	7
62	Aromatic interactions in aryl-capped polylactides: A thermorheological investigation. <i>Journal of Rheology</i> , 2017, 61, 1137-1148.	2.6	5
63	Air- and Moisture-Stable Indium Salan Catalysts for Living Multiblock PLA Formation in Air. <i>ACS Catalysis</i> , 2017, 7, 6413-6418.	11.2	46
64	Antifouling Biomimetic Liquid-Infused Stainless Steel: Application to Dairy Industrial Processing. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 26565-26573.	8.0	68
65	Autophoretic locomotion in weakly viscoelastic fluids at finite Péclet number. <i>Physics of Fluids</i> , 2017, 29, .	4.0	23
66	An active particle in a complex fluid. <i>Journal of Fluid Mechanics</i> , 2017, 823, 675-688.	3.4	47
67	Role of PTFE paste fibrillation on Poisson's ratio. <i>Polymer Testing</i> , 2017, 61, 65-73.	4.8	10
68	On the molecular weight dependence of slip velocity of polymer melts. <i>Journal of Rheology</i> , 2017, 61, 731-739.	2.6	5
69	Transient Swell of a High Density Polyethylene Using Adjustable Gap Slit Die. <i>International Polymer Processing</i> , 2017, 32, 574-581.	0.5	2
70	Fabrication of Micro/Nano Patterns on Polymeric Substrates Using Laser Ablation Methods to Control Wettability Behaviour: A Critical Review. <i>Reviews of Adhesion and Adhesives</i> , 2017, 5, 55-78.	3.4	24
71	Non-isothermal extrudate swell. <i>Physics of Fluids</i> , 2016, 28, .	4.0	25
72	Surface fractionation effects on slip of polydisperse polymer melts. <i>Physics of Fluids</i> , 2016, 28, 093101.	4.0	22

#	ARTICLE	IF	CITATIONS
73	Microfabrication of polymeric surfaces with extreme wettability using hot embossing. Applied Surface Science, 2016, 378, 426-434.	6.1	71
74	Enhanced Barrier Performance of Engineered Paper by Atomic Layer Deposited Al ₂ O ₃ Thin Films. ACS Applied Materials & Interfaces, 2016, 8, 13590-13600.	8.0	13
75	Extrudate Swell of High Density Polyethylenes in Slit (Flat) Dies. International Polymer Processing, 2016, 31, 262-272.	0.5	14
76	Hydrothermal Gelation of Aqueous Cellulose Nanocrystal Suspensions. Biomacromolecules, 2016, 17, 2747-2754.	5.4	104
77	Molecular dynamics simulations of monodisperse/bidisperse polymer melt crystallization. Journal of Polymer Science, Part B: Polymer Physics, 2016, 54, 2318-2326.	2.1	19
78	The Role of Nitrogen Donors in Zinc Catalysts for Lactide Ring-Opening Polymerization. Inorganic Chemistry, 2016, 55, 9445-9453.	4.0	53
79	Zero Poisson's ratio PTFE in uniaxial extension. Polymer Testing, 2016, 55, 143-151.	4.8	12
80	The effect of damping function on extrudate swell. Journal of Non-Newtonian Fluid Mechanics, 2016, 236, 73-82.	2.4	19
81	Highly Active Chiral Zinc Catalysts for Immortal Polymerization of ϵ -Butyrolactone Form Melt Processable Syndio-Rich Poly(hydroxybutyrate). Macromolecules, 2016, 49, 8812-8824.	4.8	41
82	Slip of polymer melts over micro/nano-patterned metallic surfaces. Soft Matter, 2016, 12, 9759-9768.	2.7	21
83	Chemical, physical and morphological properties of bacterial biofilms affect survival of encased Campylobacter jejuni F38011 under aerobic stress. International Journal of Food Microbiology, 2016, 238, 172-182.	4.7	17
84	Dynamics of partially miscible polylactide-poly(ϵ -caprolactone) blends in the presence of cold crystallization. Rheologica Acta, 2016, 55, 657-671.	2.4	14
85	Effect of Extreme Wettability on Platelet Adhesion on Metallic Implants: From Superhydrophilicity to Superhydrophobicity. ACS Applied Materials & Interfaces, 2016, 8, 17631-17641.	8.0	91
86	Catalytic Synthesis of Secondary Amine-Containing Polymers: Variable Hydrogen Bonding for Tunable Rheological Properties. Macromolecules, 2016, 49, 4423-4430.	4.8	22
87	A Comparison of the Rheological and Mechanical Properties of Isotactic, Syndiotactic, and Heterotactic Poly(lactide). Macromolecules, 2016, 49, 909-919.	4.8	52
88	Superhydrophobic laser ablated PTFE substrates. Applied Surface Science, 2015, 349, 715-723.	6.1	56
89	Slip mechanisms in complex fluid flows. Soft Matter, 2015, 11, 7851-7856.	2.7	100
90	Flow-induced crystallization of polypropylenes in capillary flow. Rheologica Acta, 2015, 54, 207-221.	2.4	7

#	ARTICLE	IF	CITATIONS
91	Extrudate swell of a high-density polyethylene melt: II. Modeling using integral and differential constitutive equations. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2015, 225, 94-105.	2.4	40
92	Wall slip of polydisperse linear polymers using double reptation. <i>Journal of Rheology</i> , 2015, 59, 885-901.	2.6	26
93	Extrudate swell of HDPE melts: I. Experimental. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2015, 225, 86-93.	2.4	28
94	Synthesis and Rheological Characterization of Star-Shaped and Linear Poly(hydroxybutyrate). <i>Macromolecules</i> , 2015, 48, 6672-6681.	4.8	19
95	Paste Extrusion and Mechanical Properties of PTFE. <i>International Polymer Processing</i> , 2015, 30, 603-614.	0.5	6
96	Superhydrophobic Laser Ablated Stainless Steel Substrates and their Wettability. <i>Surface Innovations</i> , 2015, , 1-27.	2.3	12
97	Entry flows of polylactides with slip. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2014, 210, 78-84.	2.4	7
98	Rheological evaluation of kinetic hydrate inhibitors in NaCl/n-heptane solutions. <i>AIChE Journal</i> , 2014, 60, 2654-2659.	3.6	27
99	Diffusivity of CO ₂ in Bitumen: Pressure-Decay Measurements Coupled with Rheometry. <i>Energy & Fuels</i> , 2014, 28, 1304-1311.	5.1	47
100	Quiescent crystallization of polypropylene: Experiments and modeling. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 1259-1275.	2.1	11
101	Capillary flow of milk chocolate. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2014, 210, 56-65.	2.4	18
102	Contact Angle Hysteresis of Non-Flattened-Top Micro/Nanostructures. <i>Langmuir</i> , 2014, 30, 3274-3284.	3.5	46
103	Ionic strength effects on the microstructure and shear rheology of cellulose nanocrystal suspensions. <i>Cellulose</i> , 2014, 21, 3347-3359.	4.9	182
104	Effects of processing variables on polypropylene degradation and long chain branching with UV irradiation. <i>Polymer Degradation and Stability</i> , 2014, 104, 1-10.	5.8	26
105	Quiescent and shear-induced crystallization of polypropylenes. <i>Rheologica Acta</i> , 2014, 53, 519-535.	2.4	23
106	Rheology of bitumen: Effects of temperature, pressure, CO ₂ concentration and shear rate. <i>Fuel</i> , 2014, 116, 578-587.	6.4	57
107	Capillary Extrusion and Swell of a HDPE Melt Exhibiting Slip. <i>Advances in Polymer Technology</i> , 2013, 32, .	1.7	22
108	Influence of degree of sulfation on the rheology of cellulose nanocrystal suspensions. <i>Rheologica Acta</i> , 2013, 52, 741-751.	2.4	136

#	ARTICLE	IF	CITATIONS
109	Capillary extrusion flow of a fluoropolymer melt. International Journal of Material Forming, 2013, 6, 29-40.	2.0	8
110	Superhydrophobic Lignocellulosic Wood Fiber/Mineral Networks. ACS Applied Materials & Interfaces, 2013, 5, 9057-9066.	8.0	26
111	Ageing, yielding, and rheology of nanocrystalline cellulose suspensions. Journal of Rheology, 2013, 57, 131-148.	2.6	50
112	Viscoelastic properties and constitutive modelling of bitumen. Fuel, 2013, 108, 391-399.	6.4	63
113	Processing aids for biodegradable polymers. Journal of Applied Polymer Science, 2013, 128, 3592-3600.	2.6	12
114	A simple improved mathematical model for polytetrafluoroethylene (PTFE) paste extrusion. Chemical Engineering Science, 2013, 89, 216-222.	3.8	11
115	Titanium pyridonates and amidates: novel catalysts for the synthesis of random copolymers. Chemical Communications, 2013, 49, 57-59.	4.1	59
116	Wall slip of HDPEs: Molecular weight and molecular weight distribution effects. Journal of Rheology, 2013, 57, 927-948.	2.6	43
117	Contact angle hysteresis: surface morphology effects. Colloid and Polymer Science, 2013, 291, 317-328.	2.1	30
118	PLA- <i>b</i> -PHB- <i>b</i> -PLA Triblock Copolymers: Synthesis by Sequential Addition and Investigation of Mechanical and Rheological Properties. Macromolecules, 2013, 46, 3965-3974.	4.8	86
119	Wall slip of linear polymers (HDPEs). , 2013, , .		1
120	Ice friction of ultra-high molecular weight polyethylene: The effects of fluorine additives and plasma (PECVD) treatment. Tribology International, 2013, 57, 177-183.	5.9	8
121	Femtosecond laser irradiation of metallic surfaces: effects of laser parameters on superhydrophobicity. Nanotechnology, 2013, 24, 415302.	2.6	175
122	Polytetrafluoroethylene Paste Extrusion: A Fibrillation Model and Its Relation to Mechanical Properties. International Polymer Processing, 2013, 28, 306-313.	0.5	11
123	Annular Extrudate Swell of a Fluoropolymer Melt. International Polymer Processing, 2012, 27, 535-546.	0.5	13
124	Tubing Extrusion of a Fluoropolymer Melt. International Polymer Processing, 2012, 27, 259-269.	0.5	5
125	Rheology and Processing of Tetrafluoroethylene/Hexafluoropropylene Copolymers. International Polymer Processing, 2012, 27, 167-180.	0.5	3
126	The ice friction of polymeric substrates. Tribology International, 2012, 55, 59-67.	5.9	21

#	ARTICLE	IF	CITATIONS
127	Melt fracture of HDPEs: Metallocene versus Ziegler-Natta and broad MWD effects. <i>Polymer</i> , 2012, 53, 4195-4201.	3.8	15
128	Rheology of Nanocrystalline Cellulose Aqueous Suspensions. <i>Langmuir</i> , 2012, 28, 17124-17133.	3.5	287
129	Thermorheological properties of poly (ϵ -caprolactone)/polylactide blends. <i>Polymer Engineering and Science</i> , 2012, 52, 2348-2359.	3.1	55
130	Capillary flow of low-density polyethylene. <i>Polymer Engineering and Science</i> , 2012, 52, 649-662.	3.1	44
131	Melt fracture of two broad molecular weight distribution high-density polyethylenes. <i>Polymer Engineering and Science</i> , 2012, 52, 795-804.	3.1	9
132	Numerical simulation of the wire-spinning process in PET film casting: Steady-state results. <i>AICHE Journal</i> , 2012, 58, 1979-1986.	3.6	3
133	Flow-induced crystallization of high-density polyethylene: the effects of shear and uniaxial extension. <i>Rheologica Acta</i> , 2012, 51, 315-327.	2.4	31
134	Wall slip and melt fracture of poly(lactides). <i>Rheologica Acta</i> , 2012, 51, 357-369.	2.4	69
135	Thermorheological and mechanical behavior of polylactide and its enantiomeric diblock copolymers and blends. <i>Polymer</i> , 2012, 53, 2443-2452.	3.8	41
136	Wall slip of molten polymers. <i>Progress in Polymer Science</i> , 2012, 37, 624-643.	24.7	263
137	Thixotropy, yielding and ultrasonic Doppler velocimetry in pulp fibre suspensions. <i>Rheologica Acta</i> , 2012, 51, 201-214.	2.4	40
138	Viscoelastic behaviour and flow instabilities of biodegradable poly (ϵ -caprolactone) polyesters. <i>Rheologica Acta</i> , 2012, 51, 179-192.	2.4	43
139	Solution and melt viscoelastic properties of controlled microstructure poly(lactide). <i>Journal of Rheology</i> , 2011, 55, 987-1005.	2.6	67
140	Laser-Patterned Super-Hydrophobic Pure Metallic Substrates: Cassie to Wenzel Wetting Transitions. <i>Journal of Adhesion Science and Technology</i> , 2011, 25, 2789-2809.	2.6	148
141	Thixotropic flow of toothpaste through extrusion dies. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2011, 166, 1262-1271.	2.4	43
142	Slip effects in HDPE flows. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2011, 167-168, 18-18.	2.4	17
143	Rheology of Ziegler-Natta and metallocene high-density polyethylenes: broad molecular weight distribution effects. <i>Rheologica Acta</i> , 2011, 50, 17-27.	2.4	67
144	Effect of molecular structure and rheology on the compression foam molding of ethylene-co-olefin copolymers. <i>Polymer Engineering and Science</i> , 2011, 51, 1145-1154.	3.1	11

#	ARTICLE	IF	CITATIONS
145	Rheology of pulp fibre suspensions: A critical review. <i>Chemical Engineering Science</i> , 2011, 66, 3460-3470.	3.8	121
146	Appropriate Boundary Conditions in the Flow of Molten Polymers. <i>International Polymer Processing</i> , 2010, 25, 55-62.	0.5	18
147	Relaxation effects of slip in shear flow of linear molten polymers. <i>Rheologica Acta</i> , 2010, 49, 267-274.	2.4	25
148	Crystallization of an ethylene-based butene plastomer: the effect of uniaxial extension. <i>Rheologica Acta</i> , 2010, 49, 931-939.	2.4	19
149	Rheology of pulp suspensions using ultrasonic Doppler velocimetry. <i>Rheologica Acta</i> , 2010, 49, 1127-1140.	2.4	42
150	Carbopol as a model fluid for studying mixing of pulp fibre suspensions. <i>Chemical Engineering Science</i> , 2010, 65, 1288-1295.	3.8	18
151	Ice friction: the effect of thermal conductivity. <i>Journal of Glaciology</i> , 2010, 56, 473-479.	2.2	20
152	Physics of ice friction. <i>Journal of Applied Physics</i> , 2010, 107, .	2.5	154
153	The apparent yield stress of pulp fiber suspensions. <i>Journal of Rheology</i> , 2010, 54, 1137-1154.	2.6	52
154	Rolling of bread dough: Experiments and simulations. <i>Food and Bioproducts Processing</i> , 2009, 87, 124-138.	3.6	22
155	Slip effects in tapered dies. <i>Polymer Engineering and Science</i> , 2009, 49, 1960-1969.	3.1	26
156	A novel miniature mixing device for polymeric blends and nanocomposites. <i>Polymer Engineering and Science</i> , 2009, 49, 2092-2098.	3.1	11
157	Rolling of mozzarella cheese: Experiments and simulations. <i>Journal of Food Engineering</i> , 2009, 91, 269-279.	5.2	7
158	Steady flow simulations of compressible PTFE paste extrusion under severe wall slip. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2009, 157, 26-33.	2.4	41
159	Stability of the annular Poiseuille flow of a Newtonian liquid with slip along the walls. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2009, 159, 1-9.	2.4	25
160	Modelling PTFE paste extrusion: The effect of an objective flow type parameter. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2009, 159, 41-49.	2.4	7
161	Patterned Superhydrophobic Metallic Surfaces. <i>Langmuir</i> , 2009, 25, 4821-4827.	3.5	677
162	Ice friction: The effects of surface roughness, structure, and hydrophobicity. <i>Journal of Applied Physics</i> , 2009, 106, .	2.5	84

#	ARTICLE	IF	CITATIONS
163	Modeling of Paste Extrusion in Semi-Solid State. International Journal of Material Forming, 2008, 1, 771-774.	2.0	0
164	Thermorheological properties of LLDPE/LDPE blends. Rheologica Acta, 2008, 47, 19-31.	2.4	59
165	Rheological characterization and constitutive modeling of bread dough. Rheologica Acta, 2008, 47, 369-381.	2.4	41
166	Thermorheological properties of LLDPE/LDPE blends: Effects of production technology of LLDPE. Journal of Polymer Science, Part B: Polymer Physics, 2008, 46, 1669-1683.	2.1	32
167	Sharkskin and oscillating melt fracture: Why in slit and capillary dies and not in annular dies?. Polymer Engineering and Science, 2008, 48, 405-414.	3.1	21
168	Paste extrusion of polytetrafluoroethylene (PTFE) powders through tubular and annular dies at high reduction ratios. Journal of Applied Polymer Science, 2008, 108, 1055-1063.	2.6	7
169	Viscoelastic flow simulation of polytetrafluoroethylene (PTFE) paste extrusion. Journal of Non-Newtonian Fluid Mechanics, 2008, 153, 25-33.	2.4	16
170	Rheology of mozzarella cheese: Extrusion and rolling. International Dairy Journal, 2008, 18, 615-623.	3.0	21
171	The Effect of Refrigerated Storage on the Rheological Properties of Three Commercial Mozzarella Cheeses. International Journal of Food Engineering, 2008, 4, .	1.5	4
172	Capillary Extrusion Studies of LLDPE/LDPE Blends: Effects of Manufacturing Technology of LLDPE and Long Chain Branching. International Polymer Processing, 2008, 23, 385-394.	0.5	7
173	Stability of the Annular Poiseuille Flow of a Newtonian Liquid with Slip along the Walls. AIP Conference Proceedings, 2008, , .	0.4	0
174	Rheology of mozzarella cheese. International Dairy Journal, 2007, 17, 1063-1072.	3.0	49
175	Transient capillary rheometry: Compressibility effects. Journal of Non-Newtonian Fluid Mechanics, 2007, 145, 102-108.	2.4	11
176	The rheological and physical properties of linear and branched polypropylene blends. Polymer Engineering and Science, 2007, 47, 1133-1140.	3.1	53
177	Processability of LLDPE/LDPE blends: Capillary extrusion studies. Polymer Engineering and Science, 2007, 47, 1317-1326.	3.1	21
178	Effect of Deformation Rate on the Mechanical Properties of Rectangular and Cruciform Arterial Samples: Uniaxial and Biaxial Testing. , 2007, , .		1
179	Rheology of metallocene polyethylene-based nanocomposites: Influence of graft modification. Journal of Rheology, 2006, 50, 415-434.	2.6	28
180	Synthesis, Characterization, and Viscoelastic Properties of High Molecular Weight Hyperbranched Polyglycerols. Macromolecules, 2006, 39, 7708-7717.	4.8	233

#	ARTICLE	IF	CITATIONS
181	Influence of processing aids on the uniaxial extensional behavior of metallocene polyethylenes. <i>Polymer Engineering and Science</i> , 2006, 46, 735-742.	3.1	1
182	Constitutive modeling and flow simulation of polytetrafluoroethylene (PTFE) paste extrusion. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2006, 139, 44-53.	2.4	40
183	An analytical flow model for PTFE paste through annular dies. <i>AIChE Journal</i> , 2006, 52, 4028-4038.	3.6	11
184	Paste Extrusion of Polytetrafluoroethylene: Temperature, Blending and Processing Aid Effects. <i>International Polymer Processing</i> , 2006, 21, 497-503.	0.5	13
185	Rheology and Processing of Molten Poly(methyl methacrylate) Resins. <i>International Polymer Processing</i> , 2006, 21, 155-163.	0.5	10
186	Paste extrusion of polytetrafluoroethylene (PTFE): Surface tension and viscosity effects. <i>Powder Technology</i> , 2005, 153, 108-118.	4.2	58
187	The effect of slip in the flow of a branched PP melt: experiments and simulations. <i>Rheologica Acta</i> , 2005, 44, 418-426.	2.4	54
188	Boron nitride and fluoropolymer combinations: Interactions and their performance as processing aids. <i>Polymer Engineering and Science</i> , 2005, 45, 669-677.	3.1	9
189	The effect of nanoclays on the processibility of polyolefins. <i>Polymer Engineering and Science</i> , 2005, 45, 1098-1107.	3.1	38
190	Melt Fracture of Linear PE. <i>International Polymer Processing</i> , 2005, 20, 60-67.	0.5	16
191	Mechanism of gross melt fracture elimination in the extrusion of polyethylenes in the presence of boron nitride. <i>Rheologica Acta</i> , 2004, 43, 624-633.	2.4	38
192	Fingerprinting the processing behavior of polyethylenes from transient extensional flow and peel experiments in the melt state. <i>Rheologica Acta</i> , 2004, 44, 1-15.	2.4	32
193	The effect of surface energy of boron nitride on polymer processability. <i>Polymer Engineering and Science</i> , 2004, 44, 1543-1550.	3.1	52
194	Rheological evaluation of metallocene polyethylenes with processing aids by multi-wave oscillations. <i>Polymer Engineering and Science</i> , 2004, 44, 2047-2051.	3.1	5
195	Polytetrafluoroethylene paste preforming: viscosity and surface tension effects. <i>Powder Technology</i> , 2004, 146, 73-83.	4.2	31
196	Overview of Processing Instabilities. <i>Chemical Industries</i> , 2004, , 1-12.	0.1	2
197	Bagley correction: the effect of contraction angle and its prediction. <i>Rheologica Acta</i> , 2003, 42, 309-320.	2.4	61
198	Radio Frequency Vacuum Drying of Wood. III. Two-Dimensional Model, Optimization, and Validation. <i>Drying Technology</i> , 2003, 21, 1399-1410.	3.1	13

#	ARTICLE	IF	CITATIONS
199	Improved Spinnability of Metallocene Polyethylenes by Using Processing Aids. <i>International Polymer Processing</i> , 2003, 18, 67-73.	0.5	12
200	Role of processing aids in the extrusion of molten polymers. <i>Journal of Vinyl and Additive Technology</i> , 2002, 8, 7-24.	3.4	80
201	On numerical Simulations of Polymer Extrusion Instabilities. <i>Applied Rheology</i> , 2002, 12, 88-104.	5.2	18
202	Interrelations between Rheology and Phase Behaviour in Partially Miscible Blends: The Case of Polydimethylsiloxane/Polyethylmethylsiloxane (PDMS/PEMS). <i>Canadian Journal of Chemical Engineering</i> , 2002, 80, 1057-1064.	1.7	4
203	Paste Extrusion of Polytetrafluoroethylene (PTFE) Fine Powder Resins. <i>Canadian Journal of Chemical Engineering</i> , 2002, 80, 1153-1165.	1.7	47
204	Effect of maleic anhydride content on the rheology and phase behavior of poly(styrene-co-maleic anhydride) blends. <i>Journal of Applied Polymer Science</i> , 2002, 84, 115-124.	2.9	115
205	Gross melt fracture elimination: The role of surface energy of boron nitride powders. <i>Polymer Engineering and Science</i> , 2002, 42, 743-752.	3.1	28
206	Properties of polytetrafluoroethylene (PTFE) paste extrudates. <i>Polymer Engineering and Science</i> , 2002, 42, 1247-1259.	3.1	55
207	RADIO FREQUENCY VACUUM DRYING OF WOOD. I. MATHEMATICAL MODEL. <i>Drying Technology</i> , 2001, 19, 65-84.	3.1	50
208	Combining boron nitride with a fluoroelastomer: An enhanced polymer processing additive. <i>Journal of Vinyl and Additive Technology</i> , 2001, 7, 90-97.	3.4	11
209	RADIO FREQUENCY VACUUM DRYING OF WOOD. II. EXPERIMENTAL MODEL EVALUATION. <i>Drying Technology</i> , 2001, 19, 85-98.	3.1	40
210	Some comments on "computational analysis of techniques to determine extensional viscosity from entrance flows" [<i>Rheol Acta</i> 39:138-151 (2000)]. <i>Rheologica Acta</i> , 2001, 40, 401-402.	2.4	0
211	Effects of molecular structure on the rheology and processability of blow-molding high-density polyethylene resins. <i>Advances in Polymer Technology</i> , 2001, 20, 1-13.	1.7	33
212	Preforming behavior of polytetrafluoroethylene paste. <i>Powder Technology</i> , 2001, 121, 249-258.	4.2	43
213	Boron nitride as a processing aid for the extrusion of polyolefins and fluoropolymers. <i>Polymer Engineering and Science</i> , 2000, 40, 179-190.	3.1	66
214	Long chain branching and polydispersity effects on the rheological properties of polyethylenes. <i>Polymer Engineering and Science</i> , 2000, 40, 2279-2287.	3.1	138
215	The effect of boron nitride on the rheology and processing of polyolefins. <i>Rheologica Acta</i> , 2000, 39, 583-594.	2.4	50
216	Relaxation time spectra of star polymers. <i>Rheologica Acta</i> , 2000, 39, 38-43.	2.4	24

#	ARTICLE	IF	CITATIONS
217	A new processing aid for the extrusion of polyolefins. Journal of Vinyl and Additive Technology, 2000, 6, 113-118.	3.4	13
218	Effect of combining boron nitride with fluoroelastomer on the melt fracture of HDPE in extrusion blow molding. Journal of Vinyl and Additive Technology, 2000, 6, 196-204.	3.4	8
219	Nonlinear rheological response of phase separating polymer blends: Poly(styrene-co-maleic Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	2.6	30
220	BORON NITRIDE POWDERS: NEW PROCESSING AIDS FOR MOLTEN POLYMERS. Journal of Plastic Film and Sheeting, 2000, 16, 16-32.	2.2	7
221	STABILITY ANALYSIS OF FILM CASTING FOR PET RESINS USING A MULTIMODE PHAN-THIEN-TANNER CONSTITUTIVE EQUATION. Journal of Plastic Film and Sheeting, 2000, 16, 312-332.	2.2	12
222	Influence of molecular structure on the rheological and processing behavior of polyethylene resins. Polymer Engineering and Science, 1999, 39, 804-815.	3.1	71
223	A mechanism for extrusion instabilities in polymer melts. Polymer Engineering and Science, 1999, 39, 2498-2504.	3.1	13
224	Modeling the shear-induced structural changes in polymeric fluids. Journal of Non-Newtonian Fluid Mechanics, 1999, 82, 367-385.	2.4	21
225	Determination of the surface fractal dimension from sorption isotherms of five softwoods. Wood Science and Technology, 1999, 33, 139-149.	3.2	12
226	Rheological characterization of well-defined tetrafluoroethylene/hexafluoropropylene copolymers. Rheologica Acta, 1998, 37, 279-288.	2.4	15
227	Sensitivity analysis of the Bagley correction to shear and extensional rheology. Rheologica Acta, 1998, 37, 438-448.	2.4	46
228	Shear-induced mixing and demixing in poly(styrene- co-maleic anhydride)/poly(methyl methacrylate) blends. Journal of Rheology, 1998, 42, 1227-1247.	2.6	46
229	The work of adhesion of polymer/wall interfaces and its association with the onset of wall slip. Journal of Rheology, 1998, 42, 795-812.	2.6	82
230	Interfacial phenomena in the capillary extrusion of metallocene polyethylenes. Journal of Rheology, 1997, 41, 1299-1316.	2.6	81
231	Rheological characterization of polyethylene terephthalate resins using a multimode Phan-Tien-Tanner constitutive relation. Rheologica Acta, 1997, 36, 568-578.	2.4	24
232	Wall slip in the capillary flow of molten polymers subject to viscous heating. AICHE Journal, 1997, 43, 598-608.	3.6	78
233	Rheological characterization of polyethylene terephthalate resins using a multimode Phan-Tien-Tanner constitutive relation. Rheologica Acta, 1997, 36, 568-578.	2.4	6
234	Moisture flow characteristics during radio frequency vacuum drying of thick lumber. Wood Science and Technology, 1997, 31, 265-277.	3.2	1

#	ARTICLE	IF	CITATIONS
235	Excess pressure losses in the capillary flow of molten polymers. <i>Rheologica Acta</i> , 1996, 35, 545-555.	2.4	31
236	Brownian dynamics simulations of shear-thickening in dilute polymer solutions. <i>Rheologica Acta</i> , 1996, 35, 274-287.	2.4	24
237	Flow Implications in the Processing of Tetrafluoroethylene/Hexafluoropropylene Copolymers. <i>International Polymer Processing</i> , 1995, 10, 204-212.	0.5	47
238	Extrudate Distortion in the Capillary/Slit Extrusion of a Molten Polypropylene. <i>Journal of Plastic Film and Sheeting</i> , 1995, 11, 38-57.	2.2	3
239	The effect of teflon coatings in polyethylene capillary extrusion. <i>Journal of Applied Polymer Science</i> , 1995, 55, 595-603.	2.6	62
240	A generalized Giesekus constitutive model with retardation time and its association to the spurt effect. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 1995, 57, 119-136.	2.4	26
241	Authors' response to ?comments on ?start-up pressure transients in a capillary rheometer??. <i>Polymer Engineering and Science</i> , 1995, 35, 1482-1483.	3.1	0
242	Extrude distortion in the capillary/slit extrusion of a molten polypropylene. <i>Polymer Engineering and Science</i> , 1995, 35, 1864-1871.	3.1	53
243	Convective Heat and Mass Transfer in Nonisothermal Moisture Desorption. <i>Holzforschung</i> , 1995, 49, 163-167.	1.9	8
244	A multimode interfacial constitutive equation for molten polymers. <i>Journal of Rheology</i> , 1995, 39, 61-71.	2.6	21
245	An irreversible thermodynamics model for unsteady-state nonisothermal moisture diffusion in wood. <i>Wood Science and Technology</i> , 1994, 28, 349.	3.2	22
246	Fractal dimension of wood surfaces from sorption isotherms. <i>Wood Science and Technology</i> , 1994, 28, 275.	3.2	11
247	A dynamic slip velocity model for molten polymers based on a network kinetic theory. <i>Rheologica Acta</i> , 1994, 33, 38-47.	2.4	41
248	Start-up pressure transients in a capillary rheometer. <i>Polymer Engineering and Science</i> , 1994, 34, 493-499.	3.1	55
249	The onset of wall slip and sharkskin melt fracture in capillary flow. <i>Polymer Engineering and Science</i> , 1994, 34, 1441-1449.	3.1	39
250	Environmental Aspects of Clathrate Hydrates. <i>Annals of the New York Academy of Sciences</i> , 1994, 715, 270-282.	3.8	4
251	The relationship between global warming and methane gas hydrates in the earth. <i>Chemical Engineering Science</i> , 1993, 48, 3963-3969.	3.8	63
252	Fractal analysis of the sharkskin phenomenon in polymer melt extrusion. <i>Journal of Rheology</i> , 1993, 37, 355-366.	2.6	33

#	ARTICLE	IF	CITATIONS
253	Effect of Surface Coatings on Wall Slip of LLDPE. International Polymer Processing, 1993, 8, 30-35.	0.5	53
254	Effects of Interfacial Conditions on Wall Slip and Sharkskin Melt Fracture of HDPE. International Polymer Processing, 1993, 8, 36-43.	0.5	77
255	A Slip Model for Linear Polymers Based on Adhesive Failure. International Polymer Processing, 1993, 8, 135-142.	0.5	67
256	Wall slip of molten high density polyethylenes. II. Capillary rheometer studies. Journal of Rheology, 1992, 36, 703-741.	2.6	364
257	Role of slip and fracture in the oscillating flow of HDPE in a capillary. Journal of Rheology, 1992, 36, 845-884.	2.6	195
258	Hydrodynamics of gas-agitated liquid-liquid dispersions. AIChE Journal, 1990, 36, 677-684.	3.6	21
259	Transitional drop size distributions in gas agitated liquid-liquid dispersions. Chemical Engineering Science, 1990, 45, 2349-2356.	3.8	11
260	Structure, Stability and Rheological Properties of Zirconia Suspensions in the Presence of Nanocrystals: Effects of Ionic Strength. Physics of Fluids, 0, , .	4.0	0