## Heiner K Berthold

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3093026/publications.pdf

Version: 2024-02-01

124 papers 6,447 citations

35 h-index 69246 77 g-index

132 all docs

132 docs citations

times ranked

132

8775 citing authors

| #  | Article                                                                                                                                                                                                                                                | IF   | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1  | Vitamin D supplementation improves cytokine profiles in patients with congestive heart failure: a double-blind, randomized, placebo-controlled trial. American Journal of Clinical Nutrition, 2006, 83, 754-759.                                       | 4.7  | 828       |
| 2  | Vitamin D supplementation enhances the beneficial effects of weight loss on cardiovascular disease risk markers. American Journal of Clinical Nutrition, 2009, 89, 1321-1327.                                                                          | 4.7  | 469       |
| 3  | Low vitamin D status: a contributing factor in the pathogenesis of congestive heart failure?. Journal of the American College of Cardiology, 2003, 41, 105-112.                                                                                        | 2.8  | 459       |
| 4  | Low to moderate sugar-sweetened beverage consumption impairs glucose and lipid metabolism and promotes inflammation in healthy young men: a randomized controlled trial. American Journal of Clinical Nutrition, 2011, 94, 479-485.                    | 4.7  | 303       |
| 5  | Body Fat Distribution, Serum Leptin, and Cardiovascular Risk Factors in Men With Obstructive Sleep Apnea. Chest, 2002, 122, 829-839.                                                                                                                   | 0.8  | 297       |
| 6  | Policosanol: Clinical pharmacology and therapeutic significance of a new lipid-lowering agent. American Heart Journal, 2002, 143, 356-365.                                                                                                             | 2.7  | 205       |
| 7  | Molecular Lipids Identify Cardiovascular Risk and Are Efficiently Lowered by Simvastatin and <i>PCSK9 &lt; /i&gt; Deficiency. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E45-E52.</i>                                                 | 3.6  | 180       |
| 8  | Effect of a Garlic Oil Preparation on Serum Lipoproteins and Cholesterol Metabolism. JAMA - Journal of the American Medical Association, 1998, 279, 1900.                                                                                              | 7.4  | 175       |
| 9  | Physician gender is associated with the quality of type 2 diabetes care. Journal of Internal Medicine, 2008, 264, 340-350.                                                                                                                             | 6.0  | 164       |
| 10 | Sex Disparities in the Treatment and Control of Cardiovascular Risk Factors in Type 2 Diabetes. Diabetes Care, 2008, 31, 1389-1391.                                                                                                                    | 8.6  | 156       |
| 11 | Effect of Policosanol on Lipid Levels Among Patients With Hypercholesterolemia or Combined Hyperlipidemia. JAMA - Journal of the American Medical Association, 2006, 295, 2262.                                                                        | 7.4  | 148       |
| 12 | Effect of vitamin D on all-cause mortality in heart failure (EVITA): a 3-year randomized clinical trial with 4000 IU vitamin D daily. European Heart Journal, 2017, 38, 2279-2286.                                                                     | 2.2  | 134       |
| 13 | IL-6 blockade by monoclonal antibodies inhibits apolipoprotein (a) expression and lipoprotein (a) synthesis in humans. Journal of Lipid Research, 2015, 56, 1034-1042.                                                                                 | 4.2  | 114       |
| 14 | Effects of Lipid-Lowering Drugs on Irisin in Human Subjects In Vivo and in Human Skeletal Muscle Cells Ex Vivo. PLoS ONE, 2013, 8, e72858.                                                                                                             | 2.5  | 104       |
| 15 | Vitamin D and Cardiovascular Disease. Current Vascular Pharmacology, 2009, 7, 414-422.                                                                                                                                                                 | 1.7  | 103       |
| 16 | 5,10-Methylenetetrahydrofolate reductase genotype determines the plasma homocysteine-lowering effect of supplementation with 5-methyltetrahydrofolate or folic acid in healthy young women. American Journal of Clinical Nutrition, 2002, 75, 275-282. | 4.7  | 94        |
| 17 | Influence of protease inhibitor therapy on lipoprotein metabolism. Journal of Internal Medicine, 1999, 246, 567-575.                                                                                                                                   | 6.0  | 81        |
| 18 | Sex- and Gender-Based Pharmacological Response to Drugs. Pharmacological Reviews, 2021, 73, 730-762.                                                                                                                                                   | 16.0 | 80        |

| #  | Article                                                                                                                                                                                                                                                    | IF   | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Effect of Ezetimibe and/or Simvastatin on Coenzyme Q10 Levels in Plasma. Drug Safety, 2006, 29, 703-712.                                                                                                                                                   | 3.2  | 78        |
| 20 | Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion. Gut, 2002, 51, 860-863.                   | 12.1 | 71        |
| 21 | Comparison of sirolimus and everolimus in their effects on blood lipid profiles and haematological parameters in heart transplant recipients. Clinical Transplantation, 2007, 21, 536-543.                                                                 | 1.6  | 68        |
| 22 | Ezetimibe alone or in combination with simvastatin increases small dense low-density lipoproteins in healthy men: a randomized trial. European Heart Journal, 2010, 31, 1633-1639.                                                                         | 2.2  | 65        |
| 23 | Uniformly 13C-labeled algal protein used to determine amino acid essentiality in vivo Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 8091-8095.                                                                | 7.1  | 64        |
| 24 | A randomized controlled trial on the efficacy of carbohydrate-reduced or fat-reduced diets in patients attending a telemedically guided weight loss program. Cardiovascular Diabetology, 2009, 8, 36.                                                      | 6.8  | 63        |
| 25 | Lipoprotein(a) Concentration Increases during Treatment withâ€∫ Carbamazepine. Epilepsia, 2003, 44, 457-460.                                                                                                                                               | 5.1  | 60        |
| 26 | Lipoprotein metabolism in patients with anorexia nervosa: a case–control study investigating the mechanisms leading to hypercholesterolaemia. British Journal of Nutrition, 2004, 91, 959-969.                                                             | 2.3  | 59        |
| 27 | Effects of ezetimibe and/or simvastatin on LDL receptor protein expression and on LDL receptor and HMG-CoA reductase gene expression: A randomized trial in healthy men. Atherosclerosis, 2008, 198, 198-207.                                              | 0.8  | 55        |
| 28 | Evidence from a Randomized Trial That Simvastatin, but Not Ezetimibe, Upregulates Circulating PCSK9 Levels. PLoS ONE, 2013, 8, e60095.                                                                                                                     | 2.5  | 54        |
| 29 | Immunosuppressive Therapy with Everolimus Can Be Associated with Potentially Life-Threatening Lingual Angioedema. Transplantation, 2005, 79, 981-983.                                                                                                      | 1.0  | 46        |
| 30 | Supplementation with a multivitamin containing 800 $\hat{A}\mu g$ of folic acid shortens the time to reach the preventive red blood cell folate concentration in healthy women. International Journal for Vitamin and Nutrition Research, 2009, 79, 61-70. | 1.5  | 45        |
| 31 | Short-term treatment with ezetimibe, simvastatin or their combination does not alter circulating adiponectin, resistin or leptin levels in healthy men. Clinical Endocrinology, 2008, 68, 536-541.                                                         | 2.4  | 44        |
| 32 | Patterns and predictors of statin prescription in patients with type 2 diabetes. Cardiovascular Diabetology, 2009, 8, 25.                                                                                                                                  | 6.8  | 42        |
| 33 | Mipomersen and lomitapide: Two new drugs for the treatment of homozygous familial hypercholesterolemia. Atherosclerosis Supplements, 2015, 18, 28-34.                                                                                                      | 1.2  | 41        |
| 34 | Leucine Oxidation Changes Rapidly after Dietary Protein Intake is Altered in Adult Women but Lysine Flux Is Unchanged As Is Lysine Incorporation into VLDL-Apolipoprotein B-100. Journal of Nutrition, 1994, 124, 41-51.                                   | 2.9  | 36        |
| 35 | Heat Shock Protein-60 and Risk for Cardiovascular Disease. Current Pharmaceutical Design, 2011, 17, 3662-3668.                                                                                                                                             | 1.9  | 36        |
| 36 | Influence of serum selenium concentrations on hypertension. Journal of Hypertension, 2012, 30, 1328-1335.                                                                                                                                                  | 0.5  | 35        |

| #  | Article                                                                                                                                                                                                                             | IF  | Citations |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Association between the PPARÎ $\pm$ L162V polymorphism, plasma lipoprotein levels, and atherosclerotic disease in patients with diabetes mellitus type 2 and in nondiabetic controls. American Heart Journal, 2004, 147, 1117-1124. | 2.7 | 34        |
| 38 | Comparison of a silicon carbide-coated stent versus a noncoated stent in human beings: The Tenax versus Nir Stent Study's long-term outcome. American Heart Journal, 2003, 145, E17.                                                | 2.7 | 33        |
| 39 | Short-term effects of high soy supplementation on sex hormones, bone markers, and lipid parameters in young female adults. European Journal of Nutrition, 2004, 43, 100-108.                                                        | 3.9 | 33        |
| 40 | Garlic preparations for prevention of atherosclerosis. Current Opinion in Lipidology, 1998, 9, 565-569.                                                                                                                             | 2.7 | 33        |
| 41 | Age-dependent effects of atorvastatin on biochemical bone turnover markers: a randomized controlled trial in postmenopausal women. Osteoporosis International, 2004, 15, 459-67.                                                    | 3.1 | 32        |
| 42 | The IL-6-neutralizing slL-6R-sgp130 buffer system is disturbed in patients with type 2 diabetes. American Journal of Physiology - Endocrinology and Metabolism, 2019, 317, E411-E420.                                               | 3.5 | 32        |
| 43 | Troglitazone and rosiglitazone induce apoptosis of vascular smooth muscle cells through an extracellular signal-regulated kinase-independent pathway. Naunyn-Schmiedeberg's Archives of Pharmacology, 2001, 363, 215-221.           | 3.0 | 31        |
| 44 | Body mass index and disease duration are predictors of disturbed bone turnover in anorexia nervosa. A case–control study. European Journal of Clinical Nutrition, 2003, 57, 1262-1267.                                              | 2.9 | 31        |
| 45 | Association between the Interleukin-6 Promoter Polymorphism â°'174G/C and Serum Lipoprotein(a)<br>Concentrations in Humans. PLoS ONE, 2011, 6, e24719.                                                                              | 2.5 | 31        |
| 46 | Evidence for incorporation of intact dietary pyrimidine (but not purine) nucleosides into hepatic RNA Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 10123-10127.                       | 7.1 | 30        |
| 47 | Isotopic evidence for the differential regulation of arginine and proline synthesis in man. Metabolism:<br>Clinical and Experimental, 1995, 44, 466-473.                                                                            | 3.4 | 30        |
| 48 | The peroxisome proliferator-activated receptor delta +294T/C polymorphism in relation to lipoprotein metabolism in patients with diabetes mellitus type 2 and in non-diabetic controls. Atherosclerosis, 2005, 183, 336-341.        | 0.8 | 30        |
| 49 | Comparison of a Silicon Carbide Coated Stent versus a Noncoated Stent in Humans:. Journal of Interventional Cardiology, 2003, 16, 325-333.                                                                                          | 1.2 | 29        |
| 50 | Lipid-lowering Drug Therapy in Elderly Patients. Current Pharmaceutical Design, 2011, 17, 877-893.                                                                                                                                  | 1.9 | 29        |
| 51 | Lipoprotein(a): Current Perspectives. Current Vascular Pharmacology, 2011, 9, 682-692.                                                                                                                                              | 1.7 | 28        |
| 52 | Resistin gene 3'-untranslated region +62GA polymorphism is associated with hypertension but not diabetes mellitus type 2 in a German population. Journal of Internal Medicine, 2005, 258, 518-526.                                  | 6.0 | 26        |
| 53 | The whey fermentation product malleable protein matrix decreases TAG concentrations in patients with the metabolic syndrome: a randomised placebo-controlled trial. British Journal of Nutrition, 2012, 107, 1694-1706.             | 2.3 | 26        |
| 54 | Carbamazepine increases atherogenic lipoproteins: mechanism of action in male adults. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 282, H704-H716.                                                      | 3.2 | 25        |

| #  | Article                                                                                                                                                                                                                                                              | IF  | Citations |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Peroxisome proliferator-activated receptor-??2 Pro12Ala and endothelial nitric oxide synthase-4a/b gene polymorphisms are not associated with hypertension in diabetes mellitus type 2. Journal of Hypertension, 2005, 23, 301-308.                                  | 0.5 | 24        |
| 56 | The Leu72Met polymorphism of the ghrelin gene is associated with a decreased risk for type 2 diabetes. Clinica Chimica Acta, 2009, 399, 112-116.                                                                                                                     | 1.1 | 24        |
| 57 | The effect of vitamin D on fibroblast growth factor 23: a systematic review and meta-analysis of randomized controlled trials. European Journal of Clinical Nutrition, 2021, 75, 980-987.                                                                            | 2.9 | 24        |
| 58 | Lymphocyte proliferation and apoptosis in HIV-seropositive and healthy subjects during long-term ingestion of fruit juices or a fruit-vegetable-concentrate rich in polyphenols and antioxidant vitamins. European Journal of Clinical Nutrition, 2004, 58, 317-325. | 2.9 | 23        |
| 59 | Adverse Reactions to Anticoagulants and to Antiplatelet Drugs Recorded by the German Spontaneous Reporting System. Seminars in Thrombosis and Hemostasis, 2005, 31, 371-380.                                                                                         | 2.7 | 22        |
| 60 | Bolus ingestion of white and green tea increases the concentration of several flavanâ€3â€ols in plasma, but does not affect markers of oxidative stress in healthy nonâ€smokers. Molecular Nutrition and Food Research, 2010, 54, 1636-1645.                         | 3.3 | 22        |
| 61 | Influence of ghrelin gene polymorphisms on hypertension and atherosclerotic disease. Hypertension Research, 2010, 33, 155-160.                                                                                                                                       | 2.7 | 22        |
| 62 | Low serum levels of intact osteocalcin in patients with congestive heart failure. Journal of Bone and Mineral Metabolism, 2003, 21, 247-52.                                                                                                                          | 2.7 | 22        |
| 63 | Hyperlipoproteinemia(a): Clinical significance and treatment options. Atherosclerosis Supplements, 2013, 14, 1-5.                                                                                                                                                    | 1.2 | 20        |
| 64 | PCSK9 Antibodies for the Treatment of Hypercholesterolemia. Nutrients, 2014, 6, 5517-5533.                                                                                                                                                                           | 4.1 | 20        |
| 65 | Effects of Vitamin D Supplementation on Renin and Aldosterone Concentrations in Patients with Advanced Heart Failure: The EVITA Trial. International Journal of Endocrinology, 2018, 2018, 1-10.                                                                     | 1.5 | 20        |
| 66 | 5-HT1 receptor agonists attenuate the naloxone-induced jumping behaviour in morphine-dependent mice. European Journal of Pharmacology, 1989, 162, 19-27.                                                                                                             | 3.5 | 18        |
| 67 | SREBP-1c Gene Polymorphism is Associated with Increased Inhibition of Cholesterol-Absorption in Response to Ezetimibe Treatment. Experimental and Clinical Endocrinology and Diabetes, 2008, 116, 262-267.                                                           | 1.2 | 18        |
| 68 | Use of the lactose-[13C]ureide breath test for diagnosis of small bowel bacterial overgrowth: comparison to the glucose hydrogen breath test. Journal of Gastroenterology, 2009, 44, 944-951.                                                                        | 5.1 | 18        |
| 69 | Antisense Oligonucleotides for the Treatment of Dyslipidemia. Current Pharmaceutical Design, 2011, 17, 950-960.                                                                                                                                                      | 1.9 | 18        |
| 70 | Vitamin D and Vascular Disease. Current Vascular Pharmacology, 2020, 19, 250-268.                                                                                                                                                                                    | 1.7 | 18        |
| 71 | Decrease of elevated N,N-dimethylglycine and N-methylglycine in human immunodeficiency virus infection during short-term highly active antiretroviral therapy. Metabolism: Clinical and Experimental, 2001, 50, 1275-1281.                                           | 3.4 | 17        |
| 72 | Plasma antioxidant capacity of HIV-seropositive and healthy subjects during long-term ingestion of fruit juices or a fruit–vegetable-concentrate containing antioxidant polyphenols. European Journal of Clinical Nutrition, 2001, 55, 786-792.                      | 2.9 | 17        |

| #  | Article                                                                                                                                                                                                                                        | IF  | Citations |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Carbamazepine Does Not Alter Biochemical Parameters of Bone Turnover in Healthy Male Adults. Calcified Tissue International, 2003, 73, 356-360.                                                                                                | 3.1 | 17        |
| 74 | Combined calcium and vitamin D supplementation is not superior to calcium supplementation alone in improving disturbed bone metabolism in patients with congestive heart failure. European Journal of Clinical Nutrition, 2008, 62, 1388-1394. | 2.9 | 17        |
| 75 | Designing a study to evaluate the effect of apheresis in patients with elevated lipoprotein(a). Atherosclerosis Supplements, 2009, 10, 85-88.                                                                                                  | 1.2 | 16        |
| 76 | Antidiuretic effect of Sandostatin® (SMS 201-995) in healthy volunteers. European Journal of Endocrinology, 1989, 120, 708-714.                                                                                                                | 3.7 | 15        |
| 77 | Improvement of sarcoidosis under therapy with interferon-α 2b for chronic hepatitis B virus infection. Journal of Hepatology, 1999, 30, 347.                                                                                                   | 3.7 | 15        |
| 78 | Troglitazone and rosiglitazone inhibit the low density lipoprotein-induced vascular smooth muscle cell growth. Experimental and Clinical Endocrinology and Diabetes, 2001, 109, 203-209.                                                       | 1.2 | 15        |
| 79 | Physiologic Fluctuations of Serum Estradiol Levels Influence Biochemical Markers of Bone<br>Resorption in Young Women. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 95-101.                                                     | 3.6 | 15        |
| 80 | Disease management programs in type 2 diabetes: quality of care. American Journal of Managed Care, 2011, 17, 393-403.                                                                                                                          | 1.1 | 15        |
| 81 | Association of the promoter polymorphism -232C/G of the phosphoenolpyruvate carboxykinase gene (PCK1) with Type 2 diabetes mellitus. Diabetic Medicine, 2006, 23, 419-425.                                                                     | 2.3 | 14        |
| 82 | The K121Q Polymorphism of the Plasma Cell Glycoprotein-1 Gene is not Associated with Diabetes Mellitus Type 2 in German Caucasians. Hormone and Metabolic Research, 2006, 38, 524-529.                                                         | 1.5 | 14        |
| 83 | Effect of a Celluloseâ€containing Weightâ€loss Supplement on Gastric Emptying and Sensory Functions. Obesity, 2008, 16, 2272-2280.                                                                                                             | 3.0 | 14        |
| 84 | Effects of simvastatin and ezetimibe on interleukin-6 and high-sensitivity C-reactive protein. Scandinavian Cardiovascular Journal, 2013, 47, 20-27.                                                                                           | 1.2 | 14        |
| 85 | The Role of Niacin in Lipid-lowering Treatment: Are we Aiming Too High?. Current Pharmaceutical Design, 2013, 19, 3094-3106.                                                                                                                   | 1.9 | 14        |
| 86 | The Pro387Leu variant of protein tyrosine phosphatase-1B is not associated with diabetes mellitus type 2 in a German population. Journal of Internal Medicine, 2005, 257, 272-280.                                                             | 6.0 | 13        |
| 87 | The stable isotope ketoisocaproic acid breath test as a measure of hepatic decarboxylation capacity: a quantitative analysis in normal subjects after oral and intravenous administration. Liver International, 2009, 29, 1356-1364.           | 3.9 | 13        |
| 88 | Effects of authentic and VLDL hydrolysis-derived fatty acids on vascular smooth muscle cell growth. British Journal of Pharmacology, 2001, 132, 1725-1734.                                                                                     | 5.4 | 12        |
| 89 | Lomitapide for use in patients with homozygous familial hypercholesterolemia: a narrative review.<br>Expert Review of Clinical Pharmacology, 2016, 9, 655-663.                                                                                 | 3.1 | 12        |
| 90 | Vitamin D supplementation and bone turnover in advanced heart failure: the EVITA trial. Osteoporosis International, 2018, 29, 579-586.                                                                                                         | 3.1 | 12        |

| #   | Article                                                                                                                                                                                                                                                              | IF        | CITATIONS           |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| 91  | Vitamin D supplementation does not prevent the testosterone decline in males with advanced heart failure: the EVITA trial. European Journal of Nutrition, 2019, 58, 673-680.                                                                                         | 3.9       | 12                  |
| 92  | Inhibition of the 5-HT-induced cardiogenic hypertensive chemoreflex by the selective 5-HT3 receptor antagonist ICS 205-930. Naunyn-Schmiedeberg's Archives of Pharmacology, 1989, 339, 259-62.                                                                       | 3.0       | 11                  |
| 93  | High-dose oral supplementation of antioxidants and glutamine improves the antioxidant status in patients with Crohn's disease: A pilot study. European E-journal of Clinical Nutrition and Metabolism, 2008, 3, e246-e253.                                           | 0.4       | 11                  |
| 94  | The whey fermentation product malleable protein matrix decreases triglyceride concentrations in subjects with hypercholesterolemia: A randomized placebo-controlled trial. Journal of Dairy Science, 2011, 94, 589-601.                                              | 3.4       | 11                  |
| 95  | Enigmatic action of ciclosporine a on the naloxone-precipitated morphine withdrawal syndrome in mice. Neuroscience, 1989, 31, 97-103.                                                                                                                                | 2.3       | 10                  |
| 96  | The use of uniformly labelled substrates and mass isotopomer analysis to study intermediary metabolism. Proceedings of the Nutrition Society, 1994, 53, 345-354.                                                                                                     | 1.0       | 10                  |
| 97  | Effects of Lipid-Lowering Drugs on High-Density Lipoprotein Subclasses in Healthy Men—A Randomized Trial. PLoS ONE, 2014, 9, e91565.                                                                                                                                 | 2.5       | 10                  |
| 98  | Novel Approaches to the Pharmacotherapy of Obesity. Current Pharmaceutical Design, 2013, 19, 4938-4952.                                                                                                                                                              | 1.9       | 9                   |
| 99  | Cardiovascular effects of endothelin 1 in pithed spontaneously hypertensive rats: evaluation of its mechanism(s) of action. Naunyn-Schmiedeberg's Archives of Pharmacology, 1989, 340, 424-430.                                                                      | 3.0       | 8                   |
| 100 | Daily Supplementation with 4000 IU Vitamin D3 for Three Years Does Not Modify Cardiovascular Risk Markers in Patients with Advanced Heart Failure: The Effect of Vitamin D on Mortality in Heart Failure Trial. Annals of Nutrition and Metabolism, 2019, 74, 62-68. | 1.9       | 8                   |
| 101 | A 3Âyear postâ€intervention followâ€up on mortality in advanced heart failure (EVITA vitamin D) Tj ETQq1 1 0.78                                                                                                                                                      | 4314 rgBT | - <i> </i> gverlock |
| 102 | Identification of cardiotonic sodium channel activators by potassium depolarization in isolated guinea-pig atria. Journal of Pharmacological Methods, 1990, 24, 121-135.                                                                                             | 0.7       | 7                   |
| 103 | Treatment of Cardiovascular Risk Factors in Women. Current Medicinal Chemistry, 2015, 22, 3580-3596.                                                                                                                                                                 | 2.4       | 7                   |
| 104 | Familial Hypercholesterolemia: Etiology, Diagnosis and New Treatment Options. Current Pharmaceutical Design, 2014, 20, 6220-6229.                                                                                                                                    | 1.9       | 6                   |
| 105 | Oral Contraceptives Moderately Effect Bone Resorption Markers and Serum-Soluble Interleukin-6<br>Receptor Concentrations. Calcified Tissue International, 2002, 70, 16-21.                                                                                           | 3.1       | 5                   |
| 106 | Lipid lowering in patients with chronic kidney disease: a SHARP turn in the wrong direction?. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 858-861.                                                                                   | 2.8       | 5                   |
| 107 | Evaluation of the Coroflex Theca-Stent for reduction of restenosis (ECORI). Journal of Invasive Cardiology, 2005, 17, 199-202.                                                                                                                                       | 0.4       | 5                   |
| 108 | Influence of Simvastatin on apoBâ€100 Secretion in Nonâ€Obese Subjects with Mild Hypercholesterolemia. Lipids, 2010, 45, 491-500.                                                                                                                                    | 1.7       | 4                   |

| #   | Article                                                                                                                                                                                                                                                        | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Role of Physician Gender in the Quality of Care of Cardiometabolic Diseases. Current Pharmaceutical Design, 2011, 17, 3690-3698.                                                                                                                               | 1.9 | 4         |
| 110 | Lipoprotein apheresis in isolated hyperlipoproteinemia(a): a validated treatment or an illusion of validity?. European Journal of Clinical Investigation, 2013, 43, 108-112.                                                                                   | 3.4 | 4         |
| 111 | Pharmacologic Therapy for Cardiovascular Risk Reduction in Patients with the Metabolic Syndrome.<br>Current Pharmaceutical Design, 2014, 20, 5025-5038.                                                                                                        | 1.9 | 4         |
| 112 | Management of Blood Pressure and Heart Rate in Patients with Diabetes Mellitus. Current Pharmaceutical Design, 2017, 23, 4573-4582.                                                                                                                            | 1.9 | 4         |
| 113 | Atherosclerotic disease location and disparities in the control and treatment of cardiovascular risk factors in patients with Type $\hat{a} \in f2$ diabetes. Diabetic Medicine, 2010, 27, 303-308.                                                            | 2.3 | 3         |
| 114 | Reply to Meshkini et al European Journal of Clinical Nutrition, 2021, 75, 990-991.                                                                                                                                                                             | 2.9 | 3         |
| 115 | Clinical and angiographic procedural and mid-term outcome with new versus reused balloon catheters in percutaneous coronary interventions. Indian Heart Journal, 2005, 57, 114-20.                                                                             | 0.5 | 2         |
| 116 | Failure of the nonselective $\hat{I}^2$ -blocker propranolol to affect lipoprotein lipase gene expression in the rat. Lipids, 1997, 32, 943-947.                                                                                                               | 1.7 | 1         |
| 117 | Short-term vascular smooth muscle cells with platelet-derived growth factor (PDGF)-BB and angiotensin II induces stimulation of [3H]thymidine incorporation without mitosis. Scandinavian Journal of Clinical and Laboratory Investigation, 2000, 60, 723-731. | 1.2 | 1         |
| 118 | Restenosis Rates with Flexible GFX Stents (REFLEX): Clinical and angiographic Results. Journal of Interventional Cardiology, 2002, 15, 269-275.                                                                                                                | 1.2 | 1         |
| 119 | Selenium and hypertension. Journal of Hypertension, 2013, 31, 1050-1052.                                                                                                                                                                                       | 0.5 | 1         |
| 120 | Mipomersen: a lipid-lowering agent with a novel mechanism of action. Clinical Lipidology, 2013, 8, 279-282.                                                                                                                                                    | 0.4 | 1         |
| 121 | Verwendung von [ <sup>13</sup> C]Laktose-Ureid in einem neuen Atemtest zur Bestimmung von intestinaler bakterieller Besiedlung und intestinaler Passagezeit. Isotopes in Environmental and Health Studies, 1992, 28, 32-32.                                    | 0.2 | 0         |
| 122 | The Low Pressure Stent Observational Trial on the Procedural and Mid-Term Outcome of a Trapezoid-Shaped Coronary Stent (LOPSTER). Journal of Interventional Cardiology, 2005, 18, 323-329.                                                                     | 1.2 | 0         |
| 123 | Lifibrol as a Model Compound for a Novel Lipid-Lowering Mechanism of Action. Journal of Cardiovascular Pharmacology and Therapeutics, 2010, 15, 364-372.                                                                                                       | 2.0 | 0         |
| 124 | The Role of Niacin in Lipid-lowering Treatment: Are we Aiming Too High?. Current Pharmaceutical Design, 2013, 999, 9-16.                                                                                                                                       | 1.9 | O         |