

Li Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3094076/publications.pdf>

Version: 2024-02-01

105
papers

3,538
citations

168829

31
h-index

182931

54
g-index

108
all docs

108
docs citations

108
times ranked

4434
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychometric properties and measurement invariance of the emotion regulation questionnaire in Chinese left-behind children. <i>Current Psychology</i> , 2023, 42, 8833-8843.	1.7	3
2	Latent profile analysis of PTSD and dissociation, and relations with anger. <i>Current Psychology</i> , 2022, 41, 1595-1602.	1.7	4
3	Anxiety, depression, and PTSD symptoms among high school students in china in response to the COVID-19 pandemic and lockdown. <i>Journal of Affective Disorders</i> , 2022, 296, 126-129.	2.0	60
4	The mechanisms of histone modification in post-traumatic stress disorder. <i>Advances in Psychological Science</i> , 2022, 30, 98-114.	0.2	1
5	The relationship between cognitive impairment and superoxide dismutase activity in untreated first-episode patients with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 517-524.	1.3	3
6	DSM-5 Posttraumatic Stress Disorder Symptoms in Nonclinical Samples of Chinese and Pakistani Trauma-Exposed Adults. <i>Journal of Nervous and Mental Disease</i> , 2022, 210, 439-445.	0.5	0
7	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021, 26, 4315-4330.	4.1	69
8	Sex differences in the association between symptoms and superoxide dismutase in patients with never-treated first-episode schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 325-334.	1.3	12
9	Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. <i>Molecular Psychiatry</i> , 2021, 26, 4331-4343.	4.1	52
10	The interactive effect of genetic polymorphisms of IL-10 and COMT on cognitive function in schizophrenia. <i>Journal of Psychiatric Research</i> , 2021, 136, 501-507.	1.5	10
11	Posttraumatic stress symptoms of children and adolescents exposed to the 2008 Wenchuan Earthquake: A longitudinal study of 5-HTTLPR genotype main effects and gene-environment interactions. <i>International Journal of Psychology</i> , 2021, 56, 22-29.	1.7	8
12	The factor structure of major depressive symptoms in a sample of Chinese earthquake survivors. <i>BMC Psychiatry</i> , 2021, 21, 59.	1.1	6
13	Posttraumatic stress or posttraumatic growth? Using network analysis to explore the relationships between coping styles and trauma outcomes. <i>Journal of Anxiety Disorders</i> , 2021, 78, 102359.	1.5	25
14	Association of negative symptoms with cognitive impairment in Chinese Han patients with chronic schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 292-298.	1.2	7
15	Rasch Analysis of Work-Family Conflict Scale Among Chinese Prison Police. <i>Frontiers in Psychology</i> , 2021, 12, 537005.	1.1	6
16	The ADCYAP1R1 Gene Is Correlated With Posttraumatic Stress Disorder Symptoms Through Diverse Epistases in a Traumatized Chinese Population. <i>Frontiers in Psychiatry</i> , 2021, 12, 665599.	1.3	5
17	Oxytocin receptor variant rs53576 genotype is associated with dysphoric arousal symptoms of DSM-5 posttraumatic stress disorder in Chinese earthquake survivors. <i>Chinese Journal of Traumatology - English Edition</i> , 2021, 24, 209-213.	0.7	1
18	Post-traumatic stress symptoms in COVID-19 survivors: a self-report and brain imaging follow-up study. <i>Molecular Psychiatry</i> , 2021, 26, 7475-7480.	4.1	56

#	ARTICLE	IF	CITATIONS
19	Neural correlates of posttraumatic anhedonia symptoms: Decreased functional connectivity between ventral pallidum and default mode network regions. <i>Journal of Psychiatric Research</i> , 2021, 140, 30-34.	1.5	9
20	Impact of COVID-19 on psychological wellbeing. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100252.	2.7	11
21	Glucose disturbances, cognitive deficits and white matter abnormalities in first-episode drug-naive schizophrenia. <i>Molecular Psychiatry</i> , 2020, 25, 3220-3230.	4.1	34
22	Depicting the associations between different forms of psychopathology in trauma-exposed adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 827-837.	2.8	7
23	Correlation between hypothalamic-pituitary-adrenal axis gene polymorphisms and posttraumatic stress disorder symptoms. <i>Hormones and Behavior</i> , 2020, 117, 104604.	1.0	16
24	Association between the OXTR rs53576 genotype and latent profiles of post-traumatic stress disorder and depression symptoms in a representative sample of earthquake survivors. <i>Anxiety, Stress and Coping</i> , 2020, 33, 140-147.	1.7	9
25	Test of the dynamic interplay between DSM-5 PTSD symptom clusters in children and adolescents. <i>Journal of Anxiety Disorders</i> , 2020, 76, 102319.	1.5	5
26	An Item-Based Analysis of PTSD Emotional Numbing Symptoms in Disaster-Exposed Children and Adolescents. <i>Journal of Abnormal Child Psychology</i> , 2020, 48, 1303-1311.	3.5	4
27	An exploration of the DSM-5 posttraumatic stress disorder symptom latent variable network. <i>HÅŕgre Utbildning</i> , 2020, 11, 1759279.	1.4	3
28	A comparison of ICD-11 and DSM-5 criteria for PTSD among a representative sample of Chinese earthquake survivors. <i>HÅŕgre Utbildning</i> , 2020, 11, 1760481.	1.4	7
29	Factor Structure and Multi-Group Measurement Invariance of Posttraumatic Stress Disorder Symptoms Assessed by the PCL-5. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2020, 42, 364-376.	0.7	4
30	Sex differences in global and local connectivity of adolescent posttraumatic stress disorder symptoms. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 216-224.	3.1	54
31	Posttraumatic Stress Disorder and executive dysfunction among children and adolescents: A Latent Profile Analysis. <i>International Journal of Clinical and Health Psychology</i> , 2019, 19, 228-236.	2.7	14
32	Item response analysis of the Geriatric Anxiety Inventory among the elderly in China: dimensionality and differential item functioning test. <i>BMC Geriatrics</i> , 2019, 19, 313.	1.1	4
33	FKBP5 Genotype Linked to Combined PTSD-Depression Symptom in Chinese Earthquake Survivors. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 863-871.	0.9	12
34	Characteristics of pro- and anti-inflammatory cytokines alteration in PTSD patients exposed to a deadly earthquake. <i>Journal of Affective Disorders</i> , 2019, 248, 52-58.	2.0	34
35	The association between disaster exposure and media use on post-traumatic stress disorder following Typhoon Hato in Macao, China. <i>HÅŕgre Utbildning</i> , 2019, 10, 1558709.	1.4	53
36	Neuropeptide Y Gene – Environment Interaction Predicts Resilience and Positive Future Focus. <i>Applied Psychology: Health and Well-Being</i> , 2019, 11, 438-458.	1.6	10

#	ARTICLE	IF	CITATIONS
37	Interactive effects of corticotropin-releasing hormone receptor 1 gene and work stress on burnout in medical professionals in a Chinese Han population. <i>Journal of Affective Disorders</i> , 2019, 252, 1-8.	2.0	13
38	An epistasis between dopaminergic and oxytocinergic systems confers risk of post-traumatic stress disorder in a traumatized Chinese cohort. <i>Scientific Reports</i> , 2019, 9, 19252.	1.6	8
39	The preliminary investigation of orexigenic hormone gene polymorphisms on posttraumatic stress disorder symptoms. <i>Psychoneuroendocrinology</i> , 2019, 100, 131-136.	1.3	12
40	PTSD Latent Classes and Class Transitions Predicted by Distress and Fear Disorders in Disaster-Exposed Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2019, 48, 332-342.	2.2	6
41	Serotonin transporter 5-HTTLPR genotype is associated with intrusion and avoidance symptoms of DSM-5 posttraumatic stress disorder (PTSD) in Chinese earthquake survivors. <i>Anxiety, Stress and Coping</i> , 2018, 31, 318-327.	1.7	12
42	Altered Gray Matter Volume and Its Correlation With PTSD Severity in Chinese Earthquake Survivors. <i>Frontiers in Psychiatry</i> , 2018, 9, 629.	1.3	9
43	Psychophysiological correlates between emotional response inhibition and posttraumatic stress symptom clusters. <i>Scientific Reports</i> , 2018, 8, 16876.	1.6	4
44	Obesity, altered oxidative stress, and clinical correlates in chronic schizophrenia patients. <i>Translational Psychiatry</i> , 2018, 8, 258.	2.4	52
45	Patterns of Posttraumatic Stress Disorder Symptoms and Posttraumatic Growth in an Epidemiological Sample of Chinese Earthquake Survivors: A Latent Profile Analysis. <i>Frontiers in Psychology</i> , 2018, 9, 1549.	1.1	27
46	A DRD2/ANKK1/COMT Interaction, Consisting of Functional Variants, Confers Risk of Post-traumatic Stress Disorder in Traumatized Chinese. <i>Frontiers in Psychiatry</i> , 2018, 9, 170.	1.3	20
47	DSM-5 posttraumatic stress symptom dimensions and health-related quality of life among Chinese earthquake survivors. <i>HÅ¶gre Utbildning</i> , 2018, 9, 1468710.	1.4	18
48	Anger as an underlying dimension of posttraumatic stress disorder. <i>Psychiatry Research</i> , 2018, 267, 535-540.	1.7	13
49	The underlying dimensions of DSM-5 PTSD symptoms and their relations with anxiety and depression in a sample of adolescents exposed to an explosion accident. <i>HÅ¶gre Utbildning</i> , 2017, 8, 1272789.	1.4	37
50	Error consciousness predicts physiological response to an acute psychosocial stressor in men. <i>Psychoneuroendocrinology</i> , 2017, 83, 84-90.	1.3	12
51	The "weakest link" as an indicator of cognitive vulnerability differentially predicts symptom dimensions of anxiety in adolescents in China. <i>Journal of Anxiety Disorders</i> , 2017, 50, 69-75.	1.5	5
52	An overview of posttraumatic stress disorder genetic studies by analyzing and integrating genetic data into genetic database PTSDgene. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 83, 647-656.	2.9	17
53	Factor structure of DSM-5 PTSD symptoms in trauma-exposed adolescents: Examining stability across time. <i>Journal of Anxiety Disorders</i> , 2017, 52, 88-94.	1.5	33
54	Support for the association between RORA gene polymorphisms and the DSM-5 posttraumatic stress disorder symptoms in male earthquake survivors in China. <i>Asian Journal of Psychiatry</i> , 2017, 25, 138-141.	0.9	21

#	ARTICLE	IF	CITATIONS
55	DSM-5 Posttraumatic Stress Disorder Symptom Structure in Disaster-Exposed Adolescents: Stability across Gender and Relation to Behavioral Problems. <i>Journal of Abnormal Child Psychology</i> , 2017, 45, 803-814.	3.5	32
56	Testing the dimensional structure of DSM-5 posttraumatic stress disorder symptoms in a nonclinical trauma-exposed adolescent sample. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 204-212.	3.1	48
57	The relationship between negative expressivity, anger, and PTSD symptom clusters. <i>Psychiatry Research</i> , 2016, 243, 1-4.	1.7	3
58	Increased anticipatory contingent negative variation in posttraumatic stress disorder. <i>Biological Psychology</i> , 2016, 117, 80-88.	1.1	7
59	Altered resting-state functional connectivity of the amygdala in Chinese earthquake survivors. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 65, 208-214.	2.5	25
60	How much personality is genetic-determined? The known evidence and future directions. <i>Chinese Science Bulletin</i> , 2016, 61, 952-957.	0.4	0
61	The relationship between response inhibition and posttraumatic stress symptom clusters in adolescent earthquake survivors: An event-related potential study. <i>Scientific Reports</i> , 2015, 5, 8844.	1.6	15
62	Assessing Relations between PTSD's Dysphoria and Reexperiencing Factors and Dimensions of Rumination. <i>PLoS ONE</i> , 2015, 10, e0118435.	1.1	16
63	The Relationship between Cortisol Activity during Cognitive Task and Posttraumatic Stress Symptom Clusters. <i>PLoS ONE</i> , 2015, 10, e0144315.	1.1	8
64	Mental Disorders as Causal Systems. <i>Clinical Psychological Science</i> , 2015, 3, 836-849.	2.4	404
65	Hair cortisone level is associated with PTSD's dysphoric arousal symptoms in highly traumatized Chinese females. <i>Journal of Affective Disorders</i> , 2015, 182, 18-22.	2.0	9
66	Patterns of DSM-5 posttraumatic stress disorder and depression symptoms in an epidemiological sample of Chinese earthquake survivors: A latent profile analysis. <i>Journal of Affective Disorders</i> , 2015, 186, 58-65.	2.0	42
67	Assessing possible DSM-5 ASD subtypes in a sample of victims meeting caseness for DSM-5 ASD based on self-report following multiple forms of traumatic exposure. <i>Journal of Anxiety Disorders</i> , 2015, 31, 84-89.	1.5	17
68	Assessing the underlying dimensionality of DSM-5 PTSD symptoms in Chinese adolescents surviving the 2008 Wenchuan earthquake. <i>Journal of Anxiety Disorders</i> , 2015, 31, 90-97.	1.5	113
69	TPH2 genotype is associated with PTSD's avoidance symptoms in Chinese female earthquake survivors. <i>Psychiatric Genetics</i> , 2014, 24, 257-261.	0.6	8
70	The underlying dimensions of DSM-5 posttraumatic stress disorder symptoms in an epidemiological sample of Chinese earthquake survivors. <i>Journal of Anxiety Disorders</i> , 2014, 28, 345-351.	1.5	208
71	The Factor Structure of Posttraumatic Stress Disorder Symptoms in Patients With Traumatic Spinal Cord Injuries. <i>Archives of Psychiatric Nursing</i> , 2014, 28, 301-304.	0.7	14
72	Oxytocin is associated with PTSD's anxious arousal symptoms in Chinese male earthquake survivors. <i>HÅrgre Utbildning</i> , 2014, 5, 26530.	1.4	9

#	ARTICLE	IF	CITATIONS
73	The COMT gene variant is associated with depression's decreased positive affect symptoms in Chinese adults. <i>PsyCh Journal</i> , 2014, 3, 264-272.	0.5	3
74	Towards a dimensional model of depression: Evidence from Chinese samples. <i>PsyCh Journal</i> , 2014, 3, 231-233.	0.5	2
75	PAC1 receptor (ADCYAP1R1) genotype is associated with PTSD's emotional numbing symptoms in Chinese earthquake survivors. <i>Journal of Affective Disorders</i> , 2013, 150, 156-159.	2.0	53
76	Stathmin genotype is associated with reexperiencing symptoms of posttraumatic stress disorder in Chinese earthquake survivors. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 296-300.	2.5	18
77	Latent structure of posttraumatic stress disorder symptoms in an adolescent sample one month after an earthquake. <i>Journal of Adolescence</i> , 2013, 36, 717-725.	1.2	25
78	Prevalence and Predictors of Posttraumatic Stress Disorder Among Chinese Youths After an Earthquake. <i>Social Behavior and Personality</i> , 2013, 41, 1613-1623.	0.3	2
79	The Mini-IPIP Scale: Psychometric Features and Relations with PTSD Symptoms of Chinese Earthquake Survivors. <i>Psychological Reports</i> , 2012, 111, 641-651.	0.9	14
80	Exploratory and Confirmatory Factor Analysis of a Short-Form of the EMBU among Chinese Adolescents. <i>Psychological Reports</i> , 2012, 110, 263-275.	0.9	33
81	The structure of acute stress disorder among Chinese adults exposed to an earthquake: Is dysphoric arousal a unique construct of acute posttraumatic responses?. <i>Scandinavian Journal of Psychology</i> , 2012, 53, 430-436.	0.8	9
82	The dimensionality of PTSD symptoms and their relationship to health-related quality of life in Chinese earthquake survivors. <i>Journal of Anxiety Disorders</i> , 2012, 26, 711-718.	1.5	18
83	Assessing a five factor model of PTSD: Is dysphoric arousal a unique PTSD construct showing differential relationships with anxiety and depression?. <i>Journal of Anxiety Disorders</i> , 2012, 26, 368-376.	1.5	83
84	Mental Health Problems among the Survivors in the Hard-Hit Areas of the Yushu Earthquake. <i>PLoS ONE</i> , 2012, 7, e46449.	1.1	61
85	Post-traumatic Stress Disorder, Anxiety and Depression among the Elderly: A Survey of the Hard-Hit Areas a Year after the Wenchuan Earthquake. <i>Stress and Health</i> , 2012, 28, 61-68.	1.4	45
86	Confirmatory factor analysis of posttraumatic stress symptoms assessed by the Impact of Event Scale-Revised in Chinese earthquake victims: Examining factor structure and its stability across sex. <i>Journal of Anxiety Disorders</i> , 2011, 25, 369-375.	1.5	29
87	Comparing alternative factor models of PTSD symptoms across earthquake victims and violent riot witnesses in China: Evidence for a five-factor model proposed by. <i>Journal of Anxiety Disorders</i> , 2011, 25, 771-776.	1.5	62
88	One year later: Mental health problems among survivors in hard-hit areas of the Wenchuan earthquake. <i>Public Health</i> , 2011, 125, 293-300.	1.4	134
89	Mental Health Problems among Children One-Year after Sichuan Earthquake in China: A Follow-up Study. <i>PLoS ONE</i> , 2011, 6, e14706.	1.1	106
90	Posttraumatic Stress Disorder Symptom Structure in Chinese Adolescents Exposed to a Deadly Earthquake. <i>Journal of Abnormal Child Psychology</i> , 2011, 39, 749-758.	3.5	64

#	ARTICLE	IF	CITATIONS
91	Testing the dimensionality of posttraumatic stress responses in young Chinese adult earthquake survivors: further evidence for "ædysphoric arousal" as a unique PTSD construct. <i>Depression and Anxiety</i> , 2011, 28, 1097-1104.	2.0	37
92	Internal Consistencies and Structural Analysis of the MMPI-2 PSY-5 Facet Subscales in Chinese Population. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 150-155.	0.7	0
93	Factor structure of acute stress disorder symptoms in Chinese earthquake victims: A confirmatory factor analysis of the acute stress disorder scale. <i>Personality and Individual Differences</i> , 2010, 48, 798-802.	1.6	21
94	Psychometric properties of the 10-item Connor-Davidson Resilience Scale in Chinese earthquake victims. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 499-504.	1.0	272
95	Diagnostic Utility of the PTSD Checklist in Detecting PTSD in Chinese Earthquake Victims. <i>Psychological Reports</i> , 2010, 107, 733-739.	0.9	72
96	Symptoms of Posttraumatic Stress Disorder among Health Care Workers in Earthquake-Affected Areas in Southwest China. <i>Psychological Reports</i> , 2010, 106, 555-561.	0.9	26
97	Gender difference in motives of knowledge searching: Measurement invariance and factor mean comparison of the interest/deprivation epistemic curiosity. , 2010, , .		8
98	Response inhibition in adolescent earthquake survivors with and without posttraumatic stress disorder: A combined behavioral and ERP study. <i>Neuroscience Letters</i> , 2010, 486, 117-121.	1.0	63
99	Neurological Soft Signs and Their Relationships to Neurocognitive Functions: A Re-Visit with the Structural Equation Modeling Design. <i>PLoS ONE</i> , 2009, 4, e8469.	1.1	63
100	Age-Related Change in Emotional Experience in a Sample of Chinese Adults: A Preliminary Study. <i>Psychological Reports</i> , 2009, 105, 37-42.	0.9	4
101	Neuroticism, extraversion, emotion regulation, negative affect and positive affect: The mediating roles of reappraisal and suppression. <i>Social Behavior and Personality</i> , 2009, 37, 193-194.	0.3	51
102	Symptoms of Posttraumatic Stress Disorder among Adult Survivors Two Months after the Wenchuan Earthquake. <i>Psychological Reports</i> , 2009, 105, 879-885.	0.9	36
103	Symptoms of posttraumatic stress disorder among adult survivors three months after the Sichuan earthquake in China. <i>Journal of Traumatic Stress</i> , 2009, 22, 444-450.	1.0	101
104	A Survey on the Generalized Problematic Internet Use in Chinese College Students and its Relations to Stressful Life Events and Coping Style. <i>International Journal of Mental Health and Addiction</i> , 2009, 7, 333-346.	4.4	73
105	A psychometric study of the Test of Everyday Attention for Children in the Chinese setting. <i>Archives of Clinical Neuropsychology</i> , 2008, 23, 455-466.	0.3	31