

Henrik Sundh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3094176/publications.pdf>

Version: 2024-02-01

57
papers

1,910
citations

257357

24
h-index

265120

42
g-index

59
all docs

59
docs citations

59
times ranked

2105
citing authors

#	ARTICLE	IF	CITATIONS
1	Rainbow trout gastrointestinal mucus, mucin production, mucin glycosylation and response to lipopolysaccharide. <i>Fish and Shellfish Immunology</i> , 2022, 122, 181-190.	1.6	11
2	Atlantic Salmon Mucins Inhibit LuxS-Dependent <i>A. Salmonicida</i> AI-2 Quorum Sensing in an N-Acetylneuraminic Acid-Dependent Manner. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4326.	1.8	4
3	Low Omega-3 Levels in the Diet Disturbs Intestinal Barrier and Transporting Functions of Atlantic Salmon Freshwater and Seawater Smolts. <i>Frontiers in Physiology</i> , 2022, 13, 883621.	1.3	1
4	Low Holding Densities Increase Stress Response and Aggression in Zebrafish. <i>Biology</i> , 2022, 11, 725.	1.3	2
5	Intestinal health in Atlantic salmon post-smolt (<i>Salmo salar</i>) when fed low- and high HUFA diets. <i>Aquaculture</i> , 2022, 557, 738318.	1.7	3
6	Exposure to textile microfibers causes no effect on blood, behavior and tissue morphology in the three-spined stickleback (<i>Gasterosteus aculeatus</i>). <i>Marine Pollution Bulletin</i> , 2022, 180, 113755.	2.3	1
7	Continuous physiological welfare evaluation of European whitefish (<i>Coregonus lavaretus</i>) during common aquaculture practices leading up to slaughter. <i>Aquaculture</i> , 2021, 534, 736258.	1.7	7
8	Stress Impairs Skin Barrier Function and Induces \pm 2-3 Linked N-Acetylneuraminic Acid and Core 1 O-Glycans on Skin Mucins in Atlantic Salmon, <i>Salmo salar</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 1488.	1.8	11
9	Effects of Atlantic salmon (<i>Salmo salar</i>) fed low- and high HUFA diets on growth and midgut intestinal health. <i>Aquaculture</i> , 2021, 539, 736653.	1.7	13
10	It takes time to heal a broken heart: ventricular plasticity improves heart performance after myocardial infarction in rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Journal of Experimental Biology</i> , 2021, 224, .	0.8	6
11	Growth performance, nutrient digestibility and intestinal morphology of rainbow trout (<i>O. mykiss</i>) infected with <i>Wickerhamomyces anomalus</i> . <i>Aquaculture Nutrition</i> , 2020, 26, 275-286.	1.1	25
12	Gill Mucus and Gill Mucin O-glycosylation in Healthy and Amebic Gill Disease-Affected Atlantic Salmon. <i>Microorganisms</i> , 2020, 8, 1871.	1.6	10
13	Prevalence and severity of cardiac abnormalities and arteriosclerosis in farmed rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Aquaculture</i> , 2020, 526, 735417.	1.7	26
14	Effects of prophylactic antibiotic-treatment on post-surgical recovery following intraperitoneal bio-logger implantation in rainbow trout. <i>Scientific Reports</i> , 2020, 10, 5583.	1.6	12
15	Reduced water quality associated with higher stocking density disturbs the intestinal barrier functions of Atlantic salmon (<i>Salmo salar</i> L.). <i>Aquaculture</i> , 2019, 512, 734356.	1.7	30
16	Remote physiological monitoring provides unique insights on the cardiovascular performance and stress responses of freely swimming rainbow trout in aquaculture. <i>Scientific Reports</i> , 2019, 9, 9090.	1.6	35
17	Mucin modified SPR interfaces for studying the effect of flow on pathogen binding to Atlantic salmon mucins. <i>Biosensors and Bioelectronics</i> , 2019, 146, 111736.	5.3	10
18	Fish pathogen binding to mucins from Atlantic salmon and Arctic char differs in avidity and specificity and is modulated by fluid velocity. <i>PLoS ONE</i> , 2019, 14, e0215583.	1.1	18

#	ARTICLE	IF	CITATIONS
19	Haematological and intestinal health parameters of rainbow trout are influenced by dietary live yeast and increased water temperature. <i>Fish and Shellfish Immunology</i> , 2019, 89, 525-536.	1.6	21
20	Effects of Size and Geographical Origin on Atlantic salmon, <i>Salmo salar</i> , Mucin O-Glycan Repertoire. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1183-1196.	2.5	18
21	Exploring the Arctic Charr Intestinal Glycome: Evidence of Increased <i>N</i> -Glycolylneuraminic Acid Levels and Changed Host-Pathogen Interactions in Response to Inflammation. <i>Journal of Proteome Research</i> , 2019, 18, 1760-1773.	1.8	17
22	Transepithelial transfer of phenanthrene, but not of benzo[<i>a</i>]pyrene, is inhibited by fatty acids in the proximal intestine of rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2018, 204, 97-105.	1.3	5
23	Rainbow Trout Maintain Intestinal Transport and Barrier Functions Following Exposure to Polystyrene Microplastics. <i>Environmental Science & Technology</i> , 2018, 52, 14392-14401.	4.6	64
24	Calcium transfer across the outer mantle epithelium in the Pacific oyster, <i>Crassostrea gigas</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181676.	1.2	36
25	The final countdown: Continuous physiological welfare evaluation of farmed fish during common aquaculture practices before and during harvest. <i>Aquaculture</i> , 2018, 495, 903-911.	1.7	75
26	Effects of coeliacomesenteric blood flow reduction on intestinal barrier function in rainbow trout <i>Oncorhynchus mykiss</i> . <i>Journal of Fish Biology</i> , 2018, 93, 519-527.	0.7	7
27	Structural and functional maturation of skin during metamorphosis in the Atlantic halibut (<i>Hippoglossus hippoglossus</i>). <i>Cell and Tissue Research</i> , 2018, 372, 469-492.	1.5	1
28	<i>Aeromonas salmonicida</i> Growth in Response to Atlantic Salmon Mucins Differs between Epithelial Sites, Is Governed by Sialylated and <i>N</i> -Acetylhexosamine-Containing <i>O</i> -Glycans, and Is Affected by Ca ²⁺ . <i>Infection and Immunity</i> , 2017, 85, .	1.0	22
29	Increased mitochondrial coupling and anaerobic capacity minimizes aerobic costs of trout in the sea. <i>Scientific Reports</i> , 2017, 7, 45778.	1.6	22
30	Evaluation of growth performance and intestinal barrier function in Arctic Charr (<i>Salvelinus</i>) and mussel (<i>Mytilus edulis</i>). <i>Aquaculture Nutrition</i> , 2016, 22, 1348-1360.	1.1	41
31	Stunning fish with CO ₂ or electricity: contradictory results on behavioural and physiological stress responses. <i>Animal</i> , 2016, 10, 294-301.	1.3	23
32	Calcium mobilisation following shell damage in the Pacific oyster, <i>Crassostrea gigas</i> . <i>Marine Genomics</i> , 2016, 27, 75-83.	0.4	28
33	Atlantic Salmon Carries a Range of Novel <i>O</i> -Glycan Structures Differentially Localized on Skin and Intestinal Mucins. <i>Journal of Proteome Research</i> , 2015, 14, 3239-3251.	1.8	52
34	Environmental impacts on fish mucosa. , 2015, , 171-197.		13
35	Development of intestinal ion-transporting mechanisms during smoltification and seawater acclimation in Atlantic salmon <i>Salmo salar</i> . <i>Journal of Fish Biology</i> , 2014, 85, 1227-1252.	0.7	42
36	Plasma growth hormone-binding protein levels in Atlantic salmon <i>Salmo salar</i> during smoltification and seawater transfer. <i>Journal of Fish Biology</i> , 2014, 85, 1279-1296.	0.7	12

#	ARTICLE	IF	CITATIONS
37	<i>Aeromonas salmonicida</i> Binds Differentially to Mucins Isolated from Skin and Intestinal Regions of Atlantic Salmon in an <i>N</i> -Acetylneuraminic Acid-Dependent Manner. <i>Infection and Immunity</i> , 2014, 82, 5235-5245.	1.0	42
38	Evaluation of chitinolytic activities and membrane integrity in gut tissues of Arctic charr (<i>Salvelinus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 <i>Biochemistry and Molecular Biology</i> , 2014, 175, 1-8.	0.7	20
39	Effects of Cortisol on the Intestinal Mucosal Immune Response during Cohabitant Challenge with IPNV in Atlantic Salmon (<i>Salmo salar</i>). <i>PLoS ONE</i> , 2014, 9, e94288.	1.1	23
40	Physiological responses and welfare implications of rapid hypothermia and immobilisation with high levels of CO ₂ at two temperatures in Arctic char (<i>Salvelinus alpinus</i>). <i>Aquaculture</i> , 2013, 402-403, 146-151.	1.7	16
41	Modulation of innate immune responses in Atlantic salmon by chronic hypoxia-induced stress. <i>Fish and Shellfish Immunology</i> , 2013, 34, 55-65.	1.6	75
42	Stress responses in Arctic char (<i>Salvelinus alpinus</i> L.) during hyperoxic carbon dioxide immobilization relevant to aquaculture. <i>Aquaculture</i> , 2013, 414-415, 254-259.	1.7	14
43	Intestinal fluid absorption in anadromous salmonids: importance of tight junctions and aquaporins. <i>Frontiers in Physiology</i> , 2012, 3, 388.	1.3	99
44	Effects of electric field exposure on blood pressure, cardioventilatory activity and the physiological stress response in Arctic char, <i>Salvelinus alpinus</i> L.. <i>Aquaculture</i> , 2012, 344-349, 135-140.	1.7	14
45	Slow release cortisol implants result in impaired innate immune responses and higher infection prevalence following experimental challenge with infectious pancreatic necrosis virus in Atlantic salmon (<i>Salmo salar</i>) parr. <i>Fish and Shellfish Immunology</i> , 2012, 32, 637-644.	1.6	43
46	Health of farmed fish: its relation to fish welfare and its utility as welfare indicator. <i>Fish Physiology and Biochemistry</i> , 2012, 38, 85-105.	0.9	172
47	Translocation of infectious pancreatic necrosis virus across the intestinal epithelium of Atlantic salmon (<i>Salmo salar</i> L.). <i>Aquaculture</i> , 2011, 321, 85-92.	1.7	40
48	Disturbance of the intestinal mucosal immune system of farmed Atlantic salmon (<i>Salmo salar</i>), in response to long-term hypoxic conditions. <i>Fish and Shellfish Immunology</i> , 2011, 31, 1072-1080.	1.6	116
49	Health of farmed fish: its relation to fish welfare and its utility as welfare indicator. , 2011, , 85-105.		0
50	Intestinal barrier function of Atlantic salmon (<i>Salmo salar</i> L.) post smolts is reduced by common sea cage environments and suggested as a possible physiological welfare indicator. <i>BMC Physiology</i> , 2010, 10, 22.	3.6	74
51	The effect of hyperoxygenation and reduced flow in fresh water and subsequent infectious pancreatic necrosis virus challenge in sea water, on the intestinal barrier integrity in Atlantic salmon, <i>Salmo salar</i> L.. <i>Journal of Fish Diseases</i> , 2009, 32, 687-698.	0.9	38
52	The involvement of <i>Aeromonas salmonicida</i> virulence factors in bacterial translocation across the rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), intestine. <i>Journal of Fish Diseases</i> , 2008, 31, 141-151.	0.9	46
53	Dietary soya saponins increase gut permeability and play a key role in the onset of soyabean-induced enteritis in Atlantic salmon (<i>Salmo salar</i> L.). <i>British Journal of Nutrition</i> , 2008, 100, 120-129.	1.2	188
54	Non-invasive measurement of cortisol and melatonin in tanks stocked with seawater Atlantic salmon. <i>Aquaculture</i> , 2007, 272, 698-706.	1.7	54

#	ARTICLE	IF	CITATIONS
55	Effect of hyperoxygenation and low water flow on the primary stress response and susceptibility of Atlantic salmon <i>Salmo salar</i> L. to experimental challenge with IPN virus. <i>Aquaculture</i> , 2007, 270, 23-35.	1.7	53
56	Environmental salinity regulates the in vitro production of [3H]-1,25-dihydroxyvitamin D3 and [3H]-24,25 dihydroxyvitamin D3 in rainbow trout (<i>Oncorhynchus mykiss</i>). <i>General and Comparative Endocrinology</i> , 2007, 152, 252-258.	0.8	10
57	Stickleback sperm saved by salt in ovarian fluid. <i>Journal of Experimental Biology</i> , 2006, 209, 4230-4237.	0.8	49