

Enrique M Toledo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3094593/publications.pdf>

Version: 2024-02-01

30
papers

2,820
citations

361413

20
h-index

414414

32
g-index

34
all docs

34
docs citations

34
times ranked

5306
citing authors

#	ARTICLE	IF	CITATIONS
1	TCF7L2 plays a complex role in human adipose progenitor biology, which might contribute to genetic susceptibility to type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2022, 133, 155240.	3.4	6
2	Dimethyl fumarate reduces hepatocyte senescence following paracetamol exposure. <i>IScience</i> , 2021, 24, 102552.	4.1	9
3	Combinatorial ECM Arrays Identify Cooperative Roles for Matricellular Proteins in Enhancing the Generation of TH+ Neurons From Human Pluripotent Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 755406.	3.7	5
4	Functional module detection through integration of single-cell RNA sequencing data with protein-protein interaction networks. <i>BMC Genomics</i> , 2020, 21, 756.	2.8	13
5	Srebf1 Controls Midbrain Dopaminergic Neurogenesis. <i>Cell Reports</i> , 2020, 31, 107601.	6.4	20
6	Transcriptional synergy as an emergent property defining cell subpopulation identity enables population shift. <i>Nature Communications</i> , 2018, 9, 2595.	12.8	16
7	A Zeb2-miR-200c loop controls midbrain dopaminergic neuron neurogenesis and migration. <i>Communications Biology</i> , 2018, 1, 75.	4.4	13
8	The Matricellular Protein R-Spondin 2 Promotes Midbrain Dopaminergic Neurogenesis and Differentiation. <i>Stem Cell Reports</i> , 2018, 11, 651-664.	4.8	22
9	Induction of functional dopamine neurons from human astrocytes in vitro and mouse astrocytes in a Parkinson's disease model. <i>Nature Biotechnology</i> , 2017, 35, 444-452.	17.5	278
10	Mapping genes for calcium signaling and their associated human genetic disorders. <i>Bioinformatics</i> , 2017, 33, 2547-2554.	4.1	16
11	Translation of WNT developmental programs into stem cell replacement strategies for the treatment of Parkinson's disease. <i>British Journal of Pharmacology</i> , 2017, 174, 4716-4724.	5.4	18
12	Niche-derived laminin-511 promotes midbrain dopaminergic neuron survival and differentiation through YAP. <i>Science Signaling</i> , 2017, 10, .	3.6	47
13	Molecular Diversity of Midbrain Development in Mouse, Human, and Stem Cells. <i>Cell</i> , 2016, 167, 566-580.e19.	28.9	687
14	A PBX1 transcriptional network controls dopaminergic neuron development and is impaired in Parkinson's disease. <i>EMBO Journal</i> , 2016, 35, 1963-1978.	7.8	85
15	Anti-Ribosomal P Protein Autoantibodies From Patients With Neuropsychiatric Lupus Impair Memory in Mice. <i>Arthritis and Rheumatology</i> , 2015, 67, 204-214.	5.6	90
16	Peroxisome Proliferators Reduce Spatial Memory Impairment, Synaptic Failure, and Neurodegeneration in Brains of a Double Transgenic Mice Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 33, 941-959.	2.6	49
17	Brain endogenous liver X receptor ligands selectively promote midbrain neurogenesis. <i>Nature Chemical Biology</i> , 2013, 9, 126-133.	8.0	116
18	SFRP1 and SFRP2 Dose-Dependently Regulate Midbrain Dopamine Neuron Development In Vivo and in Embryonic Stem Cells. <i>Stem Cells</i> , 2012, 30, 865-875.	3.2	58

#	ARTICLE	IF	CITATIONS
19	c-Abl tyrosine kinase modulates tau pathology and Cdk5 phosphorylation in AD transgenic mice. <i>Neurobiology of Aging</i> , 2011, 32, 1249-1261.	3.1	91
20	Activation of Wnt signaling by lithium and rosiglitazone reduced spatial memory impairment and neurodegeneration in brains of an APP ^{swe} /PSEN1 ^{E9} mouse model of Alzheimer's disease. <i>Molecular Psychiatry</i> , 2010, 15, 272-285.	7.9	240
21	Calcium/calmodulin-dependent protein kinase type IV is a target gene of the Wnt/ β -catenin signaling pathway. <i>Journal of Cellular Physiology</i> , 2009, 221, 658-667.	4.1	71
22	The role of Wnt signaling in neuroprotection. <i>Drug News and Perspectives</i> , 2009, 22, 579.	1.5	30
23	The role of Wnt signaling in neuroprotection. <i>Drug News and Perspectives</i> , 2009, 22, 579.	1.5	47
24	The role of Wnt signaling in neuronal dysfunction in Alzheimer's Disease. <i>Molecular Neurodegeneration</i> , 2008, 3, 9.	10.8	164
25	Release of acetylcholinesterase (AChE) from β 2-amyloid plaques assemblies improves the spatial memory impairments in APP-transgenic mice. <i>Chemico-Biological Interactions</i> , 2008, 175, 142-149.	4.0	37
26	Wnt signaling in neuroprotection and stem cell differentiation. <i>Progress in Neurobiology</i> , 2008, 86, 281-296.	5.7	182
27	STI571 prevents apoptosis, tau phosphorylation and behavioural impairments induced by Alzheimer's β 2-amyloid deposits. <i>Brain</i> , 2008, 131, 2425-2442.	7.6	136
28	Wnt-7a Induces Presynaptic Colocalization of α 7-Nicotinic Acetylcholine Receptors and Adenomatous Polyposis Coli in Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2007, 27, 5313-5325.	3.6	101
29	The functional links between prion protein and copper. <i>Biological Research</i> , 2006, 39, 39-44.	3.4	20
30	Induction of cellular prion protein gene expression by copper in neurons. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 290, C271-C281.	4.6	58