Nicolas Bertholet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/30948/publications.pdf

Version: 2024-02-01

218381 174990 3,144 87 26 52 citations h-index g-index papers 93 93 93 3563 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Reduction of Alcohol Consumption by Brief Alcohol Intervention in Primary Care. Archives of Internal Medicine, 2005, 165, 986. | 4.3 | 579 |
| 2 | Effectiveness of brief alcohol interventions in primary care populations. The Cochrane Library, 2018, 2018, CD004148. | 1.5 | 568 |
| 3 | Effectiveness and treatment moderators of internet interventions for adult problem drinking: An individual patient data meta-analysis of 19 randomised controlled trials. PLoS Medicine, 2018, 15, e1002714. | 3.9 | 186 |
| 4 | Examining non-response bias in substance use researchâ€"Are late respondents proxies for non-respondents?. Drug and Alcohol Dependence, 2013, 132, 316-323. | 1.6 | 144 |
| 5 | Mechanisms of Action of Brief Alcohol Interventions Remain Largely Unknown ââ,¬â€œ A Narrative Review. Frontiers in Psychiatry, 2014, 5, 108. | 1.3 | 110 |
| 6 | Counselor motivational interviewing skills and young adult change talk articulation during brief motivational interventions. Journal of Substance Abuse Treatment, 2010, 39, 272-281. | 1.5 | 106 |
| 7 | Change talk sequence during brief motivational intervention, towards or away from drinking. Addiction, 2010, 105, 2106-2112. | 1.7 | 59 |
| 8 | Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. BMC Public Health, 2012, 12, 708. | 1.2 | 55 |
| 9 | Need for Informed Consent in Substance Use Studies—Harm of Bias?. Journal of Studies on Alcohol and Drugs, 2013, 74, 931-940. | 0.6 | 45 |
| 10 | Does readiness to change predict subsequent alcohol consumption in medical inpatients with unhealthy alcohol use?. Addictive Behaviors, 2009, 34, 636-640. | 1.7 | 44 |
| 11 | Does change talk during brief motivational interventions with young men predict change in alcohol use?. Journal of Substance Abuse Treatment, 2013, 44, 177-185. | 1.5 | 44 |
| 12 | Training medical students to conduct motivational interviewing: A randomized controlled trial. Patient Education and Counseling, 2012, 87, 313-318. | 1.0 | 43 |
| 13 | Efficacy of brief motivational intervention in reducing binge drinking in young men: A randomized controlled trial. Drug and Alcohol Dependence, 2011, 113, 69-75. | 1.6 | 42 |
| 14 | Religion Is Good, Belief Is Better: Religion, Religiosity, and Substance Use Among Young Swiss Men. Substance Use and Misuse, 2013, 48, 1085-1098. | 0.7 | 42 |
| 15 | Internetâ€based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. Addiction, 2015, 110, 1735-1743. | 1.7 | 42 |
| 16 | Socioeconomic status and substance use among Swiss young men: a population-based cross-sectional study. BMC Public Health, 2016, 16, 333. | 1.2 | 42 |
| 17 | Do Brief Alcohol Motivational Interventions Work Like We Think They Do?. Alcoholism: Clinical and Experimental Research, 2014, 38, 853-859. | 1.4 | 41 |
| 18 | The alcohol purchase task in young men from the general population. Drug and Alcohol Dependence, 2015, 146, 39-44. | 1.6 | 41 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Influence of Counselor Characteristics and Behaviors on the Efficacy of a Brief Motivational Intervention for Heavy Drinking in Young Men-A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2014, 38, 2138-2147. | 1.4 | 39 |
| 20 | Quality of Life Depends on the Drinking Pattern in Alcohol-Dependent Patients. Alcohol and Alcoholism, 2014, 49, 457-465. | 0.9 | 37 |
| 21 | Communication During Brief Intervention, Intention to Change, and Outcome. Substance Abuse, 2007, 28, 43-51. | 1.1 | 36 |
| 22 | Smartphone application for unhealthy alcohol use: Pilot randomized controlled trial in the general population. Drug and Alcohol Dependence, 2019, 195, 101-105. | 1.6 | 35 |
| 23 | Unique versus shared associations between self-reported behavioral addictions and substance use disorders and mental health problems: A commonality analysis in a large sample of young Swiss men. Journal of Behavioral Addictions, 2019, 8, 664-677. | 1.9 | 34 |
| 24 | Readiness to Change Predicts Drinking: Findings from 12-Month Follow-Up of Alcohol Use Disorder Outpatients. Alcohol and Alcoholism, 2017, 52, 65-71. | 0.9 | 32 |
| 25 | Perception of tobacco, cannabis, and alcohol use of others is associated with one's own use. Addiction Science & Clinical Practice, 2013, 8, 15. | 1.2 | 29 |
| 26 | Perception of the Amount of Drinking by Others in A Sample of 20-Year-Old Men: The More I Think You Drink, The More I Drink. Alcohol and Alcoholism, 2011, 46, 83-87. | 0.9 | 27 |
| 27 | Alcoholâ€induced blackouts at age 20 predict the incidence, maintenance and severity of alcohol dependence at age 25: a prospective study in a sample of young Swiss men. Addiction, 2019, 114, 1556-1566. | 1.7 | 26 |
| 28 | Effectiveness of a brief integrative multiple substance use intervention among young men with and without booster sessions. Journal of Substance Abuse Treatment, 2013, 44, 231-240. | 1.5 | 25 |
| 29 | Under what conditions? Therapist and client characteristics moderate the role of change talk in brief motivational intervention Journal of Consulting and Clinical Psychology, 2016, 84, 211-220. | 1.6 | 25 |
| 30 | What process research tells us about brief intervention efficacy. Drug and Alcohol Review, 2010, 29, 612-616. | 1.1 | 24 |
| 31 | Depressive symptoms, alcohol use and coping drinking motives: Examining various pathways to suicide attempts among young men. Journal of Affective Disorders, 2018, 232, 243-251. | 2.0 | 24 |
| 32 | Factor structure of the SOCRATES questionnaire in hospitalized medical patients. Addictive Behaviors, 2009, 34, 568-572. | 1.7 | 23 |
| 33 | How Accurate Are Blood (or Breath) Tests for Identifying Self-Reported Heavy Drinking Among People with Alcohol Dependence?. Alcohol and Alcoholism, 2014, 49, 423-429. | 0.9 | 23 |
| 34 | Women and Men Admitted for Alcohol Intoxication at an Emergency Department: Alcohol Use Disorders, Substance Use and Health and Social StatusÂ7 Years Later. Alcohol and Alcoholism, 2016, 51, 567-575. | 0.9 | 22 |
| 35 | Change Talk During Brief Motivational Intervention With Young Adult Males: Strength Matters. Journal of Substance Abuse Treatment, 2016, 65, 58-65. | 1.5 | 22 |
| 36 | Smartphone application for unhealthy alcohol use: A pilot study. Substance Abuse, 2017, 38, 285-291. | 1.1 | 21 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Alcohol consumption patterns in HIV-infected adults with alcohol problems. Drug and Alcohol Dependence, 2010, 112, 160-163. | 1.6 | 20 |
| 38 | Is Brief Motivational Intervention Effective in Reducing Alcohol Use Among Young Men Voluntarily Receiving It? A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2011, 35, 1822-1830. | 1.4 | 20 |
| 39 | The psychological impact of the COVID-19 crisis is higher among young Swiss men with a lower socioeconomic status: Evidence from a cohort study. PLoS ONE, 2021, 16, e0255050. | 1.1 | 20 |
| 40 | Age of first alcohol intoxication: Association with risky drinking and other substance use at the age of 20. Swiss Medical Weekly, 2011, 141, w13226. | 0.8 | 19 |
| 41 | Why Objective Monitoring of Compliance is Important in the Management of Hypertension. Journal of Clinical Hypertension, 2000, 2, 258-262. | 1.0 | 19 |
| 42 | Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0144146. | 1.1 | 17 |
| 43 | Factors Associated with Favorable Drinking Outcome 12ÂMonths After Hospitalization in a Prospective Cohort Study of Inpatients with Unhealthy Alcohol Use. Journal of General Internal Medicine, 2010, 25, 1024-1029. | 1.3 | 16 |
| 44 | Improvements in readiness to change and drinking in primary care patients with unhealthy alcohol use: a prospective study. BMC Public Health, 2009, 9, 101. | 1.2 | 15 |
| 45 | Outcomes of two randomized controlled trials, employing participants recruited through Mechanical Turk, of Internet interventions targeting unhealthy alcohol use. BMC Medical Research Methodology, 2019, 19, 124. | 1.4 | 14 |
| 46 | Admissions of patients with alcohol intoxication in the Emergency Department: a growing phenomenon. Swiss Medical Weekly, 2014, 144, w13982. | 0.8 | 14 |
| 47 | Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. Addictive Behaviors, 2016, 63, 97-101. | 1.7 | 13 |
| 48 | The Impact of Binge Drinking on Mortality and Liver Disease in the Swiss HIV Cohort Study. Journal of Clinical Medicine, 2021, 10, 295. | 1.0 | 11 |
| 49 | The Change Questionnaire predicts change in hazardous tobacco and alcohol use. Addictive Behaviors, 2013, 38, 2718-2723. | 1.7 | 10 |
| 50 | Interpretation of DSM-5 alcohol use disorder criteria in self-report surveys may change with age. A longitudinal analysis of young Swiss men. Addiction Research and Theory, 2019, 27, 489-497. | 1.2 | 10 |
| 51 | Estimated changes in hospital admissions for alcohol intoxication after partial bans on offâ€premises sales of alcoholic beverages in the canton of Vaud, Switzerland: an interrupted time–series analysis. Addiction, 2020, 115, 1459-1469. | 1.7 | 10 |
| 52 | Developing a brief motivational intervention for young adults admitted with alcohol intoxication in the emergency department – Results from an iterative qualitative design. PLoS ONE, 2021, 16, e0246652. | 1.1 | 9 |
| 53 | Use of mobile devices to answer online surveys: implications for research. BMC Research Notes, 2013, 6, 258. | 0.6 | 8 |
| 54 | Reconsidering the associations between self-reported alcohol use disorder and mental health problems in the light of co-occurring addictions in young Swiss men. PLoS ONE, 2019, 14, e0222806. | 1.1 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The psychological impact of the COVID-19 crisis on young Swiss men participating in a cohort study. Swiss Medical Weekly, 2021, 151, w30028. | 0.8 | 8 |
| 56 | Drinking Patterns and Their Predictive Factors in CONTROL: a 12-Month Prospective Study in a Sample of Alcohol-Dependent Patients Initiating Treatment. Alcohol and Alcoholism, 2013, 48, 189-195. | 0.9 | 7 |
| 57 | Information technology and addiction science: promises and challenges. Addiction Science & Dictionary Clinical Practice, 2021, 16, 7. | 1.2 | 7 |
| 58 | Smartphone-based secondary prevention intervention for university students with unhealthy alcohol use identified by screening: study protocol of a parallel group randomized controlled trial. Trials, 2020, 21, 191. | 0.7 | 7 |
| 59 | Online personalized feedback intervention to reduce risky cannabis use. Randomized controlled trial. Internet Interventions, 2021, 26, 100484. | 1.4 | 6 |
| 60 | A POSSIBLE WAY TO MOTIVATE AMBIVALENT PATIENTS TO UNDERGO DETOXIFICATION. Alcohol and Alcoholism, 2006, 41, 205-205. | 0.9 | 5 |
| 61 | Fourâ€year followâ€up of an internetâ€based brief intervention for unhealthy alcohol use in young men. Addiction, 2018, 113, 1517-1521. | 1.7 | 5 |
| 62 | Electronic screening and brief intervention for unhealthy alcohol use in primary care waiting rooms $\hat{a}\in$ A pilot project. Substance Abuse, 2020, 41, 347-355. | 1.1 | 5 |
| 63 | Further Utilization of Emergency Department and Inpatient Psychiatric Services Among Young Adults Admitted at the Emergency Department With Clinical Alcohol Intoxication. Journal of Addiction Medicine, 2020, 14, 32-38. | 1.4 | 5 |
| 64 | Screening and brief intervention for lower-risk drug use in primary care: A pilot randomized trial. Drug and Alcohol Dependence, 2020, 213, 108001. | 1.6 | 5 |
| 65 | Sexual Minority Orientation Is Associated With Greater Psychological Impact Due to the COVID-19 Crisis—Evidence From a Longitudinal Cohort Study of Young Swiss Men. Frontiers in Public Health, 2021, 9, 692884. | 1.3 | 5 |
| 66 | Brief alcohol intervention as pragmatic intervention: Who is voluntarily taking an offered intervention?. Alcohol, 2012, 46, 551-558. | 0.8 | 4 |
| 67 | Protective behavioral strategies and alcohol outcomes: Impact of mood and personality disorders. Addictive Behaviors, 2021, 112, 106615. | 1.7 | 4 |
| 68 | Anxiety, Depression, and Pain Symptoms: Associations With the Course of Marijuana Use and Drug Use Consequences Among Urban Primary Care Patients. Journal of Addiction Medicine, 2018, 12, 45-52. | 1.4 | 4 |
| 69 | Changes in substance use and other reinforcing behaviours during the COVID-19 crisis in a general population cohort study of young Swiss men. Journal of Behavioral Addictions, 2021, 10, 901-911. | 1.9 | 4 |
| 70 | Behavioral economics indices predict alcohol use and consequences in young men at 4â€year followâ€up. Addiction, 2022, 117, 2816-2825. | 1.7 | 4 |
| 71 | 2013 Update in addiction medicine for the generalist. Addiction Science & Eamp; Clinical Practice, 2013, 8, 18. | 1.2 | 3 |
| 72 | Longitudinal Associations Between Life Satisfaction and Cannabis Use Initiation, Cessation, and Disorder Symptom Severity in a Cohort of Young Swiss Men. International Journal of Environmental Research and Public Health, 2019, 16, 1372. | 1.2 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | What does it mean when people say that they have received expressions of concern about their drinking or advice to cut down on the AUDIT scale?. BMC Medical Research Methodology, 2017, 17, 158. | 1.4 | 2 |
| 74 | Current Opioid Access, Use, and Problems in Central and Western European Jurisdictions. Current Addiction Reports, 2018, 5, 478-484. | 1.6 | 2 |
| 75 | Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. Journal of Studies on Alcohol and Drugs, 2018, 79, 585-590. | 0.6 | 2 |
| 76 | Correlates of the use of electronic devices to vape cannabis in a cohort of young Swiss male reporting current cannabis use. European Journal of Public Health, 2021, 31, 437-441. | 0.1 | 2 |
| 77 | Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. Addiction Science & Clinical Practice, 2012, 7, . | 1.2 | 1 |
| 78 | Under what conditions? Therapist and client characteristics moderate the role of change talk in brief motivational intervention. Addiction Science & Emp; Clinical Practice, 2013, 8, . | 1.2 | 1 |
| 79 | Self-selection in a randomized trial of web-based primary and secondary prevention alcohol brief intervention. Addiction Science & Clinical Practice, 2013, 8, . | 1.2 | 1 |
| 80 | A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. Internet Interventions, 2020, 19, 100298. | 1,4 | 1 |
| 81 | How does brief motivational intervention work? A mediation analysis. Addiction Science & Clinical Practice, 2012, 7, . | 1.2 | 0 |
| 82 | A website for unhealthy alcohol use: how to make it visible and to whom?. Addiction Science & Emp; Clinical Practice, 2012, 7, . | 1.2 | 0 |
| 83 | Within-session changes in therapist and client behaviors during an alcohol brief motivational intervention for young men. Addiction Science & Practice, 2013, 8, . | 1.2 | 0 |
| 84 | You need to see the world in order to measure it: The importance of a high follow-up rate. Addiction, 2016, 111, 374-374. | 1.7 | 0 |
| 85 | Do sensation seeking and aggression traits moderate the association between peer influence and alcohol outcomes among young Swiss men?. Addiction Research and Theory, 2018, 26, 52-62. | 1.2 | 0 |
| 86 | Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. Journal of Studies on Alcohol and Drugs, 2018, 79, 585-590. | 0.6 | 0 |
| 87 | Prevalence, modes of administration and motives for cannabidiol use in young Swiss men., 2021, 151, w30054. | | 0 |