Steven M Mcphail Pt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3096151/publications.pdf Version: 2024-02-01

| | | 136740 | 161609 |
|----------|----------------|--------------|----------------|
| 216 | 4,354 | 32 | 54 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 217 | 217 | 217 | 5262 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Multimorbidity in chronic disease: impact on health care resources and costs. Risk Management and Healthcare Policy, 2016, Volume 9, 143-156. | 1.2 | 315 |
| 2 | Global Disability Burdens of Diabetes-Related Lower-Extremity Complications in 1990 and 2016. Diabetes Care, 2020, 43, 964-974. | 4.3 | 215 |
| 3 | Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. Lancet, The, 2015, 385, 2592-2599. | 6.3 | 178 |
| 4 | Patient Education to Prevent Falls Among Older Hospital Inpatients. Archives of Internal Medicine, 2011, 171, 516-24. | 4.3 | 162 |
| 5 | Measuring Falls Events in Acute Hospitals—A Comparison of Three Reporting Methods to Identify Missing Data in the Hospital Reporting System. Journal of the American Geriatrics Society, 2010, 58, 1347-1352. | 1.3 | 118 |
| 6 | Response shift, recall bias and their effect on measuring change in health-related quality of life amongst older hospital patients. Health and Quality of Life Outcomes, 2010, 8, 65. | 1.0 | 107 |
| 7 | A Randomized Trial Comparing Digital Video Disc with Written Delivery of Falls Prevention Education for Older Patients in Hospital. Journal of the American Geriatrics Society, 2009, 57, 1458-1463. | 1.3 | 93 |
| 8 | Factors Associated With Older Patients' Engagement in Exercise After Hospital Discharge. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1395-1403. | 0.5 | 83 |
| 9 | Falls After Discharge From Hospital: Is There a Gap Between Older Peoples' Knowledge About Falls Prevention Strategies and the Research Evidence?. Gerontologist, The, 2011, 51, 653-662. | 2.3 | 83 |
| 10 | Two Perspectives of Proxy Reporting of Health-Related Quality of Life Using the Euroqol-5D, An Investigation of Agreement. Medical Care, 2008, 46, 1140-1148. | 1.1 | 75 |
| 11 | Life impact of ankle fractures: Qualitative analysis of patient and clinician experiences. BMC Musculoskeletal Disorders, 2012, 13, 224. | 0.8 | 64 |
| 12 | A systematic review of axillary web syndrome (AWS). Journal of Cancer Survivorship, 2015, 9, 576-598. | 1.5 | 64 |
| 13 | Work related musculoskeletal disorders amongst therapists in physically demanding roles: qualitative analysis of risk factors and strategies for prevention. BMC Musculoskeletal Disorders, 2011, 12, 24. | 0.8 | 61 |
| 14 | Telephone reliability of the Frenchay Activity Index and EQ-5D amongst older adults. Health and Quality of Life Outcomes, 2009, 7, 48. | 1.0 | 60 |
| 15 | An evolving perspective on physical activity counselling by medical professionals. BMC Family Practice, 2012, 13, 31. | 2.9 | 59 |
| 16 | Systematic review: unmet supportive care needs in people diagnosed with chronic liver disease. BMJ Open, 2015, 5, e007451-e007451. | 0.8 | 59 |
| 17 | Evaluation of the Sustained Effect of Inpatient Falls Prevention Education and Predictors of Falls After Hospital DischargeFollow-up to a Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 1001-1012. | 1.7 | 58 |
| 18 | Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. BMC Medicine, 2013, 11, 135. | 2.3 | 56 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Interventions to reduce falls in hospitals: a systematic review and meta-analysis. Age and Ageing, 2022, 51, . | 0.7 | 53 |
| 20 | Development and Validation of the Balance Outcome Measure for Elder Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1614-1621. | 0.5 | 51 |
| 21 | Factors influencing research engagement: research interest, confidence and experience in an Australian speech-language pathology workforce. BMC Health Services Research, 2013, 13, 144. | 0.9 | 50 |
| 22 | Are psychological interventions effective on anxiety in cancer patients? A systematic review and metaâ€analyses. Psycho-Oncology, 2018, 27, 2063-2076. | 1.0 | 49 |
| 23 | Burden of decompensated cirrhosis and ascites on hospital services in a tertiary care facility: time for change?. Internal Medicine Journal, 2014, 44, 865-872. | 0.5 | 47 |
| 24 | Predictors of health-related quality of life in people with a complex chronic disease including multimorbidity: a longitudinal cohort study. Quality of Life Research, 2016, 25, 2579-2592. | 1.5 | 45 |
| 25 | Gait speed as an indicator of prosthetic walking potential following lower limb amputation. Prosthetics and Orthotics International, 2019, 43, 196-203. | 0.5 | 44 |
| 26 | Impact of disinvestment from weekend allied health services across acute medical and surgical wards: 2 stepped-wedge cluster randomised controlled trials. PLoS Medicine, 2017, 14, e1002412. | 3.9 | 43 |
| 27 | Cost-effectiveness of telerehabilitation versus traditional care after total hip replacement: A trial-based economic evaluation. Journal of Telemedicine and Telecare, 2021, 27, 359-366. | 1.4 | 42 |
| 28 | Increasing Hospitalization Rates for Cirrhosis: Overrepresentation of Disadvantaged Australians. EClinicalMedicine, 2019, 11, 44-53. | 3.2 | 39 |
| 29 | Perceived barriers and facilitators to increasing physical activity among people with musculoskeletal disorders: a qualitative investigation to inform intervention development. Clinical Interventions in Aging, 2014, 9, 2113. | 1.3 | 38 |
| 30 | Physical activity and health-related quality of life among physiotherapists: a cross sectional survey in an Australian hospital and health service. Journal of Occupational Medicine and Toxicology, 2014, 9, 1. | 0.9 | 38 |
| 31 | Pregnant women's awareness, knowledge and beliefs about pelvic floor muscles: a cross-sectional survey. International Urogynecology Journal, 2017, 28, 1557-1565. | 0.7 | 37 |
| 32 | Practical physical activity measurement in youth: a review of contemporary approaches. World Journal of Pediatrics, 2012, 8, 207-216. | 0.8 | 36 |
| 33 | â€~My independent streak may get in the way': how older adults respond to falls prevention education in hospital. BMJ Open, 2016, 6, e012363. | 0.8 | 36 |
| 34 | Age, physical inactivity, obesity, health conditions, and health-related quality of life among patients receiving conservative management for musculoskeletal disorders. Clinical Interventions in Aging, 2014, 9, 1069. | 1.3 | 35 |
| 35 | Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. Age and Ageing, 2018, 47, 512-519. | 0.7 | 34 |
| 36 | A single-blind, randomised controlled trial of StrataXRT® – A silicone-based film-forming gel dressing for prophylaxis and management of radiation dermatitis in patients with head and neck cancer. Radiotherapy and Oncology, 2019, 139, 72-78. | 0.3 | 34 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A survey of radiographers' confidence and selfâ€perceived accuracy in frontline image interpretation and their continuing educational preferences. Journal of Medical Radiation Sciences, 2014, 61, 69-77. | 0.8 | 31 |
| 38 | Cost of hospitalization for bronchiectasis exacerbation in children. Respirology, 2020, 25, 1250-1256. | 1.3 | 31 |
| 39 | Valid and reliable assessment of wellness among adolescents: Do you know what you're measuring?. International Journal of Wellbeing, 2013, 3, 162-172. | 1.5 | 30 |
| 40 | Use of Condition-Specific Patient-Reported Outcome Measures in Clinical Trials among Patients with Wrist Osteoarthritis: A Systematic Review. Advances in Orthopedics, 2012, 2012, 1-10. | 0.4 | 29 |
| 41 | Educators' perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. BMJ Open, 2015, 5, e009780. | 0.8 | 28 |
| 42 | Evidence of disagreement between patient-perceived change and conventional longitudinal evaluation of change in health-related quality of life among older adults. Clinical Rehabilitation, 2010, 24, 1036-1044. | 1.0 | 27 |
| 43 | Increasing the confidence and knowledge of occupational therapy and physiotherapy students when communicating with people with aphasia: A pre–post intervention study. Speech, Language and Hearing, 2015, 18, 148-155. | 0.6 | 27 |
| 44 | Does communication partner training improve the conversation skills of speech-language pathology students when interacting with people with aphasia?. Journal of Communication Disorders, 2017, 68, 1-9. | 0.8 | 27 |
| 45 | The confidence of speech-language pathology students regarding communicating with people with aphasia. BMC Medical Education, 2013, 13, 92. | 1.0 | 26 |
| 46 | The relationship between physical impairments, quality of life and disability of the neck and upper limb in patients following neck dissection. Journal of Cancer Survivorship, 2018, 12, 619-631. | 1.5 | 26 |
| 47 | Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1511-1517. | 1.7 | 26 |
| 48 | Effectiveness of topical silicone gel and pressure garment therapy for burn scar prevention and management in children: a randomized controlled trial. Clinical Rehabilitation, 2020, 34, 120-131. | 1.0 | 26 |
| 49 | Diabetesâ€related foot disease in Australia: a systematic review of the prevalence and incidence of risk factors, disease and amputation in Australian populations. Journal of Foot and Ankle Research, 2021, 14, 8. | 0.7 | 25 |
| 50 | Cost-effectiveness of silver dressings for paediatric partial thickness burns: An economic evaluation from a randomized controlled trial. Burns, 2017, 43, 724-732. | 1.1 | 24 |
| 51 | What are the barriers and enablers that people with a lower limb amputation experience when walking in the community?. Disability and Rehabilitation, 2020, 42, 3481-3487. | 0.9 | 24 |
| 52 | Neck and Shoulder Motor Function following Neck Dissection: A Comparison with Healthy Control Subjects. Otolaryngology - Head and Neck Surgery, 2019, 160, 1009-1018. | 1.1 | 23 |
| 53 | Evaluation of the effect of patient education on rates of falls in older hospital patients: Description of a randomised controlled trial. BMC Geriatrics, 2009, 9, 14. | 1.1 | 22 |
| 54 | A pre–post intervention study investigating the confidence and knowledge of health professionals communicating with people with aphasia in a metropolitan hospital. Aphasiology, 2017, 31, 359-374. | 1.4 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A stepped-wedge cluster randomised controlled trial for evaluating rates of falls among inpatients in aged care rehabilitation units receiving tailored multimedia education in addition to usual care: a trial protocol. BMJ Open, 2014, 4, e004195. | 0.8 | 21 |
| 56 | Exploratory study into the unmet supportive needs of people diagnosed with cirrhosis in Queensland, Australia. Internal Medicine Journal, 2017, 47, 429-435. | 0.5 | 21 |
| 57 | Factors Associated With Healing of Diabetes-Related Foot Ulcers: Observations From a Large Prospective Real-World Cohort. Diabetes Care, 2021, 44, e143-e145. | 4.3 | 21 |
| 58 | Critical Care Cycling Study (CYCLIST) trial protocol: a randomised controlled trial of usual care plus additional in-bed cycling sessions versus usual care in the critically ill. BMJ Open, 2017, 7, e017393. | 0.8 | 20 |
| 59 | Divesting from a Scored Hospital Fall Risk Assessment Tool (FRAT): A Cluster Randomized Nonâ€Inferiority Trial. Journal of the American Geriatrics Society, 2021, 69, 2598-2604. | 1.3 | 20 |
| 60 | Reference bias: presentation of extreme health states prior to EQ-VAS improves health-related quality of life scores. A randomised crossover trial Health and Quality of Life Outcomes, 2010, 8, 146. | 1.0 | 19 |
| 61 | Effect of in-bed cycling on acute muscle wasting in critically ill adults: A randomised clinical trial. Journal of Critical Care, 2020, 59, 86-93. | 1.0 | 19 |
| 62 | Perspectives of older adults regarding barriers and enablers to engaging in fall prevention activities after hospital discharge. Health and Social Care in the Community, 2020, 28, 1710-1722. | 0.7 | 19 |
| 63 | Radiographer commenting of trauma radiographs: A survey of the benefits, barriers and enablers to participation in an <scp>A</scp> ustralian healthcare setting. Journal of Medical Imaging and Radiation Oncology, 2014, 58, 431-438. | 0.9 | 18 |
| 64 | Effectiveness of topical silicone gel and pressure garment therapy for burn scar prevention and management in children: study protocol for a randomised controlled trial. Trials, 2017, 18, 72. | 0.7 | 18 |
| 65 | Job strain and psychological distress in office workers: The role of coping. Work, 2019, 64, 55-65. | 0.6 | 18 |
| 66 | Evaluation of Tailored Falls Education on Older Adults' Behavior Following Hospitalization. Journal of the American Geriatrics Society, 2019, 67, 2274-2281. | 1.3 | 18 |
| 67 | <p>Development and Evaluation of the Supportive Needs Assessment Tool for Cirrhosis (SNAC)</p> . Patient Preference and Adherence, 2020, Volume 14, 599-611. | 0.8 | 18 |
| 68 | A Longitudinal Evaluation of Risk Factors and Interactions for the Development of Nonspecific Neck Pain in Office Workers in Two Cultures. Human Factors, 2021, 63, 663-683. | 2.1 | 18 |
| 69 | Neck and Upper Limb Dysfunction in Patients following Neck Dissection: Looking beyond the Shoulder. Otolaryngology - Head and Neck Surgery, 2017, 157, 631-640. | 1.1 | 18 |
| 70 | Use of telehealth to treat and manage chronic viral hepatitis in regional Queensland. Journal of Telemedicine and Telecare, 2016, 22, 459-464. | 1.4 | 17 |
| 71 | Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. BMJ Open, 2017, 7, e013931. | 0.8 | 17 |
| 72 | The confidence and knowledge of health practitioners when interacting with people with aphasia in a hospital setting. Disability and Rehabilitation, 2018, 40, 1288-1293. | 0.9 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Goal setting improves retention in youth mental health: a cross-sectional analysis. Child and Adolescent Psychiatry and Mental Health, 2019, 13, 31. | 1.2 | 17 |
| 74 | Psychometric properties of the Brisbane Burn Scar Impact Profile in adults with burn scars. PLoS ONE, 2017, 12, e0184452. | 1.1 | 17 |
| 75 | Pitfalls in the use of kappa when interpreting agreement between multiple raters in reliability studies. Physiotherapy, 2014, 100, 27-35. | 0.2 | 16 |
| 76 | Comparative effectiveness research for the clinician researcher: a framework for making a methodological design choice. Trials, 2016, 17, 406. | 0.7 | 16 |
| 77 | Reducing risk in the emergency department: a 12â€month prospective longitudinal study of radiographer preliminary image evaluations. Journal of Medical Radiation Sciences, 2019, 66, 154-162. | 0.8 | 16 |
| 78 | Acceptability, safety, and feasibility of in-bed cycling with critically ill patients. Australian Critical Care, 2020, 33, 236-243. | 0.6 | 16 |
| 79 | Development and Validation of the Ankle Fracture Outcome of Rehabilitation Measure (A-FORM). Journal of Orthopaedic and Sports Physical Therapy, 2014, 44, 488-B2. | 1.7 | 15 |
| 80 | Risk factors for hospital re-presentation among older adults following fragility fractures: a systematic review and meta-analysis. BMC Medicine, 2016, 14, 136. | 2.3 | 15 |
| 81 | The Brisbane Burn Scar Impact Profile (child and young person version) for measuring health-related quality of life in children with burn scars: A longitudinal cohort study of reliability, validity and responsiveness. Burns, 2019, 45, 1537-1552. | 1.1 | 15 |
| 82 | The longitudinal validity, reproducibility and responsiveness of the Brisbane Burn Scar Impact Profile (caregiver report for young children version) for measuring health-related quality of life in children with burn scars. Burns, 2019, 45, 1792-1809. | 1.1 | 15 |
| 83 | Are Measures of Postural Behavior Using Motion Sensors in Seated Office Workers Reliable?. Human Factors, 2019, 61, 1141-1161. | 2.1 | 15 |
| 84 | PHYSICAL FUNCTION AND HEALTHâ€RELATED QUALITY OF LIFE OF OLDER ADULTS UNDERGOING HOSPITAL REHABILITATION: HOW STRONG IS THE ASSOCIATION?. Journal of the American Geriatrics Society, 2010, 58, 2435-2437. | 1.3 | 14 |
| 85 | The Association Between Adolescent Self-Reported Physical Activity and Wellness: The Missing Piece for Youth Wellness Programs. Journal of Adolescent Health, 2014, 55, 281-286. | 1.2 | 14 |
| 86 | â€~lt promoted a positive culture around falls prevention': staff response to a patient education programme—a qualitative evaluation. BMJ Open, 2016, 6, e013414. | 0.8 | 14 |
| 87 | Demographics and discharge outcomes of dysvascular and non-vascular lower limb amputees at a subacute rehabilitation unit: a 7-year series. Australian Health Review, 2015, 39, 76. | 0.5 | 13 |
| 88 | Clinicians' perceptions of rationales for rehabilitative exercise in a critical care setting: A cross-sectional study. Australian Critical Care, 2017, 30, 79-84. | 0.6 | 13 |
| 89 | Comparative effectiveness of Biobrane®, RECELL® Autologous skin Cell suspension and Silver dressings in partial thickness paediatric burns: BRACS randomised trial protocol. Burns and Trauma, 2019, 7, 33. | 2.3 | 13 |
| 90 | Changing prevalence of aetiological factors and comorbidities among Australians hospitalised for cirrhosis. Internal Medicine Journal, 2021, 51, 691-698. | 0.5 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Development, reliability and validity of the queensland evaluation of wheelchair skills (QEWS). Spinal Cord, 2015, 53, 743-749. | 0.9 | 12 |
| 92 | Patterns of service utilisation within Australian hepatology clinics: high prevalence of advanced liver disease. Internal Medicine Journal, 2016, 46, 420-426. | 0.5 | 12 |
| 93 | Self-reported disability according to the International Classification of Functioning, Disability and Health Low Back Pain Core Set: Test-retest agreement and reliability. Disability and Health Journal, 2017, 10, 621-626. | 1.6 | 12 |
| 94 | Nonalcoholic Fatty Liver Disease: Interface Between Primary Care and Hepatology Clinics. Hepatology Communications, 2020, 4, 518-526. | 2.0 | 12 |
| 95 | A systematic review and meta-analysis of randomized trials evaluating the efficacy of autologous skin cell suspensions for re-epithelialization of acute partial thickness burn injuries and split-thickness skin graft donor sites. Burns, 2021, 47, 1225-1240. | 1.1 | 12 |
| 96 | Depressive symptoms and adverse outcomes from hospitalization in older adults: Secondary outcomes of a trial of falls prevention education. Archives of Gerontology and Geriatrics, 2015, 60, 96-102. | 1.4 | 11 |
| 97 | Rasch analysis supported the construct validity of self-report measures of activity and participation derived from patient ratings of the ICF low back pain core set. Journal of Clinical Epidemiology, 2017, 84, 161-172. | 2.4 | 11 |
| 98 | How does feedback from patients impact upon healthcare student clinical skill development and learning? A systematic review. Medical Teacher, 2018, 40, 244-252. | 1.0 | 11 |
| 99 | â€~l've got to get something out of it. And so do they': experiences of people with aphasia and university students participating in a communication partner training programme for healthcare professionals. International Journal of Language and Communication Disorders, 2018, 53, 919-928. | 0.7 | 11 |
| 100 | Effectiveness of a hydrogel dressing as an analgesic adjunct to first aid for the treatment of acute paediatric thermal burn injuries: study protocol for a randomised controlled trial. Trials, 2019, 20, 13. | 0.7 | 11 |
| 101 | Patient preference for falls prevention in hospitals revealed through willingnessâ€ŧoâ€pay, contingent valuation survey. Journal of Evaluation in Clinical Practice, 2011, 17, 304-310. | 0.9 | 10 |
| 102 | A randomised controlled trial of an enhanced interdisciplinary community based group program for people with Parkinson's disease: study rationale and protocol. Neurology International, 2012, 4, 3. | 1.3 | 10 |
| 103 | Patients undergoing subacute rehabilitation have accurate expectations of their health-related quality of life at discharge. Health and Quality of Life Outcomes, 2012, 10, 94. | 1.0 | 10 |
| 104 | A retrospective cohort investigation of active range of motion within one week of open reduction and internal fixation of distal radius fractures. Journal of Hand Therapy, 2013, 26, 225-231. | 0.7 | 10 |
| 105 | Evidence of Improved Efficiency in Functional Gains During Subacute Inpatient Rehabilitation. American Journal of Physical Medicine and Rehabilitation, 2016, 95, 800-808. | 0.7 | 10 |
| 106 | Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. BMJ Open, 2018, 8, e020726. | 0.8 | 10 |
| 107 | Conversations between people with aphasia and speech pathology students via telepractice: A Phase II feasibility study. International Journal of Language and Communication Disorders, 2020, 55, 43-58. | 0.7 | 10 |
| 108 | Chronic wet cough in Australian children: Societal costs and quality of life. Pediatric Pulmonology, 2021, 56, 2707-2716. | 1.0 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The modulation of the burn wound environment by negative pressure wound therapy: Insights from the proteome. Wound Repair and Regeneration, 2021, 29, 288-297. | 1.5 | 10 |
| 110 | Work-Related Injuries Amongst Occupational Therapists: A Preliminary Investigation. British Journal of Occupational Therapy, 2011, 74, 143-147. | 0.5 | 9 |
| 111 | The health outcomes and costs of people attending an interdisciplinary chronic disease service in regional Australia: protocol for a longitudinal cohort investigation. BMC Health Services Research, 2013, 13, 410. | 0.9 | 9 |
| 112 | Agreement between physiotherapists rating scapular posture in multiple planes in patients with neck pain: Reliability study. Physiotherapy, 2015, 101, 381-388. | 0.2 | 9 |
| 113 | Development of a valid and reliable test to assess trauma radiograph interpretation performance. Radiography, 2017, 23, 153-158. | 1.1 | 9 |
| 114 | Gait outcomes of older adults receiving subacute hospital rehabilitation following orthopaedic trauma: a longitudinal cohort study. BMJ Open, 2017, 7, e016628. | 0.8 | 9 |
| 115 | Health-related quality of life of people with multimorbidity at a community-based, interprofessional student-assisted clinic: Implications for assessment and intervention. Chronic Illness, 2018, 14, 169-181. | 0.6 | 9 |
| 116 | Telepractice communication partner training for health professionals: A randomised trial. Journal of Communication Disorders, 2019, 81, 105914. | 0.8 | 9 |
| 117 | Study of negativeÂpressure wound therapy as an adjunct treatment for acute burns in children (SONATA in C): protocol for a randomised controlled trial. Trials, 2019, 20, 130. | 0.7 | 9 |
| 118 | Cost-effectiveness of adjunctive negative pressure wound therapy in paediatric burn care: evidence from the SONATA in C randomised controlled trial. Scientific Reports, 2021, 11, 16650. | 1.6 | 9 |
| 119 | Multiple factors predict longer and shorter time-to-ulcer-free in people with diabetes-related foot ulcers: Survival analyses of a large prospective cohort followed-up for 24-months. Diabetes Research and Clinical Practice, 2022, 185, 109239. | 1.1 | 9 |
| 120 | A Comparative Study of Splint Effectiveness inÂLimiting Forearm Rotation. Journal of Hand Therapy, 2010, 23, 241-248. | 0.7 | 8 |
| 121 | Protocol for a randomised blocked design study using telephone and text-messaging to support cardiac patients with diabetes: a cross cultural international collaborative project. BMC Health Services Research, 2013, 13, 402. | 0.9 | 8 |
| 122 | Radiographic imaging for traumatic ankle injuries: a demand profile and investigation of radiological reporting timeframes from an Australian tertiary facility. Journal of Foot and Ankle Research, 2014, 7, 25. | 0.7 | 8 |
| 123 | Development of the Rapid Assessment, Prioritisation and Referral Tool (RAPaRT) for multidisciplinary teams in emergency care settings. Emergency Medicine Journal, 2015, 32, 26-31. | 0.4 | 8 |
| 124 | Predictors of health-related quality of life in patients treated with neck dissection for head and neck cancer. European Archives of Oto-Rhino-Laryngology, 2017, 274, 4183-4193. | 0.8 | 8 |
| 125 | Assessment of healthâ€related quality of life and health utilities in Australian patients with cirrhosis. JGH Open, 2021, 5, 133-142. | 0.7 | 8 |
| 126 | Physiotherapist-led treatment for femoroacetabular impingement syndrome (the PhysioFIRST study): a protocol for a participant and assessor-blinded randomised controlled trial. BMJ Open, 2021, 11, e041742. | 0.8 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | A scoping review of real-time automated clinical deterioration alerts and evidence of impacts on hospitalised patient outcomes. BMJ Quality and Safety, 2022, 31, 725-734. | 1.8 | 8 |
| 128 | Patients Undergoing Subacute Physical Rehabilitation following an Acute Hospital Admission Demonstrated Improvement in Cognitive Functional Task Independence. Scientific World Journal, The, 2014, 2014, 1-9. | 0.8 | 7 |
| 129 | Setting measurable goals with young people: Qualitative feedback from the Goal Attainment Scale in youth mental health. British Journal of Occupational Therapy, 2015, 78, 253-259. | 0.5 | 7 |
| 130 | What do clinicians consider when assessing chronic low back pain? A content analysis of multidisciplinary pain centre team assessments of functioning, disability, and health. Pain, 2018, 159, 2128-2136. | 2.0 | 7 |
| 131 | Frequency of a very brief intervention by physiotherapists to increase physical activity levels in adults: aApilot randomised controlled trial. BMC Sports Science, Medicine and Rehabilitation, 2019, 11, 6. | 0.7 | 7 |
| 132 | Improving the patient-centred care of children with life-altering skin conditions using feedback from electronic patient-reported outcome measures: protocol for a hybrid effectiveness-implementation study (PEDS-ePROM). BMJ Open, 2021, 11, e041861. | 0.8 | 7 |
| 133 | Three Es of linked injury data: Episodes, Encounters and Events. Injury Prevention, 2021, 27, 479-489. | 1.2 | 7 |
| 134 | Effectiveness of topical silicone gel and pressure garment therapy for burn scar prevention and management in children 12-months postburn: A parallel group randomised controlled trial. Clinical Rehabilitation, 2021, 35, 1126-1141. | 1.0 | 7 |
| 135 | Associations between COVID-19 lockdown and post-lockdown on the mental health of pregnant women, postpartum women and their partners from the Queensland family cohort prospective study. BMC Pregnancy and Childbirth, 2022, 22, . | 0.9 | 7 |
| 136 | Physiotherapists Have Accurate Expectations of Their Patients' Future Health-Related Quality of Life after First Assessment in a Subacute Rehabilitation Setting. BioMed Research International, 2013, 2013, 1-8. | 0.9 | 6 |
| 137 | Reliability of a wellness inventory for use among adolescent females aged 12–14 years. BMC Women's Health, 2014, 14, 87. | 0.8 | 6 |
| 138 | Nintendo Wii Fit as an adjunct to physiotherapy following lower limb fractures: preliminary feasibility, safety and sample size considerations. Physiotherapy, 2016, 102, 217-220. | 0.2 | 6 |
| 139 | Is an educational lecture a critical component of communication partner training?. International Journal of Speech-Language Pathology, 2018, 20, 779-789. | 0.6 | 6 |
| 140 | Does Free-Text Information in Falls Incident Reports Assist to Explain How and Why the Falls Occurred in a Hospital Setting?. Journal of Patient Safety, 2018, Publish Ahead of Print, e1472-e1479. | 0.7 | 6 |
| 141 | The Cost of Acute Respiratory Infections With Cough Among Urban Aboriginal and Torres Strait Islander Children. Frontiers in Pediatrics, 2018, 6, 379. | 0.9 | 6 |
| 142 | Anxiety and depression in patients with early stage endometrial cancer: A longitudinal analysis from before surgery to 6-month post-surgery. Journal of Psychosocial Oncology Research and Practice, 2019, 1, e13. | 0.2 | 6 |
| 143 | Evaluating the effectiveness of intensive versus nonâ€intensive image interpretation education for radiographers: a randomised controlled trial. Journal of Medical Radiation Sciences, 2019, 66, 5-13. | 0.8 | 6 |
| 144 | Exercise interventions are delayed in critically ill patients: a cohort study in an Australian tertiary intensive care unit. Physiotherapy, 2020, 109, 75-84. | 0.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Implementing a nurse-enabled, integrated, shared-care model involving specialists and general practitioners in breast cancer post-treatment follow-up: a study protocol for a phase II randomised controlled trial (the EMINENT trial). Trials, 2020, 21, 855. | 0.7 | 6 |
| 146 | Patient Preferences for Receiving Remote Communication Support for Lifestyle Physical Activity Behaviour Change: The Perspective of Patients with Musculoskeletal Disorders from Three Hospital Services. BioMed Research International, 2015, 2015, 1-8. | 0.9 | 5 |
| 147 | Incidence, risk factors and the healthcare cost of falls postdischarge after elective total hip and total knee replacement surgery: protocol for a prospective observational cohort study. BMJ Open, 2016, 6, e011139. | 0.8 | 5 |
| 148 | How many patients enter endometrial cancer surgery with psychotropic medication prescriptions, and how many receive a new prescription perioperatively?. Gynecologic Oncology, 2019, 152, 339-345. | 0.6 | 5 |
| 149 | A scoping review of costâ€effectiveness analyses of schoolâ€based interventions for caries. Community Dentistry and Oral Epidemiology, 2020, 48, 357-363. | 0.9 | 5 |
| 150 | Impact and outcome evaluation of HealthPathways: a scoping review of published methodologies. Journal of Primary Health Care, 2021, 13, 260-273. | 0.2 | 5 |
| 151 | AUSTRALIAN PATIENTS USING A CARDIAC-DIABETES WEB-BASED INTERVENTION PROGRAM: CONTRIBUTIONS TO PERSON-CENTERED CLINICAL PRACTICE. European Journal for Person Centered Healthcare, 2015, 3, 168. | 0.3 | 5 |
| 152 | The Large Allen Cognitive Level Screen as an Indicator for Medication Adherence among Adults Accessing Community Mental Health Services. British Journal of Occupational Therapy, 2013, 76, 137-143. | 0.5 | 4 |
| 153 | Exploring functional concerns in helpâ€seeking youth: a qualitative study. Microbial Biotechnology, 2015, 9, 228-233. | 0.9 | 4 |
| 154 | Effectiveness of falls prevention interventions for older adults newly discharged from hospital: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2017, 15, 686-693. | 1.7 | 4 |
| 155 | Cardiacâ€diabetes selfâ€management program for Australians and Taiwanese: A randomized blocked design study. Australian Journal of Cancer Nursing, 2017, 19, 307-315. | 0.8 | 4 |
| 156 | Assessment of abduction motion in patients with rotator cuff tears: an analysis based on inertial sensors. BMC Musculoskeletal Disorders, 2019, 20, 597. | 0.8 | 4 |
| 157 | Are people with lower limb amputation changing? A seven-year analysis of patient characteristics at admission to inpatient rehabilitation and at discharge. Disability and Rehabilitation, 2019, 41, 3203-3209. | 0.9 | 4 |
| 158 | Patient characteristics associated with a poor response to non-surgical multidisciplinary management of knee osteoarthritis: a multisite prospective longitudinal study in an advanced practice physiotherapist-led tertiary service. BMJ Open, 2020, 10, e037070. | 0.8 | 4 |
| 159 | Clinical prediction models for hospital falls: a scoping review protocol. BMJ Open, 2021, 11, e051047. | 0.8 | 4 |
| 160 | Incidence and Associated Risk Factors for Falls in Older Adults Postdischarge Who Undergo Elective Total Hip Replacement Surgery—A Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1814-1820. | 1.7 | 4 |
| 161 | Patient and economic impact of implementing a paediatric sepsis pathway in emergency departments in Queensland, Australia. Scientific Reports, 2022, 12, . | 1.6 | 4 |
| 162 | Intratherapist Reliability in the Rating of Scapula Posture in Multiple Planes of Reference. ISRN Rehabilitation, 2012, 2012, 1-8. | 0.6 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Prediction of vocational participation and global role functioning in help-seeking young adults, from neurocognitive, demographic and clinical variables. Journal of Affective Disorders, 2017, 221, 158-164. | 2.0 | 3 |
| 164 | Identifying areas of need relative to liver disease: geographic clustering within a health service district. Australian Health Review, 2017, 41, 407. | 0.5 | 3 |
| 165 | Evaluating the effectiveness of intensive versus nonâ€intensive image interpretation education for radiographers: a randomised control trial study protocol. Journal of Medical Radiation Sciences, 2018, 65, 63-70. | 0.8 | 3 |
| 166 | Comparing predictors of partâ€ŧime and no vocational engagement in youth primary mental health services: A brief report. Microbial Biotechnology, 2018, 12, 726-729. | 0.9 | 3 |
| 167 | A stepped-wedge randomised-controlled trial assessing the implementation, impact and costs of a prospective feedback loop to promote appropriate care and treatment for older patients in acute hospitals at the end of life: study protocol. BMC Geriatrics, 2020, 20, 262. | 1.1 | 3 |
| 168 | A web-based educational intervention to implement trauma-informed care in a paediatric healthcare setting: protocol for a feasibility study using pre-post mixed methods design. Pilot and Feasibility Studies, 2020, 6, 118. | 0.5 | 3 |
| 169 | Can physical activity measurement alone improve objectively-measured physical activity in primary care?: A systematic review and meta-analysis. Preventive Medicine Reports, 2020, 20, 101230. | 0.8 | 3 |
| 170 | Towards collaborative management of nonâ€alcoholic fatty liver disease: a â€~realâ€world' pathway for fibrosis risk assessment in primary care. Internal Medicine Journal, 2022, 52, 1749-1758. | 0.5 | 3 |
| 171 | Incidence and Associated Risk Factors for Falls in Older Adults After Elective Total Knee Replacement Surgery. American Journal of Physical Medicine and Rehabilitation, 2022, 101, 454-459. | 0.7 | 3 |
| 172 | Tailored Education Increased Capability and Motivation for Fall Prevention in Older People After Hospitalization. Frontiers in Public Health, 2021, 9, 683723. | 1.3 | 3 |
| 173 | Sociocognitive approach to behaviour change for reducing low-value care. Australian Health Review, 2021, 45, 173. | 0.5 | 3 |
| 174 | Averting Uncertainty: A Practical Guide to Physical Activity Research in Australian Schools. Australian Journal of Teacher Education, 2013, 38, . | 0.4 | 3 |
| 175 | Telehealth cancer-related fatigue clinic model for cancer survivors: a pilot randomised controlled trial protocol (the T-CRF trial). BMJ Open, 2022, 12, e059952. | 0.8 | 3 |
| 176 | Does gait speed indicate prosthetic walking potential following lower limb amputation?. Physiotherapy, 2015, 101, e128-e129. | 0.2 | 2 |
| 177 | Risk factors for hospital re-presentation among older adults following fragility fractures: protocol for a systematic review. Systematic Reviews, 2015, 4, 91. | 2.5 | 2 |
| 178 | Adolescent's perceptions of parental influences on physical activity. International Journal of Adolescent Medicine and Health, 2017, 29, . | 0.6 | 2 |
| 179 | Control group changes in objectively measured physical activity in primary care: protocol for a systematic review and meta-analysis. Systematic Reviews, 2019, 8, 144. | 2.5 | 2 |
| 180 | Chronic physical health conditions and associated factors among people with serious orthopaedic injuries: A systematic review. Trauma, 2021, 23, 90-100. | 0.2 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Fostering patient uptake of recommended health services and selfâ€management strategies for musculoskeletal conditions: A Delphi study of clinician attributes. Musculoskeletal Care, 2020, 18, 161-168. | 0.6 | 2 |
| 182 | Fall prevention education for older people being discharged from hospital: Educators' perspectives. Health Education Journal, 2021, 80, 908-920. | 0.6 | 2 |
| 183 | Are Pictures Worth a Thousand Words: A Pilot Randomized Trial of Visual Cues to Improve Speed of Completion and Comprehension of Three Surveys for Older Adults. The Open Geriatric Medicine Journal, 2009, 1, 50-55. | 1.0 | 2 |
| 184 | Implementing the right care in the right place at the right time for non-alcoholic fatty liver disease (NAFLD-RRR study): a study protocol for a community care pathway for people with type 2 diabetes. BMC Health Services Research, 2022, 22, 487. | 0.9 | 2 |
| 185 | Electrophoretic mobility of cell nuclei (EMN index) as a biomarker of the biological aging process: Considering the association between EMN index and age. HOMO- Journal of Comparative Human Biology, 2015, 66, 549-560. | 0.3 | 1 |
| 186 | Effectiveness of the cardiac-diabetes transcare program: protocol for a randomised controlled trial. BMC Health Services Research, 2017, 17, 109. | 0.9 | 1 |
| 187 | External validation of the Rapid Assessment Prioritisation and Referral Tool for multidisciplinary teams in medical assessment and planning units. EMA - Emergency Medicine Australasia, 2018, 30, 785-793. | 0.5 | 1 |
| 188 | The Relationship of Ultrasound Measurements of Muscle Deformation With Torque and Electromyography During Isometric Contractions of the Cervical Extensor Muscles. Journal of Manipulative and Physiological Therapeutics, 2020, 43, 284-293. | 0.4 | 1 |
| 189 | Economic evaluations in â€~non-inferiority' trials: can costs guide decisions between surgical and non-surgical interventions?. British Journal of Sports Medicine, 2020, 54, 695-696. | 3.1 | 1 |
| 190 | Author response to: Comment on: "Randomized clinical trial of negative pressure wound therapy as an adjunctive treatment for small-area thermal burns in children―by Frear et al. British Journal of Surgery, 2021, 108, e87-e87. | 0.1 | 1 |
| 191 | Economic burden of patients living with heart disease in the last years of life in Australia: a retrospective analysis using linked data. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 333-341. | 1.8 | 1 |
| 192 | Letter to the Editor and Author Response for "A systematic review and meta-analysis of randomized trials evaluating the efficacy of autologous skin cell suspensions for re-epithelialization of acute partial thickness burn injuries and split-thickness skin graft donor sites―by Bairagi, et al. Burns, 2021, | 1.1 | 1 |
| 193 | Financial Costs of Emergency Department Presentations for Australian Patients With Heart Disease in the Last 3 Years of Life. Health Services Insights, 2022, 15, 117863292210910. | 0.6 | 1 |
| 194 | Application of a Mixed Methods Multi-Criteria Decision Analysis Framework in Integrated Health Care. International Journal of Integrated Care, 2022, 22, . | 0.1 | 1 |
| 195 | When should an intervention be provided?. Australian Journal of Physiotherapy, 2009, 55, 218. | 0.9 | Ο |
| 196 | Feasibility of an Interdisciplinary Early Intervention for Patients with Low Levels of Responsiveness Following an Acquired Brain Injury. Brain Impairment, 2013, 14, 213-221. | 0.5 | 0 |
| 197 | The ankle-fracture outcome of rehabilitation measure (A-FORM), instrument development, measurement properties and first user experiences. Physiotherapy, 2015, 101, e985. | 0.2 | 0 |
| 198 | Does flexibility of the cervical and thoracic spine influence forward head posture in healthy individuals?. Physiotherapy, 2015, 101, e248-e249. | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Exercise is delayed in critically ill patients: a five year observational study in an Australian tertiary intensive care unit. Australian Critical Care, 2017, 30, 119-120. | 0.6 | 0 |
| 200 | Completing Documented Care Plans After New Acute Stroke: Multilevel Analyses From a National Stroke Audit. Archives of Physical Medicine and Rehabilitation, 2017, 98, e47-e48. | 0.5 | 0 |
| 201 | Factors Associated With Provision of Risk-Modification Advice After Acute Stroke: Findings From a National Audit. Archives of Physical Medicine and Rehabilitation, 2017, 98, e68. | 0.5 | 0 |
| 202 | Responsiveness to Self-Reporting Physical Activity Among Older Patients Receiving Ambulatory Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2017, 98, e103. | 0.5 | 0 |
| 203 | Promotion of Physical Activity for Older People with Musculoskeletal Conditions. , 2018, , 165-184. | | Ο |
| 204 | Barriers and Enablers to Community Walking in People With Lower Limb Amputation. Archives of Physical Medicine and Rehabilitation, 2018, 99, e46. | 0.5 | 0 |
| 205 | Reproducibility, longitudinal validity and interpretability of the Disease Burden Morbidity Assessment in people with chronic disease. Chronic Illness, 2018, 14, 310-325. | 0.6 | Ο |
| 206 | 129. Critical Care Medicine, 2019, 47, 47. | 0.4 | 0 |
| 207 | Is perceived force an accurate method of regulating exercise load for the neck?. Physiotherapy Theory and Practice, 2019, 35, 596-601. | 0.6 | Ο |
| 208 | Development of a preference-based heart disease-specific health state classification system using MacNew heart disease-related quality of life instrument. Quality of Life Research, 2022, 31, 257-268. | 1.5 | 0 |
| 209 | 1506Flexible parametric survival models investigating factors associated with diabetes-related foot ulcer time-to-healing. International Journal of Epidemiology, 2021, 50, . | 0.9 | Ο |
| 210 | 1505Cost-effectiveness of guideline-based care for diabetes-related foot ulcers: using discrete event simulation in economic evaluation. International Journal of Epidemiology, 2021, 50, . | 0.9 | 0 |
| 211 | Adolescent Self-Reported Physical Activity and Autonomy: A Case for Constrained and Structured Environments?. Journal of Sports Science and Medicine, 2015, 14, 568-73. | 0.7 | Ο |
| 212 | A physiotherapy led Soft Tissue Injury Clinic is an efficient and cost effective model of care. A paediatric specific interrupted time series study. Physiotherapy, 2022, 116, 72-78. | 0.2 | 0 |
| 213 | A Bayesian Approach for Incorporating the EQ-5D Visual Analog Scale When Estimating the Health-Related Quality of Life. Value in Health, 2022, , . | 0.1 | Ο |
| 214 | Reducing exacerbations in children and adults with primary ciliary dyskinesia using erdosteine and/or azithromycin therapy (REPEAT trial): study protocol for a multicentre, double-blind, double-dummy, 2×2 partial factorial, randomised controlled trial. BMJ Open Respiratory Research, 2022, 9, e001236. | 1.2 | 0 |
| 215 | Correction: Application of a Mixed Methods Multi-Criteria Decision Analysis Framework in Integrated Health Care. International Journal of Integrated Care, 2022, 22, . | 0.1 | 0 |
| 216 | Cost-Effectiveness and Budget Impact Analysis of Implementing a 'Soft Opt-Out' System for Kidney Donation in Australia. Applied Health Economics and Health Policy, 0, , . | 1.0 | 0 |