

# Steven M Mcphail Pt

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3096151/steven-m-mcphail-pt-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193  
papers

2,758  
citations

26  
h-index

44  
g-index

217  
ext. papers

3,534  
ext. citations

3.2  
avg, IF

5.73  
L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 193 | Multimorbidity in chronic disease: impact on health care resources and costs. <i>Risk Management and Healthcare Policy</i> , <b>2016</b> , 9, 143-56   | 2.8  | 199       |
| 192 | Patient education to prevent falls among older hospital inpatients: a randomized controlled trial. <i>Archives of Internal Medicine</i> , <b>2011</b> , 171, 516-24  |      | 132       |
| 191 | Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>Lancet, The</i> , <b>2015</b> , 385, 2592-9   | 4.0  | 129       |
| 190 | Measuring falls events in acute hospitals—a comparison of three reporting methods to identify missing data in the hospital reporting system. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 1347-52   | 5.6  | 95        |
| 189 | Response shift, recall bias and their effect on measuring change in health-related quality of life amongst older hospital patients. <i>Health and Quality of Life Outcomes</i> , <b>2010</b> , 8, 65   | 3    | 86        |
| 188 | Global Disability Burdens of Diabetes-Related Lower-Extremity Complications in 1990 and 2016. <i>Diabetes Care</i> , <b>2020</b> , 43, 964-974   | 14.6 | 74        |
| 187 | A randomized trial comparing digital video disc with written delivery of falls prevention education for older patients in hospital. <i>Journal of the American Geriatrics Society</i> , <b>2009</b> , 57, 1458-63  | 5.6  | 72        |
| 186 | Falls after discharge from hospital: is there a gap between older peoples' knowledge about falls prevention strategies and the research evidence?. <i>Gerontologist, The</i> , <b>2011</b> , 51, 653-62  | 5    | 68        |
| 185 | Factors associated with older patients' engagement in exercise after hospital discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 92, 1395-403  | 2.8  | 67        |
| 184 | Two perspectives of proxy reporting of health-related quality of life using the Euroqol-5D, an investigation of agreement. <i>Medical Care</i> , <b>2008</b> , 46, 1140-8  | 3.1  | 63        |
| 183 | Evaluation of the sustained effect of inpatient falls prevention education and predictors of falls after hospital discharge—follow-up to a randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2011</b> , 66, 1001-12 | 6.4  | 49        |
| 182 | Telephone reliability of the Frenchay Activity Index and EQ-5D amongst older adults. <i>Health and Quality of Life Outcomes</i> , <b>2009</b> , 7, 48  | 3    | 49        |
| 181 | A systematic review of axillary web syndrome (AWS). <i>Journal of Cancer Survivorship</i> , <b>2015</b> , 9, 576-98  | 5.1  | 46        |
| 180 | Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. <i>BMC Medicine</i> , <b>2013</b> , 11, 135   | 11.4 | 46        |
| 179 | An evolving perspective on physical activity counselling by medical professionals. <i>BMC Family Practice</i> , <b>2012</b> , 13, 31   | 2.6  | 43        |
| 178 | Development and validation of the balance outcome measure for elder rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2007</b> , 88, 1614-21  | 2.8  | 43        |
| 177 | Systematic review: unmet supportive care needs in people diagnosed with chronic liver disease. <i>BMJ Open</i> , <b>2015</b> , 5, e007451  | 3    | 42        |

|     |  |      |    |
|-----|--|------|----|
| 176 | Life impact of ankle fractures: qualitative analysis of patient and clinician experiences. <i>BMC Musculoskeletal Disorders</i> , <b>2012</b> , 13, 224  | 2.8  | 41 |
| 175 | Factors influencing research engagement: research interest, confidence and experience in an Australian speech-language pathology workforce. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 144  | 2.9  | 40 |
| 174 | Work related musculoskeletal disorders amongst therapists in physically demanding roles: qualitative analysis of risk factors and strategies for prevention. <i>BMC Musculoskeletal Disorders</i> , <b>2011</b> , 12, 24                           | 2.8  | 38 |
| 173 | Burden of decompensated cirrhosis and ascites on hospital services in a tertiary care facility: time for change?. <i>Internal Medicine Journal</i> , <b>2014</b> , 44, 865-72  | 1.6  | 35 |
| 172 | Are psychological interventions effective on anxiety in cancer patients? A systematic review and meta-analyses. <i>Psycho-Oncology</i> , <b>2018</b> , 27, 2063-2076   | 3.9  | 32 |
| 171 | Predictors of health-related quality of life in people with a complex chronic disease including multimorbidity: a longitudinal cohort study. <i>Quality of Life Research</i> , <b>2016</b> , 25, 2579-2592   | 3.7  | 31 |
| 170 | Impact of disinvestment from weekend allied health services across acute medical and surgical wards: 2 stepped-wedge cluster randomised controlled trials. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002412                                       | 11.6 | 29 |
| 169 | Perceived barriers and facilitators to increasing physical activity among people with musculoskeletal disorders: a qualitative investigation to inform intervention development. <i>Clinical Interventions in Aging</i> , <b>2014</b> , 9, 2113-22 | 4    | 26 |
| 168 | Use of Condition-Specific Patient-Reported Outcome Measures in Clinical Trials among Patients with Wrist Osteoarthritis: A Systematic Review. <i>Advances in Orthopedics</i> , <b>2012</b> , 2012, 273421  | 2.1  | 26 |
| 167 | Age, physical inactivity, obesity, health conditions, and health-related quality of life among patients receiving conservative management for musculoskeletal disorders. <i>Clinical Interventions in Aging</i> , <b>2014</b> , 9, 1069-80         | 4    | 25 |
| 166 | Evidence of disagreement between patient-perceived change and conventional longitudinal evaluation of change in health-related quality of life among older adults. <i>Clinical Rehabilitation</i> , <b>2010</b> , 24, 1036-44                      | 3.3  | 25 |
| 165 | 'My independent streak may get in the way': how older adults respond to falls prevention education in hospital. <i>BMJ Open</i> , <b>2016</b> , 6, e012363   | 3    | 24 |
| 164 | Physical activity and health-related quality of life among physiotherapists: a cross sectional survey in an Australian hospital and health service. <i>Journal of Occupational Medicine and Toxicology</i> , <b>2014</b> , 9, 1                    | 2.7  | 24 |
| 163 | Practical physical activity measurement in youth: a review of contemporary approaches. <i>World Journal of Pediatrics</i> , <b>2012</b> , 8, 207-16  | 4.6  | 24 |
| 162 | Gait speed as an indicator of prosthetic walking potential following lower limb amputation. <i>Prosthetics and Orthotics International</i> , <b>2019</b> , 43, 196-203   | 1.5  | 23 |
| 161 | Cost-effectiveness of silver dressings for paediatric partial thickness burns: An economic evaluation from a randomized controlled trial. <i>Burns</i> , <b>2017</b> , 43, 724-732   | 2.3  | 21 |
| 160 | Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. <i>Age and Ageing</i> , <b>2018</b> , 47, 512-519   | 3    | 21 |
| 159 | Increasing the confidence and knowledge of occupational therapy and physiotherapy students when communicating with people with aphasia: A prepost intervention study. <i>Speech, Language and Hearing</i> , <b>2015</b> , 18, 148-155              | 1.1  | 21 |

|     |  |      |    |
|-----|--|------|----|
| 158 | Evaluation of the effect of patient education on rates of falls in older hospital patients: description of a randomised controlled trial. <i>BMC Geriatrics</i> , <b>2009</b> , 9, 14  | 4.1  | 21 |
| 157 | Educators' perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. <i>BMJ Open</i> , <b>2015</b> , 5, e009780   | 3    | 20 |
| 156 | A survey of radiographers' confidence and self-perceived accuracy in frontline image interpretation and their continuing educational preferences. <i>Journal of Medical Radiation Sciences</i> , <b>2014</b> , 61, 69-77   | 1.5  | 20 |
| 155 | Valid and reliable assessment of wellness among adolescents: Do you know what you're measuring?. <i>International Journal of Wellbeing</i> , <b>2013</b> , 3, 162-172  | 3.1  | 20 |
| 154 | Does communication partner training improve the conversation skills of speech-language pathology students when interacting with people with aphasia?. <i>Journal of Communication Disorders</i> , <b>2017</b> , 68, 1-9  | 1.9  | 19 |
| 153 | A stepped-wedge cluster randomised controlled trial for evaluating rates of falls among inpatients in aged care rehabilitation units receiving tailored multimedia education in addition to usual care: a trial protocol. <i>BMJ Open</i> , <b>2014</b> , 4, e004195 | 3    | 19 |
| 152 | Increasing Hospitalization Rates for Cirrhosis: Overrepresentation of Disadvantaged Australians. <i>EClinicalMedicine</i> , <b>2019</b> , 11, 44-53  | 11.3 | 18 |
| 151 | A pretest intervention study investigating the confidence and knowledge of health professionals communicating with people with aphasia in a metropolitan hospital. <i>Aphasiology</i> , <b>2017</b> , 31, 359-374  | 1.6  | 18 |
| 150 | Pregnant women's awareness, knowledge and beliefs about pelvic floor muscles: a cross-sectional survey. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 1557-1565   | 2    | 16 |
| 149 | The confidence of speech-language pathology students regarding communicating with people with aphasia. <i>BMC Medical Education</i> , <b>2013</b> , 13, 92   | 3.3  | 16 |
| 148 | Reference bias: presentation of extreme health states prior to EQ-VAS improves health-related quality of life scores. a randomised cross-over trial. <i>Health and Quality of Life Outcomes</i> , <b>2010</b> , 8, 146   | 3    | 16 |
| 147 | Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2019</b> , 74, 1511-1517                                | 6.4  | 15 |
| 146 | Critical Care Cycling Study (CYCLIST) trial protocol: a randomised controlled trial of usual care plus additional in-bed cycling sessions versus usual care in the critically ill. <i>BMJ Open</i> , <b>2017</b> , 7, e017393  | 3    | 15 |
| 145 | Cost-effectiveness of telerehabilitation versus traditional care after total hip replacement: A trial-based economic evaluation. <i>Journal of Telemedicine and Telecare</i> , <b>2021</b> , 27, 359-366   | 6.8  | 14 |
| 144 | Exploratory study into the unmet supportive needs of people diagnosed with cirrhosis in Queensland, Australia. <i>Internal Medicine Journal</i> , <b>2017</b> , 47, 429-435  | 1.6  | 13 |
| 143 | The confidence and knowledge of health practitioners when interacting with people with aphasia in a hospital setting. <i>Disability and Rehabilitation</i> , <b>2018</b> , 40, 1288-1293   | 2.4  | 13 |
| 142 | Neck and Upper Limb Dysfunction in Patients following Neck Dissection: Looking beyond the Shoulder. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2017</b> , 157, 631-640   | 5.5  | 13 |
| 141 | Psychometric properties of the Brisbane Burn Scar Impact Profile in adults with burn scars. <i>PLoS ONE</i> , <b>2017</b> , 12, e0184452   | 3.7  | 13 |

|     |  |      |    |
|-----|--|------|----|
| 140 | Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. <i>BMJ Open</i> , <b>2017</b> , 7, e013931   | 3    | 12 |
| 139 | Neck and Shoulder Motor Function following Neck Dissection: A Comparison with Healthy Control Subjects. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2019</b> , 160, 1009-1018   | 5.5  | 12 |
| 138 | Risk factors for hospital re-presentation among older adults following fragility fractures: a systematic review and meta-analysis. <i>BMC Medicine</i> , <b>2016</b> , 14, 136   | 11.4 | 12 |
| 137 | The association between adolescent self-reported physical activity and wellness: the missing piece for youth wellness programs. <i>Journal of Adolescent Health</i> , <b>2014</b> , 55, 281-6  | 5.8  | 12 |
| 136 | Physical function and health-related quality of life of older adults undergoing hospital rehabilitation: how strong is the association?. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 2435-7 <sup>5.6</sup>   | 5.6  | 12 |
| 135 | The relationship between physical impairments, quality of life and disability of the neck and upper limb in patients following neck dissection. <i>Journal of Cancer Survivorship</i> , <b>2018</b> , 12, 619-631  | 5.1  | 12 |
| 134 | Effectiveness of topical silicone gel and pressure garment therapy for burn scar prevention and management in children: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2017</b> , 18, 72   | 2.8  | 11 |
| 133 | A single-blind, randomised controlled trial of StrataXRT <sup>®</sup> - A silicone-based film-forming gel dressing for prophylaxis and management of radiation dermatitis in patients with head and neck cancer. <i>Radiotherapy and Oncology</i> , <b>2019</b> , 139, 72-78 | 5.3  | 11 |
| 132 | Are Measures of Postural Behavior Using Motion Sensors in Seated Office Workers Reliable?. <i>Human Factors</i> , <b>2019</b> , 61, 1141-1161  | 3.8  | 11 |
| 131 | Job strain and psychological distress in office workers: The role of coping. <i>Work</i> , <b>2019</b> , 64, 55-65   | 1.6  | 11 |
| 130 | Pitfalls in the use of kappa when interpreting agreement between multiple raters in reliability studies. <i>Physiotherapy</i> , <b>2014</b> , 100, 27-35   | 3    | 11 |
| 129 | Cost of hospitalization for bronchiectasis exacerbation in children. <i>Respirology</i> , <b>2020</b> , 25, 1250-1256  | 3.6  | 10 |
| 128 | Evaluation of Tailored Falls Education on Older Adults' Behavior Following Hospitalization. <i>Journal of the American Geriatrics Society</i> , <b>2019</b> , 67, 2274-2281  | 5.6  | 10 |
| 127 | Development and validation of the ankle fracture outcome of rehabilitation measure (A-FORM). <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2014</b> , 44, 488-99, B1-2  | 4.2  | 10 |
| 126 | Patients undergoing subacute rehabilitation have accurate expectations of their health-related quality of life at discharge. <i>Health and Quality of Life Outcomes</i> , <b>2012</b> , 10, 94   | 3    | 10 |
| 125 | Use of telehealth to treat and manage chronic viral hepatitis in regional Queensland. <i>Journal of Telemedicine and Telecare</i> , <b>2016</b> , 22, 459-464  | 6.8  | 10 |
| 124 | Development and Evaluation of the Supportive Needs Assessment Tool for Cirrhosis (SNAC). <i>Patient Preference and Adherence</i> , <b>2020</b> , 14, 599-611   | 2.4  | 10 |
| 123 | The longitudinal validity, reproducibility and responsiveness of the Brisbane Burn Scar Impact Profile (caregiver report for young children version) for measuring health-related quality of life in children with burn scars. <i>Burns</i> , <b>2019</b> , 45, 1792-1809    | 2.3  | 9  |

|     |  |     |   |
|-----|--|-----|---|
| 122 | Development, reliability and validity of the queensland evaluation of wheelchair skills (QEWS). <i>Spinal Cord</i> , <b>2015</b> , 53, 743-9   | 2.7 | 9 |
| 121 | Depressive symptoms and adverse outcomes from hospitalization in older adults: secondary outcomes of a trial of falls prevention education. <i>Archives of Gerontology and Geriatrics</i> , <b>2015</b> , 60, 96-102 <sup>4</sup>              |     | 9 |
| 120 | Goal setting improves retention in youth mental health: a cross-sectional analysis. <i>Child and Adolescent Psychiatry and Mental Health</i> , <b>2019</b> , 13, 31  | 6.8 | 9 |
| 119 | Demographics and discharge outcomes of dysvascular and non-vascular lower limb amputees at a subacute rehabilitation unit: a 7-year series. <i>Australian Health Review</i> , <b>2015</b> , 39, 76-84  | 1.8 | 9 |
| 118 | Radiographer commenting of trauma radiographs: a survey of the benefits, barriers and enablers to participation in an Australian healthcare setting. <i>Journal of Medical Imaging and Radiation Oncology</i> , <b>2014</b> , 58, 431-8        | 1.7 | 9 |
| 117 | Effectiveness of a hydrogel dressing as an analgesic adjunct to first aid for the treatment of acute paediatric thermal burn injuries: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2019</b> , 20, 13                  | 2.8 | 9 |
| 116 | What are the barriers and enablers that people with a lower limb amputation experience when walking in the community?. <i>Disability and Rehabilitation</i> , <b>2020</b> , 42, 3481-3487  | 2.4 | 9 |
| 115 | Effectiveness of topical silicone gel and pressure garment therapy for burn scar prevention and management in children: a randomized controlled trial. <i>Clinical Rehabilitation</i> , <b>2020</b> , 34, 120-131                              | 3.3 | 9 |
| 114 | Rasch analysis supported the construct validity of self-report measures of activity and participation derived from patient ratings of the ICF low back pain core set. <i>Journal of Clinical Epidemiology</i> , <b>2017</b> , 84, 161-172      | 5.7 | 8 |
| 113 | Self-reported disability according to the International Classification of Functioning, Disability and Health Low Back Pain Core Set: Test-retest agreement and reliability. <i>Disability and Health Journal</i> , <b>2017</b> , 10, 621-626   | 4.2 | 8 |
| 112 | 'It promoted a positive culture around falls prevention': staff response to a patient education programme-a qualitative evaluation. <i>BMJ Open</i> , <b>2016</b> , 6, e013414   | 3   | 8 |
| 111 | A retrospective cohort investigation of active range of motion within one week of open reduction and internal fixation of distal radius fractures. <i>Journal of Hand Therapy</i> , <b>2013</b> , 26, 225-30; quiz 231                         | 1.6 | 8 |
| 110 | Development of the Rapid Assessment, Prioritisation and Referral Tool (RAPaRT) for multidisciplinary teams in emergency care settings. <i>Emergency Medicine Journal</i> , <b>2015</b> , 32, 26-31   | 1.5 | 8 |
| 109 | Work-Related Injuries Amongst Occupational Therapists: A Preliminary Investigation. <i>British Journal of Occupational Therapy</i> , <b>2011</b> , 74, 143-147   | 1   | 8 |
| 108 | Evidence of Improved Efficiency in Functional Gains During Subacute Inpatient Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 95, 800-808  | 2.6 | 8 |
| 107 | Study of negative pressure wound therapy as an adjunct treatment for acute burns in children (SONATA in C): protocol for a randomised controlled trial. <i>Trials</i> , <b>2019</b> , 20, 130  | 2.8 | 7 |
| 106 | Reducing risk in the emergency department: a 12-month prospective longitudinal study of radiographer preliminary image evaluations. <i>Journal of Medical Radiation Sciences</i> , <b>2019</b> , 66, 154-162                                   | 1.5 | 7 |
| 105 | Protocol for a randomised blocked design study using telephone and text-messaging to support cardiac patients with diabetes: a cross cultural international collaborative project. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 402 | 2.9 | 7 |

|     |  |      |   |
|-----|--|------|---|
| 104 | Patients undergoing subacute physical rehabilitation following an acute hospital admission demonstrated improvement in cognitive functional task independence. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 810418   | 2.2  | 7 |
| 103 | Patient preference for falls prevention in hospitals revealed through willingness-to-pay, contingent valuation survey. <i>Journal of Evaluation in Clinical Practice</i> , <b>2011</b> , 17, 304-10  | 2.5  | 7 |
| 102 | A randomized controlled trial of an enhanced interdisciplinary community based group program for people with Parkinson's disease: study rationale and protocol. <i>Neurology International</i> , <b>2012</b> , 4, e3   | 1.2  | 7 |
| 101 | Patterns of service utilisation within Australian hepatology clinics: high prevalence of advanced liver disease. <i>Internal Medicine Journal</i> , <b>2016</b> , 46, 420-6  | 1.6  | 7 |
| 100 | Conversations between people with aphasia and speech pathology students via telepractice: A Phase II feasibility study. <i>International Journal of Language and Communication Disorders</i> , <b>2020</b> , 55, 43-58 <sup>2.9</sup>  |      | 7 |
| 99  | Diabetes-related foot disease in Australia: a systematic review of the prevalence and incidence of risk factors, disease and amputation in Australian populations. <i>Journal of Foot and Ankle Research</i> , <b>2021</b> , 14, 8   | 3.2  | 7 |
| 98  | How does feedback from patients impact upon healthcare student clinical skill development and learning? A systematic review. <i>Medical Teacher</i> , <b>2018</b> , 40, 244-252  | 3    | 7 |
| 97  | Health-related quality of life of people with multimorbidity at a community-based, interprofessional student-assisted clinic: Implications for assessment and intervention. <i>Chronic Illness</i> , <b>2018</b> , 14, 169-181   | 1.4  | 7 |
| 96  | Clinicians' perceptions of rationales for rehabilitative exercise in a critical care setting: A cross-sectional study. <i>Australian Critical Care</i> , <b>2017</b> , 30, 79-84   | 2.9  | 6 |
| 95  | Nonalcoholic Fatty Liver Disease: Interface Between Primary Care and Hepatology Clinics. <i>Hepatology Communications</i> , <b>2020</b> , 4, 518-526   | 6    | 6 |
| 94  | 'I've got to get something out of it. And so do they': experiences of people with aphasia and university students participating in a communication partner training programme for healthcare professionals. <i>International Journal of Language and Communication Disorders</i> , <b>2018</b> , 53, 919-928 | 2.9  | 6 |
| 93  | Comparative effectiveness of Biobrane <sup>®</sup> , RECELL <sup>®</sup> Autologous skin Cell suspension and Silver dressings in partial thickness paediatric burns: BRACS randomised trial protocol. <i>Burns and Trauma</i> , <b>2019</b> , 7, 33  | 5.3  | 6 |
| 92  | Radiographic imaging for traumatic ankle injuries: a demand profile and investigation of radiological reporting timeframes from an Australian tertiary facility. <i>Journal of Foot and Ankle Research</i> , <b>2014</b> , 7, 25   | 3.2  | 6 |
| 91  | The health outcomes and costs of people attending an interdisciplinary chronic disease service in regional Australia: protocol for a longitudinal cohort investigation. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 410  | 2.9  | 6 |
| 90  | Physiotherapists have accurate expectations of their patients' future health-related quality of life after first assessment in a subacute rehabilitation setting. <i>BioMed Research International</i> , <b>2013</b> , 2013, 340371  | 3    | 6 |
| 89  | Divesting from a Scored Hospital Fall Risk Assessment Tool (FRAT): A Cluster Randomized Non-Inferiority Trial. <i>Journal of the American Geriatrics Society</i> , <b>2021</b> , 69, 2598-2604   | 5.6  | 6 |
| 88  | Factors Associated With Healing of Diabetes-Related Foot Ulcers: Observations From a Large Prospective Real-World Cohort. <i>Diabetes Care</i> , <b>2021</b> , 44, e143-e145   | 14.6 | 6 |
| 87  | What do clinicians consider when assessing chronic low back pain? A content analysis of multidisciplinary pain centre team assessments of functioning, disability, and health. <i>Pain</i> , <b>2018</b> , 159, 2128-2136  | 8    | 6 |

|    |   |      |   |
|----|---|------|---|
| 86 | Nintendo Wii Fit as an adjunct to physiotherapy following lower limb fractures: preliminary feasibility, safety and sample size considerations. <i>Physiotherapy</i> , <b>2016</b> , 102, 217-20  | 3    | 5 |
| 85 | Development of a valid and reliable test to assess trauma radiograph interpretation performance. <i>Radiography</i> , <b>2017</b> , 23, 153-158   | 2    | 5 |
| 84 | Telepractice communication partner training for health professionals: A randomised trial. <i>Journal of Communication Disorders</i> , <b>2019</b> , 81, 105914  | 1.9  | 5 |
| 83 | Perspectives of older adults regarding barriers and enablers to engaging in fall prevention activities after hospital discharge. <i>Health and Social Care in the Community</i> , <b>2020</b> , 28, 1710-1722   | 2.6  | 5 |
| 82 | Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. <i>BMJ Open</i> , <b>2018</b> , 8, e020726  | 2.26 | 5 |
| 81 | The Brisbane Burn Scar Impact Profile (child and young person version) for measuring health-related quality of life in children with burn scars: A longitudinal cohort study of reliability, validity and responsiveness. <i>Burns</i> , <b>2019</b> , 45, 1537-1552        | 2.3  | 5 |
| 80 | Gait outcomes of older adults receiving subacute hospital rehabilitation following orthopaedic trauma: a longitudinal cohort study. <i>BMJ Open</i> , <b>2017</b> , 7, e016628  | 3    | 5 |
| 79 | Patient Preferences for Receiving Remote Communication Support for Lifestyle Physical Activity Behaviour Change: The Perspective of Patients with Musculoskeletal Disorders from Three Hospital Services. <i>BioMed Research International</i> , <b>2015</b> , 2015, 390352 | 3    | 5 |
| 78 | A comparative study of splint effectiveness in limiting forearm rotation. <i>Journal of Hand Therapy</i> , <b>2010</b> , 23, 241-7; quiz 248  | 1.6  | 5 |
| 77 | A Longitudinal Evaluation of Risk Factors and Interactions for the Development of Nonspecific Neck Pain in Office Workers in Two Cultures. <i>Human Factors</i> , <b>2021</b> , 63, 663-683   | 3.8  | 5 |
| 76 | The Cost of Acute Respiratory Infections With Cough Among Urban Aboriginal and Torres Strait Islander Children. <i>Frontiers in Pediatrics</i> , <b>2018</b> , 6, 379   | 3.4  | 5 |
| 75 | Predictors of health-related quality of life in patients treated with neck dissection for head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2017</b> , 274, 4183-4193  | 3.5  | 4 |
| 74 | Effect of in-bed cycling on acute muscle wasting in critically ill adults: A randomised clinical trial. <i>Journal of Critical Care</i> , <b>2020</b> , 59, 86-93   | 4    | 4 |
| 73 | Anxiety and depression in patients with early stage endometrial cancer: A longitudinal analysis from before surgery to 6-month post-surgery. <i>Journal of Psychosocial Oncology Research and Practice</i> , <b>2019</b> , 1, e13   | 0.7  | 4 |
| 72 | Changing prevalence of aetiological factors and comorbidities among Australians hospitalised for cirrhosis. <i>Internal Medicine Journal</i> , <b>2021</b> , 51, 691-698  | 1.6  | 4 |
| 71 | Does Free-Text Information in Falls Incident Reports Assist to Explain How and Why the Falls Occurred in a Hospital Setting?. <i>Journal of Patient Safety</i> , <b>2021</b> , 17, e1472-e1479  | 1.9  | 4 |
| 70 | Interventions to reduce falls in hospitals: a systematic review and meta-analysis.. <i>Age and Ageing</i> , <b>2022</b> , 51,   | 3    | 4 |
| 69 | Prediction of vocational participation and global role functioning in help-seeking young adults, from neurocognitive, demographic and clinical variables. <i>Journal of Affective Disorders</i> , <b>2017</b> , 221, 158-164  | 6.6  | 3 |



|    |   |     |   |
|----|---|-----|---|
| 68 | Effectiveness of falls prevention interventions for older adults newly discharged from hospital: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , <b>2017</b> , 15, 686-693   | 1.6 | 3 |
| 67 | Frequency of a very brief intervention by physiotherapists to increase physical activity levels in adults: a pilot randomised controlled trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , <b>2019</b> , 11, 6  | 2.4 | 3 |
| 66 | Agreement between physiotherapists rating scapular posture in multiple planes in patients with neck pain: Reliability study. <i>Physiotherapy</i> , <b>2015</b> , 101, 381-8  | 3   | 3 |
| 65 | A scoping review of cost-effectiveness analyses of school-based interventions for caries. <i>Community Dentistry and Oral Epidemiology</i> , <b>2020</b> , 48, 357-363  | 2.8 | 3 |
| 64 | Is an educational lecture a critical component of communication partner training?. <i>International Journal of Speech-Language Pathology</i> , <b>2018</b> , 20, 779-789  | 2.1 | 3 |
| 63 | Incidence, risk factors and the healthcare cost of falls postdischarge after elective total hip and total knee replacement surgery: protocol for a prospective observational cohort study. <i>BMJ Open</i> , <b>2016</b> , 6, e011139   | 3   | 3 |
| 62 | Setting measurable goals with young people: Qualitative feedback from the Goal Attainment Scale in youth mental health. <i>British Journal of Occupational Therapy</i> , <b>2015</b> , 78, 253-259  | 1   | 3 |
| 61 | The Large Allen Cognitive Level Screen as an Indicator for Medication Adherence among Adults Accessing Community Mental Health Services. <i>British Journal of Occupational Therapy</i> , <b>2013</b> , 76, 137-143 <sup>1</sup>  |     | 3 |
| 60 | Intratherapist Reliability in the Rating of Scapula Posture in Multiple Planes of Reference. <i>ISRN Rehabilitation</i> , <b>2012</b> , 2012, 1-8   |     | 3 |
| 59 | AUSTRALIAN PATIENTS USING A CARDIAC-DIABETES WEB-BASED INTERVENTION PROGRAM: CONTRIBUTIONS TO PERSON-CENTERED CLINICAL PRACTICE. <i>European Journal for Person Centered Healthcare</i> , <b>2015</b> , 3, 168  | 1.3 | 3 |
| 58 | Physiotherapist-led treatment for femoroacetabular impingement syndrome (the PhysioFIRST study): a protocol for a participant and assessor-blinded randomised controlled trial. <i>BMJ Open</i> , <b>2021</b> , 11, e041742   | 3   | 3 |
| 57 | Improving the patient-centred care of children with life-altering skin conditions using feedback from electronic patient-reported outcome measures: protocol for a hybrid effectiveness-implementation study (PEDS-ePROM). <i>BMJ Open</i> , <b>2021</b> , 11, e041861          | 3   | 3 |
| 56 | Evaluating the effectiveness of intensive versus non-intensive image interpretation education for radiographers: a randomised controlled trial. <i>Journal of Medical Radiation Sciences</i> , <b>2019</b> , 66, 5-13   | 1.5 | 3 |
| 55 | Acceptability, safety, and feasibility of in-bed cycling with critically ill patients. <i>Australian Critical Care</i> , <b>2020</b> , 33, 236-243  | 2.9 | 3 |
| 54 | A systematic review and meta-analysis of randomized trials evaluating the efficacy of autologous skin cell suspensions for re-epithelialization of acute partial thickness burn injuries and split-thickness skin graft donor sites. <i>Burns</i> , <b>2021</b> , 47, 1225-1240 | 2.3 | 3 |
| 53 | Identifying areas of need relative to liver disease: geographic clustering within a health service district. <i>Australian Health Review</i> , <b>2017</b> , 41, 407-418  | 1.8 | 2 |
| 52 | Cardiac-diabetes self-management program for Australians and Taiwanese: A randomized blocked design study. <i>Australian Journal of Cancer Nursing</i> , <b>2017</b> , 19, 307-315  | 1.9 | 2 |
| 51 | Exploring functional concerns in help-seeking youth: a qualitative study. <i>Microbial Biotechnology</i> , <b>2015</b> , 9, 228-33  | 3.3 | 2 |

|    |   |     |   |
|----|---|-----|---|
| 50 | Evaluating the effectiveness of intensive versus non-intensive image interpretation education for radiographers: a randomised control trial study protocol. <i>Journal of Medical Radiation Sciences</i> , <b>2018</b> , 65, 63-70  | 1.5 | 2 |
| 49 | Reliability of a wellness inventory for use among adolescent females aged 12-14 years. <i>BMC Women's Health</i> , <b>2014</b> , 14, 87   | 2.9 | 2 |
| 48 | Risk factors for hospital re-presentation among older adults following fragility fractures: protocol for a systematic review. <i>Systematic Reviews</i> , <b>2015</b> , 4, 91   | 3   | 2 |
| 47 | Multiple factors predict longer and shorter time-to-ulcer-free in people with diabetes-related foot ulcers: survival analyses of a large prospective cohort followed-up for 24-months.. <i>Diabetes Research and Clinical Practice</i> , <b>2022</b> , 109239                 | 7.4 | 2 |
| 46 | Implementing a nurse-enabled, integrated, shared-care model involving specialists and general practitioners in breast cancer post-treatment follow-up: a study protocol for a phase II randomised controlled trial (the EMINENT trial). <i>Trials</i> , <b>2020</b> , 21, 855 | 2.8 | 2 |
| 45 | Assessment of abduction motion in patients with rotator cuff tears: an analysis based on inertial sensors. <i>BMC Musculoskeletal Disorders</i> , <b>2019</b> , 20, 597   | 2.8 | 2 |
| 44 | How many patients enter endometrial cancer surgery with psychotropic medication prescriptions, and how many receive a new prescription perioperatively?. <i>Gynecologic Oncology</i> , <b>2019</b> , 152, 339-345   | 4.9 | 2 |
| 43 | Exercise interventions are delayed in critically ill patients: a cohort study in an Australian tertiary intensive care unit. <i>Physiotherapy</i> , <b>2020</b> , 109, 75-84  | 3   | 2 |
| 42 | Assessment of health-related quality of life and health utilities in Australian patients with cirrhosis. <i>JGH Open</i> , <b>2021</b> , 5, 133-142   | 1.8 | 2 |
| 41 | Sociocognitive approach to behaviour change for reducing low-value care. <i>Australian Health Review</i> , <b>2021</b> , 45, 173-177  | 1.8 | 2 |
| 40 | Adolescent's perceptions of parental influences on physical activity. <i>International Journal of Adolescent Medicine and Health</i> , <b>2016</b> , 29,  | 1.1 | 1 |
| 39 | Control group changes in objectively measured physical activity in primary care: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , <b>2019</b> , 8, 144   | 3   | 1 |
| 38 | Electrophoretic mobility of cell nuclei (EMN index) as a biomarker of the biological aging process: Considering the association between EMN index and age. <i>HOMO- Journal of Comparative Human Biology</i> , <b>2015</b> , 66, 549-60                                       | 0.5 | 1 |
| 37 | Can physical activity measurement alone improve objectively-measured physical activity in primary care?: A systematic review and meta-analysis. <i>Preventive Medicine Reports</i> , <b>2020</b> , 20, 101230   | 2.6 | 1 |
| 36 | Comparing predictors of part-time and no vocational engagement in youth primary mental health services: A brief report. <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 726-729  | 3.3 | 1 |
| 35 | Effectiveness of the cardiac-diabetes transcare program: protocol for a randomised controlled trial. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 109  | 2.9 | 1 |
| 34 | The modulation of the burn wound environment by negative pressure wound therapy: Insights from the proteome. <i>Wound Repair and Regeneration</i> , <b>2021</b> , 29, 288-297   | 3.6 | 1 |
| 33 | Averting Uncertainty: A Practical Guide to Physical Activity Research in Australian Schools. <i>Australian Journal of Teacher Education</i> , <b>2013</b> , 38,   | 1.4 | 1 |

|    |   |     |   |
|----|---|-----|---|
| 32 | The Relationship of Ultrasound Measurements of Muscle Deformation With Torque and Electromyography During Isometric Contractions of the Cervical Extensor Muscles. <i>Journal of Manipulative and Physiological Therapeutics</i> , <b>2020</b> , 43, 284-293  | 1.3 | 1 |
| 31 | Three Es of linked injury data: Episodes, Encounters and Events. <i>Injury Prevention</i> , <b>2021</b> , 27, 479-489   | 3.2 | 1 |
| 30 | Chronic wet cough in Australian children: Societal costs and quality of life. <i>Pediatric Pulmonology</i> , <b>2021</b> , 56, 2707-2716  | 3.5 | 1 |
| 29 | Effectiveness of topical silicone gel and pressure garment therapy for burn scar prevention and management in children 12-months postburn: A parallel group randomised controlled trial. <i>Clinical Rehabilitation</i> , <b>2021</b> , 35, 1126-1141   | 3.3 | 1 |
| 28 | Fall prevention education for older people being discharged from hospital: Educators' perspectives. <i>Health Education Journal</i> , 001789692110327   | 1.5 | 1 |
| 27 | Letter to the Editor and Author Response for "A systematic review and meta-analysis of randomized trials evaluating the efficacy of autologous skin cell suspensions for re-epithelialization of acute partial thickness burn injuries and split-thickness skin graft donor sites" by Bairagi, et al.. <i>Burns</i> , <b>2021</b> , | 2.3 | 1 |
| 26 | Are people with lower limb amputation changing? A seven-year analysis of patient characteristics at admission to inpatient rehabilitation and at discharge. <i>Disability and Rehabilitation</i> , <b>2019</b> , 41, 3203-3209  | 2.4 | 1 |
| 25 | External validation of the Rapid Assessment Prioritisation and Referral Tool for multidisciplinary teams in medical assessment and planning units. <i>EMA - Emergency Medicine Australasia</i> , <b>2018</b> , 30, 785-793  | 1.5 | 1 |
| 24 | Incidence and associated risk factors for falls in older adults following elective total knee replacement surgery - a prospective cohort study. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2021</b> ,   | 2.6 | 1 |
| 23 | Tailored Education Increased Capability and Motivation for Fall Prevention in Older People After Hospitalization. <i>Frontiers in Public Health</i> , <b>2021</b> , 9, 683723   | 6   | 1 |
| 22 | Cost-effectiveness of adjunctive negative pressure wound therapy in paediatric burn care: evidence from the SONATA in C randomised controlled trial. <i>Scientific Reports</i> , <b>2021</b> , 11, 16650  | 4.9 | 1 |
| 21 | Clinical prediction models for hospital falls: a scoping review protocol. <i>BMJ Open</i> , <b>2021</b> , 11, e051047   | 3   | 1 |
| 20 | Impact and outcome evaluation of HealthPathways: a scoping review of published methodologies. <i>Journal of Primary Health Care</i> , <b>2021</b> , 13, 260-273   | 0.8 | 1 |
| 19 | Fostering patient uptake of recommended health services and self-management strategies for musculoskeletal conditions: A Delphi study of clinician attributes. <i>Musculoskeletal Care</i> , <b>2020</b> , 18, 161-168  | 1.6 | 0 |
| 18 | Incidence and Associated Risk Factors for Falls in Older Adults Postdischarge Who Undergo Elective Total Hip Replacement Surgery-A Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2021</b> , 76, 1814-1820   | 6.4 | 0 |
| 17 | Patient characteristics associated with a poor response to non-surgical multidisciplinary management of knee osteoarthritis: a multisite prospective longitudinal study in an advanced practice physiotherapist-led tertiary service. <i>BMJ Open</i> , <b>2020</b> , 10, e037070   | 3   | 0 |
| 16 | Chronic physical health conditions and associated factors among people with serious orthopaedic injuries: A systematic review. <i>Trauma</i> , <b>2020</b> , 146040862096834  | 0.3 | 0 |
| 15 | A stepped-wedge randomised-controlled trial assessing the implementation, impact and costs of a prospective feedback loop to promote appropriate care and treatment for older patients in acute hospitals at the end of life: study protocol. <i>BMC Geriatrics</i> , <b>2020</b> , 20, 262   | 4.1 | 0 |

|    |   |     |   |
|----|---|-----|---|
| 14 | A web-based educational intervention to implement trauma-informed care in a paediatric healthcare setting: protocol for a feasibility study using pre-post mixed methods design. <i>Pilot and Feasibility Studies</i> , <b>2020</b> , 6, 118                          | 1.9 | 0 |
| 13 | Author response to: Comment on: "Randomized clinical trial of negative pressure wound therapy as an adjunctive treatment for small-area thermal burns in children" by Frear et al. <i>British Journal of Surgery</i> , <b>2021</b> , 108, e87                         | 5.3 | 0 |
| 12 | Implementing the right care in the right place at the right time for non-alcoholic fatty liver disease (NAFLD-RRR study): a study protocol for a community care pathway for people with type 2 diabetes.. <i>BMC Health Services Research</i> , <b>2022</b> , 22, 487 | 2.9 | 0 |
| 11 | Telehealth cancer-related fatigue clinic model for cancer survivors: a pilot randomised controlled trial protocol (the T-CRF trial).. <i>BMJ Open</i> , <b>2022</b> , 12, e059952   | 3   | 0 |
| 10 | Promotion of Physical Activity for Older People with Musculoskeletal Conditions <b>2018</b> , 165-184   |     |   |
| 9  | Reproducibility, longitudinal validity and interpretability of the Disease Burden Morbidity Assessment in people with chronic disease. <i>Chronic Illness</i> , <b>2018</b> , 14, 310-325   | 1.4 |   |
| 8  | Feasibility of an Interdisciplinary Early Intervention for Patients with Low Levels of Responsiveness Following an Acquired Brain Injury. <i>Brain Impairment</i> , <b>2013</b> , 14, 213-221   | 1   |   |
| 7  | When should an intervention be provided?. <i>Australian Journal of Physiotherapy</i> , <b>2009</b> , 55, 218; author reply 219  |     |   |
| 6  | A physiotherapy led Soft Tissue Injury Clinic is an efficient and cost effective model of care. A paediatric specific interrupted time series study.. <i>Physiotherapy</i> , <b>2022</b> , 116, 72-78   | 3   |   |
| 5  | Adolescent Self-Reported Physical Activity and Autonomy: A Case for Constrained and Structured Environments?. <i>Journal of Sports Science and Medicine</i> , <b>2015</b> , 14, 568-73  | 2.7 |   |
| 4  | Development of a preference-based heart disease-specific health state classification system using MacNew heart disease-related quality of life instrument. <i>Quality of Life Research</i> , <b>2021</b> , 1  | 3.7 |   |
| 3  | 129. <i>Critical Care Medicine</i> , <b>2019</b> , 47, 47   | 1.4 |   |
| 2  | Is perceived force an accurate method of regulating exercise load for the neck?. <i>Physiotherapy Theory and Practice</i> , <b>2019</b> , 35, 596-601   | 1.5 |   |
| 1  | Financial Costs of Emergency Department Presentations for Australian Patients With Heart Disease in the Last 3 Years of Life.. <i>Health Services Insights</i> , <b>2022</b> , 15, 11786329221091038  | 1.9 |   |