

Takanori Kanai

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3097473/takanori-kanai-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

446
papers

12,695
citations

53
h-index

96
g-index

485
ext. papers

15,724
ext. citations

5.4
avg, IF

6.33
L-index

#	Paper	IF	Citations
446	Modeling colorectal cancer using CRISPR-Cas9-mediated engineering of human intestinal organoids. <i>Nature Medicine</i> , 2015 , 21, 256-62	50.5	669
445	A Colorectal Tumor Organoid Library Demonstrates Progressive Loss of Niche Factor Requirements during Tumorigenesis. <i>Cell Stem Cell</i> , 2016 , 18, 827-838	18	403
444	The gut microbiota and inflammatory bowel disease. <i>Seminars in Immunopathology</i> , 2015 , 37, 47-55	12	392
443	Visualization and targeting of LGR5 human colon cancer stem cells. <i>Nature</i> , 2017 , 545, 187-192	50.4	382
442	Damaged epithelia regenerated by bone marrow-derived cells in the human gastrointestinal tract. <i>Nature Medicine</i> , 2002 , 8, 1011-7	50.5	327
441	Human Pancreatic Tumor Organoids Reveal Loss of Stem Cell Niche Factor Dependence during Disease Progression. <i>Cell Stem Cell</i> , 2018 , 22, 454-467.e6	18	270
440	Evidence-based clinical practice guidelines for inflammatory bowel disease. <i>Journal of Gastroenterology</i> , 2018 , 53, 305-353	6.9	249
439	CD4 ⁺ CD25 ^{bright} T cells in human intestinal lamina propria as regulatory cells. <i>Journal of Immunology</i> , 2004 , 173, 3119-30	5.3	225
438	MyD88-deficient mice develop severe intestinal inflammation in dextran sodium sulfate colitis. <i>Journal of Gastroenterology</i> , 2005 , 40, 16-23	6.9	187
437	Free cholesterol accumulation in hepatic stellate cells: mechanism of liver fibrosis aggravation in nonalcoholic steatohepatitis in mice. <i>Hepatology</i> , 2014 , 59, 154-69	11.2	180
436	Imbalance of NKp44(+)/NKp46(-) and NKp44(-)/NKp46(+) natural killer cells in the intestinal mucosa of patients with Crohn's disease. <i>Gastroenterology</i> , 2010 , 139, 882-92, 892.e1-3	13.3	177
435	A single strain of <i>Clostridium butyricum</i> induces intestinal IL-10-producing macrophages to suppress acute experimental colitis in mice. <i>Cell Host and Microbe</i> , 2013 , 13, 711-22	23.4	171
434	Macrophage-derived IL-18-mediated intestinal inflammation in the murine model of Crohn's disease. <i>Gastroenterology</i> , 2001 , 121, 875-88	13.3	162
433	Inhibition of Dectin-1 Signaling Ameliorates Colitis by Inducing Lactobacillus-Mediated Regulatory T Cell Expansion in the Intestine. <i>Cell Host and Microbe</i> , 2015 , 18, 183-97	23.4	153
432	Blockade of B7-H1 suppresses the development of chronic intestinal inflammation. <i>Journal of Immunology</i> , 2003 , 171, 4156-63	5.3	138
431	Divergent Routes toward Wnt and R-spondin Niche Independency during Human Gastric Carcinogenesis. <i>Cell</i> , 2018 , 174, 856-869.e17	56.2	131
430	Regulation of murine inflammatory bowel disease by CD25 ⁺ and CD25 ⁻ CD4 ⁺ glucocorticoid-induced TNF receptor family-related gene ⁺ regulatory T cells. <i>Journal of Immunology</i> , 2003 , 171, 708-16	5.3	131

429	A high-cholesterol diet exacerbates liver fibrosis in mice via accumulation of free cholesterol in hepatic stellate cells. <i>Gastroenterology</i> , 2012 , 142, 152-164.e10	13.3	127
428	Gut pathobionts underlie intestinal barrier dysfunction and liver T helper 17 cell immune response in primary sclerosing cholangitis. <i>Nature Microbiology</i> , 2019 , 4, 492-503	26.6	126
427	Adalimumab Monotherapy and a Combination with Azathioprine for Crohn's Disease: A Prospective, Randomized Trial. <i>Journal of Crohn's and Colitis</i> , 2016 , 10, 1259-1266	1.5	125
426	Novel, objective, multivariate biomarkers composed of plasma amino acid profiles for the diagnosis and assessment of inflammatory bowel disease. <i>PLoS ONE</i> , 2012 , 7, e31131	3.7	122
425	Inducible expression of microRNA-194 is regulated by HNF-1alpha during intestinal epithelial cell differentiation. <i>Rna</i> , 2008 , 14, 1433-42	5.8	115
424	Smad2 and Smad3 Inversely Regulate TGF- β Autoinduction in Clostridium butyricum-Activated Dendritic Cells. <i>Immunity</i> , 2015 , 43, 65-79	32.3	113
423	TGR5 signalling inhibits the production of pro-inflammatory cytokines by in vitro differentiated inflammatory and intestinal macrophages in Crohn's disease. <i>Immunology</i> , 2013 , 139, 19-29	7.8	113
422	Interleukin 18 is a potent proliferative factor for intestinal mucosal lymphocytes in Crohn's disease. <i>Gastroenterology</i> , 2000 , 119, 1514-23	13.3	103
421	Monocyte chemoattractant protein-1 contributes to gut homeostasis and intestinal inflammation by composition of IL-10-producing regulatory macrophage subset. <i>Journal of Immunology</i> , 2010 , 184, 2671-6	5.3	100
420	Human CD14+ macrophages in intestinal lamina propria exhibit potent antigen-presenting ability. <i>Journal of Immunology</i> , 2009 , 183, 1724-31	5.3	99
419	Interferon regulatory factor 1 (IRF-1) and IRF-2 distinctively up-regulate gene expression and production of interleukin-7 in human intestinal epithelial cells. <i>Molecular and Cellular Biology</i> , 2004 , 24, 6298-310	4.8	99
418	TL1A produced by lamina propria macrophages induces Th1 and Th17 immune responses in cooperation with IL-23 in patients with Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 568-75	4.5	94
417	Reconstruction of the Human Colon Epithelium In Vivo. <i>Cell Stem Cell</i> , 2018 , 22, 171-176.e5	18	93
416	Intestinal lamina propria retaining CD4+CD25+ regulatory T cells is a suppressive site of intestinal inflammation. <i>Journal of Immunology</i> , 2007 , 178, 4937-46	5.3	88
415	The effect of fecal microbiota transplantation on psychiatric symptoms among patients with irritable bowel syndrome, functional diarrhea and functional constipation: An open-label observational study. <i>Journal of Affective Disorders</i> , 2018 , 235, 506-512	6.6	87
414	Evaluation of liver fibrosis by transient elastography using acoustic radiation force impulse: comparison with Fibroscan(\square). <i>Journal of Gastroenterology</i> , 2011 , 46, 1238-48	6.9	87
413	Somatic inflammatory gene mutations in human ulcerative colitis epithelium. <i>Nature</i> , 2020 , 577, 254-259	50.4	87
412	Efficacy of Indigo Naturalis in a Multicenter Randomized Controlled Trial of Patients With Ulcerative Colitis. <i>Gastroenterology</i> , 2018 , 154, 935-947	13.3	85

411	Role of toll-like receptors in immune activation and tolerance in the liver. <i>Frontiers in Immunology</i> , 2014 , 5, 221	8.4	84
410	A breakthrough in probiotics: <i>Clostridium butyricum</i> regulates gut homeostasis and anti-inflammatory response in inflammatory bowel disease. <i>Journal of Gastroenterology</i> , 2015 , 50, 928-39	6.9	81
409	Bile acids induce monocyte differentiation toward interleukin-12 hypo-producing dendritic cells via a TGR5-dependent pathway. <i>Immunology</i> , 2012 , 136, 153-62	7.8	78
408	p53/p66Shc-mediated signaling contributes to the progression of non-alcoholic steatohepatitis in humans and mice. <i>Journal of Hepatology</i> , 2012 , 57, 837-43	13.4	77
407	Bifidobacterium-Rich Fecal Donor May Be a Positive Predictor for Successful Fecal Microbiota Transplantation in Patients with Irritable Bowel Syndrome. <i>Digestion</i> , 2017 , 96, 29-38	3.6	76
406	Mucosal CXCR4+ IgG plasma cells contribute to the pathogenesis of human ulcerative colitis through FcR-mediated CD14 macrophage activation. <i>Gut</i> , 2013 , 62, 1734-44	19.2	68
405	A Single Species of <i>Clostridium</i> Subcluster XIVa Decreased in Ulcerative Colitis Patients. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 2802-2810	4.5	66
404	Immune aspects of the pathogenesis of inflammatory bowel disease. <i>Pharmacology & Therapeutics</i> , 2013 , 137, 283-97	13.9	64
403	C-C motif chemokine receptor 9 positive macrophages activate hepatic stellate cells and promote liver fibrosis in mice. <i>Hepatology</i> , 2013 , 58, 337-50	11.2	63
402	A Hereditary Enteropathy Caused by Mutations in the <i>SLCO2A1</i> Gene, Encoding a Prostaglandin Transporter. <i>PLoS Genetics</i> , 2015 , 11, e1005581	6	63
401	Acyl-CoA:cholesterol acyltransferase 1 mediates liver fibrosis by regulating free cholesterol accumulation in hepatic stellate cells. <i>Journal of Hepatology</i> , 2014 , 61, 98-106	13.4	63
400	Mucosal T cells expressing high levels of IL-7 receptor are potential targets for treatment of chronic colitis. <i>Journal of Immunology</i> , 2003 , 171, 1556-63	5.3	63
399	Indole compounds may be promising medicines for ulcerative colitis. <i>Journal of Gastroenterology</i> , 2016 , 51, 853-61	6.9	62
398	CCR9+ macrophages are required for acute liver inflammation in mouse models of hepatitis. <i>Gastroenterology</i> , 2012 , 142, 366-76	13.3	60
397	CCL2-induced migration and SOCS3-mediated activation of macrophages are involved in cerulein-induced pancreatitis in mice. <i>Gastroenterology</i> , 2012 , 142, 1010-1020.e9	13.3	59
396	IL-7 Is essential for the development and the persistence of chronic colitis. <i>Journal of Immunology</i> , 2007 , 178, 4737-48	5.3	59
395	Clinical Efficacy and Safety of Oral Qing-Dai in Patients with Ulcerative Colitis: A Single-Center Open-Label Prospective Study. <i>Digestion</i> , 2016 , 93, 193-201	3.6	58
394	Endoscopic and pathologic changes of the upper gastrointestinal tract in Crohn's disease. <i>BioMed Research International</i> , 2014 , 2014, 610767	3	54

393	RANK-RANKL signaling pathway is critically involved in the function of CD4+CD25+ regulatory T cells in chronic colitis. <i>Journal of Immunology</i> , 2009 , 182, 6079-87	5.3	53
392	Interleukin-18 overproduction exacerbates the development of colitis with markedly infiltrated macrophages in interleukin-18 transgenic mice. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003 , 18, 960-9	4	53
391	Regulatory T cells suppress development of colitis, blocking differentiation of T-helper 17 into alternative T-helper 1 cells. <i>Gastroenterology</i> , 2011 , 141, 1014-23	13.3	52
390	Accuracy of biopsy for the preoperative diagnosis of superficial nonampullary duodenal adenocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 329-332	5.2	51
389	Leucine-rich Alpha-2 Glycoprotein is a Serum Biomarker of Mucosal Healing in Ulcerative Colitis. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 84-91	1.5	51
388	The role of colorectal endoscopic submucosal dissection in patients with ulcerative colitis. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1079-1084	5.2	50
387	Diagnosis and management of intestinal Behçet's disease. <i>Clinical Journal of Gastroenterology</i> , 2014 , 7, 205-12	1.1	50
386	Significance of measurement of serum trough level and anti-drug antibody of adalimumab as personalised pharmacokinetics in patients with Crohn's disease: a subanalysis of the DIAMOND trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 873-882	6.1	50
385	Intestinal Dysbiosis and Biotin Deprivation Induce Alopecia through Overgrowth of <i>Lactobacillus murinus</i> in Mice. <i>Cell Reports</i> , 2017 , 20, 1513-1524	10.6	50
384	The liver-brain-gut neural arc maintains the T cell niche in the gut. <i>Nature</i> , 2020 , 585, 591-596	50.4	50
383	MyD88-dependent pathway in T cells directly modulates the expansion of colitogenic CD4+ T cells in chronic colitis. <i>Journal of Immunology</i> , 2008 , 180, 5291-9	5.3	49
382	Circulating autoantibodies against purified colonic mucin in ulcerative colitis. <i>Journal of Gastroenterology</i> , 2000 , 35, 20-7	6.9	49
381	Suppression of myeloid cell leukemia-1 (Mcl-1) enhances chemotherapy-associated apoptosis in gastric cancer cells. <i>Gastric Cancer</i> , 2013 , 16, 100-10	7.6	48
380	Sustained virologic response to direct-acting antiviral therapy in patients with chronic hepatitis C and hepatocellular carcinoma: A systematic review and meta-analysis. <i>Journal of Hepatology</i> , 2019 , 71, 473-485	13.4	47
379	Applicability of second-generation colon capsule endoscope to ulcerative colitis: a clinical feasibility study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1174-9	4	47
378	Bone marrow-mesenchymal stem cells are a major source of interleukin-7 and sustain colitis by forming the niche for colitogenic CD4 memory T cells. <i>Gut</i> , 2013 , 62, 1142-52	19.2	46
377	The Ulcerative Colitis Endoscopic Index of Severity is Useful to Predict Medium- to Long-Term Prognosis in Ulcerative Colitis Patients with Clinical Remission. <i>Journal of Crohn's and Colitis</i> , 2016 , 10, 1303-1309	1.5	45
376	Commensal <i>Lactobacillus</i> Controls Immune Tolerance during Acute Liver Injury in Mice. <i>Cell Reports</i> , 2017 , 21, 1215-1226	10.6	44

375	Correlation between endocytoscopy and conventional histopathology in microstructural features of ulcerative colitis. <i>Journal of Gastroenterology</i> , 2011 , 46, 1197-202	6.9	44
374	Bone marrow retaining colitogenic CD4+ T cells may be a pathogenic reservoir for chronic colitis. <i>Gastroenterology</i> , 2007 , 132, 176-89	13.3	44
373	Efficacy of Bifidobacterium breve Fermented Milk in Maintaining Remission of Ulcerative Colitis. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 1910-1919	4	43
372	Cross-talk between ROR γ + innate lymphoid cells and intestinal macrophages induces mucosal IL-22 production in Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 1426-34	4.5	43
371	Landscape and function of multiple mutations within individual oncogenes. <i>Nature</i> , 2020 , 582, 95-99	50.4	41
370	Regulation of murine chronic colitis by CD4+CD25- programmed death-1+ T cells. <i>European Journal of Immunology</i> , 2005 , 35, 1773-85	6.1	41
369	Clinical impact of closure of the mucosal defect after duodenal endoscopic submucosal dissection. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 87-93	5.2	41
368	Glycolytic pathway affects differentiation of human monocytes to regulatory macrophages. <i>Immunology Letters</i> , 2016 , 176, 18-27	4.1	40
367	An Organoid Biobank of Neuroendocrine Neoplasms Enables Genotype-Phenotype Mapping. <i>Cell</i> , 2020 , 183, 1420-1435.e21	56.2	39
366	Association of Visceral Fat Area, Smoking, and Alcohol Consumption with Reflux Esophagitis and Barrett's Esophagus in Japan. <i>PLoS ONE</i> , 2015 , 10, e0133865	3.7	38
365	Effect of prophylactic clipping in colorectal endoscopic resection: A meta-analysis of randomized controlled studies. <i>United European Gastroenterology Journal</i> , 2017 , 5, 859-867	5.3	37
364	Activated hepatic stellate cells mediate the differentiation of macrophages. <i>Hepatology Research</i> , 2013 , 43, 658-69	5.1	37
363	TH1/TH2-mediated colitis induced by adoptive transfer of CD4+CD45RB ^{high} T lymphocytes into nude mice. <i>Inflammatory Bowel Diseases</i> , 2006 , 12, 89-99	4.5	37
362	On-treatment decrease of NKG2D correlates to early emergence of clinically evident hepatocellular carcinoma after interferon-free therapy for chronic hepatitis C. <i>PLoS ONE</i> , 2017 , 12, e0179096	3.7	37
361	Clinical and Pharmacokinetic Factors Associated With Adalimumab-Induced Mucosal Healing in Patients With Crohn's Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 542-549.e1	6.9	35
360	Mucosal healing with oral tacrolimus is associated with favorable medium- and long-term prognosis in steroid-refractory/dependent ulcerative colitis patients. <i>Journal of Crohn's and Colitis</i> , 2013 , 7, e609-14	14.5	35
359	Competition between colitogenic Th1 and Th17 cells contributes to the amelioration of colitis. <i>European Journal of Immunology</i> , 2010 , 40, 2409-22	6.1	35
358	A novel fully synthetic and self-assembled peptide solution for endoscopic submucosal dissection-induced ulcer in the stomach. <i>Gastrointestinal Endoscopy</i> , 2016 , 83, 1259-64	5.2	35

357	IRF-1 mediates upregulation of LMP7 by IFN-gamma and concerted expression of immunosubunits of the proteasome. <i>FEBS Letters</i> , 2005 , 579, 2781-7	3.8	34
356	The logics of leukocytapheresis as a natural biological therapy for inflammatory bowel disease. <i>Expert Opinion on Biological Therapy</i> , 2006 , 6, 453-66	5.4	34
355	Safety and efficacy of ultra-tapered mechanical dilator for EUS-guided hepaticogastrostomy and pancreatic duct drainage compared with electrocautery dilator (with video). <i>Endoscopic Ultrasound</i> , 2018 , 7, 376-382	3.6	34
354	Dexmedetomidine versus midazolam for gastrointestinal endoscopy: a meta-analysis. <i>Digestive Endoscopy</i> , 2015 , 27, 8-15	3.7	33
353	Rifabutin-based 10-day and 14-day triple therapy as a third-line and fourth-line regimen for <i>Helicobacter pylori</i> eradication: A pilot study. <i>United European Gastroenterology Journal</i> , 2016 , 4, 380-7	5.3	33
352	Clinical significance of microsatellite instability in the inflamed mucosa for the prediction of colonic neoplasms in patients with ulcerative colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 710-5	4	33
351	Epstein-barr virus-associated gastritis: a case report. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 883-6	4	32
350	Two flavonoids extracts from <i>Glycyrrhizae radix</i> inhibit in vitro hepatitis C virus replication. <i>Hepatology Research</i> , 2009 , 39, 60-9	5.1	32
349	Advanced endoscopic submucosal dissection with traction. <i>World Journal of Gastrointestinal Endoscopy</i> , 2014 , 6, 286-95	2.2	32
348	Vedolizumab in Japanese patients with ulcerative colitis: A Phase 3, randomized, double-blind, placebo-controlled study. <i>PLoS ONE</i> , 2019 , 14, e0212989	3.7	32
347	Chromosome Engineering of Human Colon-Derived Organoids to Develop a Model of Traditional Serrated Adenoma. <i>Gastroenterology</i> , 2020 , 158, 638-651.e8	13.3	32
346	Inhibiting xCT Improves 5-Fluorouracil Resistance of Gastric Cancer Induced by CD44 Variant 9 Expression. <i>Anticancer Research</i> , 2018 , 38, 6163-6170	2.3	32
345	Effects of patient age and choice of antisecretory agent on success of eradication therapy for infection. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017 , 60, 208-210	3.1	31
344	Proteasomal degradation of Atoh1 by aberrant Wnt signaling maintains the undifferentiated state of colon cancer. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 368, 923-9	3.4	31
343	Th1-mediated intestinal inflammation in Crohn's disease may be induced by activation of lamina propria lymphocytes through synergistic stimulation of interleukin-12 and interleukin-18 without T cell receptor engagement. <i>American Journal of Gastroenterology</i> , 2002 , 97, 3108-17	0.7	31
342	Long-lived colitogenic CD4+ memory T cells residing outside the intestine participate in the perpetuation of chronic colitis. <i>Journal of Immunology</i> , 2009 , 183, 5059-68	5.3	30
341	Novel endoscopic activity index is useful for choosing treatment in severe active ulcerative colitis patients. <i>Journal of Gastroenterology</i> , 2010 , 45, 936-43	6.9	30
340	Gut microbiota-mediated generation of saturated fatty acids elicits inflammation in the liver in murine high-fat diet-induced steatohepatitis. <i>BMC Gastroenterology</i> , 2017 , 17, 136	3	29

339	CCR9+ plasmacytoid dendritic cells in the small intestine suppress development of intestinal inflammation in mice. <i>Immunology Letters</i> , 2012 , 146, 64-9	4.1	29
338	Novel technique of endoscopic submucosal dissection by using external forceps for early rectal cancer (with videos). <i>Gastrointestinal Endoscopy</i> , 2012 , 75, 1253-7	5.2	29
337	Musashi-1 suppresses expression of Paneth cell-specific genes in human intestinal epithelial cells. <i>Journal of Gastroenterology</i> , 2009 , 44, 173-82	6.9	29
336	Efficacy of 10-day Sifaxin-Containing Third-Line Rescue Therapies for Helicobacter pylori Strains Containing the gyrA Mutation. <i>Helicobacter</i> , 2016 , 21, 286-94	4.9	29
335	Capsule endoscopy for small-intestinal disorders: Current status. <i>Digestive Endoscopy</i> , 2019 , 31, 498-507	3.7	28
334	Gender Difference of Gastric Emptying in Healthy Volunteers and Patients with Functional Dyspepsia. <i>Digestion</i> , 2017 , 95, 72-78	3.6	28
333	Abrogation of CC chemokine receptor 9 ameliorates collagen-induced arthritis of mice. <i>Arthritis Research and Therapy</i> , 2014 , 16, 445	5.7	28
332	Immunosenescent colitogenic CD4(+) T cells convert to regulatory cells and suppress colitis. <i>European Journal of Immunology</i> , 2008 , 38, 1275-86	6.1	28
331	Clinical application of human CD4+ CD25+ regulatory T cells for the treatment of inflammatory bowel diseases. <i>Expert Opinion on Biological Therapy</i> , 2005 , 5, 451-62	5.4	28
330	Analysis of clinical course and long-term prognosis of surgical and nonsurgical patients with intestinal Behçet's disease. <i>American Journal of Gastroenterology</i> , 2000 , 95, 2848-2851	0.7	28
329	Diet, microbiota, and inflammatory bowel disease: lessons from Japanese foods. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 409-15	2.5	28
328	MyD88-dependent pathway accelerates the liver damage of Concanavalin A-induced hepatitis. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 399, 744-9	3.4	27
327	Clinical strategies for the blockade of IL-18 in inflammatory bowel diseases. <i>Current Drug Targets</i> , 2013 , 14, 1392-9	3	27
326	Clarithromycin expands CD11b+Gr-1+ cells via the STAT3/Bv8 axis to ameliorate lethal endotoxic shock and post-influenza bacterial pneumonia. <i>PLoS Pathogens</i> , 2018 , 14, e1006955	7.6	26
325	Prominent steatosis with hypermetabolism of the cell line permissive for years of infection with hepatitis C virus. <i>PLoS ONE</i> , 2014 , 9, e94460	3.7	26
324	Extracorporeal elimination of TNF-alpha-producing CD14(dull)CD16(+) monocytes in leukocytapheresis therapy for ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2007 , 13, 284-90	4.5	26
323	IL-22-producing RORγ-dependent innate lymphoid cells play a novel protective role in murine acute hepatitis. <i>PLoS ONE</i> , 2013 , 8, e62853	3.7	26
322	Risk factors for decreased bone mineral density in inflammatory bowel disease: A cross-sectional study. <i>Clinical Nutrition</i> , 2015 , 34, 1202-9	5.9	25

321	Ectopic expression of blood type antigens in inflamed mucosa with higher incidence of FUT2 secretor status in colonic Crohn's disease. <i>Journal of Gastroenterology</i> , 2011 , 46, 1056-63	6.9	25
320	Ectopic CD40 ligand expression on B cells triggers intestinal inflammation. <i>Journal of Immunology</i> , 2004 , 172, 6388-97	5.3	25
319	Analysis of clinical course and long-term prognosis of surgical and nonsurgical patients with intestinal Behçet's disease. <i>American Journal of Gastroenterology</i> , 2000 , 95, 2848-51	0.7	25
318	Decreased Plasma Histidine Level Predicts Risk of Relapse in Patients with Ulcerative Colitis in Remission. <i>PLoS ONE</i> , 2015 , 10, e0140716	3.7	25
317	Endoscopic morphologic features of ulcerative colitis-associated dysplasia classified according to the SCENIC consensus statement. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 639-646.e2	5.2	24
316	Propofol versus traditional sedative agents for endoscopic submucosal dissection. <i>Digestive Endoscopy</i> , 2014 , 26, 701-6	3.7	24
315	Homeostatic (IL-7) and effector (IL-17) cytokines as distinct but complementary target for an optimal therapeutic strategy in inflammatory bowel disease. <i>Current Opinion in Gastroenterology</i> , 2009 , 25, 306-13	3	24
314	Feasibility study comparing underwater endoscopic mucosal resection and conventional endoscopic mucosal resection for superficial non-ampullary duodenal epithelial tumor. <i>Digestive Endoscopy</i> , 2020 , 32, 753-760	3.7	24
313	Endocytoscopy can be used to assess histological healing in ulcerative colitis. <i>Endoscopy</i> , 2017 , 49, 560-563	5.2	23
312	Evaluations of capsule endoscopy software in reducing the reading time and the rate of false negatives by inexperienced endoscopists. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2012 , 36, 66-71	2.4	23
311	The serum factor from patients with ulcerative colitis that induces T cell proliferation in the mouse thymus is interleukin-7. <i>Journal of Clinical Immunology</i> , 1997 , 17, 282-92	5.7	23
310	Systemic, but not intestinal, IL-7 is essential for the persistence of chronic colitis. <i>Journal of Immunology</i> , 2008 , 180, 383-90	5.3	23
309	Previous <i>Helicobacter pylori</i> infection-induced atrophic gastritis: A distinct disease entity in an understudied population without a history of eradication. <i>Helicobacter</i> , 2020 , 25, e12669	4.9	23
308	Clinical efficacy of immune checkpoint inhibitors in the treatment of unresectable advanced or recurrent gastric cancer: an evidence-based review of therapies. <i>OncoTargets and Therapy</i> , 2018 , 11, 8239-8250	4.4	23
307	Neural differentiation of human embryonic stem cells induced by the transgene-mediated overexpression of single transcription factors. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 490, 296-301	3.4	22
306	Chronic Enteropathy Associated With SLCO2A1 Gene [CEAS]-Characterisation of an Enteric Disorder to be Considered in the Differential Diagnosis of Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 1277-1281	1.5	22
305	Current new challenges in the management of ulcerative colitis. <i>Intestinal Research</i> , 2019 , 17, 36-44	4.1	22
304	Aortic carboxypeptidase-like protein, a WNT ligand, exacerbates nonalcoholic steatohepatitis. <i>Journal of Clinical Investigation</i> , 2018 , 128, 1581-1596	15.9	22

303	Characteristics of gastric cancer detected within 1 year after successful eradication of. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2016 , 59, 226-230	3.1	22
302	Recent trends and future directions for the medical treatment of ulcerative colitis. <i>Clinical Journal of Gastroenterology</i> , 2016 , 9, 329-336	1.1	22
301	Endoscopic string clip suturing method: a prospective pilot study (with video). <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1074-1078	5.2	21
300	Bone marrow-derived macrophages distinct from tissue-resident macrophages play a pivotal role in Concanavalin A-induced murine liver injury via CCR9 axis. <i>Scientific Reports</i> , 2016 , 6, 35146	4.9	21
299	Dexmedetomidine vs propofol for gastrointestinal endoscopy: A meta-analysis. <i>United European Gastroenterology Journal</i> , 2017 , 5, 1037-1045	5.3	21
298	Validation of the efficacy of the prognostic factor score in the Japanese severity criteria for severe acute pancreatitis: A large multicenter study. <i>United European Gastroenterology Journal</i> , 2017 , 5, 389-397	5.3	21
297	Development of a Scalable Coculture System for Gut Anaerobes and Human Colon Epithelium. <i>Gastroenterology</i> , 2020 , 159, 388-390.e5	13.3	20
296	Single fecal microbiota transplantation failed to change intestinal microbiota and had limited effectiveness against ulcerative colitis in Japanese patients. <i>Intestinal Research</i> , 2017 , 15, 68-74	4.1	20
295	Progressive liver failure induced by everolimus for renal cell carcinoma in a 58-year-old male hepatitis B virus carrier. <i>Clinical Journal of Gastroenterology</i> , 2013 , 6, 188-92	1.1	20
294	Establishment of novel prediction system of intestinal absorption in humans using human intestinal tissues. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 2564-71	3.9	20
293	Predictive factors of response to leukocytapheresis therapy for ulcerative colitis. <i>Therapeutic Apheresis and Dialysis</i> , 1998 , 2, 115-9		20
292	Macrophage-derived IL-18 targeting for the treatment of Crohn's disease. <i>Inflammation and Allergy: Drug Targets</i> , 2003 , 2, 131-6		20
291	Ulcerative colitis endoscopic index of severity is associated with long-term prognosis in ulcerative colitis patients treated with infliximab. <i>Digestive Endoscopy</i> , 2016 , 28, 665-70	3.7	20
290	Glycolysis regulates LPS-induced cytokine production in M2 polarized human macrophages. <i>Immunology Letters</i> , 2017 , 183, 17-23	4.1	19
289	Early intervention with adalimumab may contribute to favorable clinical efficacy in patients with Crohn's disease. <i>Digestion</i> , 2014 , 90, 130-6	3.6	19
288	The development of colitogenic CD4(+) T cells is regulated by IL-7 in collaboration with NK cell function in a murine model of colitis. <i>Journal of Immunology</i> , 2012 , 188, 2524-36	5.3	19
287	First-line eradication for Helicobacter pylori-positive gastritis by esomeprazole-based triple therapy is influenced by CYP2C19 genotype. <i>World Journal of Gastroenterology</i> , 2015 , 21, 13548-54	5.6	19
286	Inhibition of DNA Methylation Suppresses Intestinal Tumor Organoids by Inducing an Anti-Viral Response. <i>Scientific Reports</i> , 2016 , 6, 25311	4.9	19

285	Modified bowel preparation regimen for use in second-generation colon capsule endoscopy in patients with ulcerative colitis. <i>Digestive Endoscopy</i> , 2014 , 26, 665-72	3.7	18
284	Colitogenic CD4+ effector-memory T cells actively recirculate in chronic colitic mice. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 1630-40	4.5	18
283	How I do it: Endoscopic diagnosis for superficial non-ampullary duodenal epithelial tumors. <i>Digestive Endoscopy</i> , 2020 , 32, 417-424	3.7	18
282	Influence of regular exercise on gastric emptying in healthy men: a pilot study. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2016 , 59, 130-133	3.1	18
281	Timing of oral refeeding in acute pancreatitis: A systematic review and meta-analysis. <i>United European Gastroenterology Journal</i> , 2016 , 4, 725-732	5.3	18
280	Toll-Like Receptor 7 Agonist-Induced Dermatitis Causes Severe Dextran Sulfate Sodium Colitis by Altering the Gut Microbiome and Immune Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019 , 7, 135-156	7.9	18
279	Management of perforation related to endoscopic submucosal dissection for superficial duodenal epithelial tumors. <i>Gastrointestinal Endoscopy</i> , 2020 , 91, 1129-1137	5.2	18
278	Recognition of and recent issues in hereditary diffuse gastric cancer. <i>Journal of Gastroenterology</i> , 2015 , 50, 831-43	6.9	17
277	Continuous Regional Arterial Infusion of Protease Inhibitors Has No Efficacy in the Treatment of Severe Acute Pancreatitis: A Retrospective Multicenter Cohort Study. <i>Pancreas</i> , 2017 , 46, 510-517	2.6	17
276	Fecal microbiota transplantation for gastrointestinal diseases. <i>Keio Journal of Medicine</i> , 2014 , 63, 69-74	1.6	17
275	Effects of the oral administration of mosapride citrate on capsule endoscopy completion rate. <i>Gut and Liver</i> , 2012 , 6, 339-43	4.8	17
274	Family history is an independent risk factor for the progression of gastric atrophy among patients with infection. <i>United European Gastroenterology Journal</i> , 2017 , 5, 32-36	5.3	16
273	Plasmapheresis therapy has no triglyceride-lowering effect in patients with hypertriglyceridemic pancreatitis. <i>Intensive Care Medicine</i> , 2017 , 43, 949-951	14.5	16
272	Free cholesterol accumulation in liver sinusoidal endothelial cells exacerbates acetaminophen hepatotoxicity via TLR9 signaling. <i>Journal of Hepatology</i> , 2017 , 67, 780-790	13.4	16
271	Multiple Immune-Related Adverse Events and Anti-Tumor Efficacy: Real-World Data on Various Solid Tumors. <i>Cancer Management and Research</i> , 2020 , 12, 4585-4593	3.6	16
270	Endoscopic slipknot clip suturing method: an ex vivo feasibility study (with video). <i>Gastrointestinal Endoscopy</i> , 2016 , 83, 447-50	5.2	16
269	Innate lymphoid cells in organ fibrosis. <i>Cytokine and Growth Factor Reviews</i> , 2018 , 42, 27-36	17.9	16
268	Endoscopic slip-knot clip suturing method: prospective pilot study (with video). <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 433-437	5.2	16

267	Effect of supplementation with rebamipide for <i>Helicobacter pylori</i> eradication therapy: a systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29 Suppl 4, 20-4	4	16
266	Macrophages and dendritic cells emerge in the liver during intestinal inflammation and predispose the liver to inflammation. <i>PLoS ONE</i> , 2014 , 9, e84619	3.7	16
265	FTY720 suppresses the development of colitis in lymphoid-null mice by modulating the trafficking of colitogenic CD4+ T cells in bone marrow. <i>European Journal of Immunology</i> , 2008 , 38, 3290-303	6.1	16
264	An organoid-based organ-repurposing approach to treat short bowel syndrome. <i>Nature</i> , 2021 , 592, 99-104	9.4	16
263	Acquisition of double mutation in caused high resistance to sitafloxacin in after unsuccessful eradication with sitafloxacin-containing regimens. <i>United European Gastroenterology Journal</i> , 2018 , 6, 391-397	5.3	16
262	Polyp detection rate in transverse and sigmoid colon significantly increases with longer withdrawal time during screening colonoscopy. <i>PLoS ONE</i> , 2017 , 12, e0174155	3.7	15
261	Second-look endoscopy after endoscopic submucosal dissection for gastric neoplasms. <i>Digestive Endoscopy</i> , 2015 , 27, 279-84	3.7	15
260	Upregulated IL-7 receptor β expression on colitogenic memory CD4+ T cells may participate in the development and persistence of chronic colitis. <i>Journal of Immunology</i> , 2011 , 186, 2623-32	5.3	15
259	Plasmacytoid dendritic cells protect against immune-mediated acute liver injury via IL-35. <i>Journal of Clinical Investigation</i> , 2019 , 129, 3201-3213	15.9	15
258	The risk factor of clinical relapse in ulcerative colitis patients with low dose 5-aminosalicylic acid as maintenance therapy: A report from the IBD registry. <i>PLoS ONE</i> , 2017 , 12, e0187737	3.7	15
257	Role of enhanced visibility in evaluating polyposis syndromes using a newly developed contrast image capsule endoscope. <i>Gut and Liver</i> , 2012 , 6, 218-22	4.8	15
256	A significant association of non-obese non-alcoholic fatty liver disease with sarcopenic obesity. <i>Clinical Nutrition ESPEN</i> , 2020 , 38, 86-93	1.3	15
255	Efficacy of Therapeutic Intervention for Patients With an Ulcerative Colitis Mayo Endoscopic Score of 1. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 782-788	4.5	15
254	Antibiotic resistance and mutation affect the efficacy of 10-day sitafloxacin-metronidazole-esomeprazole therapy for in penicillin allergic patients. <i>United European Gastroenterology Journal</i> , 2017 , 5, 796-804	5.3	14
253	Withdrawal of thiopurines in Crohn's disease treated with scheduled adalimumab maintenance: a prospective randomised clinical trial (DIAMOND2). <i>Journal of Gastroenterology</i> , 2019 , 54, 860-870	6.9	14
252	Effect of elemental diet combined with infliximab dose escalation in patients with Crohn's disease with loss of response to infliximab: CERISIER trial. <i>Intestinal Research</i> , 2018 , 16, 494-498	4.1	14
251	Dysregulated balance of retinoid-related orphan receptor β -dependent innate lymphoid cells is involved in the pathogenesis of chronic DSS-induced colitis. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 427, 694-700	3.4	14
250	In vivo visualization of trophozoites in patients with amoebic colitis by using a newly developed endocytoscope. <i>Gastrointestinal Endoscopy</i> , 2010 , 72, 643-6	5.2	14

249	A case of intestinal Behçet's disease treated with infliximab monotherapy who successfully maintained clinical remission and complete mucosal healing for six years. <i>Internal Medicine</i> , 2012 , 51, 2125-9	1.1	14
248	Negative feedback regulation of colitogenic CD4+ T cells by increased granulopoiesis. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 1491-503	4.5	14
247	Hepatitis C virus infection in human liver tissue engrafted in mice with an infectious molecular clone. <i>Liver International</i> , 2004 , 24, 259-67	7.9	14
246	Role of the innate immune system in the development of chronic colitis. <i>Journal of Gastroenterology</i> , 2002 , 37 Suppl 14, 38-42	6.9	14
245	Effects of vedolizumab in Japanese patients with Crohn's disease: a prospective, multicenter, randomized, placebo-controlled Phase 3 trial with exploratory analyses. <i>Journal of Gastroenterology</i> , 2020 , 55, 291-306	6.9	14
244	Large Volume Fluid Resuscitation for Severe Acute Pancreatitis is Associated With Reduced Mortality: A Multicenter Retrospective Study. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, 385-391	3	14
243	Significance of Conducting 2 Types of Fecal Tests in Patients With Ulcerative Colitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1102-1111.e5	6.9	14
242	Pancreatic Fat Content Detected by Computed Tomography and Its Significant Relationship With Intraductal Papillary Mucinous Neoplasm. <i>Pancreas</i> , 2018 , 47, 1087-1092	2.6	14
241	Evaluation of the severity of ulcerative colitis using endoscopic dual red imaging targeting deep vessels. <i>Endoscopy International Open</i> , 2017 , 5, E76-E82	3	13
240	A simple scoring system to assess the need for an endoscopic intervention in suspected upper gastrointestinal bleeding: A prospective cohort study. <i>Digestive and Liver Disease</i> , 2016 , 48, 1180-6	3.3	13
239	Effects of preoperative proton pump inhibitor administration on bleeding after gastric endoscopic submucosal dissection: A systematic review and meta-analysis. <i>United European Gastroenterology Journal</i> , 2016 , 4, 5-10	5.3	13
238	Effects of carbon dioxide insufflation in balloon-assisted enteroscopy: A systematic review and meta-analysis. <i>United European Gastroenterology Journal</i> , 2016 , 4, 11-7	5.3	13
237	Proton pump inhibitor alone vs proton pump inhibitor plus mucosal protective agents for endoscopic submucosal dissection-induced ulcer: a systematic review and meta-analysis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015 , 56, 85-90	3.1	13
236	Mucosal expression of aquaporin-4 in the stomach of histamine type 2 receptor knockout mice and <i>Helicobacter pylori</i> -infected mice. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29 Suppl 4, 53-9	4	13
235	Anti-high mobility group box 1 and box 2 non-histone chromosomal proteins (HMGB1/HMGB2) antibodies and anti-Saccharomyces cerevisiae antibodies (ASCA): accuracy in differentially diagnosing UC and CD and correlation with inflammatory bowel disease phenotype. <i>Journal of Gastroenterology</i> , 2012 , 47, 969-77	6.9	13
234	IL-2 is positively involved in the development of colitogenic CD4+ IL-7R alpha high memory T cells in chronic colitis. <i>European Journal of Immunology</i> , 2010 , 40, 2423-36	6.1	13
233	Predictors of technical difficulty with duodenal ESD. <i>Endoscopy International Open</i> , 2019 , 7, E1755-E1760		13
232	Adverse events in patients with ulcerative colitis treated with indigo naturalis: a Japanese nationwide survey. <i>Journal of Gastroenterology</i> , 2019 , 54, 891-896	6.9	12

231	Initial Management of Colonic Diverticular Bleeding: Observational Study. <i>Digestion</i> , 2018 , 98, 41-47	3.6	12
230	New endoscopic suturing method: slip knot clip suturing. <i>Gastrointestinal Endoscopy</i> , 2015 , 82, 570-1	5.2	12
229	Comparison of patient acceptance of sodium phosphate versus polyethylene glycol plus sodium picosulfate for colon cleansing in Japanese. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1617-22	4	12
228	MyD88-dependent interleukin-10 production from regulatory CD11b+Gr-1(high) cells suppresses development of acute cerulein pancreatitis in mice. <i>Immunology Letters</i> , 2012 , 148, 172-7	4.1	12
227	IgA plasma cells express the negative regulatory co-stimulatory molecule programmed cell death 1 ligand and have a potential tolerogenic role in the intestine. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 425, 918-23	3.4	12
226	Evaluation of performance of the Omni mode for detecting video capsule endoscopy images: A multicenter randomized controlled trial. <i>Endoscopy International Open</i> , 2016 , 4, E878-82	3	12
225	Water pressure method for duodenal endoscopic submucosal dissection (with video). <i>Gastrointestinal Endoscopy</i> , 2021 , 93, 942-949	5.2	12
224	Factors predicting the therapeutic response to infliximab during maintenance therapy in Japanese patients with Crohn's disease. <i>PLoS ONE</i> , 2018 , 13, e0204632	3.7	12
223	Pharmacological effects of TAK-828F: an orally available ROR β inverse agonist, in mouse colitis model and human blood cells of inflammatory bowel disease. <i>Inflammation Research</i> , 2019 , 68, 493-509	7.2	11
222	Etiology and mortality in severe acute pancreatitis: A multicenter study in Japan. <i>Pancreatology</i> , 2020 , 20, 307-317	3.8	11
221	Horibe GI bleeding prediction score: a simple score for triage decision-making in patients with suspected upper GI bleeding. <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 578-588.e4	5.2	11
220	Findings of ulceration and severe stricture on MRE can predict prognosis of Crohn's disease in patients treated with anti-TNF treatment. <i>Abdominal Radiology</i> , 2017 , 42, 141-151	3	11
219	Gastric emptying rate in subjects with malocclusion examined by [(13) C] breath test. <i>Journal of Oral Rehabilitation</i> , 2013 , 40, 574-81	3.4	11
218	Single-operator double-balloon endoscopy (DBE) is as effective as dual-operator DBE. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 770-5	4	11
217	Ameliorating effect of saporin-conjugated anti-CD11b monoclonal antibody in a murine T-cell-mediated chronic colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 1136-42 ⁴		11
216	Endoscopic removal of foreign bodies: A retrospective study in Japan. <i>World Journal of Gastrointestinal Endoscopy</i> , 2020 , 12, 33-41	2.2	11
215	Impact of electrical pulse cut mode during endoscopic papillectomy: Pilot randomized clinical trial. <i>Digestive Endoscopy</i> , 2020 , 32, 127-135	3.7	11
214	Indigo naturalis is effective even in treatment-refractory patients with ulcerative colitis: a post hoc analysis from the INDIGO study. <i>Journal of Gastroenterology</i> , 2020 , 55, 169-180	6.9	11

213	Current status of colon capsule endoscopy. <i>Digestive Endoscopy</i> , 2021 , 33, 529-537	3.7	11
212	Wnt Signaling Shapes the Histologic Variation in Diffuse Gastric Cancer. <i>Gastroenterology</i> , 2021 , 160, 823-830	13.3	11
211	Cutoff Pepsinogen Level for Predicting Unintendedly Eradicated Cases of Helicobacter pylori Infection in Subjects with Seemingly Normal Pepsinogen Levels. <i>Digestion</i> , 2017 , 95, 229-236	3.6	10
210	Epigenetic regulation of T helper cells and intestinal pathogenicity. <i>Seminars in Immunopathology</i> , 2019 , 41, 379-399	12	10
209	Th1/Th17-mediated interstitial pneumonia in chronic colitis mice independent of intestinal microbiota. <i>Journal of Immunology</i> , 2013 , 190, 6616-25	5.3	10
208	Computer-Aided Prediction of Long-Term Prognosis of Patients with Ulcerative Colitis after Cytoapheresis Therapy. <i>PLoS ONE</i> , 2015 , 10, e0131197	3.7	10
207	Effectiveness and clinical results of endoscopic management of sigmoid volvulus using unsedated water-immersion colonoscopy. <i>Digestive Endoscopy</i> , 2014 , 26, 564-8	3.7	10
206	Persistent retention of colitogenic CD4+ memory T cells causes inflammatory bowel diseases to become intractable. <i>Inflammatory Bowel Diseases</i> , 2009 , 15, 926-34	4.5	10
205	5-Aminosalicylic acid intolerance is associated with a risk of adverse clinical outcomes and dysbiosis in patients with ulcerative colitis. <i>Intestinal Research</i> , 2020 , 18, 69-78	4.1	10
204	CD8 tissue-resident memory T cells promote liver fibrosis resolution by inducing apoptosis of hepatic stellate cells. <i>Nature Communications</i> , 2021 , 12, 4474	17.4	10
203	Intestinal barrier regulates immune responses in the liver via IL-10-producing macrophages. <i>JCI Insight</i> , 2018 , 3,	9.9	10
202	Establishment of a Novel Scoring System for Colon Capsule Endoscopy to Assess the Severity of Ulcerative Colitis-Capsule Scoring of Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 2641-2647	4.5	10
201	Commensal microbe-derived acetate suppresses NAFLD/NASH development via hepatic FFAR2 signalling in mice. <i>Microbiome</i> , 2021 , 9, 188	16.6	10
200	Positive relationship between subsequent chemotherapy and overall survival in pancreatic cancer: meta-analysis of postprogression survival for first-line chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 79, 595-602	3.5	9
199	Concerns and Side Effects of Azathioprine During Adalimumab Induction and Maintenance Therapy for Japanese Patients With Crohn's Disease: A Subanalysis of a Prospective Randomised Clinical Trial [DIAMOND Study]. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 1097-1104	1.5	9
198	Burden of impaired sleep quality on work productivity in functional dyspepsia. <i>United European Gastroenterology Journal</i> , 2018 , 6, 398-406	5.3	9
197	Polyglycolic acid sheet for closure of esophagobronchial fistula in a patient with Behçet's disease. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 1094-1096	5.2	9
196	Prediction of effect of pegylated interferon alpha-2b plus ribavirin combination therapy in patients with chronic hepatitis C infection. <i>PLoS ONE</i> , 2011 , 6, e27223	3.7	9

195	Flagellin stimulation suppresses IL-7 secretion of intestinal epithelial cells. <i>Cytokine</i> , 2008 , 44, 57-64	4	9
194	Association between Increased Gastric Juice Acidity and Sliding Hiatal Hernia Development in Humans. <i>PLoS ONE</i> , 2017 , 12, e0170416	3.7	9
193	Long-Term Clinical Course after Conservative and Endoscopic Treatment of Colonic Diverticular Bleeding. <i>Digestion</i> , 2016 , 94, 186-191	3.6	9
192	Clinical, Endoscopic, and Pathological Characteristics of Immune Checkpoint Inhibitor-Induced Gastroenterocolitis. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 2129-2134	4	9
191	Pethidine dose and female sex as risk factors for nausea after esophagogastroduodenoscopy. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2018 , 63, 230-232	3.1	9
190	Dual effects of the Nrf2 inhibitor for inhibition of hepatitis C virus and hepatic cancer cells. <i>BMC Cancer</i> , 2018 , 18, 680	4.8	9
189	A specific genetic alteration on chromosome 6 in ulcerative colitis-associated colorectal cancers. <i>Cancer Research</i> , 2003 , 63, 3747-9	10.1	9
188	Long-term effect of NUDT15 R139C on hematologic indices in inflammatory bowel disease patients treated with thiopurine. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1751-1757	4	8
187	Combination therapy with infliximab and thiopurine compared to infliximab monotherapy in maintaining remission of postoperative Crohn's disease. <i>Digestion</i> , 2015 , 91, 233-8	3.6	8
186	Changes in the Clinical Features and Long-term Outcomes of Colonic Diverticulitis in Japanese Patients. <i>Internal Medicine</i> , 2017 , 56, 2971-2977	1.1	8
185	Control of the treatment device for endoscopy by the left hand: two-fingers method. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 1206-7	5.2	8
184	Risk and management of intra-abdominal abscess in Crohn's disease treated with infliximab. <i>Digestion</i> , 2014 , 89, 201-8	3.6	8
183	CCR2 knockout exacerbates cerulein-induced chronic pancreatitis with hyperglycemia via decreased GLP-1 receptor expression and insulin secretion. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 304, G700-7	5.1	8
182	Surveillance using trimodal imaging endoscopy after endoscopic submucosal dissection for superficial gastric neoplasia. <i>World Journal of Gastroenterology</i> , 2014 , 20, 16311-7	5.6	8
181	Ampullary Adenoma Treated by Endoscopic Double-Snare Retracting Papillectomy. <i>Gut and Liver</i> , 2015 , 9, 689-92	4.8	8
180	Impact of Antimicrobial Prophylaxis for Severe Acute Pancreatitis on the Development of Invasive Candidiasis: A Large Retrospective Multicenter Cohort Study. <i>Pancreas</i> , 2019 , 48, 537-543	2.6	8
179	10-Year Trends in Helicobacter pylori Eradication Rates by Sitafloxacin-Based Third-Line Rescue Therapy. <i>Digestion</i> , 2020 , 101, 644-650	3.6	8
178	Development of an Indigo Naturalis Suppository for Topical Induction Therapy in Patients with Ulcerative Colitis. <i>Digestion</i> , 2020 , 101, 492-498	3.6	8

177	Role of CC chemokine receptor 9 in the progression of murine and human non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2021 , 74, 511-521	13.4	8
176	A male Korean who was diagnosed with chronic enteropathy associated with (CEAS): case report with literature review. <i>BMJ Open Gastroenterology</i> , 2018 , 5, e000223	3.9	8
175	Efficacy and safety of immediate oral intake in patients with mild acute pancreatitis: A randomized controlled trial. <i>Nutrition</i> , 2020 , 74, 110724	4.8	7
174	Complications and outcomes of routine endoscopy in the very elderly. <i>Endoscopy International Open</i> , 2018 , 6, E224-E229	3	7
173	Disadvantages of peginterferon and ribavirin treatment in older patients with chronic hepatitis C: an analysis using the propensity score. <i>Hepatology International</i> , 2012 , 6, 744-52	8.8	7
172	Luminal CD4+ T cells penetrate gut epithelial monolayers and egress from lamina propria to blood circulation. <i>Gastroenterology</i> , 2011 , 141, 2130-2139.e11	13.3	7
171	IL-7 is essential for lymphopenia-driven turnover of colitogenic CD4(+) memory T cells in chronic colitis. <i>European Journal of Immunology</i> , 2009 , 39, 2737-47	6.1	7
170	Continuous generation of colitogenic CD4(+) T cells in persistent colitis. <i>European Journal of Immunology</i> , 2008 , 38, 1264-74	6.1	7
169	Carcinoembryonic antigen mediates in vitro cell aggregation induced by interferon-gamma in a human colon cancer cell line: requirement for active metabolism and intact cytoskeleton. <i>Cancer Letters</i> , 1993 , 71, 109-17	9.9	7
168	A Phase II Study of Regorafenib With a Lower Starting Dose in Patients With Metastatic Colorectal Cancer: Exposure-Toxicity Analysis of Unbound Regorafenib and Its Active Metabolites (RESET Trial). <i>Clinical Colorectal Cancer</i> , 2020 , 19, 13-21.e3	3.8	7
167	Bacteriotherapy for inflammatory bowel disease. <i>Inflammation and Regeneration</i> , 2021 , 41, 3	10.9	7
166	Management of challenging immune-related gastrointestinal adverse events associated with immune checkpoint inhibitors. <i>Future Oncology</i> , 2018 , 14, 3187-3198	3.6	7
165	Pregnant woman with non-comatose autoimmune acute liver failure in the second trimester rescued using medical therapy: A case report. <i>Hepatology Research</i> , 2015 , 45, 349-55	5.1	6
164	Redox-dependent PPAR γ /Tnpo1 complex formation enhances PPAR γ nuclear localization and signaling. <i>Free Radical Biology and Medicine</i> , 2020 , 156, 45-56	7.8	6
163	Fatal hemorrhage in a patient with advanced soft tissue sarcoma following radiation and pazopanib treatment: A case report. <i>Oncology Letters</i> , 2016 , 11, 2408-2410	2.6	6
162	Early tumor cavitation with regorafenib in metastatic colorectal cancer: A case report. <i>Oncology Letters</i> , 2016 , 11, 231-233	2.6	6
161	Endoscopic ultrasound-guided drainage for a mediastinal pancreatic pseudocyst. <i>Internal Medicine</i> , 2014 , 53, 2651-2	1.1	6
160	Mechanism and therapeutic strategy of secondary failure to anti-tumor necrosis factor- α monoclonal antibody treatment for Crohn's disease. <i>Digestion</i> , 2013 , 88, 17-9	3.6	6

159	Inter-evaluator heterogeneity of clinical diagnosis for locally advanced esophageal squamous cell carcinoma. <i>Esophagus</i> , 2017 , 14, 324-332	5.4	6
158	CCR9+ macrophages are required for eradication of peritoneal bacterial infections and prevention of polymicrobial sepsis. <i>Immunology Letters</i> , 2012 , 147, 75-9	4.1	6
157	A case of IgA-related enteropathy complicated with gastrointestinal bleeding and progressive IgA nephropathy: a possible variant Henoch-Schleien purpura?. <i>Internal Medicine</i> , 2010 , 49, 1755-61	1.1	6
156	Efficacy of apheresis as maintenance therapy for patients with ulcerative colitis in an open-label prospective multicenter randomised controlled trial. <i>Journal of Gastroenterology</i> , 2020 , 55, 390-400	6.9	6
155	Oncogenic KRAS-expressing organoids with biliary epithelial stem cell properties give rise to biliary tract cancer in mice. <i>Cancer Science</i> , 2021 , 112, 1822-1838	6.9	6
154	Cross-sectional small intestinal surveillance of maintenance hemodialysis patients using video capsule endoscopy: SCHEMA study. <i>Endoscopy International Open</i> , 2016 , 4, E589-96	3	6
153	Adrenomedullin for steroid-resistant ulcerative colitis: a randomized, double-blind, placebo-controlled phase-2a clinical trial. <i>Journal of Gastroenterology</i> , 2021 , 56, 147-157	6.9	6
152	Neutrophil-activating Protein Polymorphism of Helicobacter pylori Determines the Host Risk of Dyspepsia. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019 , 8, 295-297.e6	7.9	5
151	Difference in the clinical characteristic and prognosis of colitis-associated cancer and sporadic neoplasia in ulcerative colitis patients. <i>Digestive and Liver Disease</i> , 2019 , 51, 1257-1264	3.3	5
150	Magnetic resonance enterography of Crohn's disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 37-45	4.2	5
149	Mucosal concentrations of N-acetyl-5-aminosalicylic acid related to endoscopic activity in ulcerative colitis patients with mesalamine. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1878-1885	4.8	5
148	Detection of bacterial DNA by in situ hybridization in patients with decompensated liver cirrhosis. <i>BMC Gastroenterology</i> , 2017 , 17, 106	3	5
147	Fecal microbiota transplantation for recurrent infection in a patient with ulcerative colitis. <i>Intestinal Research</i> , 2018 , 16, 142-146	4.1	5
146	IL-7 promotes long-term in vitro survival of unique long-lived memory subset generated from mucosal effector memory CD4+ T cells in chronic colitis mice. <i>Immunology Letters</i> , 2013 , 156, 82-93	4.1	5
145	Continuous low-dose irradiation by I-125 seeds induces apoptosis of gastric cancer cells regardless of histological origin. <i>Cancer Biology and Therapy</i> , 2014 , 15, 81-8	4.6	5
144	Hyperexpression of inducible costimulator on lamina propria mononuclear cells in rat dextran sulfate sodium colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004 , 19, 174-81	4	5
143	Characterization of structures with T-lymphocyte aggregates in ileal villi of Crohn's disease. <i>American Journal of Gastroenterology</i> , 2002 , 97, 1741-7	0.7	5
142	ICOS costimulation in inflammatory bowel disease. <i>Journal of Gastroenterology</i> , 2002 , 37 Suppl 14, 78-81	6.9	5

141	Recent trends in diagnostic techniques for inflammatory bowel disease. <i>Korean Journal of Internal Medicine</i> , 2015 , 30, 271-8	2.5	5
140	Anti-MAdCAM-1 antibody (PF-00547659) for active refractory Crohn's disease in Japanese and Korean patients: the OPERA study. <i>Intestinal Research</i> , 2020 , 18, 45-55	4.1	5
139	Factors contributing to the systemic clearance of infliximab with long-term administration in Japanese patients with Crohn's disease: Analysis using population pharmacokinetics?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2020 , 58, 89-102	2	5
138	The "two-sword fencing" technique in endoscopic submucosal dissection. <i>Clinical Endoscopy</i> , 2015 , 48, 85-6	2.5	5
137	Clinical and Endoscopic Characteristics of Pyogenic Granuloma in the Small Intestine: A Case Series with Literature Review. <i>Internal Medicine</i> , 2020 , 59, 501-505	1.1	5
136	A long (7 cm) prophylactic pancreatic stent decreases incidence of post-endoscopic papillectomy pancreatitis: a retrospective study. <i>Endoscopy International Open</i> , 2019 , 7, E1663-E1670	3	5
135	Risk factors associated with pseudoaldosteronism in patients with chronic hepatitis: A retrospective cohort study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 607-614	3.1	5
134	Colonic diverticular bleeding and predictors of the length of hospitalization: An observational study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1351-1356	4	5
133	The Effect of an Invasive Strategy for Treating Pancreatic Necrosis on Mortality: a Retrospective Multicenter Cohort Study. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 2037-2045	3.3	5
132	Liver Fibrosis Markers Improve Prediction of Outcome in Non-Acetaminophen-Associated Acute Liver Failure. <i>Hepatology Communications</i> , 2018 , 2, 1331-1343	6	5
131	Soft palatal melanosis, a simple predictor for neoplasia in the upper aerodigestive tract in Japanese alcoholic men. <i>Cancer Science</i> , 2017 , 108, 1058-1064	6.9	4
130	Endoscopic Severity Predicts Long-Term Prognosis in Crohn's Disease Patients with Clinical Remission. <i>Digestion</i> , 2016 , 93, 66-71	3.6	4
129	Electric Endocut and Autocut Resection for Endoscopic Papillectomy: A Systematic Review. <i>Internal Medicine</i> , 2019 , 58, 2767-2772	1.1	4
128	The Prognosis of Severe Acute Pancreatitis Varies According to the Segment Presenting With Low Enhanced Pancreatic Parenchyma on Early Contrast-Enhanced Computed Tomography: A Multicenter Cohort Study. <i>Pancreas</i> , 2017 , 46, 867-873	2.6	4
127	Enteric Glial Dysfunction Evoked by Apolipoprotein E Deficiency Contributes to Delayed Gastric Emptying. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 3359-3369	4	4
126	Crohn's Disease in which the Patient Developed Aortitis during Treatment with Adalimumab. <i>Internal Medicine</i> , 2015 , 54, 1725-32	1.1	4
125	Control of tip deflection by right pinkie shaft grip: right pinkie maneuver. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 1208	5.2	4
124	Clinical features of cardiac nodularity-like appearance induced by infection. <i>World Journal of Gastroenterology</i> , 2020 , 26, 5354-5361	5.6	4

123	Systemically circulating colitogenic memory CD4+T cells may be an ideal target for the treatment of inflammatory bowel diseases. <i>Keio Journal of Medicine</i> , 2009 , 58, 203-9	1.6	4
122	Endoscopic characteristics of small intestinal malignant tumors observed by balloon-assisted enteroscopy. <i>World Journal of Gastrointestinal Endoscopy</i> , 2019 , 11, 373-382	2.2	4
121	Leucine-rich alpha-2 glycoprotein is a potential biomarker to monitor disease activity in inflammatory bowel disease receiving adalimumab: PLANET study. <i>Journal of Gastroenterology</i> , 2021 , 56, 560-569	6.9	4
120	Analysis of risk factors for immune-related adverse events in various solid tumors using real-world data. <i>Future Oncology</i> , 2021 , 17, 2593-2603	3.6	4
119	Simeprevir/pegylated interferon/ribavirin triple therapy for recurrent hepatitis C after living donor liver transplantation. <i>Hepatology Research</i> , 2016 , 46, 1118-1128	5.1	4
118	C-C motif chemokine receptor 9 regulates obesity-induced insulin resistance via inflammation of the small intestine in mice. <i>Diabetologia</i> , 2021 , 64, 603-617	10.3	4
117	Circadian rhythms in the tissue-specificity from metabolism to immunity: insights from omics studies. <i>Molecular Aspects of Medicine</i> , 2021 , 80, 100984	16.7	4
116	Clinical and endoscopic findings to assist the early detection of duodenal adenoma and adenocarcinoma. <i>United European Gastroenterology Journal</i> , 2019 , 7, 250-260	5.3	3
115	The impact of visceral adipose tissue as best predictor for difficult colonoscopy and the clinical utility of a long small-caliber scope as rescue. <i>PLoS ONE</i> , 2017 , 12, e0189817	3.7	3
114	Colonic dysmotility and morphological abnormality frequently detected in Japanese patients with irritable bowel syndrome. <i>Intestinal Research</i> , 2017 , 15, 236-243	4.1	3
113	Post-progression survival following second-line chemotherapy in patients with advanced pancreatic cancer previously treated with gemcitabine: a meta-analysis. <i>Investigational New Drugs</i> , 2018 , 36, 939-948	4.3	3
112	β(1,3)-Glucan derived from induces inflammatory cytokines from macrophages and lamina propria mononuclear cells derived from patients with Crohn's disease. <i>Intestinal Research</i> , 2018 , 16, 384-392	4.1	3
111	Absence of high-risk stigmata predicts good prognosis even in severely anemic patients with suspected acute upper gastrointestinal bleeding. <i>United European Gastroenterology Journal</i> , 2018 , 6, 684-690	5.3	3
110	Clinical utility of novel ultrathin single-balloon enteroscopy: a feasibility study. <i>Endoscopy</i> , 2019 , 51, 468-471	3.4	3
109	Intramucosal poorly differentiated and signet-ring cell components in patients with ulcerative colitis-associated high-grade dysplasia. <i>Digestive Endoscopy</i> , 2019 , 31, 706-711	3.7	3
108	Classical Th1 cells obtain colitogenicity by co-existence of RORγt-expressing T cells in experimental colitis. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 1820-7	4.5	3
107	Successful EUS-guided nondilated pancreatic duct stent placement in patient with refractory pancreatic fistula after pancreaticoduodenectomy. <i>VideoGIE</i> , 2017 , 2, 315-316	1.1	3
106	Obscure gastrointestinal bleeding: resection of a pyogenic granuloma of the ileum via double-balloon enteroscopy. <i>Clinical Journal of Gastroenterology</i> , 2014 , 7, 397-401	1.1	3

105	Organ and brain crosstalk: The liver-brain axis in gastrointestinal, liver, and pancreatic diseases.. <i>Neuropharmacology</i> , 2021 , 205, 108915	5.5	3
104	Japan Alcoholic Hepatitis Score can help management of patients with alcoholic hepatitis. <i>Acta Hepatologica Japonica</i> , 2014 , 55, 22-32	0.3	3
103	Analysis of Sensitivity and Cell Death Pathways Mediated by Anti-cancer Drugs Using Three-dimensional Culture System. <i>International Journal of Cancer Research</i> , 2017 , 14, 1-12	0.2	3
102	Percutaneous endoscopic gastrostomy under steady pressure automatically controlled endoscopy: First clinical series. <i>World Journal of Gastrointestinal Endoscopy</i> , 2016 , 8, 186-91	2.2	3
101	Immunological Abnormalities in the Pathogenesis of Inflammatory Bowel Disease. <i>Intestinal Research</i> , 2012 , 10, 317	4.1	3
100	Current status of alcoholic liver diseases in Japan. <i>Acta Hepatologica Japonica</i> , 2015 , 56, 366-368	0.3	3
99	Moderate alcohol consumption is not associated with subclinical cardiovascular damage but with hepatic fibrosis in non-alcoholic fatty liver disease. <i>Alcohol</i> , 2020 , 89, 1-7	2.7	3
98	A significant association of non-obese non-alcoholic fatty liver disease with osteosarcopenic obesity in females 50 years and older. <i>Clinical Nutrition ESPEN</i> , 2021 , 42, 166-172	1.3	3
97	Linked color imaging versus white light imaging colonoscopy for colorectal adenoma detection: A randomized controlled trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2778-2784 ⁴		3
96	Hepatic Adenosine Triphosphate Reduction Through the Short-Chain Fatty Acids-Peroxisome Proliferator-Activated Receptor β Uncoupling Protein 2 Axis Alleviates Immune-Mediated Acute Hepatitis in Inulin-Supplemented Mice. <i>Hepatology Communications</i> , 2021 , 5, 1555-1570	6	3
95	Pulmonary Arterial Hypertension Caused by AhR Signal Activation Protecting against Colitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 385-388	10.2	3
94	Significance of endoscopic deep small bowel evaluation using balloon-assisted enteroscopy for Crohn's disease in clinical remission. <i>Journal of Gastroenterology</i> , 2021 , 56, 25-33	6.9	3
93	Underwater endoscopic mucosal resection for a sporadic adenoma located at severe longitudinal ulcer scars in ulcerative colitis. <i>Endoscopy</i> , 2021 ,	3.4	3
92	Methotrexate-associated Lymphoproliferative Disorder of the Stomach Presumed to Be Mucosa-associated Lymphoid Tissue Lymphoma. <i>Internal Medicine</i> , 2018 , 57, 3249-3254	1.1	3
91	Pathophysiology of Potassium-competitive Acid Blocker-refractory Gastroesophageal Reflux and the Potential of Potassium-competitive Acid Blocker Test. <i>Journal of Neurogastroenterology and Motility</i> , 2018 , 24, 577-583	4.4	3
90	Novel mainstream capnometer system is safe and feasible even under CO insufflation during ERCP-related procedure: a pilot study. <i>BMJ Open Gastroenterology</i> , 2019 , 6, e000266	3.9	2
89	Pancreatic fat content may increase the risk of imaging progression in low-risk branch duct intraductal papillary mucinous neoplasm. <i>Journal of Digestive Diseases</i> , 2019 , 20, 557-562	3.3	2
88	Increased levels of prostaglandin E-major urinary metabolite (PGE-MUM) in active mesenteric panniculitis patients: A case report. <i>Medicine (United States)</i> , 2017 , 96, e9237	1.8	2

87	Genotype-Associated Differential NKG2D Expression on CD56+CD3+ Lymphocytes Predicts Response to Pegylated-Interferon/Ribavirin Therapy in Chronic Hepatitis C. <i>PLoS ONE</i> , 2015 , 10, e0125664	3.7	2
86	Spur cell anemia associated with alcoholic cirrhosis. <i>Internal Medicine</i> , 2013 , 52, 2831	1.1	2
85	A novel apoptosis-inducing monoclonal antibody (anti-LHK) against a cell surface antigen on colon cancer cells. <i>Journal of Gastroenterology</i> , 2005 , 40, 945-55	6.9	2
84	Development of plasma ghrelin level as a novel marker for gastric mucosal atrophy after eradication.. <i>Annals of Medicine</i> , 2022 , 54, 170-180	1.5	2
83	Efficacy of Novel Ultrathin Single-Balloon Enteroscopy for Crohn's Disease: A Propensity Score-Matched Study. <i>Gut and Liver</i> , 2020 , 14, 619-625	4.8	2
82	Small-Bowel Lesions in Patients Taking Direct Oral Anticoagulants Detected Using Capsule Endoscopy. <i>Gastroenterology Research and Practice</i> , 2020 , 2020, 7125642	2	2
81	Polar functional group-containing glycolipid CD1d ligands modulate cytokine-biasing responses and prevent experimental colitis. <i>Scientific Reports</i> , 2020 , 10, 15766	4.9	2
80	Demarcated redness associated with increased vascular density/size: a useful marker of flat-type dysplasia in patients with ulcerative colitis. <i>Endoscopy International Open</i> , 2021 , 9, E552-E561	3	2
79	Successful Pancreatic Duct Stent Placement for Recurrent Pancreatitis in a Patient with Polysplenia with Agenesis of the Dorsal Pancreas and Peutz-Jeghers Syndrome. <i>Internal Medicine</i> , 2016 , 55, 1743-6	1.1	2
78	An Ileal Inflammatory Fibroid Polyp Treated by Endoscopic Resection. <i>Internal Medicine</i> , 2016 , 55, 2901-2902		2
77	Angiopietin-like protein 4 deficiency augments liver fibrosis in liver diseases such as nonalcoholic steatohepatitis in mice through enhanced free cholesterol accumulation in hepatic stellate cells. <i>Hepatology Research</i> , 2021 , 51, 580-592	5.1	2
76	External drainage of bile and pancreatic juice after endoscopic submucosal dissection for duodenal neoplasm: Feasibility study (with video). <i>Digestive Endoscopy</i> , 2021 , 33, 977-984	3.7	2
75	Phase 1 study on the safety and efficacy of E6011, anti fractalkine antibody, in patients with Crohn's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2180-2186	4	2
74	Insertability comparison of passive bending single-balloon prototype versus standard single-balloon enteroscopy: a multicenter randomized non-blinded trial. <i>Endoscopy International Open</i> , 2018 , 6, E1184-E1189	3	2
73	Colon neoplastic cells do not originate from bone marrow-derived cells after sex-mismatched bone marrow transplantation. <i>Anticancer Research</i> , 2012 , 32, 4097-103	2.3	2
72	Intracellular metabolic adaptation of intraepithelial CD4CD8 ⁺ lymphocytes.. <i>IScience</i> , 2022 , 25, 104021	6.1	2
71	A significant risk of metabolic dysfunction-associated fatty liver disease plus diabetes on subclinical atherosclerosis. <i>PLoS ONE</i> , 2022 , 17, e0269265	3.7	2
70	Curative resectability of gastrointestinal cancer identified from iron deficiency anemia. <i>Oncology Letters</i> , 2017 , 14, 4301-4304	2.6	1

69	Late-onset acute liver failure due to Wilson's disease managed by plasmapheresis and hemodiafiltration successfully serving as a bridge for deceased donor liver transplantation: a case report and literature review. <i>Clinical Journal of Gastroenterology</i> , 2020 , 13, 1239-1246	1.1	1
68	Current Status of Alcoholic Hepatocellular Carcinoma in Japan -Nation-wide Survey in 2014-. <i>Acta Hepatologica Japonica</i> , 2016 , 57, 538-547	0.3	1
67	Middle-term prognosis in patients with ulcerative colitis who achieved clinical and endoscopic remission by budesonide rectal foam. <i>PLoS ONE</i> , 2019 , 14, e0220413	3.7	1
66	Benefit of rebiopsy for deciding treatment strategy in rectal cancer: A case report. <i>Oncology Letters</i> , 2017 , 14, 3697-3700	2.6	1
65	Treatment of inflammatory immunologic disease 1. Leukocytapheresis for inflammatory immunologic disease (tentative). <i>Internal Medicine</i> , 2007 , 46, 1305-6	1.1	1
64	A Case of Crohn's Disease which Initially Presented with Diffuse Inflammation in the Rectum and Sigmoid Colon. <i>Digestive Endoscopy</i> , 1993 , 5, 169-174	3.7	1
63	Modified Technique ; Double over tube method of double balloon endoscopy. <i>Progress of Digestive Endoscopy</i> , 2006 , 68, 53-57	0	1
62	Comprehensive and long-term surveys of COVID-19 sequelae in Japan, an ambidirectional multicentre cohort study: study protocol. <i>BMJ Open Respiratory Research</i> , 2021 , 8,	5.6	1
61	A case of acute pancreatitis induced by telaprevir in the anti-HCV treatment with peginterferon and ribavirin. <i>Acta Hepatologica Japonica</i> , 2013 , 54, 340-346	0.3	1
60	Superiority of urgent vs early endoscopic hemostasis in patients with upper gastrointestinal bleeding with high-risk stigmata.. <i>Gastroenterology Report</i> , 2021 , 9, 543-551	3.3	1
59	Effect of physician-prescribed nalmefene on alcohol intake reduction in patients with alcohol-related liver disease. <i>Acta Hepatologica Japonica</i> , 2021 , 62, 620-629	0.3	1
58	5-Aminosalicylic acid aggravates colitis mimicking exacerbation of ulcerative colitis. <i>Intestinal Research</i> , 2018 , 16, 635-640	4.1	1
57	CLIF-C Organ Failure Score and Liver Volume Predict Prognosis in Steroid-Treated Severe Acute Autoimmune Hepatitis. <i>Hepatology Communications</i> , 2020 , 4, 1019-1033	6	1
56	Clinical characteristics and outcomes of duodenal-type follicular lymphoma. <i>Leukemia and Lymphoma</i> , 2020 , 61, 3266-3268	1.9	1
55	Characteristics of the Mucosal Surface on Scanning Electron Microscopy in Patients with Remitting Ulcerative Colitis. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 3141-3148	4	1
54	Impact of Enteral Nutrition Within 24 Hours Versus Between 24 and 48 Hours in Patients With Severe Acute Pancreatitis: A Multicenter Retrospective Study. <i>Pancreas</i> , 2021 , 50, 371-377	2.6	1
53	Endoscopic diagnosis for colorectal sessile serrated lesions. <i>World Journal of Gastroenterology</i> , 2021 , 27, 1321-1329	5.6	1
52	Vulnerability to recurrent episodes of acute decompensation/acute-on-chronic liver failure characterizes those triggered by indeterminate precipitants in patients with liver cirrhosis. <i>PLoS ONE</i> , 2021 , 16, e0250062	3.7	1

51	Vagus nerve-mediated intestinal immune regulation: therapeutic implications for inflammatory bowel diseases. <i>International Immunology</i> , 2021 ,	4.9	1
50	Various Endoscopic Features in Monomorphic Epitheliotropic Intestinal T-Cell Lymphoma. <i>Case Reports in Gastroenterology</i> , 2021 , 15, 312-322	1	1
49	New strategy for evaluating pancreatic tissue specimens from endoscopic ultrasound-guided fine needle aspiration and surgery. <i>JGH Open</i> , 2021 , 5, 953-958	1.8	1
48	Potential benefits of immunomodulator use with vedolizumab for maintenance of remission in ulcerative colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 ,	4	1
47	Esophageal endoscopic submucosal dissection on postendoscopic variceal ligation scars with injection under red dichromatic imaging.. <i>VideoGIE</i> , 2021 , 6, 536-539	1.1	1
46	Predictors of technical difficulty for complete closure of mucosal defects after duodenal endoscopic resection. <i>Gastrointestinal Endoscopy</i> , 2021 , 94, 786-794	5.2	1
45	Week 2 Symptomatic Response with Vedolizumab as a Predictive Factor in Japanese Anti-TNF α Naive Patients with Ulcerative Colitis: A post hoc Analysis of a Randomized, Placebo-Controlled Phase 3 Trial. <i>Digestion</i> , 2021 , 102, 742-752	3.6	1
44	Aryl hydrocarbon receptor signals in epithelial cells govern the recruitment and location of Helios Tregs in the gut.. <i>Cell Reports</i> , 2022 , 39, 110773	10.6	1
43	Late-onset visceral varicella-zoster virus infection presented as acute liver failure after allogeneic hematopoietic stem cell transplantation. <i>Transplant Infectious Disease</i> , 2019 , 21, e13121	2.7	0
42	Limited Identification of Dual-time-point Positron Emission Tomography/Computed Tomography in Advanced Colorectal Neoplasms. <i>Internal Medicine</i> , 2017 , 56, 1287-1292	1.1	0
41	Predictors of necessity for endoscopic balloon dilatation in patients with Crohn's disease-related small bowel stenosis. <i>Annals of Medicine</i> , 2021 , 53, 2025-2033	1.5	0
40	Risk Factors for Prolonged Hospital Stay after Endoscopy. <i>Clinical Endoscopy</i> , 2021 , 54, 851-856	2.5	0
39	Factors predicting major complications, mortality, and recovery in percutaneous endoscopic gastrostomy. <i>JGH Open</i> , 2021 , 5, 590-598	1.8	0
38	Leucine-Rich Alpha-2 Glycoprotein May Be Predictive of the Adalimumab Trough Level and Antidrug Antibody Development for Patients with Inflammatory Bowel Disease: A Sub-Analysis of the PLANET Study. <i>Digestion</i> , 2021 , 102, 929-937	3.6	0
37	Ulcerative colitis exacerbation after the onset of immune checkpoint inhibitor related colitis. <i>Clinical Journal of Gastroenterology</i> , 2021 , 14, 152-158	1.1	0
36	Pathogenesis and management of gastrointestinal inflammation and fibrosis: from inflammatory bowel diseases to endoscopic surgery. <i>Inflammation and Regeneration</i> , 2021 , 41, 21	10.9	0
35	Video capsule endoscopy in inflammatory bowel disease.. <i>DEN Open</i> , 2022 , 2, e26		0
34	Clinical Characteristics of Patients with Coronavirus Disease (COVID-19): Preliminary Baseline Report of Japan COVID-19 Task Force, a Nationwide Consortium to Investigate Host Genetics of COVID-19. <i>International Journal of Infectious Diseases</i> , 2021 , 113, 74-81	10.5	0

33	Endoscopic resection of superficial non-ampullary duodenal epithelial tumor.. <i>DEN Open</i> , 2022 , 2, e54	0
32	Th17 cells in the liver: balancing autoimmunity and pathogen defense.. <i>Seminars in Immunopathology</i> , 2022 , 1	12 0
31	Relevance of pepsinogen, gastrin, and endoscopic atrophy in the diagnosis of autoimmune gastritis.. <i>Scientific Reports</i> , 2022 , 12, 4202	4.9 0
30	Leukocytapheresis Therapy of Inflammatory Bowel Disease 2017 , 491-504	
29	493: THE IMPACT OF VERY EARLY ENTERAL NUTRITION IN PATIENTS WITH SEVERE ACUTE PANCREATITIS. <i>Critical Care Medicine</i> , 2020 , 48, 227-227	1.4
28	Current status of alcoholic hepatitis in Japan (2012). <i>Acta Hepatologica Japonica</i> , 2016 , 57, 171-177	0.3
27	P-174 Chronic Enteropathy Associated with SLCO2A1 Gene, Encoding Prostaglandin Transporter (CEAS). <i>Inflammatory Bowel Diseases</i> , 2016 , 22, S62	4.5
26	Reply. <i>Gastroenterology</i> , 2018 , 155, 578-579	13.3
25	Dendritic cells administered intrarectally penetrate the intestinal barrier to break intestinal tolerance via Th2-mediated colitis in mice. <i>Immunology Letters</i> , 2013 , 150, 123-9	4.1
24	Reply to Gheorghe et al. <i>Endoscopy</i> , 2017 , 49, 1286	3.4
23	A case of type C chronic hepatitis with constitutional hyperbilirubinemia treated by peginterferon-alpha+ribavirin+simeprevir. <i>Acta Hepatologica Japonica</i> , 2015 , 56, 13-17	0.3
22	A reduced bowel cleansing regimen for colonoscopy using a pre-packaged low-residue diet. <i>Progress of Digestive Endoscopy</i> , 2013 , 83, 74-76	0
21	Gastric emptying rate in subjects with malocclusion examined by [13C] breath test. <i>Orthodontic Waves</i> , 2014 , 73, 1-1	0.2
20	Anticoagulation therapy dramatically improved severe sigmoiditis with findings resembling inflammatory bowel disease, which was caused by mesenteric venous thrombosis. <i>Clinical Journal of Gastroenterology</i> , 2012 , 5, 377-82	1.1
19	Cytokine networks in the development of intestinal inflammation in Crohn's disease.. <i>Folia Pharmacologica Japonica</i> , 2002 , 120, 39-45	0
18	Identification of diverticular bleeding needs early colonoscopy rather than preparation.. <i>Endoscopy International Open</i> , 2022 , 10, E50-E55	3
17	Giant Mesocaval Shunt Formed by Recurrent Ileal Intussusception. <i>Internal Medicine</i> , 2020 , 59, 747-748	1.1
16	A case of gastric type adenocarcinoma of the stomach. <i>Progress of Digestive Endoscopy</i> , 2004 , 65, 70-71	0

15	1) Microbiota and Gastrointestinal Diseases. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019 , 108, 401-407	0
14	A case of early gastric cancer with liver cirrhosis in whom mucosal defect was closed completely after ESD. <i>Progress of Digestive Endoscopy</i> , 2019 , 94, 67-69	0
13	A case of intrahepatic cholangiocellular carcinoma due to Thorotrast deposition, well-controlled by radiofrequency ablation therapy. <i>Acta Hepatologica Japonica</i> , 2020 , 61, 262-269	0.3
12	A Case of Cytomegalovirus Colitis. <i>Progress of Digestive Endoscopy(1972)</i> , 1998 , 51, 108-111	
11	Bacteriotherapy reintroduces old friends in IBD. <i>Inflammation and Regeneration</i> , 2015 , 35, 122-128	10.9
10	A case of chronic nonspecific multiple ulcers of the small intestine successfully treated by endoscopic balloon dilatation. <i>Progress of Digestive Endoscopy</i> , 2017 , 91, 160-161	0
9	Transient hypotension during endoscopic resection of gangliocytic paraganglioma with ampullary involvement. <i>VideoGIE</i> , 2020 , 5, 26-28	1.1
8	1) Microbiota and Gastrointestinal Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016 , 105, 1695-1700	0
7	How Can We Assess "Complete Healing" Beyond Endoscopic Remission?. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, e68	4.5
6	Negative effect of fatty liver on visualization of pancreatic cystic lesions at screening transabdominal ultrasonography. <i>Journal of Evaluation in Clinical Practice</i> , 2020 , 26, 256-261	2.5
5	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 209-210	6.9
4	Early administration of systemic chemotherapy should be considered for scirrhous gastric cancer: A case report. <i>Molecular and Clinical Oncology</i> , 2019 , 10, 113-117	1.6
3	Validation by CT of the new ultrasonography classification of acute colonic diverticulitis among Japanese patients. <i>Cogent Medicine</i> , 2018 , 5, 1507478	1.4
2	Successful EUS-guided antegrade stenting for malignant severe biliary obstruction combined with a newly developed plastic stent. <i>Endoscopy International Open</i> , 2018 , 6, E1336-E1339	3
1	A case of adenocarcinoma arising from Barrett's epithelium with deep submucosal invasion. <i>Progress of Digestive Endoscopy</i> , 2018 , 93, 76-77	0