Xianglei Liu

List of Publications by Citations

Source: https://exaly.com/author-pdf/309759/xianglei-liu-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 papers 1,551 24 h-index g-index

76 2,103 6 avg, IF 5.49 L-index

#	Paper	IF	Citations
70	Near-field radiative heat transfer with doped-silicon nanostructured metamaterials. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 73, 389-398	4.9	96
69	Near-Perfect Photon Tunneling by Hybridizing Graphene Plasmons and Hyperbolic Modes. <i>ACS Photonics</i> , 2014 , 1, 785-789	6.3	89
68	Near-Field Thermal Radiation: Recent Progress and Outlook. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2015 , 19, 98-126	3.7	88
67	Near-field thermal radiation between hyperbolic metamaterials: Graphite and carbon nanotubes. <i>Applied Physics Letters</i> , 2013 , 103, 213102	3.4	73
66	Graphene-assisted near-field radiative heat transfer between corrugated polar materials. <i>Applied Physics Letters</i> , 2014 , 104, 251911	3.4	72
65	Near-Field Thermal Radiation between Metasurfaces. ACS Photonics, 2015, 2, 1320-1326	6.3	68
64	Application Conditions of Effective Medium Theory in Near-Field Radiative Heat Transfer Between Multilayered Metamaterials. <i>Journal of Heat Transfer</i> , 2014 , 136,	1.8	66
63	Full-spectrum volumetric solar thermal conversion via photonic nanofluids. <i>Nanoscale</i> , 2017 , 9, 14854-1	4 8 60	58
62	Giant enhancement of nanoscale thermal radiation based on hyperbolic graphene plasmons. <i>Applied Physics Letters</i> , 2015 , 107, 143114	3.4	54
61	Anisotropic optical properties of silicon nanowire arrays based on the effective medium approximation. <i>International Journal of Thermal Sciences</i> , 2013 , 65, 62-69	4.1	51
60	Graphene-assisted near-field radiative thermal rectifier based on phase transition of vanadium dioxide (VO2). <i>International Journal of Heat and Mass Transfer</i> , 2017 , 109, 63-72	4.9	49
59	Enhanced near-field thermal radiation and reduced Casimir stiction between doped-Si gratings. <i>Physical Review A</i> , 2015 , 91,	2.6	45
58	Wideband Tunable Omnidirectional Infrared Absorbers Based on Doped-Silicon Nanowire Arrays. <i>Journal of Heat Transfer</i> , 2013 , 135,	1.8	41
57	Pattern-free thermal modulator via thermal radiation between Van der Waals materials. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017 , 200, 100-107	2.1	40
56	Calcium-based composites for direct solar-thermal conversion and thermochemical energy storage. <i>Chemical Engineering Journal</i> , 2020 , 382, 122815	14.7	40
55	High-performance electroluminescent refrigeration enabled by photon tunneling. <i>Nano Energy</i> , 2016 , 26, 353-359	17.1	38
54	Dark calcium carbonate particles for simultaneous full-spectrum solar thermal conversion and large-capacity thermochemical energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 207, 110364	1 ^{6.4}	35

(2015-2020)

53	Modified Ca-Looping materials for directly capturing solar energy and high-temperature storage. Energy Storage Materials, 2020 , 25, 836-845	19.4	30	
52	Carbonate salt based composite phase change materials for medium and high temperature thermal energy storage: A microstructural study. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 196, 25-35	6.4	28	
51	Defects-assisted solar absorption of plasmonic nanoshell-based nanofluids. <i>Solar Energy</i> , 2017 , 146, 503	84580	27	
50	Super-Planckian thermal radiation enabled by coupled quasi-elliptic 2D black phosphorus plasmons. <i>Applied Thermal Engineering</i> , 2018 , 144, 403-410	5.8	26	
49	Energy streamlines in near-field radiative heat transfer between hyperbolic metamaterials. <i>Optics Express</i> , 2014 , 22 Suppl 4, A1112-27	3.3	25	
48	Absorption Coefficients of Crystalline Silicon at Wavelengths from 500 nm to 1000 nm. <i>International Journal of Thermophysics</i> , 2013 , 34, 213-225	2.1	25	
47	Blocking-assisted infrared transmission of subwavelength metallic gratings by graphene. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 035004	1.7	24	
46	High-performance noncontact thermal diode via asymmetric nanostructures. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2018 , 211, 1-8	2.1	23	
45	Super-Planckian thermal radiation enabled by hyperbolic surface phonon polaritons. <i>Science China Technological Sciences</i> , 2016 , 59, 1680-1686	3.5	22	
44	A Computational Simulation of Using Tungsten Gratings in Near-Field Thermophotovoltaic Devices. <i>Journal of Heat Transfer</i> , 2017 , 139,	1.8	21	
43	Modeling the Optical and Radiative Properties of Vertically Aligned Carbon Nanotubes in the Infrared Region. <i>Journal of Heat Transfer</i> , 2015 , 137,	1.8	18	
42	Diatomite-based porous ceramics with high apparent porosity: Pore structure modification using calcium carbonate. <i>Ceramics International</i> , 2019 , 45, 6085-6092	5.1	18	
41	Near-Field Thermal Radiation between Nanostructures of Natural Anisotropic Material. <i>Physical Review Applied</i> , 2018 , 10,	4.3	18	
40	Ultrahigh thermal rectification based on near-field thermal radiation between dissimilar nanoparticles. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2019 , 234, 1-9	2.1	16	
39	Bionic topology optimization of fins for rapid latent heat thermal energy storage. <i>Applied Thermal Engineering</i> , 2021 , 194, 117104	5.8	16	
38	Near-Field Thermal Radiation of Nanopatterned Black Phosphorene Mediated by Topological Transitions of Phosphorene Plasmons. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2019 , 23, 188-199	3.7	16	
37	Decomposition kinetics of Al- and Fe-doped calcium carbonate particles with improved solar absorbance and cycle stability. <i>Chemical Engineering Journal</i> , 2021 , 406, 126282	14.7	16	
36	Near-field radiation between graphene-covered carbon nanotube arrays. <i>AIP Advances</i> , 2015 , 5, 053501	1.5	14	

35	Metal-free low-loss negative refraction in the mid-infrared region. <i>Applied Physics Letters</i> , 2013 , 103, 103101	3.4	14
34	Wide-angle near infrared polarizer with extremely high extinction ratio. <i>Optics Express</i> , 2013 , 21, 10502	-303	14
33	A 130 kWe solar simulator with tunable ultra-high flux and characterization using direct multiple lamps mapping. <i>Applied Energy</i> , 2020 , 270, 115165	10.7	13
32	High thermal conductivity and high energy density compatible latent heat thermal energy storage enabled by porous AlN ceramics composites. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 175, 121405	4.9	12
31	High-performance infrared thermal radiation suppression metamaterials enabling inhibited infrared emittance and decreased temperature simultaneously. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 161, 120318	4.9	9
30	Active control for enhancing vortex induced vibration of a circular cylinder based on deep reinforcement learning. <i>Physics of Fluids</i> , 2021 , 33, 103604	4.4	8
29	Synergetic enhancement of heat storage density and heat transport ability of phase change materials inlaid in 3D hierarchical ceramics. <i>Applied Energy</i> , 2022 , 306, 117995	10.7	8
28	Effects of near-field photon tunneling on the performance of photon@nhanced thermionic emission energy conversion. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2019 , 222-223, 223-228	2.1	8
27	Bionic hierarchical porous aluminum nitride ceramic composite phase change material with excellent heat transfer and storage performance. <i>Composites Communications</i> , 2021 , 27, 100892	6.7	8
26	Thermochemical heat storage performances of fluidized black CaCO3 pellets under direct concentrated solar irradiation. <i>Renewable Energy</i> , 2021 , 178, 1353-1369	8.1	7
25	Tunable Stable Levitation Based on Casimir Interaction between Nanostructures. <i>Physical Review Applied</i> , 2016 , 5,	4.3	6
24	Full-spectrum solar energy allocation for efficient space-based photovoltaicEhermoelectric energy conversion. <i>Journal of Photonics for Energy</i> , 2019 , 9, 1	1.2	6
23	Nacre-like ceramics-based phase change composites for concurrent efficient solar-to-thermal conversion and rapid energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2021 , 230, 111240	6.4	6
22	Bifunctional biomorphic SiC ceramics embedded molten salts for ultrafast thermal and solar energy storage. <i>Materials Today Energy</i> , 2021 , 21, 100764	7	5
21	Experimental Investigations of Pool Boiling Heat Transfer on Horizontal Plate Sintered with Metallic Fiber Felt. <i>International Journal of Green Energy</i> , 2012 , 9, 22-38	3	4
20	Data-driven modeling of geometry-adaptive steady heat conduction based on convolutional neural networks. <i>Case Studies in Thermal Engineering</i> , 2021 , 28, 101651	5.6	4
19	Loofah-derived eco-friendly SiC ceramics for high-performance sunlight capture, thermal transport, and energy storage. <i>Energy Storage Materials</i> , 2022 , 45, 786-795	19.4	4
18	Inverted perovskite/silicon V-shaped tandem solar cells with 27.6% efficiency via self-assembled monolayer-modified nickel oxide layer. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 7251-7262	13	4

LIST OF PUBLICATIONS

17	Bamboo derived SiC ceramics-phase change composites for efficient, rapid, and compact solar thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2022 , 240, 111726	6.4	4
16	Ca- and Ga-Doped LaMnO3 for Solar Thermochemical CO2 Splitting with High Fuel Yield and Cycle Stability. <i>ACS Applied Energy Materials</i> , 2021 , 4, 9000-9012	6.1	3
15	A novel composite phase change material for medium temperature thermal energy storage manufactured with a scalable continuous hot-melt extrusion method. <i>Applied Energy</i> , 2021 , 303, 117591	1 ^{10.7}	3
14	Sr-doped SmMnO3 perovskites for high-performance near-isothermal solar thermochemical CO2-to-fuel conversion. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 4295-4310	5.8	3
13	Artificial mitochondrion for fast latent heat storage: Experimental study and lattice Boltzmann simulation. <i>Energy</i> , 2022 , 245, 123296	7.9	2
12	Highly efficient solar-driven CO2-to-fuel conversion assisted by CH4 over NiCo-ZIF derived catalysts. <i>Fuel</i> , 2021 , 310, 122441	7.1	2
11	Granular porous calcium carbonate particles for scalable and high-performance solar-driven thermochemical heat storage. <i>Science China Technological Sciences</i> , 2021 , 64, 2142	3.5	2
10	High-performance three-body near-field thermophotovoltaic energy conversion. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2021 , 259, 107411	2.1	2
9	The influence of pore size distribution on thermal conductivity, permeability, and phase change behavior of hierarchical porous materials. <i>Science China Technological Sciences</i> , 2021 , 64, 2485	3.5	1
8	Pore-Scaled investigation on dynamic carbonation mechanism of calcium oxide particles. <i>Chemical Engineering Science</i> , 2022 , 248, 117212	4.4	1
7	A Computational Simulation of Using Tungsten Gratings in Near-Field Thermophotovoltaic Devices 2016 ,		1
6	Solar-Enhanced CO2 Conversion with CH4 over Synergetic NiCo Alloy Catalysts with Light-to-Fuel Efficiency of 33.8%. <i>Solar Rrl</i> , 2021 , 5, 2170085	7.1	1
5	Fast and stable solar/thermal energy storage via gradient SiC foam-based phase change composite. <i>International Journal of Heat and Mass Transfer</i> , 2022 , 194, 123012	4.9	О
4	Experimental and numerical investigations of solar charging performances of 3D porous skeleton based latent heat storage devices. <i>Applied Energy</i> , 2022 , 320, 119297	10.7	О
3	Direct solar thermochemical CO2 splitting based on Ca- and Al- doped SmMnO3 perovskites: Ultrahigh CO yield within small temperature swing. <i>Renewable Energy</i> , 2022 , 194, 482-494	8.1	О
2	Silicon metamaterials for infrared applications. Series in Materials Science and Engineering, 2017, 347-37	2	
1	Thermal and Thermochemical Energy Conversion and Storage. ACS Symposium Series, 2020, 257-301	0.4	