Giovanni Sarnelli

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3097782/giovanni-sarnelli-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers4,040
citations31
h-index59
g-index147
ext. papers4,830
ext. citations5.6
avg, IF5.21
L-index

#	Paper	IF	Citations
124	Impact of psychological distress and psychophysical wellbeing on posttraumatic symptoms in parents of preterm infants after NICU discharge <i>Italian Journal of Pediatrics</i> , 2022 , 48, 13	3.2	1
123	Nutraceuticals and Diet Supplements in Crohn's Disease: A General Overview of the Most Promising Approaches in the Clinic <i>Foods</i> , 2022 , 11,	4.9	1
122	Next-Generation Probiotics for Inflammatory Bowel Disease. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5466	6.3	2
121	Oral Adelmidrol Administration Up-Regulates Palmitoylethanolamide Production in Mice Colon and Duodenum through a PPAR-Independent Action. <i>Metabolites</i> , 2022 , 12, 457	5.6	0
120	Cannabidiol inhibits SARS-Cov-2 spike (S) protein-induced cytotoxicity and inflammation through a PPAREdependent TLR4/NLRP3/Caspase-1 signaling suppression in Caco-2 cell line. <i>Phytotherapy Research</i> , 2021 , 35, 6893	6.7	7
119	Evaluation of reflux following sleeve gastrectomy and one anastomosis gastric bypass: 1-year results from a randomized open-label controlled trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6777-6785	5.2	9
118	Engineered Producing Palmitoylethanolamide (PEA) Prevents Colitis in Mice. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
117	United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on functional dyspepsia. <i>United European Gastroenterology Journal</i> , 2021 , 9, 307-331	5.3	20
116	A Palmitoylethanolamide Producing Improves Toxin A-Induced Colitis. <i>Frontiers in Pharmacology</i> , 2021 , 12, 639728	5.6	1
115	United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on gastroparesis. <i>United European Gastroenterology Journal</i> , 2021 , 9, 287-30)6 ^{5.3}	8
114	High-fat diet impairs duodenal barrier function and elicits glia-dependent changes along the gut-brain axis that are required for anxiogenic and depressive-like behaviors. <i>Journal of Neuroinflammation</i> , 2021 , 18, 115	10.1	3
113	Impaired Duodenal Palmitoylethanolamide Release Underlies Acid-Induced Mast Cell Activation in Functional Dyspepsia. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 , 11, 841-855	7.9	7
112	Lathyrus sativus diamine oxidase reduces Clostridium difficile toxin A-induced toxicity in Caco-2 cells by rescuing RhoA-GTPase and inhibiting pp38-MAPK/NF-B/HIF-1[activation. <i>Phytotherapy Research</i> , 2021 , 35, 415-423	6.7	1
111	Long-Term Functional Results of a Modified Caudal-to-Cranial Approach in Laparoscopic Segmental Left Colectomy for Diverticular Disease. <i>Gastroenterology Research and Practice</i> , 2021 , 2021, 8940682	2	0
110	Ultramicronized Palmitoylethanolamide Inhibits NLRP3 Inflammasome Expression and Pro-Inflammatory Response Activated by SARS-CoV-2 Spike Protein in Cultured Murine Alveolar Macrophages. <i>Metabolites</i> , 2021 , 11,	5.6	4
109	United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on functional dyspepsia. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e142	38	4
108	Pharmacological interventions for pediatric irritable bowel syndrome. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 1-13	4	1

107	The potential of cannabidiol in the COVID-19 pandemic. <i>British Journal of Pharmacology</i> , 2020 , 177, 496784970 47		
106	Pentamidine niosomes thwart S100B effects in human colon carcinoma biopsies favouring wtp53 rescue. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 3053-3063	5.6	12
105	Diet and functional dyspepsia: Clinical correlates and therapeutic perspectives. <i>World Journal of Gastroenterology</i> , 2020 , 26, 456-465	5.6	14
104	Leaky gut, dysbiosis, and enteric glia activation: the trilogy behind the intestinal origin of Parkinson's disease. <i>Neural Regeneration Research</i> , 2020 , 15, 1037-1038	4.5	13
103	Can the enteric nervous system be an alternative entrance door in SARS-CoV2 neuroinvasion?. <i>Brain, Behavior, and Immunity</i> , 2020 , 87, 93-94	16.6	48
102	Phytotherapics in COVID19: Why palmitoylethanolamide?. <i>Phytotherapy Research</i> , 2020 , 35, 2514	6.7	6
101	Lathyrus sativus diamine oxidase counteracts histamine-induced cell proliferation, migration and pro-angiogenic mediators release in human colon adenocarcinoma cell line Caco-2. <i>Phytotherapy Research</i> , 2019 , 33, 1878-1887	6.7	6
100	The treatment of achalasia patients with esophageal varices: an international study. <i>United European Gastroenterology Journal</i> , 2019 , 7, 565-572	5.3	1
99	Completeness of total mesorectum excision of laparoscopic versus robotic surgery: a review with a meta-analysis. <i>International Journal of Colorectal Disease</i> , 2019 , 34, 983-991	3	23
98	Play in advance against neurodegeneration: exploring enteric glial cells in gut-brain axis during neurodegenerative diseases. <i>Expert Review of Clinical Pharmacology</i> , 2019 , 12, 555-564	3.8	11
97	Taste and the Gastrointestinal tract: from physiology to potential therapeutic target for obesity. <i>International Journal of Obesity Supplements</i> , 2019 , 9, 1-9	13.3	6
96	S100B Protein Stimulates Proliferation and Angiogenic Mediators Release through RAGE/pAkt/mTOR Pathway in Human Colon Adenocarcinoma Caco-2 Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	20
95	Robotic versus laparoscopic approach to treat symptomatic achalasia: systematic review with meta-analysis. <i>Ecological Management and Restoration</i> , 2019 , 32, 1-8	3	15
94	Sterile carbon particle suspension vs India ink for endoscopic tattooing of colonic lesions: a randomized controlled trial. <i>Techniques in Coloproctology</i> , 2019 , 23, 1073-1078	2.9	7
93	Incidence and risk factors of portomesenteric venous thrombosis after colorectal surgery for cancer in the elderly population. <i>World Journal of Surgical Oncology</i> , 2019 , 17, 195	3.4	2
92	Mild dehydration in dyspeptic athletes is able to increase gastrointestinal symptoms: Protective effects of an appropriate hydration. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13520	4	
91	Lifestyles, Medical Therapy, and Chemoprevention 2019 , 125-131		
90	inPentasomes: An innovative nose-to-brain pentamidine delivery blunts MPTP parkinsonism in mice. <i>Journal of Controlled Release</i> , 2019 , 294, 17-26	11.7	24

89	Endocannabinoid-related compounds in gastrointestinal diseases. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 706-715	5.6	27
88	Postprandial Gastrointestinal Function Differs after Acute Administration of Sourdough Compared with Brewer's Yeast Bakery Products in Healthy Adults. <i>Journal of Nutrition</i> , 2018 , 148, 202-208	4.1	14
87	Complementary and alternative treatment in functional dyspepsia. <i>United European Gastroenterology Journal</i> , 2018 , 6, 5-12	5.3	28
86	Treatment of refractory and severe hypothyroidism with sublingual levothyroxine in liquid formulation. <i>Endocrine</i> , 2018 , 60, 193-196	4	7
85	Antibiotic-induced microbiota perturbation causes gut endocannabinoidome changes, hippocampal neuroglial reorganization and depression in mice. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 230-245	16.6	138
84	HIV-1 Tat-induced diarrhea is improved by the PPARalpha agonist, palmitoylethanolamide, by suppressing the activation of enteric glia. <i>Journal of Neuroinflammation</i> , 2018 , 15, 94	10.1	10
83	Pharmacokinetic drug evaluation of rifaximin for treatment of diarrhea-predominant irritable bowel syndrome. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2018 , 14, 753-760	5.5	7
82	Endocannabinoids in the treatment of gasytrointestinal inflammation and symptoms. <i>Current Opinion in Pharmacology</i> , 2018 , 43, 81-86	5.1	12
81	The 2018 ISDE achalasia guidelines. Ecological Management and Restoration, 2018, 31,	3	147
80	Specific dyspeptic symptoms are associated with poor response to therapy in patients with gastroesophageal reflux disease. <i>United European Gastroenterology Journal</i> , 2017 , 5, 54-59	5.3	7
79	Allele-specific transcriptional activity of the variable number of tandem repeats of the inducible nitric oxide synthase gene is associated with idiopathic achalasia. <i>United European Gastroenterology Journal</i> , 2017 , 5, 200-207	5.3	11
78	Cortical representation of different taste modalities on the gustatory cortex: A pilot study. <i>PLoS ONE</i> , 2017 , 12, e0190164	3.7	25
77	Bacterial stimuli activate nitric oxide colonic mucosal production in diverticular disease. Protective effects of [] (CNCM I-1572). <i>United European Gastroenterology Journal</i> , 2017 , 5, 715-724	5.3	10
76	HIV-1 Tat-induced diarrhea evokes an enteric glia-dependent neuroinflammatory response in the central nervous system. <i>Scientific Reports</i> , 2017 , 7, 7735	4.9	18
75	Cannabidiol restores intestinal barrier dysfunction and inhibits the apoptotic process induced by toxin A in Caco-2 cells. <i>United European Gastroenterology Journal</i> , 2017 , 5, 1108-1115	5.3	19
74	Ketogal: A Derivative Ketorolac Molecule with Minor Ulcerogenic and Renal Toxicity. <i>Frontiers in Pharmacology</i> , 2017 , 8, 757	5.6	5
73	Detection of colonic dysplasia in patients with ulcerative colitis using a targeted fluorescent peptide and confocal laser endomicroscopy: A pilot study. <i>PLoS ONE</i> , 2017 , 12, e0180509	3.7	16
72	Rationale and evidences for treatment of symptomatic uncomplicated diverticular disease. <i>Minerva Gastroenterology</i> , 2017 , 63, 130-142	3	0

(2014-2016)

71	Rifaximin, a non-absorbable antibiotic, inhibits the release of pro-angiogenic mediators in colon cancer cells through a pregnane X receptor-dependent pathway. <i>International Journal of Oncology</i> , 2016 , 49, 639-45	4.4	15
70	Acetonic Extract from the Feijoa sellowiana Berg. Fruit Exerts Antioxidant Properties and Modulates Disaccharidases Activities in Human Intestinal Epithelial Cells. <i>Phytotherapy Research</i> , 2016 , 30, 1308-15	6.7	12
69	Palmitoylethanolamide Exerts Antiproliferative Effect and Downregulates VEGF Signaling in Caco-2 Human Colon Carcinoma Cell Line Through a Selective PPAR-EDependent Inhibition of Akt/mTOR Pathway. <i>Phytotherapy Research</i> , 2016 , 30, 963-70	6.7	21
68	The HLA-DQI insertion is a strong achalasia risk factor and displays a geospatial north-south gradient among Europeans. <i>European Journal of Human Genetics</i> , 2016 , 24, 1228-31	5.3	16
67	Palmitoylethanolamide Modulates Inflammation-Associated Vascular Endothelial Growth Factor (VEGF) Signaling via the Akt/mTOR Pathway in a Selective Peroxisome Proliferator-Activated Receptor Alpha (PPAR-I-Dependent Manner. <i>PLoS ONE</i> , 2016 , 11, e0156198	3.7	27
66	Good adherence to mediterranean diet can prevent gastrointestinal symptoms: A survey from Southern Italy. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2016 , 7, 564-571	3	32
65	Sitagliptin versus saxagliptin in decompensated type 2 diabetes mellitus patients. <i>Italian Journal of Medicine</i> , 2016 , 10, 36	0.5	1
64	Rifaximin Improves Clostridium difficile Toxin A-Induced Toxicity in Caco-2 Cells by the PXR-Dependent TLR4/MyD88/NF- B Pathway. <i>Frontiers in Pharmacology</i> , 2016 , 7, 120	5.6	29
63	Endoscopic treatment of esophageal achalasia. <i>World Journal of Gastrointestinal Endoscopy</i> , 2016 , 8, 30-9	2.2	7
62	Autologous transplantation of intestine-isolated glia cells improves neuropathology and restores cognitive deficits in 🗈 myloid-induced neurodegeneration. <i>Scientific Reports</i> , 2016 , 6, 22605	4.9	13
61	S100B-p53 disengagement by pentamidine promotes apoptosis and inhibits cellular migration via aquaporin-4 and metalloproteinase-2 inhibition in C6 glioma cells. <i>Oncology Letters</i> , 2015 , 9, 2864-2870	2.6	23
60	The Bitter Taste Receptor Agonist Quinine Reduces Calorie Intake and Increases the Postprandial Release of Cholecystokinin in Healthy Subjects. <i>Journal of Neurogastroenterology and Motility</i> , 2015 , 21, 511-9	4.4	36
59	S100B Inhibitor Pentamidine Attenuates Reactive Gliosis and Reduces Neuronal Loss in a Mouse Model of Alzheimer's Disease. <i>BioMed Research International</i> , 2015 , 2015, 508342	3	47
58	Partially hydrolyzed guar gum in the treatment of irritable bowel syndrome with constipation: effects of gender, age, and body mass index. <i>Saudi Journal of Gastroenterology</i> , 2015 , 21, 104-10	3	17
57	Palmitoylethanolamide Regulates Production of Pro-Angiogenic Mediators in a Model of Amyloid-Induced Astrogliosis In Vitro. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015 , 14, 828-37	2.6	19
56	Eosinophilic esophagitis: From pathophysiology to treatment. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2015 , 6, 150-8	3.2	21
55	Enteroglial-derived S100B protein integrates bacteria-induced Toll-like receptor signalling in human enteric glial cells. <i>Gut</i> , 2014 , 63, 105-15	19.2	103
54	Palmitoylethanolamide improves colon inflammation through an enteric glia/toll like receptor 4-dependent PPAR-lactivation. <i>Gut</i> , 2014 , 63, 1300-12	19.2	168

53	Common variants in the HLA-DQ region confer susceptibility to idiopathic achalasia. <i>Nature Genetics</i> , 2014 , 46, 901-4	36.3	75
52	Thalassemic trait prevalence in patients affected by psoriatic arthritis in anti-TNF treatment. <i>Drug Development Research</i> , 2014 , 75 Suppl 1, S20-2	5.1	3
51	Genetic variation in the lymphotoxin-[LTA)/tumour necrosis factor-[TNF] locus as a risk factor for idiopathic achalasia. <i>Gut</i> , 2014 , 63, 1401-9	19.2	16
50	Irritable bowel syndrome and food interaction. World Journal of Gastroenterology, 2014, 20, 8837-45	5.6	48
49	Acute diverticulitis: surgery timing in elderly patients. <i>BMC Surgery</i> , 2013 , 13,	2.3	1
48	Increased severity of dyspeptic symptoms related to mental stress is associated with sympathetic hyperactivity and enhanced endocrine response in patients with postprandial distress syndrome. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 31-8.e2-3	4	16
47	Effect of carbonation on brain processing of sweet stimuli in humans. <i>Gastroenterology</i> , 2013 , 145, 537	′-9 <u>1.g.3</u>	26
46	Symptom patterns can distinguish diverticular disease from irritable bowel syndrome. <i>European Journal of Clinical Investigation</i> , 2013 , 43, 1147-55	4.6	33
45	Genetic contribution to motility disorders of the upper gastrointestinal tract. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2013 , 4, 65-73	3.2	11
44	Proton pump inhibitors prescribing following the introduction of generic drugs. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 1068-78	4.6	6
43	The antiprotozoal drug pentamidine ameliorates experimentally induced acute colitis in mice. <i>Journal of Neuroinflammation</i> , 2012 , 9, 277	10.1	21
42	Cannabidiol reduces intestinal inflammation through the control of neuroimmune axis. <i>PLoS ONE</i> , 2011 , 6, e28159	3.7	101
41	Proinflammatory stimuli activates human-derived enteroglial cells and induces autocrine nitric oxide production. <i>Neurogastroenterology and Motility</i> , 2011 , 23, e372-82	4	67
40	Effects of long-term PPI treatment on producing bowel symptoms and SIBO. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 380-6	4.6	83
39	The role of a pre-load beverage on gastric volume and food intake: comparison between non-caloric carbonated and non-carbonated beverage. <i>Nutrition Journal</i> , 2011 , 10, 114	4.3	17
38	S100B protein in the gut: the evidence for enteroglial-sustained intestinal inflammation. <i>World Journal of Gastroenterology</i> , 2011 , 17, 1261-6	5.6	67
37	Pseudopneumoperitoneum in chronic intestinal pseudo-obstruction: a case report. <i>World Journal of Gastroenterology</i> , 2011 , 17, 2972-5	5.6	4
36	Gastrointestinal regulation of food intake: do gut motility, enteric nerves and entero-hormones play together?. <i>Minerva Endocrinologica</i> , 2011 , 36, 281-93	1.9	14

(2004-2009)

35	Impact of genetic polymorphisms on the pathogenesis of achalasia: an age-dependent paradigm?. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 575-8	4	7
34	Increased mucosal nitric oxide production in ulcerative colitis is mediated in part by the enteroglial-derived S100B protein. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 1209-e112	4	78
33	Carbonated beverages and gastrointestinal system: between myth and reality. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 683-9	4.5	18
32	Myenteric neuronal loss in rats with experimental colitis: role of tissue transglutaminase-induced apoptosis. <i>Digestive and Liver Disease</i> , 2009 , 41, 185-93	3.3	17
31	Sweetened carbonated drinks do not alter upper digestive tract physiology in healthy subjects. Neurogastroenterology and Motility, 2008 , 20, 780-9	4	10
30	Tissue ghrelin level and gastric emptying rate in adult patients with celiac disease. Neurogastroenterology and Motility, 2008, 20, 884-90	4	21
29	Correlation between oesophageal acid exposure and dyspeptic symptoms in patients with nonerosive reflux disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 264-8	2.2	15
28	The hallucinogenic herb Salvia divinorum and its active ingredient salvinorin A reduce inflammation-induced hypermotility in mice. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 142-8	4	23
27	Enteric glial-derived S100B protein stimulates nitric oxide production in celiac disease. <i>Gastroenterology</i> , 2007 , 133, 918-25	13.3	68
26	CRF-induced calcium signaling in guinea pig small intestine myenteric neurons involves CRF-1 receptors and activation of voltage-sensitive calcium channels. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, G1252-60	5.1	25
25	The astroglial-derived S100beta protein stimulates the expression of nitric oxide synthase in rodent macrophages through p38 MAP kinase activation. <i>Life Sciences</i> , 2006 , 78, 2707-15	6.8	37
24	Oesophageal acid exposure and altered neurocardiac function in patients with GERD and idiopathic cardiac dysrhythmias. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 361-70	6.1	32
23	Gastroduodenal lesions and Helicobacter pylori infection in dyspeptic patients with and without chronic renal failure. <i>Helicobacter</i> , 2005 , 10, 53-8	4.9	29
22	Symptoms and pathophysiological correlations in patients with constipation and functional dyspepsia. <i>Digestion</i> , 2005 , 71, 225-30	3.6	5
21	Advances in our understanding of the pathology of chronic intestinal pseudo-obstruction. <i>Gut</i> , 2004 , 53, 1549-52	19.2	178
20	Influence of sildenafil on gastric sensorimotor function in humans. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 287, G988-92	5.1	47
19	Visceral hypersensitivity in functional disorders of the upper gastrointestinal tract. <i>Digestive and Liver Disease</i> , 2004 , 36, 371-376	3.3	19
18	Pathophysiology and treatment of functional dyspepsia. <i>Gastroenterology</i> , 2004 , 127, 1239-55	13.3	378

17	Inhibitory effects of galanin on evoked [Ca2+]i responses in cultured myenteric neurons. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 286, G1009-14	5.1	23
16	Visceral hypersensitivity in functional disorders of the upper gastrointestinal tract. <i>Digestive and Liver Disease</i> , 2004 , 36, 371-6	3.3	13
15	Symptom patterns and pathophysiological mechanisms in dyspeptic patients with and without Helicobacter pylori. <i>Digestive Diseases and Sciences</i> , 2003 , 48, 2229-36	4	55
14	Effect of chronic administration of tacrolimus and cyclosporine on human gastrointestinal permeability. <i>Liver Transplantation</i> , 2003 , 9, 484-8	4.5	15
13	Anti-HuD-induced neuronal apoptosis underlying paraneoplastic gut dysmotility. <i>Gastroenterology</i> , 2003 , 125, 70-9	13.3	99
12	Acid exposure and altered acid clearance in GERD patients treated for Helicobacter pylori infection. <i>Digestive and Liver Disease</i> , 2003 , 35, 151-6	3.3	7
11	Symptoms associated with impaired gastric emptying of solids and liquids in functional dyspepsia. <i>American Journal of Gastroenterology</i> , 2003 , 98, 783-8	0.7	380
10	Effects of carbonated water on functional dyspepsia and constipation. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 991-9	2.2	33
9	Serotonergic modulation of visceral sensation: upper gastrointestinal tract. <i>Gut</i> , 2002 , 51 Suppl 1, i77-8	019.2	61
8	Effect of intranasal sumatriptan on gastric tone and sensitivity to distension. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 1591-5	4	23
7	Role of diaphragmatic crura and lower esophageal sphincter in gastroesophageal reflux disease: manometric and pH-metric study of small hiatal hernia. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 2687-	94	13
6	Reproducibility of gastric barostat studies in healthy controls and in dyspeptic patients. <i>American Journal of Gastroenterology</i> , 2001 , 96, 1047-53	0.7	66
5	The metabolism of nicotinamide in human liver cirrhosis: a study on N-methylnicotinamide and 2-pyridone-5-carboxamide production. <i>American Journal of Gastroenterology</i> , 2001 , 96, 1183-7	0.7	39
4	Functional dyspepsia symptoms, gastric emptying and satiety provocative test: analysis of relationships. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 1030-6	2.4	85
3	Manometric study of hiatal hernia and its correlation with esophageal peristalsis. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 1747-53	4	15
2	Nicotinamide methylation and hepatic energy reserve: a study by liver perfusion in vitro. <i>Journal of Hepatology</i> , 1995 , 23, 465-70	13.4	11
7	Enteric Nervous System Abnormalities in Ulcerative Colitis		2