
## Eladia MarÃ-a Peña-Méndez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3101282/publications.pdf

Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|--|-----------|
| 1  | Laser ablation synthesis of metal-doped gold clusters from composites of gold nanoparticles with metal organic frameworks. Scientific Reports, 2021, 11, 4656.   | 1.6  | 6         |
| 2  | Detection of SARS-CoV-2 Infection in Human Nasopharyngeal Samples by Combining MALDI-TOF MS and Artificial Intelligence. Frontiers in Medicine, 2021, 8, 661358.   | 1.2  | 23        |
| 3  | Rapid discrimination of multiple myeloma patients by artificial neural networks coupled with mass spectrometry of peripheral blood plasma. Scientific Reports, 2019, 9, 7975.  | 1.6  | 24        |
| 4  | Intact Cell Mass Spectrometry as a Quality Control Tool for Revealing Minute Phenotypic Changes of<br>Cultured Human Embryonic Stem Cells. Stem Cells Translational Medicine, 2018, 7, 109-114.  | 1.6  | 8         |
| 5  | Laser ablation synthesis of arsenic–phosphide As <sub><i>m</i></sub> P <sub><i>n</i></sub> clusters<br>from As–P mixtures. Laser desorption ionisation with quadrupole ion trap timeâ€ofâ€flight mass<br>spectrometry: The mass spectrometer as a synthesizer. Rapid Communications in Mass Spectrometry,<br>2018, 32, 789-800.              | 0.7  | 6         |
| 6  | Laser Ablation Synthesis of Gold Selenides by using a Mass Spectrometer as a Synthesizer: Laser<br>Desorption Ionization Timeâ€ofâ€Flight Mass Spectrometry. Chemistry - A European Journal, 2016, 22,<br>11261-11268.   | 1.7  | 6         |
| 7  | Coordination compounds in cancer: Past, present and perspectives. Journal of Applied Biomedicine, 2015, 13, 79-103.  | 0.6  | 113       |
| 8  | Artificial neural networks in online semiautomated pest discriminability: an applied case with 2 Thrips<br>species. Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry, 2014, 38, 111-124.   | 0.8  | 13        |
| 9  | Laser ablation synthesis of new gold arsenides using nano-gold and arsenic as precursors. Laser desorption ionisation time-of-flight mass spectrometry and spectrophotometry. Rapid Communications in Mass Spectrometry, 2014, 28, 577-586.  | 0.7  | 11        |
| 10 | Laser ablation synthesis of new gold carbides. From goldâ€diamond nanoâ€composite as a precursor to<br>goldâ€doped diamonds. Timeâ€ofâ€flight mass spectrometric study. Rapid Communications in Mass<br>Spectrometry, 2014, 28, 297-304.   | 0.7  | 15        |
| 11 | Laser desorption timeâ€ofâ€flight mass spectrometry of atomic switch memory<br>Ge <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> bulk materials and its thin films. Rapid<br>Communications in Mass Spectrometry, 2014, 28, 699-704.   | 0.7  | 11        |
| 12 | Tissue profiling by nanogold-mediated mass spectrometry and artificial neural networks in the mouse model of human primary hyperoxaluria 1. Journal of Applied Biomedicine, 2014, 12, 119-125.   | 0.6  | 11        |
| 13 | Artificial neural networks in medical diagnosis. Journal of Applied Biomedicine, 2013, 11, 47-58.  | 0.6  | 629       |
| 14 | Laser ablation synthesis of new gold tellurides using tellurium and nanogold as precursors. Laser<br>desorption ionisation timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass Spectrometry,<br>2013, 27, 1600-1606.  | 0.7  | 9         |
| 15 | Laser ablation synthesis of new gold phosphides using red phosphorus and nanogold as precursors.<br>Laser desorption ionisation timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass<br>Spectrometry, 2012, 26, 1100-1108.   | 0.7  | 28        |
| 16 | Mass spectrometry and ab initio calculation of <mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif"<br/>overflow="scroll"&gt;<mml:mrow><mml:msubsup><mml:mrow><mml:mtext>AsS</mml:mtext></mml:mrow><mml<br>(n= 1–7) ion structures. Polyhedron, 2010, 29, 1567-1574.</mml<br></mml:msubsup></mml:mrow></mml:math<br> | :mrow> <r< td=""><td>nml:mi&gt;n</td></r<> | nml:mi>n  |
| 17 | Direct laser desorption ionisation time-of-flight (TOF) mass spectrometry of soil organic matter for fast soil fingerprints. Chemistry and Ecology, 2010, 26, 167-175.   | 0.6  | 3         |
| 18 | Cluster Analysis and Artificial Neural Networks Multivariate Classification of Onion Varieties.<br>Journal of Agricultural and Food Chemistry, 2010, 58, 11435-11440.  | 2.4  | 19        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Mass spectrometry of nanodiamonds. Rapid Communications in Mass Spectrometry, 2009, 23, 1125-1131.  | 0.7 | 32        |
| 20 | Laser ablation of AgSbS <sub>2</sub> and cluster analysis by timeâ€ofâ€flight mass spectrometry. Rapid<br>Communications in Mass Spectrometry, 2009, 23, 1715-1718.   | 0.7 | 25        |
| 21 | Mass spectrometry and UVâ€VIS spectrophotometry of ruthenium(II)<br>[RuClCp(mPTA) <sub>2</sub> ](OSO <sub>2</sub> CF <sub>3</sub> ) <sub>2</sub> complex in solution.<br>Rapid Communications in Mass Spectrometry, 2009, 23, 3831-3836.                              | 0.7 | 11        |
| 22 | Gold and nano-gold in medicine: overview, toxicology and perspectives. Journal of Applied Biomedicine, 2009, 7, 75-91.  | 0.6 | 151       |
| 23 | Characterization of various chestnut cultivars by means of chemometrics approach. Food Chemistry, 2008, 107, 537-544.   | 4.2 | 27        |
| 24 | Silver or silver nanoparticles: a hazardous threat to the environment and human health?. Journal of Applied Biomedicine, 2008, 6, 117-129.  | 0.6 | 429       |
| 25 | Matrix-assisted laser desorption/ionization mass spectrometry (MALDI TOF MS) study of Huperzine A, a natural anti-Alzheimer's disease product, its derivatization and its detection by highly sensitive laser induced fluorescence (LIF). Talanta, 2007, 72, 780-784. | 2.9 | 10        |
| 26 | Characterization of humic substances of different origin by means of mass spectrometry and neural networks. Chemosphere, 2007, 68, 2047-2053.   | 4.2 | 13        |
| 27 | Determination of Inorganic Bromide Content in Several Vegetable Foods. Bulletin of Environmental<br>Contamination and Toxicology, 2007, 78, 417-420.  | 1.3 | 13        |
| 28 | Classification of some heat-treated liver pastes according to container type, using heavy metals<br>content and manufacturer's data, by principal components analysis and potential curves. Meat<br>Science, 2006, 74, 296-302.                                       | 2.7 | 13        |
| 29 | Laser desorption/ionization and laser ablation synthesis of new selenium oxide compounds from selenium(IV) dioxide. Rapid Communications in Mass Spectrometry, 2006, 20, 1019-1024.   | 0.7 | 7         |
| 30 | Laser ablation generation of arsenic and arsenic sulfide clusters. Polyhedron, 2005, 24, 1417-1424.   | 1.0 | 33        |
| 31 | Laser ablation synthesis of selenium superoxide anion SeO4â^' via selenium trioxide photolysis.<br>Time-of-flight mass spectrometry andab initio calculations. Rapid Communications in Mass<br>Spectrometry, 2005, 19, 3405-3410.                                     | 0.7 | 7         |
| 32 | Mass spectrometry of humic substances of different origin including those from AntarcticaA comparative study. Talanta, 2005, 67, 880-890.   | 2.9 | 23        |
| 33 | Humic substances - compounds of still unknown structure: applications in agriculture, industry, environment, and biomedicine. Journal of Applied Biomedicine, 2005, 3, 13-24.   | 0.6 | 262       |
| 34 | Differentiation of heat-treated pork liver pastes according to their metal content using multivariate data analysis. European Food Research and Technology, 2004, 218, 584-588.   | 1.6 | 4         |
| 35 | Derivatisation of peptides with osmium tetroxide, 2,2′-bipyridine: capillary electrophoretic and MALDI–TOF mass spectrometric study. Analytica Chimica Acta, 2004, 515, 261-269.  | 2.6 | 17        |
| 36 | Supramolecular interactions of humic acids with organic and inorganic xenobiotics studied by capillary electrophoresis. Chemosphere, 2003, 51, 95-108.  | 4.2 | 51        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Chemical fingerprinting applied to the evaluation of marine oil pollution in the coasts of Canary<br>Islands (Spain). Environmental Pollution, 2001, 111, 177-187.  | 3.7 | 25        |
| 38 | Classification and differentiation of bottled sweet wines of Canary Islands (Spain) by their metallic content. European Food Research and Technology, 2001, 213, 145-149.   | 1.6 | 55        |
| 39 | Multivariate data analysis in classification of must and wine from chemical measurements. European<br>Food Research and Technology, 2000, 212, 100-107.   | 1.6 | 22        |
| 40 | Application of principal component analysis to the study of major cations and trace metals in fish<br>from Tenerife (Canary Islands). Chemometrics and Intelligent Laboratory Systems, 1999, 49, 173-178.                         | 1.8 | 23        |
| 41 | Use of artificial neural networks in capillary zone electrophoresis. Journal of Chromatography A,<br>1999, 848, 365-374.  | 1.8 | 42        |
| 42 | Polycyclic Aromatic Hydrocarbons and n -Alkanes in the Intertidal Limpet Patella crenata from the<br>Coast of Tenerife, Canary Islands. Bulletin of Environmental Contamination and Toxicology, 1999, 63,<br>665-672.             | 1.3 | 5         |
| 43 | Interpretation of heavy metal data from mussel by use of mutivariate classification techniques.<br>Chemosphere, 1999, 38, 1103-1111.  | 4.2 | 9         |
| 44 | Interpretation of analytical data on n-alkanes and polynuclear aromatic hydrocarbons in Arbacia<br>lixula from the coasts of Tenerife (Canary Islands, Spain) by multivariate data analysis. Chemosphere,<br>1999, 39, 2259-2270. | 4.2 | 10        |
| 45 | Neural networks for optimization of high-performance capillary zone electrophoresis methods.<br>Journal of Chromatography A, 1998, 793, 317-329.  | 1.8 | 81        |
| 46 | Capillary zone electrophoresis study of aggregation of humic substances. Journal of<br>Chromatography A, 1998, 817, 313-323.  | 1.8 | 33        |
| 47 | Humic acid capillary zone electrophoresis adsorption on capillary walls, separation in metal ion supplemented buffer and the fingerprints. Electrophoresis, 1998, 19, 2465-2473.  | 1.3 | 16        |
| 48 | Hydrocarbon Contamination in the Canary Islands. II. Intertidal Limpet Patella ulyssiponensis aspera.<br>Bulletin of Environmental Contamination and Toxicology, 1998, 61, 72-79.   | 1.3 | 2         |
| 49 | Heavy metals in Mytilus chilensis from the strait of magallenes (Chile). Marine Pollution Bulletin,<br>1998, 36, 542-546.   | 2.3 | 12        |
| 50 | Polychlorinated biphenyls in two mollusc species from the coast of Tenerife (Canary Islands, Spain).<br>Chemosphere, 1996, 32, 2371-2380.   | 4.2 | 9         |
| 51 | Evaluation of Osilinus attratus as a bioindicator organism to monitor oil pollution in the Canary<br>Islands. Archives of Environmental Contamination and Toxicology, 1996, 31, 444-452.  | 2.1 | 14        |
| 52 | Sources of Tar Balls and Oil Slicks on the Coasts of the Canary Islands. International Journal of<br>Environmental Analytical Chemistry, 1996, 62, 77-84.   | 1.8 | 11        |
| 53 | Intact Cell Mass Spectrometry for Embryonic Stem Cell Biotyping. , 0, , .   |     | 2         |