Indrabahadur Singh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3101524/publications.pdf

Version: 2024-02-01

19 papers ci

1,266 citations

759233 12 h-index 940533 16 g-index

22 all docs 22 docs citations

times ranked

22

2004 citing authors

#	Article	IF	CITATIONS
1	NASH limits anti-tumour surveillance in immunotherapy-treated HCC. Nature, 2021, 592, 450-456.	27.8	649
2	HMGA proteins as modulators of chromatin structure during transcriptional activation. Frontiers in Cell and Developmental Biology, 2014, 2, 5.	3.7	109
3	Inhibition of LTÎ ² R signalling activates WNT-induced regeneration in lung. Nature, 2020, 588, 151-156.	27.8	81
4	High mobility group protein-mediated transcription requires DNA damage marker \hat{l}^3 -H2AX. Cell Research, 2015, 25, 837-850.	12.0	70
5	A spatial vascular transcriptomic, proteomic, and phosphoproteomic atlas unveils an angiocrine Tie–Wnt signaling axis in the liver. Developmental Cell, 2021, 56, 1677-1693.e10.	7.0	58
6	Hmga2is required for canonical WNT signaling during lung development. BMC Biology, 2014, 12, 21.	3.8	55
7	Inactivation of nuclear histone deacetylases by EP300 disrupts the MiCEE complex in idiopathic pulmonary fibrosis. Nature Communications, 2019, 10, 2229.	12.8	53
8	MiCEE is a ncRNA-protein complex that mediates epigenetic silencing and nucleolar organization. Nature Genetics, 2018, 50, 990-1001.	21.4	52
9	Direct inhibition of oncogenic KRAS by Bacillus pumilus ribonuclease (binase). Biochimica Et Biophysica Acta - Molecular Cell Research, 2016, 1863, 1559-1567.	4.1	32
10	Positioning of nucleosomes containing \hat{I}^3 -H2AX precedes active DNA demethylation and transcription initiation. Nature Communications, 2021, 12, 1072.	12.8	30
11	Nonâ€invasive lung cancer diagnosis by detection of <i><scp>GATA</scp>6</i> and <i><scp>NKX</scp>2â€1</i> isoforms in exhaled breath condensate. EMBO Molecular Medicine, 2016, 8, 1380-1389.	6.9	29
12	A dual role for hepatocyte-intrinsic canonical NF-κB signalingÂinÂvirus control. Journal of Hepatology, 2020, 72, 960-975.	3.7	18
13	Quantitative Proteome Analysis of Alveolar Type-II Cells Reveals a Connection of Integrin Receptor Subunits Beta 2/6 and WNT Signaling. Journal of Proteome Research, 2013, 12, 5598-5608.	3.7	10
14	Metastasis-Associated Protein 2 Represses NF-κB to Reduce Lung Tumor Growth and Inflammation. Cancer Research, 2020, 80, 4199-4211.	0.9	9
15	A critical role for miR-142 in alveolar epithelial lineage formation in mouse lung development. Cellular and Molecular Life Sciences, 2019, 76, 2817-2832.	5.4	6
16	HMGA2 mediated epigenetic regulation of Gata6 controls epithelial WNT signaling during lung development. , 2017, , .		1
17	Non-invasive lung cancer diagnosis by detection of GATA6 and NKX2-1 isoforms in exhaled breath condensate. , $2017, , .$		0
18	Nuclear miRNA/exosome-mediated transcriptional silencing within the context of TGFB1 signaling and Idiopathic Pulmonary Fibrosis., 2017,,.		0

#	Article	lF	CITATIONS
19	Dysregulated epigenetic factors in non-alcoholic fatty liver disease and triggered liver cancer. , 2019, 57, .		O