

Indrabahadur Singh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3101524/publications.pdf>

Version: 2024-02-01

19
papers

1,266
citations

759233

12
h-index

940533

16
g-index

22
all docs

22
docs citations

22
times ranked

2004
citing authors

#	ARTICLE	IF	CITATIONS
1	Positioning of nucleosomes containing $\hat{\gamma}^3$ -H2AX precedes active DNA demethylation and transcription initiation. <i>Nature Communications</i> , 2021, 12, 1072.	12.8	30
2	NASH limits anti-tumour surveillance in immunotherapy-treated HCC. <i>Nature</i> , 2021, 592, 450-456.	27.8	649
3	A spatial vascular transcriptomic, proteomic, and phosphoproteomic atlas unveils an angiocrine Tie $\hat{\epsilon}$ –Wnt signaling axis in the liver. <i>Developmental Cell</i> , 2021, 56, 1677-1693.e10.	7.0	58
4	Metastasis-Associated Protein 2 Represses NF- $\hat{\rho}$ B to Reduce Lung Tumor Growth and Inflammation. <i>Cancer Research</i> , 2020, 80, 4199-4211.	0.9	9
5	Inhibition of LT $\hat{\tau}$ 2R signalling activates WNT-induced regeneration in lung. <i>Nature</i> , 2020, 588, 151-156.	27.8	81
6	A dual role for hepatocyte-intrinsic canonical NF- $\hat{\rho}$ B signaling in virus control. <i>Journal of Hepatology</i> , 2020, 72, 960-975.	3.7	18
7	Inactivation of nuclear histone deacetylases by EP300 disrupts the MiCEE complex in idiopathic pulmonary fibrosis. <i>Nature Communications</i> , 2019, 10, 2229.	12.8	53
8	A critical role for miR-142 in alveolar epithelial lineage formation in mouse lung development. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 2817-2832.	5.4	6
9	Dysregulated epigenetic factors in non-alcoholic fatty liver disease and triggered liver cancer. , 2019, 57, .		0
10	MiCEE is a ncRNA-protein complex that mediates epigenetic silencing and nucleolar organization. <i>Nature Genetics</i> , 2018, 50, 990-1001.	21.4	52
11	HMGA2 mediated epigenetic regulation of Gata6 controls epithelial WNT signaling during lung development. , 2017, , .		1
12	Non-invasive lung cancer diagnosis by detection of GATA6 and NKX2-1 isoforms in exhaled breath condensate. , 2017, , .		0
13	Nuclear miRNA/exosome-mediated transcriptional silencing within the context of TGF $\hat{\beta}$ 1 signaling and Idiopathic Pulmonary Fibrosis. , 2017, , .		0
14	Non-invasive lung cancer diagnosis by detection of <i>GATA6</i> and <i>NKX2-1</i> isoforms in exhaled breath condensate. <i>EMBO Molecular Medicine</i> , 2016, 8, 1380-1389.	6.9	29
15	Direct inhibition of oncogenic KRAS by <i>Bacillus pumilus</i> ribonuclease (binase). <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 1559-1567.	4.1	32
16	High mobility group protein-mediated transcription requires DNA damage marker $\hat{\gamma}^3$ -H2AX. <i>Cell Research</i> , 2015, 25, 837-850.	12.0	70
17	Hmga2 is required for canonical WNT signaling during lung development. <i>BMC Biology</i> , 2014, 12, 21.	3.8	55
18	HMGA proteins as modulators of chromatin structure during transcriptional activation. <i>Frontiers in Cell and Developmental Biology</i> , 2014, 2, 5.	3.7	109

#	ARTICLE	IF	CITATIONS
19	Quantitative Proteome Analysis of Alveolar Type-II Cells Reveals a Connection of Integrin Receptor Subunits Beta 2/6 and WNT Signaling. Journal of Proteome Research, 2013, 12, 5598-5608.	3.7	10