Morgan W Tingley

List of Publications by Citations

Source: https://exaly.com/author-pdf/3102706/morgan-w-tingley-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 3,018 25 54 g-index

81 3,981 6.3 5.78 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
74	Birds track their Grinnellian niche through a century of climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106 Suppl 2, 19637-43	11.5	397
73	The push and pull of climate change causes heterogeneous shifts in avian elevational ranges. <i>Global Change Biology</i> , 2012 , 18, 3279-3290	11.4	267
7 2	Detecting range shifts from historical species occurrences: new perspectives on old data. <i>Trends in Ecology and Evolution</i> , 2009 , 24, 625-33	10.9	258
71	Global mountain topography and the fate of montane species under climate change. <i>Nature Climate Change</i> , 2015 , 5, 772-776	21.4	223
70	Detecting diversity: emerging methods to estimate species diversity. <i>Trends in Ecology and Evolution</i> , 2014 , 29, 97-106	10.9	196
69	Avian response to removal of a forest dominant: consequences of hemlock woolly adelgid infestations. <i>Journal of Biogeography</i> , 2002 , 29, 1505-1516	4.1	119
68	Increasing phenological asynchrony between spring green-up and arrival of migratory birds. <i>Scientific Reports</i> , 2017 , 7, 1902	4.9	92
67	Cryptic loss of montane avian richness and high community turnover over 100 years. <i>Ecology</i> , 2013 , 94, 598-609	4.6	90
66	Is the insect apocalypse upon us? How to find out. <i>Biological Conservation</i> , 2020 , 241, 108327	6.2	81
65	Pyrodiversity promotes avian diversity over the decade following forest fire. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	78
64	Fire and biodiversity in the Anthropocene. <i>Science</i> , 2020 , 370,	33.3	76
63	Spatially heterogeneous impact of climate change on small mammals of montane California. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282, 20141857	4.4	75
62	Phenological shifts conserve thermal niches in North American birds and reshape expectations for climate-driven range shifts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 12976-12981	11.5	74
61	Biotic impacts of energy development from shale: research priorities and knowledge gaps. <i>Frontiers in Ecology and the Environment</i> , 2014 , 12, 330-338	5.5	69
60	Measuring the impact of the pet trade on Indonesian birds. <i>Conservation Biology</i> , 2017 , 31, 394-405	6	55
59	Fine- and coarse-filter conservation strategies in a time of climate change. <i>Annals of the New York Academy of Sciences</i> , 2014 , 1322, 92-109	6.5	55
58	The role of competition, ecotones, and temperature in the elevational distribution of Himalayan birds. <i>Ecology</i> , 2017 , 98, 337-348	4.6	42

(2012-2019)

57	An automated approach to identifying search terms for systematic reviews using keyword co-occurrence networks. <i>Methods in Ecology and Evolution</i> , 2019 , 10, 1645-1654	7.7	40
56	The role of urban and agricultural areas during avian migration: an assessment of within-year temporal turnover. <i>Global Ecology and Biogeography</i> , 2014 , 23, 1225-1234	6.1	40
55	Opportunities and challenges for big data ornithology. <i>Condor</i> , 2018 , 120, 414-426	2.1	37
54	Age-dependent habitat relationships of a burned forest specialist emphasise the role of pyrodiversity in fire management. <i>Journal of Applied Ecology</i> , 2019 , 56, 880-890	5.8	28
53	Variation in home-range size of Black-backed WoodpeckersVariation de la taille du domaine vital chez Picoides arcticusBlack-backed Woodpecker home-range size. <i>Condor</i> , 2014 , 116, 325-340	2.1	28
52	Gradual changes in range size accompany long-term trends in species richness. <i>Ecology Letters</i> , 2017 , 20, 1148-1157	10	28
51	Temperature and competition interact to structure Himalayan bird communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018 , 285,	4.4	26
50	An integrated occupancy and space-use model to predict abundance of imperfectly detected, territorial vertebrates. <i>Methods in Ecology and Evolution</i> , 2016 , 7, 508-517	7.7	26
49	Camera trap arrays improve detection probability of wildlife: Investigating study design considerations using an empirical dataset. <i>PLoS ONE</i> , 2017 , 12, e0175684	3.7	25
48	Forest-land use complementarity modifies community structure of a tropical herpetofauna. <i>Biological Conservation</i> , 2014 , 170, 246-255	6.2	25
47	Ecosystems: climate change must not blow conservation off course. <i>Nature</i> , 2013 , 500, 271-2	50.4	25
46	The challenge of novel abiotic conditions for species undergoing climate-induced range shifts. <i>Ecography</i> , 2020 , 43, 1571-1590	6.5	25
45	Standards and Best Practices for Monitoring and Benchmarking Insects. <i>Frontiers in Ecology and Evolution</i> , 2021 , 8,	3.7	25
44	Working across space and time: nonstationarity in ecological research and application. <i>Frontiers in Ecology and the Environment</i> , 2021 , 19, 66-72	5.5	24
43	An evaluation of stringent filtering to improve species distribution models from citizen science data. <i>Diversity and Distributions</i> , 2019 , 25, 1857-1869	5	23
42	The importance of accounting for imperfect detection when estimating functional and phylogenetic community structure. <i>Ecology</i> , 2018 , 99, 2103-2112	4.6	20
41	Niche tracking and rapid establishment of distributional equilibrium in the house sparrow show potential responsiveness of species to climate change. <i>PLoS ONE</i> , 2012 , 7, e42097	3.7	19
40	A Century of Avian Community Turnover in an Urban Green Space in Northern California. <i>Condor</i> , 2012 , 114, 258-267	2.1	18

39	Addressing data integration challenges to link ecological processes across scales. <i>Frontiers in Ecology and the Environment</i> , 2021 , 19, 30-38	5.5	18
38	Empowering peer reviewers with a checklist to improve transparency. <i>Nature Ecology and Evolution</i> , 2018 , 2, 929-935	12.3	18
37	Pyrodiversity and biodiversity: A history, synthesis, and outlook. Diversity and Distributions,	5	17
36	Cross-scale occupancy dynamics of a postfire specialist in response to variation across a fire regime. <i>Journal of Animal Ecology</i> , 2018 , 87, 1484-1496	4.7	17
35	Vulnerability of birds to climate change in Californials Sierra Nevada. <i>Avian Conservation and Ecology</i> , 2014 , 9,	1.5	16
34	The pet traded role in defaunation. <i>Science</i> , 2017 , 356, 916	33.3	15
33	Nest site selection and nest survival of Black-backed Woodpeckers after wildfire. <i>Condor</i> , 2019 , 121,	2.1	14
32	Multi-species occupancy models as robust estimators of community richness. <i>Methods in Ecology and Evolution</i> , 2020 , 11, 633-642	7.7	14
31	Complex elevational shifts in a tropical lowland moth community following a decade of climate change. <i>Diversity and Distributions</i> , 2019 , 25, 514-523	5	12
30	Lazarus ecology: Recovering the distribution and migratory patterns of the extinct Carolina parakeet. <i>Ecology and Evolution</i> , 2017 , 7, 5467-5475	2.8	11
29	Age structure of Black-backed Woodpecker populations in burned forests. Auk, 2016, 133, 69-78	2.1	11
28	Ecological drivers of avian community assembly along a tropical elevation gradient. <i>Ecography</i> , 2021 , 44, 574-588	6.5	10
27	Black-backed woodpecker occupancy in burned and beetle-killed forests: Disturbance agent matters. <i>Forest Ecology and Management</i> , 2020 , 455, 117694	3.9	10
26	Experimental Evidence for Branch-to-Bird Transfer as a Mechanism for Avian Dispersal of the Hemlock Woolly Adelgid (Hemiptera: Adelgidae). <i>Environmental Entomology</i> , 2016 , 45, 1107-1114	2.1	9
25	Bumble bee use of post-fire chaparral in the central Sierra Nevada. <i>Journal of Wildlife Management</i> , 2017 , 81, 1084-1097	1.9	8
24	Migratory strategy drives species-level variation in bird sensitivity to vegetation green-up. <i>Nature Ecology and Evolution</i> , 2021 , 5, 987-994	12.3	8
23	Explaining the birds and the bees: deriving habitat restoration targets from multi-species occupancy models. <i>Ecosphere</i> , 2019 , 10, e02718	3.1	7
22	Diversity of great gray owl nest sites and nesting habitats in California. <i>Journal of Wildlife Management</i> , 2015 , 79, 937-947	1.9	7

(2020-2021)

21	Juvenile survival of a burned forest specialist in response to variation in fire characteristics. <i>Journal of Animal Ecology</i> , 2021 , 90, 1317-1327	4.7	7	
20	Spatial thinning and class balancing: Key choices lead to variation in the performance of species distribution models with citizen science data. <i>Methods in Ecology and Evolution</i> , 2021 , 12, 216-226	7.7	7	
19	Chaparral bird community responses to prescribed fire and shrub removal in three management seasons. <i>Journal of Applied Ecology</i> , 2018 , 55, 1615-1625	5.8	6	
18	Heterogeneity in avian richness-environment relationships along the Pacific Crest Trail. <i>Avian Conservation and Ecology</i> , 2014 , 9,	1.5	6	
17	Plant Selection by Bumble Bees (Hymenoptera: Apidae) in Montane Riparian Habitat of California. <i>Environmental Entomology</i> , 2020 , 49, 220-229	2.1	5	
16	Short-term resilience of Great Gray Owls to a megafire in California, USA. <i>Condor</i> , 2019 , 121,	2.1	5	
15	Co-occurrence of invasive and native carnivorans affects occupancy patterns across environmental gradients. <i>Biological Invasions</i> , 2020 , 22, 2251-2266	2.7	4	
14	Spring bird migration as a dispersal mechanism for the hemlock woolly adelgid. <i>Biological Invasions</i> , 2019 , 21, 1585-1599	2.7	3	
13	Elevation Correlates With Significant Changes in Relative Abundance in Hummingbird Fecal Microbiota, but Composition Changes Little. <i>Frontiers in Ecology and Evolution</i> , 2021 , 8,	3.7	3	
12	Body size and environment influence both intraspecific and interspecific variation in daily torpor use across hummingbirds. <i>Functional Ecology</i> , 2021 , 35, 870-883	5.6	3	
11	Conditional natal dispersal provides a mechanism for populations tracking resource pulses after fire. <i>Behavioral Ecology</i> ,	2.3	3	
10	Woody encroachment happens via intensification, not extensification, of species ranges in an African savanna. <i>Ecological Applications</i> , 2021 , 31, e02437	4.9	3	
9	Accounting for imperfect detection reveals role of host traits in structuring viral diversity of a wild bat community		2	
8	DNA metabarcoding reveals broadly overlapping diets in three sympatric North American hummingbirds. <i>Auk</i> , 2022 , 139,	2.1	2	
7	Nests in the cities: adaptive and non-adaptive phenotypic plasticity and convergence in an urban bird. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20202122	4.4	1	
6	The two extinctions of the Carolina Parakeet Conuropsis carolinensis. <i>Bird Conservation International</i> ,1-8	1.7	1	
5	Nestling provisioning behavior of Black-backed Woodpeckers in post-fire forest. <i>Journal of Field Ornithology</i> , 2021 , 92, 273-283	0.9	1	
4	Stream salamander persistence influenced by the interaction between exurban housing age and development. <i>Urban Ecosystems</i> , 2020 , 23, 117-132	2.8	1	

3	DNA metabarcoding reveals broad woodpecker diets in rire-maintained rorests. <i>Auk</i> , 2022 , 139,	2.1	1	
2	Extinction of biotic interactions due to habitat loss could accelerate the current biodiversity crisis <i>Ecological Applications</i> , 2022 , e2608	4.9	O	
1	2017 AOS Student Presentation AwardsSOCIETY AWARDS. <i>Auk</i> , 2018 , 135, 168-169	2.1		