

# In Seop Chang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/31032/in-seop-chang-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142  
papers

10,540  
citations

47  
h-index

101  
g-index

147  
ext. papers

11,453  
ext. citations

7.1  
avg, IF

6.02  
L-index

#	Paper	IF	Citations
142	Control of carbon monoxide dehydrogenase orientation by site-specific immobilization enables direct electrical contact between enzyme cofactor and solid surface.. <i>Communications Biology</i> , <b>2022</b> , 5, 390	6.7	2
141	Direct electrical contact of NAD <sup>+</sup> /NADH-dependent dehydrogenase on electrode surface enabled by non-native solid-binding peptide as a molecular binder. <i>Electrochimica Acta</i> , <b>2022</b> , 421, 140480	6.7	1
140	Peptide sequence-driven direct electron transfer properties and binding behaviors of gold-binding peptide-fused glucose dehydrogenase on electrode. <i>IScience</i> , <b>2021</b> , 24, 103373	6.1	2
139	Emerging trends in microbial fuel cell diversification-Critical analysis. <i>Bioresource Technology</i> , <b>2021</b> , 326, 124676	11	12
138	Functional Expression of a Mo-Cu-Dependent Carbon Monoxide Dehydrogenase (CODH) and Its Use as a Dissolved CO Bio-microsensor. <i>ACS Sensors</i> , <b>2021</b> , 6, 2772-2782	9.2	1
137	Microbial fuel cell driven mineral rich wastewater treatment process for circular economy by creating virtuous cycles. <i>Bioresource Technology</i> , <b>2021</b> , 320, 124254	11	6
136	Methanol supply speeds up synthesis gas fermentation by methylotrophic-acetogenic bacterium, <i>Eubacterium limosum</i> KIST612. <i>Bioresource Technology</i> , <b>2021</b> , 321, 124521	11	7
135	Accurate measurement of internal resistance in microbial fuel cells by improved scanning electrochemical impedance spectroscopy. <i>Electrochimica Acta</i> , <b>2021</b> , 366, 137388	6.7	10
134	High performance acidBase junction flow batteries using an asymmetric bipolar membrane with an ion-channel aligned anion exchange layer. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 7955-7966	13	1
133	Metabolism perturbation Causedby the overexpression of carbon monoxide dehydrogenase/Acetyl-CoA synthase gene complex accelerated gas to acetate conversion rate of <i>Eubacterium limosum</i> KIST612. <i>Bioresource Technology</i> , <b>2021</b> , 341, 125879	11	2
132	Behavior of CO-water mass transfer coefficient in membrane sparger-integrated bubble column for synthesis gas fermentation. <i>Bioresource Technology</i> , <b>2020</b> , 311, 123594	11	2
131	Biosensing and electrochemical properties of flavin adenine dinucleotide (FAD)-Dependent glucose dehydrogenase (GDH) fused to a gold binding peptide. <i>Biosensors and Bioelectronics</i> , <b>2020</b> , 165, 112427	11.8	12
130	Controlling Voltage Reversal in Microbial Fuel Cells. <i>Trends in Biotechnology</i> , <b>2020</b> , 38, 667-678	15.1	38
129	Gas circulation rate and medium exchange ratio as influential factors affecting ethanol production in carbon monoxide fermentation using a packed-bed reactor. <i>Sustainable Energy and Fuels</i> , <b>2020</b> , 4, 1963-1973	5.8	2
128	On Creating Multimedia Interfaces for Hybrid Biological-Digital Art Installations. <i>Lecture Notes in Computer Science</i> , <b>2020</b> , 139-150	0.9	
127	Genetic engineering system for syngas-utilizing acetogen, <i>Eubacterium limosum</i> KIST612. <i>Bioresource Technology Reports</i> , <b>2020</b> , 11, 100452	4.1	8
126	Dissolved carbon monoxide concentration monitoring platform based on direct electrical connection of CO dehydrogenase with electrically accessible surface structure. <i>Bioresource Technology</i> , <b>2020</b> , 297, 122436	11	5

125	A simultaneous gas feeding and cell-recycled reaction (SGCR) system to achieve biomass boosting and high acetate titer in microbial carbon monoxide fermentation. <i>Bioresource Technology</i> , <b>2020</b> , 298, 122549	11	2
124	Determination of optimum electrical connection mode for multi-electrode-embedded microbial fuel cells coupled with anaerobic digester for enhancement of swine wastewater treatment efficiency and energy recovery. <i>Bioresource Technology</i> , <b>2020</b> , 297, 122464	11	13
123	Structural heterogeneity yet high similarity of the microbial community on reverse osmosis membrane-driven biofilms during seawater desalination. <i>Environmental Science: Water Research and Technology</i> , <b>2020</b> , 6, 3066-3079	4.2	3
122	Bioreactors, gas delivery systems and supporting technologies for microbial synthesis gas conversion process. <i>Bioresource Technology Reports</i> , <b>2019</b> , 7, 100207	4.1	16
121	Membrane separation processes for dehydration of bioethanol from fermentation broths: Recent developments, challenges, and prospects. <i>Renewable and Sustainable Energy Reviews</i> , <b>2019</b> , 105, 427-443	16.2	59
120	Syngas Fermentation Into Biofuels and Biochemicals <b>2019</b> , 301-327		6
119	Electrocatalytic and Biosensing Properties of Aerobic Carbon Monoxide Dehydrogenase from Hydrogenophaga Pseudoflava Immobilized on Au Electrode towards Carbon Monoxide Oxidation. <i>Electroanalysis</i> , <b>2019</b> , 31, 1635-1640	3	3
118	Gene-Centric Metagenome Analysis Reveals Gene Clusters for Carbon Monoxide Conversion and Validates Isolation of a Clostridial Acetogen for C2 Chemical Production. <i>Biotechnology Journal</i> , <b>2019</b> , 14, e1800471	5.6	0
117	Significant enhancement of direct electric communication across enzyme-electrode interface via nano-patterning of synthetic glucose dehydrogenase on spatially tunable gold nanoparticle (AuNP)-modified electrode. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 126, 170-177	11.8	11
116	Tracking of Shewanella oneidensis MR-1 biofilm formation of a microbial electrochemical system via differential pulse voltammetry. <i>Bioresource Technology</i> , <b>2018</b> , 254, 357-361	11	18
115	Comparison of performance and ionic concentration gradient of two-chamber microbial fuel cell using ceramic membrane (CM) and cation exchange membrane (CEM) as separators. <i>Electrochimica Acta</i> , <b>2018</b> , 259, 365-376	6.7	42
114	Construction of Uniform Monolayer- and Orientation-Tunable Enzyme Electrode by a Synthetic Glucose Dehydrogenase without Electron-Transfer Subunit via Optimized Site-Specific Gold-Binding Peptide Capable of Direct Electron Transfer. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 22715-22724	9.5	25
113	Elimination of voltage reversal in multiple membrane electrode assembly installed microbial fuel cells (mMEA-MFCs) stacking system by resistor control. <i>Bioresource Technology</i> , <b>2018</b> , 262, 338-341	11	19
112	Comparative study of the airborne microbial communities and their functional composition in fine particulate matter (PM2.5) under non-extreme and extreme PM2.5 conditions. <i>Atmospheric Environment</i> , <b>2018</b> , 194, 82-92	5.3	33
111	Bubble coalescence suppression driven carbon monoxide (CO)-water mass transfer increase by electrolyte addition in a hollow fiber membrane bioreactor (HFMBR) for microbial CO conversion to ethanol. <i>Bioresource Technology</i> , <b>2018</b> , 263, 375-384	11	24
110	Determination of volumetric gas-liquid mass transfer coefficient of carbon monoxide in a batch cultivation system using kinetic simulations. <i>Bioresource Technology</i> , <b>2017</b> , 239, 387-393	11	10
109	Serially Connectable Sediment Microbial Fuel Cells using Dipole Graphite Solids and Voltage Reversal Suppression. <i>Energy Technology</i> , <b>2017</b> , 5, 1946-1952	3.5	5
108	Acetate-assisted increase of butyrate production by Eubacterium limosum KIST612 during carbon monoxide fermentation. <i>Bioresource Technology</i> , <b>2017</b> , 245, 560-566	11	26

107	Self-recoverable voltage reversal in stacked microbial fuel cells due to biofilm capacitance. <i>Bioresource Technology</i> , <b>2017</b> , 245, 1286-1289	11	11
106	Elimination of Power Overshoot at Bioanode through Assistance Current in Microbial Fuel Cells. <i>ChemSusChem</i> , <b>2017</b> , 10, 612-617	8.3	20
105	Prevention of Power Overshoot and Reduction of Cathodic Overpotential by Increasing Cathode Flow Rate in Microbial Fuel Cells used Stainless Steel Scrubber Electrode. <i>Daehan Hwanlgyeong Gonghag Hoeji</i> , <b>2017</b> , 39, 591-598	0.6	4
104	Correlation of Overvoltages and Current Densities to Estimate Optimal Electrode Size for Sediment Microbial Fuel Cells. <i>Energy Technology</i> , <b>2016</b> , 4, 369-374	3.5	1
103	Concurrent Control of Power Overshoot and Voltage Reversal with Series Connection of Parallel-Connected Microbial Fuel Cells. <i>Energy Technology</i> , <b>2016</b> , 4, 729-736	3.5	12
102	Intrinsic kinetic parameters of <i>Thermococcus onnurineus</i> NA1 strains and prediction of optimum carbon monoxide level for ideal bioreactor operation. <i>Bioresource Technology</i> , <b>2016</b> , 201, 74-9	11	12
101	Enhanced mass transfer rate of methane via hollow fiber membrane modules for <i>Methylosinus trichosporium</i> OB3b fermentation. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2016</b> , 39, 149-152	6.3	12
100	Development of anode zone using dual-anode system to reduce organic matter crossover in membraneless microbial fuel cells. <i>Bioresource Technology</i> , <b>2016</b> , 213, 140-145	11	29
99	Enhanced mass transfer rate of methane in aqueous phase via methyl-functionalized SBA-15. <i>Journal of Molecular Liquids</i> , <b>2016</b> , 215, 154-160	6	16
98	Significance of maximum current for voltage boosting of microbial fuel cells in series. <i>Journal of Power Sources</i> , <b>2016</b> , 323, 23-28	8.9	14
97	pH-dependent ammonia removal pathways in microbial fuel cell system. <i>Bioresource Technology</i> , <b>2016</b> , 215, 290-295	11	25
96	Adhesion potential of bacteria retrieved from intake seawater and membrane biofilms on full-scale reverse osmosis desalination process. <i>Desalination and Water Treatment</i> , <b>2016</b> , 57, 26629-26640		1
95	Proof-of-concept experiments of an acid-base junction flow battery by reverse bipolar electro dialysis for an energy conversion system. <i>Electrochemistry Communications</i> , <b>2016</b> , 72, 157-161	5.1	22
94	Gas-liquid mass transfer coefficient of methane in bubble column reactor. <i>Korean Journal of Chemical Engineering</i> , <b>2015</b> , 32, 1060-1063	2.8	22
93	Bioelectronic platforms for optimal bio-anode of bio-electrochemical systems: From nano- to macro scopes. <i>Bioresource Technology</i> , <b>2015</b> , 195, 2-13	11	28
92	Coupling of anaerobic digester and microbial fuel cell for COD removal and ammonia recovery. <i>Bioresource Technology</i> , <b>2015</b> , 195, 217-22	11	60
91	Energy Conservation Model Based on Genomic and Experimental Analyses of a Carbon Monoxide-Utilizing, Butyrate-Forming Acetogen, <i>Eubacterium limosum</i> KIST612. <i>Applied and Environmental Microbiology</i> , <b>2015</b> , 81, 4782-90	4.8	51
90	The biocathode of microbial electrochemical systems and microbially-influenced corrosion. <i>Bioresource Technology</i> , <b>2015</b> , 190, 395-401	11	57

89	Performance variation according to anode-embedded orientation in a sediment microbial fuel cell employing a chessboard-like hundred-piece anode. <i>Bioresource Technology</i> , <b>2015</b> , 190, 175-81	11	15
88	Microbial synthesis gas utilization and ways to resolve kinetic and mass-transfer limitations. <i>Bioresource Technology</i> , <b>2015</b> , 177, 361-74	11	81
87	Assistance Current Effect for Prevention of Voltage Reversal in Stacked Microbial Fuel Cell Systems. <i>ChemElectroChem</i> , <b>2015</b> , 2, 755-760	4.3	29
86	Shift of voltage reversal in stacked microbial fuel cells. <i>Journal of Power Sources</i> , <b>2015</b> , 278, 534-539	8.9	46
85	Functionalized Polyacrylonitrile Nanofibrous Membranes for Covalent Immobilization of Glucose Oxidase. <i>Journal of Biomedical Nanotechnology</i> , <b>2015</b> , 11, 143-9	4	5
84	Graphitized-Carbon-Nanofiber Paper-Enzyme Electrode Fabrication Through Non-Covalent Modification for Enzyme Biofuel Cell Application. <i>Journal of Biomedical Nanotechnology</i> , <b>2015</b> , 11, 137-42		2
83	Increased Power in Sediment Microbial Fuel Cell: Facilitated Mass Transfer via a Water-Layer Anode Embedded in Sediment. <i>PLoS ONE</i> , <b>2015</b> , 10, e0145430	3.7	12
82	Batch conversion of methane to methanol using <i>Methylosinus trichosporium</i> OB3b as biocatalyst. <i>Journal of Microbiology and Biotechnology</i> , <b>2015</b> , 25, 375-80	3.3	50
81	Effect of the Application of Microbubbles and/or Catalyst on the Sludge Reduction and Organic matter of Livestock Wastewater. <i>Daehan Hwanlgyeong Gonghag Hoeji</i> , <b>2015</b> , 37, 558-562	0.6	4
80	Characterization of uncharged and sulfonated porous poly(vinylidene fluoride) membranes and their performance in microbial fuel cells. <i>Journal of Membrane Science</i> , <b>2014</b> , 463, 205-214	9.6	41
79	Metabolically engineered glucose-utilizing <i>Shewanella</i> strains under anaerobic conditions. <i>Bioresource Technology</i> , <b>2014</b> , 154, 59-66	11	46
78	Effect of internal pressure and gas/liquid interface area on the CO mass transfer coefficient using hollow fibre membranes as a high mass transfer gas diffusing system for microbial syngas fermentation. <i>Bioresource Technology</i> , <b>2014</b> , 169, 637-643	11	43
77	Effects of azide on electron transport of exoelectrogens in air-cathode microbial fuel cells. <i>Bioresource Technology</i> , <b>2014</b> , 169, 265-270	11	12
76	New architecture for modulization of membraneless and single-chambered microbial fuel cell using a bipolar plate-electrode assembly (BEA). <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 59, 28-34	11.8	35
75	Immobilisation of Flavin-Adenine-Dinucleotide-Dependent Glucose Dehydrogenase $\beta$ Subunit in Free-Standing Graphitised Carbon Nanofiber Paper Using a Bifunctional Cross-Linker for an Enzymatic Biofuel Cell. <i>ChemElectroChem</i> , <b>2014</b> , 1, 1844-1848	4.3	12
74	Preparation and electrochemical properties of polyaniline nanofibers using ultrasonication. <i>Materials Research Bulletin</i> , <b>2014</b> , 58, 213-217	5.1	9
73	Fluorescence imaging for biofoulants detection and monitoring of biofouled strength in reverse osmosis membrane. <i>Analytical Methods</i> , <b>2014</b> , 6, 993-1000	3.2	3
72	Biocatalytic conversion of methane to methanol as a key step for development of methane-based biorefineries. <i>Journal of Microbiology and Biotechnology</i> , <b>2014</b> , 24, 1597-605	3.3	54

71	Ammonia Nitrogen Removal and Recovery from Swine Wastewater by Microwave Radiation. <i>Environmental Engineering Research</i> , <b>2014</b> , 19, 381-385	3.6	16
70	Current Generation from Microbial Fuel Cell Using Stainless Steel Wire as Anode Electrode. <i>Daehan Hwanlgyeong Gonghag Hoeji</i> , <b>2014</b> , 36, 753-757	0.6	5
69	Rapid enrichment of (homo)acetogenic consortia from animal feces using a high mass-transfer gas-lift reactor fed with syngas. <i>Journal of Industrial Microbiology and Biotechnology</i> , <b>2013</b> , 40, 995-1003	4.2	24
68	High performance enzyme fuel cells using a genetically expressed FAD-dependent glucose dehydrogenase $\beta$ subunit of <i>Burkholderia cepacia</i> immobilized in a carbon nanotube electrode for low glucose conditions. <i>Physical Chemistry Chemical Physics</i> , <b>2013</b> , 15, 9508-12	3.6	17
67	Voltage increase of microbial fuel cells with multiple membrane electrode assemblies by in series connection. <i>Electrochemistry Communications</i> , <b>2013</b> , 28, 131-134	5.1	25
66	Effect of shear rate on the response of microbial fuel cell toxicity sensor to Cu(II). <i>Bioresource Technology</i> , <b>2013</b> , 136, 707-10	11	91
65	Use of red algae, Ceylon moss ( <i>Gelidium amansii</i> ), hydrolyzate for clostridial fermentation. <i>Biomass and Bioenergy</i> , <b>2013</b> , 56, 38-42	5.3	16
64	Comparison in performance of sediment microbial fuel cells according to depth of embedded anode. <i>Bioresource Technology</i> , <b>2013</b> , 127, 138-42	11	57
63	Power density enhancement of anion-exchange membrane-installed microbial fuel cell under bicarbonate-buffered cathode condition. <i>Journal of Microbiology and Biotechnology</i> , <b>2013</b> , 23, 36-9	3.3	11
62	Microbial Communities of the Microbial Fuel Cell Using Swine Wastewater in the Enrichment Step with the Lapse of Time. <i>Daehan Hwanlgyeong Gonghag Hoeji</i> , <b>2013</b> , 35, 973-977	0.6	1
61	Electrical performance of low cost cathodes prepared by plasma sputtering deposition in microbial fuel cells. <i>Biosensors and Bioelectronics</i> , <b>2012</b> , 31, 164-9	11.8	10
60	Treatment of alcohol distillery wastewater using a <i>Bacteroidetes</i> -dominant thermophilic microbial fuel cell. <i>Environmental Science &amp; Technology</i> , <b>2012</b> , 46, 3022-30	10.3	87
59	Exploring microbial communities and differences of cartridge filters (CFs) and reverse osmosis (RO) membranes for seawater desalination processes. <i>Desalination</i> , <b>2012</b> , 298, 85-92	10.3	24
58	Scaling-up microbial fuel cells: configuration and potential drop phenomenon at series connection of unit cells in shared anolyte. <i>ChemSusChem</i> , <b>2012</b> , 5, 1086-91	8.3	70
57	Fluorescence spectrum-based biofouling prediction method for RO membrane systems. <i>Desalination and Water Treatment</i> , <b>2012</b> , 43, 238-245		4
56	Complete genome sequence of a carbon monoxide-utilizing acetogen, <i>Eubacterium limosum</i> KIST612. <i>Journal of Bacteriology</i> , <b>2011</b> , 193, 307-8	3.5	53
55	Bifunctional silver nanoparticle cathode in microbial fuel cells for microbial growth inhibition with comparable oxygen reduction reaction activity. <i>Environmental Science &amp; Technology</i> , <b>2011</b> , 45, 5441-6	10.3	94
54	Microbial fuel cells for energy self-sufficient domestic wastewater treatment-a review and discussion from energetic consideration. <i>Applied Microbiology and Biotechnology</i> , <b>2011</b> , 89, 259-70	5.7	97

53	Microbial community differences between propionate-fed microbial fuel cell systems under open and closed circuit conditions. <i>Applied Microbiology and Biotechnology</i> , <b>2011</b> , 89, 605-12	5.7	30
52	Full-loop operation and cathodic acidification of a microbial fuel cell operated on domestic wastewater. <i>Bioresource Technology</i> , <b>2011</b> , 102, 5841-8	11	48
51	Interface resistances of anion exchange membranes in microbial fuel cells with low ionic strength. <i>Biosensors and Bioelectronics</i> , <b>2011</b> , 26, 3266-71	11.8	30
50	A comparison of membranes and enrichment strategies for microbial fuel cells. <i>Bioresource Technology</i> , <b>2011</b> , 102, 6291-4	11	52
49	Complete genome sequencing of <i>Lactobacillus acidophilus</i> 30SC, isolated from swine intestine. <i>Journal of Bacteriology</i> , <b>2011</b> , 193, 2882-3	3.5	16
48	T-RFLP reveals high Proteobacteria diversity in microbial fuel cells enriched with domestic wastewater. <i>Journal of Applied Microbiology</i> , <b>2010</b> , 109, 839-50	4.7	54
47	Multiphase electrode microbial fuel cell system that simultaneously converts organics coexisting in water and sediment phases into electricity. <i>Environmental Science &amp; Technology</i> , <b>2010</b> , 44, 7145-50	10.3	15
46	Optimization studies of bio-hydrogen production in a coupled microbial electrolysis-dye sensitized solar cell system. <i>Photochemical and Photobiological Sciences</i> , <b>2010</b> , 9, 349-56	4.2	25
45	Electricity generation coupled to oxidation of propionate in a microbial fuel cell. <i>Biotechnology Letters</i> , <b>2010</b> , 32, 79-85	3	16
44	Determination of effects of turbulence flow in a cathode environment on electricity generation using a tidal mud-based cylindrical-type sediment microbial fuel cell. <i>Journal of Environmental Management</i> , <b>2010</b> , 91, 2478-82	7.9	12
43	Selective inhibition of methanogens for the improvement of biohydrogen production in microbial electrolysis cells. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 13379-13386	6.7	111
42	Determination of charge transfer resistance and capacitance of microbial fuel cell through a transient response analysis of cell voltage. <i>Biosensors and Bioelectronics</i> , <b>2010</b> , 25, 1629-34	11.8	72
41	Decadal and seasonal scale changes of an artificial lake environment after blocking tidal flows in the Yeongsan Estuary region, Korea. <i>Science of the Total Environment</i> , <b>2009</b> , 407, 6063-72	10.2	27
40	Responses from freshwater sediment during electricity generation using microbial fuel cells. <i>Bioprocess and Biosystems Engineering</i> , <b>2009</b> , 32, 389-95	3.7	58
39	Experimental evaluation of influential factors for electricity harvesting from sediment using microbial fuel cell. <i>Bioresource Technology</i> , <b>2009</b> , 100, 3029-35	11	106
38	Study of hydrogen production in light assisted microbial electrolysis cell operated with dye sensitized solar cell. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 9297-9304	6.7	40
37	Selection of the most problematic biofoulant in fouled RO membrane and the seawater intake to develop biosensors for membrane biofouling. <i>Desalination</i> , <b>2009</b> , 247, 125-136	10.3	25
36	Electricity generation from synthesis gas by microbial processes: CO fermentation and microbial fuel cell technology. <i>Bioresource Technology</i> , <b>2009</b> , 100, 4527-30	11	29

35	A solar-powered microbial electrolysis cell with a platinum catalyst-free cathode to produce hydrogen. <i>Environmental Science &amp; Technology</i> , <b>2009</b> , 43, 9525-30	10.3	107
34	Floating-type microbial fuel cell (FT-MFC) for treating organic-contaminated water. <i>Environmental Science &amp; Technology</i> , <b>2009</b> , 43, 1642-7	10.3	37
33	Performance and Bacterial Consortium of Microbial Fuel Cell Fed with Formate. <i>Energy &amp; Fuels</i> , <b>2008</b> , 22, 164-168	4.1	67
32	Mass Transport through a Proton Exchange Membrane (Nafion) in Microbial Fuel Cells. <i>Energy &amp; Fuels</i> , <b>2008</b> , 22, 169-176	4.1	324
31	Current Production and Metal Oxide Reduction by <i>Shewanella oneidensis</i> MR-1 Wild Type and Mutants. <i>Applied and Environmental Microbiology</i> , <b>2008</b> , 74, 553-553	4.8	12
30	Challenges in microbial fuel cell development and operation. <i>Applied Microbiology and Biotechnology</i> , <b>2007</b> , 76, 485-94	5.7	302
29	Use of an industrial grade medium and medium enhancing effects on high cell density CO fermentation by <i>Eubacterium limosum</i> KIST612. <i>Biotechnology Letters</i> , <b>2007</b> , 29, 1183-7	3	9
28	Current production and metal oxide reduction by <i>Shewanella oneidensis</i> MR-1 wild type and mutants. <i>Applied and Environmental Microbiology</i> , <b>2007</b> , 73, 7003-12	4.8	436
27	Effect of sulfate reduction activity on biological treatment of hexavalent chromium [Cr(VI)] contaminated electroplating wastewater under sulfate-rich condition. <i>Chemosphere</i> , <b>2007</b> , 68, 218-26	8.4	50
26	Nitrilotriacetic acid degradation under microbial fuel cell environment. <i>Biotechnology and Bioengineering</i> , <b>2006</b> , 95, 772-4	4.9	20
25	Electrically conductive bacterial nanowires produced by <i>Shewanella oneidensis</i> strain MR-1 and other microorganisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 11358-63	11.5	1359
24	Enrichment, performance, and microbial diversity of a thermophilic mediatorless microbial fuel cell. <i>Environmental Science &amp; Technology</i> , <b>2006</b> , 40, 6449-54	10.3	141
23	Continuous electricity production from artificial wastewater using a mediator-less microbial fuel cell. <i>Bioresource Technology</i> , <b>2006</b> , 97, 621-7	11	232
22	Residence time distribution in microbial fuel cell and its influence on COD removal with electricity generation. <i>Biochemical Engineering Journal</i> , <b>2005</b> , 27, 59-65	4.2	71
21	Dissimilatory Fe(III) reduction by an electrochemically active lactic acid bacterium phylogenetically related to <i>Enterococcus gallinarum</i> isolated from submerged soil. <i>Journal of Applied Microbiology</i> , <b>2005</b> , 99, 978-87	4.7	59
20	Improvement of a microbial fuel cell performance as a BOD sensor using respiratory inhibitors. <i>Biosensors and Bioelectronics</i> , <b>2005</b> , 20, 1856-9	11.8	196
19	Differential expression of <i>Desulfovibrio vulgaris</i> genes in response to Cu(II) and Hg(II) toxicity. <i>Applied and Environmental Microbiology</i> , <b>2004</b> , 70, 1847-51	4.8	15
18	Construction of bacterial artificial chromosome library from electrochemical microorganisms. <i>FEMS Microbiology Letters</i> , <b>2004</b> , 238, 65-70	2.9	12



17	Improving the dynamic response of a mediator-less microbial fuel cell as a biochemical oxygen demand (BOD) sensor. <i>Biotechnology Letters</i> , <b>2004</b> , 26, 1717-21	3	84
16	Enrichment of microbial community generating electricity using a fuel-cell-type electrochemical cell. <i>Applied Microbiology and Biotechnology</i> , <b>2004</b> , 63, 672-81	5.7	352
15	Continuous determination of biochemical oxygen demand using microbial fuel cell type biosensor. <i>Biosensors and Bioelectronics</i> , <b>2004</b> , 19, 607-13	11.8	317
14	Construction and operation of a novel mediator- and membrane-less microbial fuel cell. <i>Process Biochemistry</i> , <b>2004</b> , 39, 1007-1012	4.8	357
13	Analysis of microbial diversity in oligotrophic microbial fuel cells using 16S rDNA sequences. <i>FEMS Microbiology Letters</i> , <b>2004</b> , 233, 77-82	2.9	155
12	Construction of bacterial artificial chromosome library from electrochemical microorganisms. <i>FEMS Microbiology Letters</i> , <b>2004</b> , 238, 65-70	2.9	2
11	A microbial fuel cell with improved cathode reaction as a low biochemical oxygen demand sensor. <i>Biotechnology Letters</i> , <b>2003</b> , 25, 1357-61	3	85
10	Novel BOD (biological oxygen demand) sensor using mediator-less microbial fuel cell. <i>Biotechnology Letters</i> , <b>2003</b> , 25, 541-5	3	274
9	A novel electrochemically active and Fe(III)-reducing bacterium phylogenetically related to <i>Aeromonas hydrophila</i> , isolated from a microbial fuel cell. <i>FEMS Microbiology Letters</i> , <b>2003</b> , 223, 129-34	2.9	318
8	Use of acetate for enrichment of electrochemically active microorganisms and their 16S rDNA analyses. <i>FEMS Microbiology Letters</i> , <b>2003</b> , 223, 185-91	2.9	169
7	Operational parameters affecting the performance of a mediator-less microbial fuel cell. <i>Biosensors and Bioelectronics</i> , <b>2003</b> , 18, 327-34	11.8	764
6	Evidence for chimeric sequences formed during random arbitrarily primed PCR. <i>Journal of Microbiological Methods</i> , <b>2003</b> , 54, 427-31	2.8	4
5	Purification and characterization of complement-activating acidic polysaccharides from the fruits of <i>Capsicum annum</i> . <i>BMB Reports</i> , <b>2003</b> , 36, 230-6	5.5	11
4	A mediator-less microbial fuel cell using a metal reducing bacterium, <i>Shewanella putrefaciens</i> . <i>Enzyme and Microbial Technology</i> , <b>2002</b> , 30, 145-152	3.8	702
3	Effect of CO partial pressure on cell-recycled continuous CO fermentation by <i>Eubacterium limosum</i> KIST612. <i>Process Biochemistry</i> , <b>2001</b> , 37, 411-421	4.8	76
2	A Novel Electrochemically Active and Fe(III)-reducing Bacterium Phylogenetically Related to <i>Clostridium butyricum</i> Isolated from a Microbial Fuel Cell. <i>Anaerobe</i> , <b>2001</b> , 7, 297-306	2.8	430
1	Biological treatment of acid mine drainage under sulphate-reducing conditions with solid waste materials as substrate. <i>Water Research</i> , <b>2000</b> , 34, 1269-1277	12.5	196