Bang-Ping Qian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3103392/publications.pdf

Version: 2024-02-01

840776 677142 22 554 11 22 citations h-index g-index papers 23 23 23 469 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Genome-wide association study identifies new susceptibility loci for adolescent idiopathic scoliosis in Chinese girls. Nature Communications, 2015, 6, 8355.	12.8	104
2	Pedicle subtraction osteotomy through pseudarthrosis to correct thoracolumbar kyphotic deformity in advanced ankylosing spondylitis. European Spine Journal, 2012, 21, 711-718.	2.2	79
3	The Influence of Closing-Opening Wedge Osteotomy on Sagittal Balance in Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis. Spine, 2012, 37, 1415-1423.	2.0	75
4	The Presence of a Negative Sacral Slope in Patients with Ankylosing Spondylitis with Severe Thoracolumbar Kyphosis. Journal of Bone and Joint Surgery - Series A, 2014, 96, e188.	3.0	49
5	Radiographical Predictors for Postoperative Sagittal Imbalance in Patients With Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis After Lumbar Pedicle Subtraction Osteotomy. Spine, 2013, 38, E1669-E1675.	2.0	46
6	Mechanisms, Predisposing Factors, and Prognosis of Intraoperative Vertebral Subluxation During Pedicle Subtraction Osteotomy in Surgical Correction of Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis. Spine, 2017, 42, E983-E990.	2.0	31
7	Quantitative evaluation of the relationship between COMP promoter methylation and the susceptibility and curve progression of adolescent idiopathic scoliosis. European Spine Journal, 2018, 27, 272-277.	2.2	31
8	Quality of life and correlation with clinical and radiographic variables in patients with ankylosing spondylitis: a retrospective case series study. BMC Musculoskeletal Disorders, 2017, 18, 352.	1.9	28
9	What is the optimal postoperative sagittal alignment in ankylosing spondylitis patients with thoracolumbar kyphosis following one-level pedicle subtraction osteotomy?. Spine Journal, 2020, 20, 765-775.	1.3	17
10	An exon polymorphism of programmed cell death 1 gene is associated with both the susceptibility and thoracolumbar kyphosis severity of ankylosing spondylitis in a Chinese Han population. Journal of Orthopaedic Science, 2013, 18, 514-518.	1.1	13
11	Change in Abdominal Morphology After Surgical Correction of Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis. Spine, 2015, 40, E1244-E1249.	2.0	13
12	Brachial plexus palsy associated with halo traction before posterior correction in severe scoliosis. Studies in Health Technology and Informatics, 2006, 123, 538-42.	0.3	13
13	Anatomic Relationship Between Superior Mesenteric Artery and Aorta Before and After Surgical Correction of Thoracolumbar Kyphosis. Journal of Spinal Disorders and Techniques, 2013, 26, E293-E298.	1.9	12
14	Comparison of Sagittal Spinopelvic Alignment in Patients With Ankylosing Spondylitis and Thoracolumbar Fracture. Medicine (United States), 2016, 95, e2585.	1.0	10
15	The patterns of loss of correction after posterior wedge osteotomy in ankylosing spondylitis-related thoracolumbar kyphosis: a minimum of five-year follow-up. BMC Musculoskeletal Disorders, 2017, 18, 465.	1.9	9
16	The clinical relevance of the presence of bridging syndesmophytes on kyphosis correction and maintenance following pedicle subtraction osteotomy for thoracolumbar kyphotic deformity in ankylosing spondylitis: a comparative cohort study. BMC Musculoskeletal Disorders, 2018, 19, 97.	1.9	5
17	Failure patterns and related risk factors of sagittal reconstruction following pedicle subtraction osteotomy in patients with ankylosing spondylitis and thoracolumbar kyphosis. Neurosurgical Focus, 2021, 51, E7.	2.3	5
18	When Can One-level Pedicle Subtraction Osteotomy Obtain Satisfied Outcomes for Severe Thoracolumbar Kyphosis with Global Kyphosis ≥80° in Ankylosing Spondylitis. Spine, 2021, 46, E374-E383.	2.0	4

#	Article	IF	CITATIONS
19	Association between braced curve behavior by pubertal growth peak and bracing effectiveness in female idiopathic scoliosis: a longitudinal cohort study. BMC Musculoskeletal Disorders, 2018, 19, 88.	1.9	3
20	The contribution of pre-existing spinal pseudarthrosis to the surgical correction for thoracolumbar kyphosis secondary to ankylosing spondylitis. Journal of Clinical Neuroscience, 2020, 82, 219-224.	1.5	2
21	Is Any Correlation Present Between the Severity of Syndesmophytes and Spinopelvic and Clinical Parameters in Advanced Ankylosing Spondylitis?. World Neurosurgery, 2020, 137, e618-e625.	1.3	2
22	Timing of osteotomy for thoracolumabar or lumbar kyphosis secondary to ankylosing spondylitis. Studies in Health Technology and Informatics, 2006, 123, 303-8.	0.3	0