

Bang-Ping Qian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3103392/publications.pdf>

Version: 2024-02-01

22
papers

554
citations

840776

11
h-index

677142

22
g-index

23
all docs

23
docs citations

23
times ranked

469
citing authors

#	ARTICLE	IF	CITATIONS
1	Failure patterns and related risk factors of sagittal reconstruction following pedicle subtraction osteotomy in patients with ankylosing spondylitis and thoracolumbar kyphosis. <i>Neurosurgical Focus</i> , 2021, 51, E7.	2.3	5
2	When Can One-level Pedicle Subtraction Osteotomy Obtain Satisfied Outcomes for Severe Thoracolumbar Kyphosis with Global Kyphosis $\geq 80^\circ$ in Ankylosing Spondylitis. <i>Spine</i> , 2021, 46, E374-E383.	2.0	4
3	What is the optimal postoperative sagittal alignment in ankylosing spondylitis patients with thoracolumbar kyphosis following one-level pedicle subtraction osteotomy?. <i>Spine Journal</i> , 2020, 20, 765-775.	1.3	17
4	The contribution of pre-existing spinal pseudarthrosis to the surgical correction for thoracolumbar kyphosis secondary to ankylosing spondylitis. <i>Journal of Clinical Neuroscience</i> , 2020, 82, 219-224.	1.5	2
5	Is Any Correlation Present Between the Severity of Syndesmophytes and Spinopelvic and Clinical Parameters in Advanced Ankylosing Spondylitis?. <i>World Neurosurgery</i> , 2020, 137, e618-e625.	1.3	2
6	The clinical relevance of the presence of bridging syndesmophytes on kyphosis correction and maintenance following pedicle subtraction osteotomy for thoracolumbar kyphotic deformity in ankylosing spondylitis: a comparative cohort study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 97.	1.9	5
7	Quantitative evaluation of the relationship between COMP promoter methylation and the susceptibility and curve progression of adolescent idiopathic scoliosis. <i>European Spine Journal</i> , 2018, 27, 272-277.	2.2	31
8	Association between braced curve behavior by pubertal growth peak and bracing effectiveness in female idiopathic scoliosis: a longitudinal cohort study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 88.	1.9	3
9	Mechanisms, Predisposing Factors, and Prognosis of Intraoperative Vertebral Subluxation During Pedicle Subtraction Osteotomy in Surgical Correction of Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis. <i>Spine</i> , 2017, 42, E983-E990.	2.0	31
10	Quality of life and correlation with clinical and radiographic variables in patients with ankylosing spondylitis: a retrospective case series study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 352.	1.9	28
11	The patterns of loss of correction after posterior wedge osteotomy in ankylosing spondylitis-related thoracolumbar kyphosis: a minimum of five-year follow-up. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 465.	1.9	9
12	Comparison of Sagittal Spinopelvic Alignment in Patients With Ankylosing Spondylitis and Thoracolumbar Fracture. <i>Medicine (United States)</i> , 2016, 95, e2585.	1.0	10
13	Change in Abdominal Morphology After Surgical Correction of Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis. <i>Spine</i> , 2015, 40, E1244-E1249.	2.0	13
14	Genome-wide association study identifies new susceptibility loci for adolescent idiopathic scoliosis in Chinese girls. <i>Nature Communications</i> , 2015, 6, 8355.	12.8	104
15	The Presence of a Negative Sacral Slope in Patients with Ankylosing Spondylitis with Severe Thoracolumbar Kyphosis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, e188.	3.0	49
16	An exon polymorphism of programmed cell death 1 gene is associated with both the susceptibility and thoracolumbar kyphosis severity of ankylosing spondylitis in a Chinese Han population. <i>Journal of Orthopaedic Science</i> , 2013, 18, 514-518.	1.1	13
17	Anatomic Relationship Between Superior Mesenteric Artery and Aorta Before and After Surgical Correction of Thoracolumbar Kyphosis. <i>Journal of Spinal Disorders and Techniques</i> , 2013, 26, E293-E298.	1.9	12
18	Radiographical Predictors for Postoperative Sagittal Imbalance in Patients With Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis After Lumbar Pedicle Subtraction Osteotomy. <i>Spine</i> , 2013, 38, E1669-E1675.	2.0	46

#	ARTICLE	IF	CITATIONS
19	The Influence of Closing-Opening Wedge Osteotomy on Sagittal Balance in Thoracolumbar Kyphosis Secondary to Ankylosing Spondylitis. <i>Spine</i> , 2012, 37, 1415-1423.	2.0	75
20	Pedicle subtraction osteotomy through pseudarthrosis to correct thoracolumbar kyphotic deformity in advanced ankylosing spondylitis. <i>European Spine Journal</i> , 2012, 21, 711-718.	2.2	79
21	Timing of osteotomy for thoracolumbar or lumbar kyphosis secondary to ankylosing spondylitis. <i>Studies in Health Technology and Informatics</i> , 2006, 123, 303-8.	0.3	0
22	Brachial plexus palsy associated with halo traction before posterior correction in severe scoliosis. <i>Studies in Health Technology and Informatics</i> , 2006, 123, 538-42.	0.3	13