Kim T Mueser

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3105343/publications.pdf

Version: 2024-02-01

255 papers

22,643 citations

7096 78 h-index 144 g-index

263 all docs

 $\begin{array}{c} 263 \\ \text{docs citations} \end{array}$

263 times ranked 11863 citing authors

#	Article	IF	CITATIONS
1	A Meta-Analysis of Cognitive Remediation in Schizophrenia. American Journal of Psychiatry, 2007, 164, 1791-1802.	7.2	1,017
2	Models of Community Care for Severe Mental Illness: A Review of Research on Case Management. Schizophrenia Bulletin, 1998, 24, 37-74.	4.3	786
3	Schizophrenia. Lancet, The, 2004, 363, 2063-2072.	13.7	781
4	Comprehensive Versus Usual Community Care for First-Episode Psychosis: 2-Year Outcomes From the NIMH RAISE Early Treatment Program. American Journal of Psychiatry, 2016, 173, 362-372.	7.2	601
5	Trauma and posttraumatic stress disorder in severe mental illness Journal of Consulting and Clinical Psychology, 1998, 66, 493-499.	2.0	594
6	Illness Management and Recovery: A Review of the Research. Psychiatric Services, 2002, 53, 1272-1284.	2.0	583
7	Prevalence of Substance Abuse in Schizophrenia: Demographic and Clinical Correlates. Schizophrenia Bulletin, 1990, 16, 31-56.	4.3	545
8	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. JAMA Psychiatry, 2018, 75, 555.	11.0	516
9	Assertive Community Treatment for People with Severe Mental Illness. Disease Management and Health Outcomes, 2001, 9, 141-159.	0.4	459
10	Feasibility, Acceptability, and Preliminary Efficacy of a Smartphone Intervention for Schizophrenia. Schizophrenia Bulletin, 2014, 40, 1244-1253.	4.3	432
11	An Analysis of Social Competence in Schizophrenia. British Journal of Psychiatry, 1990, 156, 809-818.	2.8	358
12	A meta-analysis of controlled research on social skills training for schizophrenia Journal of Consulting and Clinical Psychology, 2008, 76, 491-504.	2.0	355
13	Trauma, PTSD, and the course of severe mental illness: an interactive model. Schizophrenia Research, 2002, 53, 123-143.	2.0	347
14	Physical and Sexual Assault History in Women With Serious Mental Illness: Prevalence, Correlates, Treatment, and Future Research Directions. Schizophrenia Bulletin, 1997, 23, 685-696.	4.3	338
15	Cognitive functioning, symptoms, and work in supported employment: a review and heuristic model. Schizophrenia Research, 2004, 70, 147-173.	2.0	331
16	Cognitive Training and Supported Employment for Persons With Severe Mental Illness: One-Year Results From a Randomized Controlled Trial. Schizophrenia Bulletin, 2005, 31, 898-909.	4.3	331
17	Cardiometabolic Risk in Patients With First-Episode Schizophrenia Spectrum Disorders. JAMA Psychiatry, 2014, 71, 1350.	11.0	318
18	A randomized controlled trial of cognitive-behavioral treatment for posttraumatic stress disorder in severe mental illness Journal of Consulting and Clinical Psychology, 2008, 76, 259-271.	2.0	317

#	Article	IF	Citations
19	A Prospective Analysis of Work in Schizophrenia. Schizophrenia Bulletin, 2001, 27, 281-296.	4.3	304
20	Trauma and posttraumatic stress disorder in severe mental illness Journal of Consulting and Clinical Psychology, 1998, 66, 493-499.	2.0	293
21	Recent victimization in women and men with severe mental illness: Prevalence and correlates. Journal of Traumatic Stress, 2001, 14, 615-632.	1.8	290
22	Emotion recognition and social competence in chronic schizophrenia Journal of Abnormal Psychology, 1996, 105, 271-275.	1.9	287
23	Psychosocial Treatments for Schizophrenia. Annual Review of Clinical Psychology, 2013, 9, 465-497.	12.3	284
24	Cognitive Training for Supported Employment: 2-3 Year Outcomes of a Randomized Controlled Trial. American Journal of Psychiatry, 2007, 164, 437-441.	7.2	280
25	The Hartford Study of Supported Employment for Persons With Severe Mental Illness Journal of Consulting and Clinical Psychology, 2004, 72, 479-490.	2.0	254
26	The Illness Management and Recovery Program: Rationale, Development, and Preliminary Findings. Schizophrenia Bulletin, 2006, 32, S32-S43.	4.3	254
27	Work and Nonvocational Domains of Functioning in Persons with Severe Mental Illness: A Longitudinal Analysis. Journal of Nervous and Mental Disease, 1997, 185, 419-426.	1.0	246
28	Training Skills in the Psychiatrically Disabled: Learning Coping and Competence. Schizophrenia Bulletin, 1986, 12, 631-647.	4.3	245
29	Results of a Multisite Randomized Trial of Supported Employment Interventions for Individuals With Severe Mental Illness. Archives of General Psychiatry, 2005, 62, 505.	12.3	240
30	Substance Use Disorder in Hospitalized Severely Mentally III Psychiatric Patients: Prevalence, Correlates, and Subgroups. Schizophrenia Bulletin, 2000, 26, 179-192.	4.3	238
31	Work, Recovery, and Comorbidity in Schizophrenia: A Randomized Controlled Trial of Cognitive Remediation. Schizophrenia Bulletin, 2009, 35, 319-335.	4.3	230
32	Implementing Evidence-Based Practices for People with Severe Mental Illness. Behavior Modification, 2003, 27, 387-411.	1.6	228
33	Cognitive and Symptom Predictors of Work Outcomes for Clients With Schizophrenia in Supported Employment. Psychiatric Services, 2003, 54, 1129-1135.	2.0	213
34	Psychosocial Treatment for First-Episode Psychosis: A Research Update. American Journal of Psychiatry, 2005, 162, 2220-2220.	7.2	213
35	Diagnostic and demographic correlates of substance abuse in schizophrenia and major affective disorder. Acta Psychiatrica Scandinavica, 1992, 85, 48-55.	4.5	210
36	CRITICAL ANALYSIS OF THE CURRENT TREATMENT GUIDELINES FOR COMPLEX PTSD IN ADULTS. Depression and Anxiety, 2016, 33, 359-369.	4.1	208

3

#	Article	IF	Citations
37	Interpersonal Trauma and Posttraumatic Stress Disorder in Patients With Severe Mental Illness: Demographic, Clinical, and Health Correlates. Schizophrenia Bulletin, 2004, 30, 45-57.	4.3	200
38	Prediction of social skill acquisition in schizophrenic and major affective disorder patients from memory and symptomatology. Psychiatry Research, 1991, 37, 281-296.	3.3	193
39	The NAVIGATE Program for First-Episode Psychosis: Rationale, Overview, and Description of Psychosocial Components. Psychiatric Services, 2015, 66, 680-690.	2.0	179
40	Correlates of Adverse Childhood Events Among Adults With Schizophrenia Spectrum Disorders. Psychiatric Services, 2007, 58, 245-253.	2.0	175
41	Comparison of ACT and Standard Case Management for Delivering Integrated Treatment for Co-occurring Disorders. Psychiatric Services, 2006, 57, 185-196.	2.0	170
42	A review of research on residential programs for people with severe mental illness and coâ€occurring substance use disorders. Drug and Alcohol Review, 2004, 23, 471-481.	2.1	167
43	Prevalence and stability of social skill deficits in schizophrenia. Schizophrenia Research, 1991, 5, 167-176.	2.0	162
44	Hallucinations in schizophrenia. Acta Psychiatrica Scandinavica, 1990, 82, 26-29.	4.5	148
45	A Randomized Controlled Trial of Cognitive Remediation Among Inpatients With Persistent Mental Illness. Psychiatric Services, 2008, 59, 241-247.	2.0	143
46	Social functioning, psychopathology, and medication side effects in relation to substance use and abuse in schizophrenia. Schizophrenia Research, 2001, 48, 109-123.	2.0	141
47	Dartmouth Assessment of Lifestyle Instrument (DALI): A Substance Use Disorder Screen for People With Severe Mental Illness. American Journal of Psychiatry, 1998, 155, 232-238.	7.2	141
48	Cognitive Enhancement Treatment for People With Mental Illness Who Do Not Respond to Supported Employment: A Randomized Controlled Trial. American Journal of Psychiatry, 2015, 172, 852-861.	7.2	138
49	Randomized trial of social rehabilitation and integrated health care for older people with severe mental illness Journal of Consulting and Clinical Psychology, 2010, 78, 561-573.	2.0	129
50	Self-Esteem as an Outcome Measure in Studies of Vocational Rehabilitation for Adults With Severe Mental Illness. Psychiatric Services, 2000, 51, 229-233.	2.0	128
51	Comorbidity of schizophrenia and substance abuse: Implications for treatment Journal of Consulting and Clinical Psychology, 1992, 60, 845-856.	2.0	125
52	Factor structure of the Brief Psychiatric Rating Scale in schizophrenia Psychological Assessment, 1997, 9, 196-204.	1.5	124
53	Sleep difficulties and alcohol use motives in female rape victims with posttraumatic stress disorder. Journal of Traumatic Stress, 2001, 14, 469-479.	1.8	124
54	The RAISE Early Treatment Program for First-Episode Psychosis. Journal of Clinical Psychiatry, 2015, 76, 240-246.	2.2	121

#	Article	IF	CITATIONS
55	mHealth for Schizophrenia: Patient Engagement With a Mobile Phone Intervention Following Hospital Discharge. JMIR Mental Health, 2016, 3, e34.	3.3	117
56	The trauma of psychosis: Posttraumatic stress disorder and recent onset psychosis. Schizophrenia Research, 2010, 116, 217-227.	2.0	114
57	Long-Term Outcomes of a Randomized Trial of Integrated Skills Training and Preventive Healthcare for Older Adults with Serious Mental Illness. American Journal of Geriatric Psychiatry, 2014, 22, 1251-1261.	1.2	114
58	Cost-Effectiveness of Comprehensive, Integrated Care for First Episode Psychosis in the NIMH RAISE Early Treatment Program. Schizophrenia Bulletin, 2016, 42, 896-906.	4.3	111
59	Developing Effective Treatments for Posttraumatic Disorders Among People With Severe Mental Illness. Psychiatric Services, 2001, 52, 1453-1461.	2.0	110
60	Expectations and Motives for Substance Use in Schizophrenia. Schizophrenia Bulletin, 1995, 21, 367-378.	4.3	106
61	Supportive Therapy for Schizophrenia: Possible Mechanisms and Implications for Adjunctive Psychosocial Treatments. Schizophrenia Bulletin, 2004, 30, 101-112.	4.3	106
62	Clinical Factors Associated With Employment Among People With Severe Mental Illness. Journal of Nervous and Mental Disease, 2005, 193, 705-713.	1.0	106
63	Psychometric evaluation of trauma and posttraumatic stress disorder assessments in persons with severe mental illness Psychological Assessment, 2001, 13, 110-117.	1.5	104
64	Recent Advances in Psychiatric Rehabilitation for Patients with Severe Mental Illness. Harvard Review of Psychiatry, 1997, 5, 123-137.	2.1	103
65	Implementing the Illness Management and Recovery Program in Community Mental Health Settings: Facilitators and Barriers. Psychiatric Services, 2009, 60, 202-209.	2.0	103
66	Supported employment, job preferences, job tenure and satisfaction. Journal of Mental Health, 2001, 10, 411-417.	1.9	102
67	Demographic Characteristics and Employment Among People with Severe Mental Illness in a Multisite Study. Community Mental Health Journal, 2006, 42, 143-159.	2.0	101
68	Conduct disorder, antisocial personality disorder and substance use disorders in schizophrenia and major affective disorders Journal of Studies on Alcohol and Drugs, 1999, 60, 278-284.	2.3	100
69	Duration of Untreated Psychosis in Community Treatment Settings in the United States. Psychiatric Services, 2015, 66, 753-756.	2.0	100
70	Integrated IMR for Psychiatric and General Medical Illness for Adults Aged 50 or Older With Serious Mental Illness. Psychiatric Services, 2014, 65, 330-337.	2.0	96
71	Measuring Illness Management Outcomes: A Psychometric Study of Clinician and Consumer Rating Scales for Illness Self Management and Recovery. Community Mental Health Journal, 2007, 43, 459-480.	2.0	94
72	A multisite investigation of the reliability of the Scale for the Assessment of Negative Symptoms. American Journal of Psychiatry, 1994, 151, 1453-1462.	7.2	93

#	Article	IF	Citations
73	Conduct Disorder and Antisocial Personality Disorder in Persons With Severe Psychiatric and Substance Use Disorders. Schizophrenia Bulletin, 2005, 32, 626-636.	4.3	93
74	A Randomized Controlled Trial of a Peer-Run Antistigma Photovoice Intervention. Psychiatric Services, 2014, 65, 242-246.	2.0	92
75	Family treatment and medication dosage reduction in schizophrenia: Effects on patient social functioning, family attitudes, and burden Journal of Consulting and Clinical Psychology, 2001, 69, 3-12.	2.0	91
76	Illness Management and Recovery: A Review of the Literature. Psychiatric Services, 2014, 65, 171-179.	2.0	85
77	The Effectiveness of Skills Training for Improving Outcomes in Supported Employment. Psychiatric Services, 2005, 56, 1254-1260.	2.0	83
78	Evaluation of cognitive restructuring for post-traumatic stress disorder in people with severe mental illness. British Journal of Psychiatry, 2015, 206, 501-508.	2.8	83
79	Evidence-based treatment of schizophrenia. Current Psychiatry Reports, 2000, 2, 393-397.	4.5	80
80	Cognitive and Clinical Predictors of Work Outcomes in Clients with Schizophrenia Receiving Supported Employment Services: 4-year Follow-Up. Administration and Policy in Mental Health and Mental Health Services Research, 2006, 33, 598-606.	2.1	80
81	An Assessment of the Educational Needs of Chronic Psychiatric Patients and their Relatives. British Journal of Psychiatry, 1992, 160, 674-680.	2.8	78
82	Trauma and PTSD Among Adolescents With Severe Emotional Disorders Involved in Multiple Service Systems. Psychiatric Services, 2008, 59, 627-634.	2.0	78
83	Family burden of schizophrenia and bipolar disorder: perceptions of relatives and professionals. Psychiatric Services, 1996, 47, 507-511.	2.0	76
84	Randomized Controlled Trial of Illness Management and Recovery in Multiple-Unit Supportive Housing. Psychiatric Services, 2009, 60, 1629-1636.	2.0	75
85	Supported employment for persons with serious mental illness: Current status and future directions. L'Encephale, 2014, 40, S45-S56.	0.9	74
86	Recent advances in supported employment for people with serious mental illness. Current Opinion in Psychiatry, 2016, 29, 196-201.	6.3	74
87	Supported employment and education in comprehensive, integrated care for first episode psychosis: Effects on work, school, and disability income. Schizophrenia Research, 2017, 182, 120-128.	2.0	74
88	Posttraumatic Stress Disorder, Supported Employment, and Outcomes in People with Severe Mental Illness. CNS Spectrums, 2004, 9, 913-925.	1.2	70
89	Integrating Assertive Community Treatment and Illness Management and Recovery for Consumers with Severe Mental Illness. Community Mental Health Journal, 2010, 46, 319-329.	2.0	70
90	Gender, social competence, and symptomatology in schizophrenia: A longitudinal analysis Journal of Abnormal Psychology, 1990, 99, 138-147.	1.9	68

#	Article	IF	CITATIONS
91	Demographic and clinical correlates of substance use disorders in first episode psychosis. Schizophrenia Research, 2018, 194, 4-12.	2.0	65
92	Functional impairments in elderly patients with schizophrenia and major affective illness in the community: Social skills, living skills, and behavior problems. Behavior Therapy, 1997, 28, 43-63.	2.4	60
93	Integrated Illness Management and Recovery: A Program for Integrating Physical and Psychiatric Illness Self-Management in Older Persons with Severe Mental Illness. American Journal of Psychiatric Rehabilitation, 2012, 15, 131-156.	0.7	60
94	Psychosocial Interventions for Adults with Severe Mental Illnesses and Co-Occurring Substance Use Disorders. Journal of Dual Diagnosis, 2005, 1, 57-82.	1.2	56
95	Disulfiram Treatment for Alcoholism in Severe Mental Illness. American Journal on Addictions, 2003, 12, 242-252.	1.4	55
96	Cognitive-Behavioral Treatmenzt of PTSD in Severe Mental Illness: Results of a Pilot Study. American Journal of Psychiatric Rehabilitation, 2004, 7, 171-186.	0.7	55
97	A family intervention program for dual disorders. Community Mental Health Journal, 2002, 38, 253-270.	2.0	54
98	A Cognitive-Behavioral Treatment Program for Posttraumatic Stress Disorder in Persons with Severe Mental Illness. American Journal of Psychiatric Rehabilitation, 2004, 7, 107-146.	0.7	54
99	Feasibility of Behavioral Weight Loss Treatment Enhanced with Peer Support and Mobile Health Technology for Individuals with Serious Mental Illness. Psychiatric Quarterly, 2016, 87, 401-415.	2.1	54
100	Treatment of Co-Occurring Psychotic and Substance Use Disorders. Social Work in Public Health, 2013, 28, 424-439.	1.4	53
101	Social networks and clinical outcomes of dually diagnosed homeless persons. Behavior Therapy, 1999, 30, 407-430.	2.4	51
102	Response to Cognitive Rehabilitation in Older Versus Younger Persons with Severe Mental Illness. American Journal of Psychiatric Rehabilitation, 2008, 11, 90-105.	0.7	50
103	The Trauma Recovery Group: A Cognitive-Behavioral Program for Post-Traumatic Stress Disorder in Persons with Severe Mental Illness. Community Mental Health Journal, 2007, 43, 281-304.	2.0	49
104	Mental health system funding of cognitive enhancement interventions for schizophrenia: Summary and update of the New York Office of Mental Health expert panel and stakeholder meeting Psychiatric Rehabilitation Journal, 2013, 36, 133-145.	1.1	48
105	A Randomized Controlled Trial of Family Intervention for Co-occurring Substance Use and Severe Psychiatric Disorders. Schizophrenia Bulletin, 2013, 39, 658-672.	4.3	47
106	A Randomized Controlled Trial of Illness Management and Recovery With an Active Control Group. Psychiatric Services, 2014, 65, 1005-1011.	2.0	46
107	Social skills training and computer-assisted cognitive remediation in schizophrenia. Schizophrenia Research, 2015, 162, 35-41.	2.0	46
108	Family intervention for co-occurring substance use and severe psychiatric disorders: Participant characteristics and correlates of initial engagement and more extended exposure in a randomized controlled trial. Addictive Behaviors, 2009, 34, 867-877.	3.0	45

#	Article	IF	CITATIONS
109	Impact of comprehensive treatment for first episode psychosis on substance use outcomes: A randomized controlled trial. Psychiatry Research, 2018, 268, 303-311.	3.3	44
110	Helping Older People Experience Success: An Integrated Model of Psychosocial Rehabilitation and Health Care Management for Older Adults with Serious Mental Illness. American Journal of Psychiatric Rehabilitation, 2008, 11, 41-60.	0.7	43
111	Neurocognition and social skill in older persons with schizophrenia and major mood disorders: An analysis of gender and diagnosis effects. Journal of Neurolinguistics, 2010, 23, 297-317.	1.1	43
112	The Effectiveness of Supported Employment in People With Dual Disorders. Journal of Dual Diagnosis, 2011, 7, 90-102.	1.2	40
113	Gender, social competence, and symptomatology in schizophrenia: A longitudinal analysis Journal of Abnormal Psychology, 1990, 99, 138-147.	1.9	40
114	Treating the trauma of first episode psychosis: A PTSD perspective. Journal of Mental Health, 2003, 12, 103-108.	1.9	39
115	New Developments in Social Skills Training. Behaviour Change, 1995, 12, 31-40.	1.3	38
116	Cognitive remediation for vocational rehabilitation nonresponders. Schizophrenia Research, 2016, 175, 48-56.	2.0	38
117	Cognitive–behaviour therapy for post-traumatic stress in schizophrenia. A randomized controlled trial. Psychological Medicine, 2017, 47, 43-51.	4.5	38
118	Evaluation of a PTSD psychoeducational program for psychiatric inpatients. Journal of Mental Health, 2005, 14, 121-127.	1.9	36
119	Social relationships at work: Does the employment model make a difference?. Psychiatric Rehabilitation Journal, 2002, 26, 51-61.	1.1	35
120	Peer health coaching for overweight and obese individuals with serious mental illness: intervention development and initial feasibility study. Translational Behavioral Medicine, 2015, 5, 277-284.	2.4	33
121	Treatment of posttraumatic stress disorder in special populations: A cognitive restructuring program , 2009, , .		33
122	Psychosocial Rehabilitation in Older Adults with Serious Mental Illness: A Review of the Research Literature and Recommendations for Development of Rehabilitative Approaches. American Journal of Psychiatric Rehabilitation, 2008, 11, 7-40.	0.7	32
123	Development of a group and familyâ€based cognitive behavioural therapy program for youth at risk for psychosis. Microbial Biotechnology, 2016, 10, 511-521.	1.7	31
124	Incomes and Outcomes: Social Security Disability Benefits in First-Episode Psychosis. American Journal of Psychiatry, 2017, 174, 886-894.	7.2	31
125	Prospective Relationships Between Motivation and Functioning in Recovery After a First Episode of Schizophrenia. Schizophrenia Bulletin, 2018, 44, 369-377.	4.3	31
126	Implementation and fidelity assessment of the NAVIGATE treatment program for first episode psychosis in a multi-site study. Schizophrenia Research, 2019, 204, 271-281.	2.0	31

#	Article	IF	Citations
127	Use of Fidelity Assessments to Train Clinicians in the CBT for PTSD Program for Clients With Serious Mental Illness. Psychiatric Services, 2012, 63, 785-792.	2.0	30
128	Effects of Sustained Competitive Employment on Psychiatric Hospitalizations and Quality of Life. Psychiatric Services, 2017, 68, 603-609.	2.0	30
129	Predicting and preventing symptom onset and relapse in schizophrenia—A metareview of current empirical evidence Journal of Abnormal Psychology, 2019, 128, 840-854.	1.9	30
130	Cognitive-Behavioral Treatment of PTSD in Severe Mental Illness: Pilot Study Replication in an Ethnically Diverse Population. American Journal of Psychiatric Rehabilitation, 2009, 12, 73-91.	0.7	29
131	Psychological well-being and mental health recovery in the NIMH RAISE early treatment program. Schizophrenia Research, 2017, 185, 167-172.	2.0	29
132	Cognitive functioning as a predictor of response to comprehensive cognitive remediation. Journal of Psychiatric Research, 2019, 113, 117-124.	3.1	29
133	Symptom correlates of posttraumatic stress disorder in clients with borderline personality disorder. Comprehensive Psychiatry, 2006, 47, 357-361.	3.1	28
134	Antisocial personality disorder in people with co-occurring severe mental illness and substance use disorders: clinical, functional, and family relationship correlates. Psychosis, 2012, 4, 52-62.	0.8	28
135	Randomized controlled trial of an internet cognitive behavioral skills-based program for auditory hallucinations in persons with psychosis Psychiatric Rehabilitation Journal, 2017, 40, 283-292.	1.1	28
136	Cognitive Behavior Therapy for Psychosis: A Call to Action Clinical Psychology: Science and Practice, 2005, 12, 68-71.	0.9	27
137	Symptomatology and the prediction of social skills acquisition in schizophrenia. Schizophrenia Research, 1992, 8, 59-68.	2.0	25
138	Expressed emotion, social skill, and response to negative affect in schizophrenia. Journal of Abnormal Psychology, 1993, 102, 339-351.	1.9	25
139	The effects of supported employment in Latino consumers with severe mental illness Psychiatric Rehabilitation Journal, 2014, 37, 113-122.	1.1	24
140	Demographic, psychosocial, clinical, and neurocognitive baseline characteristics of Black Americans in the RAISE-ETP study. Schizophrenia Research, 2018, 193, 64-68.	2.0	24
141	Off-hours use of a smartphone intervention to extend support for individuals with schizophrenia spectrum disorders recently discharged from a psychiatric hospital. Schizophrenia Research, 2019, 206, 200-208.	2.0	24
142	Educational family therapy for schizophrenia: a new treatment model for clinical service and research. Schizophrenia Research, 1994, 13, 99-107.	2.0	23
143	Development and Reliability of a Measure of Clinician Competence in Providing Illness Management and Recovery. Psychiatric Services, 2012, 63, 772-778.	2.0	23
144	Health Technology Intervention After Hospitalization for Schizophrenia: Service Utilization and User Satisfaction. Psychiatric Services, 2016, 67, 1035-1038.	2.0	23

#	Article	IF	CITATIONS
145	Posttraumatic Reactions to Psychosis: A Qualitative Analysis. Frontiers in Psychiatry, 2017, 8, 129.	2.6	23
146	Coordinated Technology-Delivered Treatment to Prevent Rehospitalization in Schizophrenia: A Novel Model of Care. Psychiatric Services, 2016, 67, 444-447.	2.0	22
147	Character strengths of individuals with first episode psychosis in Individual Resiliency Training. Schizophrenia Research, 2018, 195, 448-454.	2.0	22
148	Clinical and demographic correlates of stigma in firstâ€episode psychosis: the impact of duration of untreated psychosis. Acta Psychiatrica Scandinavica, 2020, 141, 157-166.	4.5	22
149	Disulfiram treatment for alcoholism in severe mental illness. American Journal on Addictions, 2003, 12, 242-52.	1.4	22
150	The effects of cognitive impairment and substance abuse on psychiatric hospitalizations. Community Mental Health Journal, 2001, 37, 303-312.	2.0	21
151	Cognitive-Behavioral Treatment for PTSD in People with Severe Mental Illness: Three Case Studies. American Journal of Psychiatric Rehabilitation, 2004, 7, 147-170.	0.7	21
152	Use of Integrated Dual Disorder Treatment Via Assertive Community Treatment Versus Clinical Case Management for Persons With Co-Occurring Disorders and Antisocial Personality Disorder. Journal of Nervous and Mental Disease, 2009, 197, 822-828.	1.0	21
153	Why can't we fund supported employment?. Psychiatric Rehabilitation Journal, 2016, 39, 85-89.	1.1	21
154	What does the Managing Emotions branch of the MSCEIT add to the MATRICS consensus cognitive battery?. Schizophrenia Research, 2018, 197, 414-420.	2.0	21
155	Development of the Motivation and Skills Support (MASS) social goal attainment smartphone app for (and with) people with schizophrenia. Journal of Behavioral and Cognitive Therapy, 2020, 30, 23-32.	1.4	20
156	The alliance-outcome relationship in individual psychosocial treatment for schizophrenia and early psychosis: A meta-analysis. Schizophrenia Research, 2021, 231, 154-163.	2.0	20
157	A Randomized Controlled Trial of Group Coping-Oriented Therapy vs Supportive Therapy in Schizophrenia: Results of a 2-Year Follow-up. Schizophrenia Bulletin, 2016, 42, S71-S80.	4.3	19
158	Editorial: Trauma, Psychosis and Posttraumatic Stress Disorder. Frontiers in Psychiatry, 2017, 8, 220.	2.6	19
159	Acceptance and Commitment Therapy for Inpatients with Psychosis (the REACH Study): Protocol for Treatment Development and Pilot Testing. Healthcare (Switzerland), 2017, 5, 23.	2.0	18
160	Illness management and recovery: one-year follow-up of a randomized controlled trial in Danish community mental health centers: long-term effects on clinical and personal recovery. BMC Psychiatry, 2019, 19, 65.	2.6	18
161	Cognitive behavioral therapy for posttraumatic stress disorder in individuals with severe mental illness and borderline personality disorder. Psychiatry Research, 2017, 249, 86-93.	3.3	17
162	Confirmatory factor analysis of the quality of life scale and new proposed factor structure for the quality of life scale-revised. Schizophrenia Research, 2017, 181, 117-123.	2.0	17

#	Article	IF	CITATIONS
163	The feasibility of implementing cognitive remediation for work in community based psychiatric rehabilitation programs Psychiatric Rehabilitation Journal, 2017, 40, 79-86.	1.1	17
164	Evaluation of the Integrated Intervention for Dual Problems and Early Action Among Latino Immigrants With Co-occurring Mental Health and Substance Misuse Symptoms. JAMA Network Open, 2019, 2, e186927.	5.9	16
165	Perceived Autonomy Support in the NIMH RAISE Early Treatment Program. Psychiatric Services, 2017, 68, 916-922.	2.0	15
166	The therapeutic alliance in individual resiliency training for first episode psychosis: Relationship with treatment outcomes and therapy participation Journal of Consulting and Clinical Psychology, 2019, 87, 734-744.	2.0	15
167	Family treatment and medication dosage reduction in schizophrenia: effects on patient social functioning, family attitudes, and burden. Journal of Consulting and Clinical Psychology, 2001, 69, 3-12.	2.0	15
168	Should the training of clinical psychologists require competence in the treatment and rehabilitation of individuals with a serious mental illness?. Psychiatric Rehabilitation Journal, 2013, 36, 54-59.	1.1	14
169	Implementing Illness Management and Recovery Within Assertive Community Treatment: A Pilot Trial of Feasibility and Effectiveness. Psychiatric Services, 2018, 69, 562-571.	2.0	14
170	Evidence-Based Psychosocial Treatment for Individuals with Early Psychosis. Child and Adolescent Psychiatric Clinics of North America, 2020, 29, 211-223.	1.9	14
171	Group Lifestyle Intervention With Mobile Health for Young Adults With Serious Mental Illness: A Randomized Controlled Trial. Psychiatric Services, 2022, 73, 141-148.	2.0	14
172	Clinical interventions for severe mental illness and co-occurring substance use disorder. Acta Neuropsychiatrica, 2004, 16, 26-35.	2.1	13
173	Posttraumatic Stress Disorder Symptoms and Social and Occupational Functioning of People With Schizophrenia. Journal of Nervous and Mental Disease, 2016, 204, 590-598.	1.0	13
174	Expectations and Motives for Alcohol Use in a Psychiatric Outpatient Population. Journal of Nervous and Mental Disease, 1997, 185, 622-626.	1.0	13
175	An RCT of Virtual Reality Job Interview Training for Individuals With Serious Mental Illness in IPS Supported Employment. Psychiatric Services, 2022, 73, 1027-1038.	2.0	13
176	Jail-to-community treatment continuum for adults with co-occurring substance use and mental disorders: study protocol for a pilot randomized controlled trial. Trials, 2017, 18, 365.	1.6	12
177	A feasibility study of a manualized resilience-based telehealth program for persons with multiple sclerosis and their support partners. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2020, 6, 205521732094125.	1.0	12
178	Focusing on recovery goals improves motivation in first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1629-1637.	3.1	12
179	Relationships Among Depression, PTSD, Methamphetamine Abuse, and Psychosis. Journal of Dual Diagnosis, 2013, 9, 115-122.	1.2	11
180	Disclosure of mental illness to prospective employers: Clinical, psychosocial, and work correlates in persons receiving supported employment. Psychiatry Research, 2019, 273, 312-317.	3.3	11

#	Article	IF	CITATIONS
181	Employment functioning in people with severe mental illnesses living in urban vs. rural areas in India. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1593-1606.	3.1	11
182	Vocational Outcomes of the Individual Placement and Support Model in Subgroups of Diagnoses, Substance Abuse, and Forensic Conditions: A Systematic Review and Analysis of Pooled Original Data. Journal of Occupational Rehabilitation, 2021, 31, 699-710.	2.2	11
183	Preliminary Outcomes of an Ecological Momentary Intervention for Social Functioning in Schizophrenia: Pre-Post Study of the Motivation and Skills Support App. JMIR Mental Health, 2021, 8, e27475.	3.3	11
184	Enhancing organizational readiness for implementation: constructing a typology of readiness-development strategies using a modified Delphi process. Implementation Science, 2021, 16, 61.	6.9	11
185	A brief intervention for posttraumatic stress disorder in persons with a serious mental illness Psychiatric Rehabilitation Journal, 2015, 38, 314-319.	1.1	11
186	The course and treatment of substance use disorder in persons with severe mental illness. NIDA Research Monograph, 1997, 172, 86-109.	0.1	11
187	Family Therapy for Schizophrenia: Coâ€Occurring Psychotic and Substance Use Disorders. Journal of Clinical Psychology, 2012, 68, 490-501.	1.9	10
188	Rising to the challenge of first episode psychosis: The NIMH Recovery After Initial Schizophrenia Episode (RAISE) initiative Psychiatric Rehabilitation Journal, 2014, 37, 267-269.	1.1	10
189	Feasibility Study of Increasing Social Support to Enhance a Healthy Lifestyle Intervention for Individuals with Serious Mental Illness. Journal of the Society for Social Work and Research, 2016, 7, 289-313.	1.3	10
190	Cost-Effectiveness of a PTSD Intervention Tailored for Individuals With Severe Mental Illness. Psychiatric Services, 2017, 68, 1225-1231.	2.0	10
191	Longitudinal associations of family burden and patient quality of life in the context of first-episode schizophrenia in the RAISE-ETP study. Psychiatry Research, 2019, 276, 60-68.	3.3	10
192	Is More Rigorous Research on "Open Dialogue―a Priority?. Psychiatric Services, 2019, 70, 1-1.	2.0	10
193	Helping Families Manage Severe Mental Illness. Psychiatric Rehabilitation Skills, 1996, 1, 21-42.	0.1	9
194	Factor structure of the autonomy preference index in people with severe mental illness. Psychiatry Research, 2015, 228, 526-530.	3.3	9
195	Employment in people with severe mental illnesses receiving public sector psychiatric services in India. Psychiatry Research, 2021, 296, 113673.	3.3	9
196	A randomized controlled trial of exercise on augmenting the effects of cognitive remediation in persons with severe mental illness. Journal of Psychiatric Research, 2021, 139, 38-46.	3.1	9
197	Feasibility and Preliminary Effects of Implementing Acceptance and Commitment Therapy for Inpatients With Psychotic-Spectrum Disorders in a Clinical Psychiatric Intensive Care Setting. Journal of Cognitive Psychotherapy, 2020, 34, 80-96.	0.4	9
198	Should psychosocial treatment for schizophrenia focus on the proximal or distal consequences of the disorder?. Journal of Mental Health, 2012, 21, 525-530.	1.9	8

#	Article	IF	Citations
199	Sustaining the Long-Term Effects of Supported Employment for Persons With Psychiatric Disabilities. American Journal of Psychiatry, 2016, 173, 953-955.	7.2	8
200	The Relationship Between Provider Competence, Content Exposure, and Consumer Outcomes in Illness Management and Recovery Programs. Administration and Policy in Mental Health and Mental Health Services Research, 2017, 44, 81-91.	2.1	8
201	A 2-year longitudinal study of neuropsychological functioning, psychosocial adjustment and rehospitalisation in schizophrenia and major depression. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 699-708.	3.2	8
202	Training in Illness Self-Management for People with Mental Illness in the Criminal Justice System. American Journal of Psychiatric Rehabilitation, 2009, 12, 31-56.	0.7	7
203	Job Endings and Work Trajectories of Persons Receiving Supported Employment and Cognitive Remediation. Psychiatric Services, 2018, 69, 812-818.	2.0	7
204	Participants' Lived Experience with the Illness Management and Recovery (IMR) Program in Relation to their Recovery-Process. Community Mental Health Journal, 2019, 55, 983-993.	2.0	7
205	Cognitive and metacognitive factors predict engagement in employment in individuals with first episode psychosis. Schizophrenia Research: Cognition, 2020, 19, 100141.	1.3	7
206	Outcomes During and After Early Intervention Services for First-Episode Psychosis: Results Over 5 Years From the RAISE-ETP Site-Randomized Trial. Schizophrenia Bulletin, 2022, 48, 1021-1031.	4.3	7
207	Reliability and validity of a performance-based measure of skills for communicating with doctors for older people with serious mental illness. Journal of Mental Health, 2007, 16, 569-579.	1.9	6
208	The Better Life Program: Effects of group skills training for persons with severe mental illness and substance use disorders. Journal of Mental Health, 2007, 16, 625-634.	1.9	6
209	Have the potential benefits of CBT for severe mental disorders been undersold?. World Psychiatry, 2014, 13, 253-256.	10.4	6
210	Improving services for parents with psychiatric disabilities: Three new opportunities in the field of psychiatric rehabilitation Psychiatric Rehabilitation Journal, 2014, 37, 1-3.	1.1	6
211	Is it time to loosen the restrictions on athletes with cardiac disorders competing in sport?. British Journal of Sports Medicine, 2017, 51, 1056-1057.	6.7	6
212	Accounting for group differences in study retention in a randomized trial of specialized treatment for first episode psychosis. Schizophrenia Research, 2018, 195, 481-487.	2.0	6
213	Telehealth-Based Psychoeducation for Caregivers: The Family Intervention in Recent-Onset Schizophrenia Treatment Study. JMIR Mental Health, 2022, 9, e32492.	3.3	6
214	Cognitive Functioning in Schizophrenia and Co-occurring Substance Use Disorder: Where Do We Go From Here?. Journal of Dual Diagnosis, 2012, 8, 48-49.	1.2	5
215	Insight among people with severe mental illness, co-occurring PTSD and elevated psychotic symptoms: Correlates and relationship to treatment participation. Comprehensive Psychiatry, 2016, 68, 172-177.	3.1	5
216	What are the key ingredients of optimal psychosocial treatment for persons recovering from a first episode of psychosis?. World Psychiatry, 2017, 16, 266-267.	10.4	5

#	Article	IF	Citations
217	Neuropsychological predictors of response to cognitive behavioral therapy for posttraumatic stress disorder in persons with severe mental illness. Psychiatry Research, 2018, 259, 110-116.	3.3	5
218	Client predictors of the therapeutic alliance in individual resiliency training for first episode psychosis. Schizophrenia Research, 2019, 204, 375-380.	2.0	5
219	Stakeholder Perspectives on Implementing Cognitive Behavioral Social Skills Training on Assertive Community Treatment Teams. Administration and Policy in Mental Health and Mental Health Services Research, 2019, 46, 188-199.	2.1	5
220	The centrality of motivation in psychosocial functioning: Network and bifactor analysis of the Quality of Life Scale in first-episode psychosis Psychological Assessment, 2022, 34, 205-216.	1.5	5
221	Introduction to the special issue on illness self-management Psychiatric Rehabilitation Journal, 2013, 36, 229-230.	1.1	4
222	Supporting recovery from psychosis: assessment of REFOCUS. Lancet Psychiatry, the, 2015, 2, 478-479.	7.4	4
223	Neurocognitive functioning and outcome of the Illness Management and Recovery Program for clients with schizophrenia and schizoaffective disorder. Nordic Journal of Psychiatry, 2016, 70, 430-435.	1.3	4
224	Factor structure of therapist fidelity to individual resiliency training in the Recovery After an Initial Schizophrenia Episode Early Treatment Program. Microbial Biotechnology, 2018, 12, 1052-1063.	1.7	4
225	Participants' lived experience of pursuing personal goals in the Illness Management and Recovery program. International Journal of Social Psychiatry, 2021, 67, 360-368.	3.1	4
226	A longitudinal analysis of employment in people with severe mental illnesses in India. Schizophrenia Research, 2021, 228, 472-480.	2.0	4
227	Impact of Cognitive Impairment on Adults with Multiple Sclerosis and Their Family Caregivers. International Journal of MS Care, 2021, 23, 93-100.	1.0	4
228	A test of self-medication hypothesis for drug use in homeless persons: the role of severe mental illness. Journal of Social Distress and the Homeless, 2023, 32, 255-262.	0.9	4
229	Psychosocial Rehabilitation for Older Adults with Serious Mental Illness: Introduction to Special Series. American Journal of Psychiatric Rehabilitation, 2008, 11, 1-6.	0.7	3
230	Is recovery possible outside the financial mainstream?. Psychiatric Rehabilitation Journal, 2016, 39, 295-298.	1.1	3
231	Vocational Rehabilitation for Individuals with Schizophrenia. Current Treatment Options in Psychiatry, 2016, 3, 99-110.	1.9	3
232	A pilot study of the trauma recovery group for veterans with post traumatic stress disorder and co-occurring serious mental illness. Journal of Mental Health, 2017, 26, 237-241.	1.9	3
233	The role of physical pain in global functioning of people with serious mental illness. Schizophrenia Research, 2020, 222, 423-428.	2.0	3
234	Concept mapping study of stakeholder perceptions of implementation of cognitive-behavioral social skills training on assertive community treatment teams Psychological Services, 2021, 18, 33-41.	1.5	3

#	Article	IF	Citations
235	Algorithm-Driven Substance Use Disorder Treatment for Inner-City Clients With Serious Mental Illness and Multiple Impairments. Journal of Nervous and Mental Disease, 2021, 209, 92-99.	1.0	3
236	Do cognitive impairments limit treatment gains in a standalone digital intervention for psychosis? A test of the digital divide. Schizophrenia Research: Cognition, 2022, 28, 100244.	1.3	3
237	Relapse prevention through health technology program reduces hospitalization in schizophrenia. Psychological Medicine, 2023, 53, 4114-4120.	4.5	3
238	Cognitive Remediation and Psychosocial Rehabilitation for Individuals with Severe Mental Illness. Rehabilitation Research and Practice, 2012, 2012, 1-2.	0.6	2
239	Alcohol expectancies in persons with severe mental illness and posttraumatic stress disorder. Cogent Medicine, 2019, 6, 1635805.	0.7	2
240	The interrelationships of motivation, positive symptoms, stigma, and role functioning in early psychosis. Microbial Biotechnology, 2022, 16, 736-743.	1.7	2
241	Comparison of Black and White participants with severe mental illness in response to cognitive remediation as an augmentation of vocational rehabilitation. Schizophrenia Research, 2023, 253, 60-67.	2.0	2
242	Impact of cognitive remediation on the prediction of employment outcomes in severe mental illness. Schizophrenia Research, 2022, 241, 149-155.	2.0	2
243	Building organizational readiness: initial field testing of an expert-informed typology of implementation strategies. Implementation Science Communications, 2022, 3, 22.	2.2	2
244	The relationship between cognitive functioning, age and employment in people with severe mental illnesses in an urban area in India: A longitudinal study. Schizophrenia Research: Cognition, 2022, 29, 100255.	1.3	2
245	Title is missing!. Community Mental Health Journal, 1997, 33, 571-574.	2.0	1
246	Trauma, postâ€traumatic stress disorder, and schizophrenia. Acta Psychiatrica Scandinavica, 2013, 127, 440-441.	4.5	1
247	Targeting consumers in the early stages of substance use treatment: A pilot study Psychiatric Rehabilitation Journal, 2014, 37, 37-42.	1.1	1
248	Limited Conclusions Can Be Reached From Danish Randomized Clinical Trial of Supported Employment. JAMA Psychiatry, 2020, 77, 326.	11.0	1
249	Does Self-Efficacy Predict Functioning in Older Adults with Schizophrenia? A Cross-Sectional and Longitudinal Mediation Analysis. Cognitive Therapy and Research, 2021, 45, 136-148.	1.9	1
250	Does comprehensive cognitive remediation improve emotion perception?. Cognitive Neuropsychiatry, 2021, 26, 343-356.	1.3	1
251	Behavioral family therapy for schizophrenia. Progress in Behavior Modification, 1990, 26, 122-49.	0.1	1
252	The impact of the COVID-19 pandemic on peer specialists Psychiatric Rehabilitation Journal, 2022, 45, 201-211.	1.1	1

#	Article	IF	CITATIONS
253	Supported Employment for Persons With Posttraumatic Stress Disorder. JAMA Psychiatry, 2018, 75, 313.	11.0	0
254	Next steps for Psychiatric Rehabilitation Journal Psychiatric Rehabilitation Journal, 2017, 40, 343-343.	1.1	0
255	Cognitive and Clinical Predictors of Work Outcomes in Clients with Schizophrenia Receiving Supported Employment Services: 4-year Follow-Up. Administration and Policy in Mental Health and Mental Health Services Research, 2006, 33, 598.	2.1	0