
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3105343/publications.pdf

Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Comparison of Black and White participants with severe mental illness in response to cognitive remediation as an augmentation of vocational rehabilitation. Schizophrenia Research, 2023, 253, 60-67.                 | 2.0 | 2         |
| 2  | A test of self-medication hypothesis for drug use in homeless persons: the role of severe mental illness. Journal of Social Distress and the Homeless, 2023, 32, 255-262.   | 0.9 | 4         |
| 3  | Relapse prevention through health technology program reduces hospitalization in schizophrenia.<br>Psychological Medicine, 2023, 53, 4114-4120.  | 4.5 | 3         |
| 4  | Group Lifestyle Intervention With Mobile Health for Young Adults With Serious Mental Illness: A<br>Randomized Controlled Trial. Psychiatric Services, 2022, 73, 141-148.  | 2.0 | 14        |
| 5  | The interrelationships of motivation, positive symptoms, stigma, and role functioning in early psychosis. Microbial Biotechnology, 2022, 16, 736-743.   | 1.7 | 2         |
| 6  | The centrality of motivation in psychosocial functioning: Network and bifactor analysis of the Quality of Life Scale in first-episode psychosis Psychological Assessment, 2022, 34, 205-216.                          | 1.5 | 5         |
| 7  | Impact of cognitive remediation on the prediction of employment outcomes in severe mental illness.<br>Schizophrenia Research, 2022, 241, 149-155.   | 2.0 | 2         |
| 8  | An RCT of Virtual Reality Job Interview Training for Individuals With Serious Mental Illness in IPS<br>Supported Employment. Psychiatric Services, 2022, 73, 1027-1038.   | 2.0 | 13        |
| 9  | Building organizational readiness: initial field testing of an expert-informed typology of implementation strategies. Implementation Science Communications, 2022, 3, 22.   | 2.2 | 2         |
| 10 | Do cognitive impairments limit treatment gains in a standalone digital intervention for psychosis? A test of the digital divide. Schizophrenia Research: Cognition, 2022, 28, 100244.                                 | 1.3 | 3         |
| 11 | Telehealth-Based Psychoeducation for Caregivers: The Family Intervention in Recent-Onset<br>Schizophrenia Treatment Study. JMIR Mental Health, 2022, 9, e32492.   | 3.3 | 6         |
| 12 | The impact of the COVID-19 pandemic on peer specialists Psychiatric Rehabilitation Journal, 2022, 45, 201-211.  | 1.1 | 1         |
| 13 | The relationship between cognitive functioning, age and employment in people with severe mental<br>illnesses in an urban area in India: A longitudinal study. Schizophrenia Research: Cognition, 2022, 29,<br>100255. | 1.3 | 2         |
| 14 | Outcomes During and After Early Intervention Services for First-Episode Psychosis: Results Over 5<br>Years From the RAISE-ETP Site-Randomized Trial. Schizophrenia Bulletin, 2022, 48, 1021-1031.                     | 4.3 | 7         |
| 15 | Participants' lived experience of pursuing personal goals in the Illness Management and Recovery program. International Journal of Social Psychiatry, 2021, 67, 360-368.  | 3.1 | 4         |
| 16 | Does Self-Efficacy Predict Functioning in Older Adults with Schizophrenia? A Cross-Sectional and Longitudinal Mediation Analysis. Cognitive Therapy and Research, 2021, 45, 136-148.                                  | 1.9 | 1         |
| 17 | Concept mapping study of stakeholder perceptions of implementation of cognitive-behavioral social skills training on assertive community treatment teams Psychological Services, 2021, 18, 33-41.                     | 1.5 | 3         |
| 18 | Algorithm-Driven Substance Use Disorder Treatment for Inner-City Clients With Serious Mental<br>Illness and Multiple Impairments. Journal of Nervous and Mental Disease, 2021, 209, 92-99.                            | 1.0 | 3         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Employment in people with severe mental illnesses receiving public sector psychiatric services in India.<br>Psychiatry Research, 2021, 296, 113673.   | 3.3  | 9         |
| 20 | A longitudinal analysis of employment in people with severe mental illnesses in India. Schizophrenia<br>Research, 2021, 228, 472-480.   | 2.0  | 4         |
| 21 | Vocational Outcomes of the Individual Placement and Support Model in Subgroups of Diagnoses,<br>Substance Abuse, and Forensic Conditions: A Systematic Review and Analysis of Pooled Original Data.<br>Journal of Occupational Rehabilitation, 2021, 31, 699-710. | 2.2  | 11        |
| 22 | The alliance-outcome relationship in individual psychosocial treatment for schizophrenia and early psychosis: A meta-analysis. Schizophrenia Research, 2021, 231, 154-163.  | 2.0  | 20        |
| 23 | Preliminary Outcomes of an Ecological Momentary Intervention for Social Functioning in<br>Schizophrenia: Pre-Post Study of the Motivation and Skills Support App. JMIR Mental Health, 2021, 8,<br>e27475.   | 3.3  | 11        |
| 24 | Enhancing organizational readiness for implementation: constructing a typology of<br>readiness-development strategies using a modified Delphi process. Implementation Science, 2021, 16, 61.  | 6.9  | 11        |
| 25 | Does comprehensive cognitive remediation improve emotion perception?. Cognitive Neuropsychiatry, 2021, 26, 343-356.   | 1.3  | 1         |
| 26 | A randomized controlled trial of exercise on augmenting the effects of cognitive remediation in persons with severe mental illness. Journal of Psychiatric Research, 2021, 139, 38-46.  | 3.1  | 9         |
| 27 | Impact of Cognitive Impairment on Adults with Multiple Sclerosis and Their Family Caregivers.<br>International Journal of MS Care, 2021, 23, 93-100.  | 1.0  | 4         |
| 28 | Cognitive and metacognitive factors predict engagement in employment in individuals with first episode psychosis. Schizophrenia Research: Cognition, 2020, 19, 100141.  | 1.3  | 7         |
| 29 | Evidence-Based Psychosocial Treatment for Individuals with Early Psychosis. Child and Adolescent<br>Psychiatric Clinics of North America, 2020, 29, 211-223.  | 1.9  | 14        |
| 30 | Clinical and demographic correlates of stigma in firstâ€ <b>e</b> pisode psychosis: the impact of duration of untreated psychosis. Acta Psychiatrica Scandinavica, 2020, 141, 157-166.  | 4.5  | 22        |
| 31 | Limited Conclusions Can Be Reached From Danish Randomized Clinical Trial of Supported Employment.<br>JAMA Psychiatry, 2020, 77, 326.  | 11.0 | 1         |
| 32 | A feasibility study of a manualized resilience-based telehealth program for persons with multiple<br>sclerosis and their support partners. Multiple Sclerosis Journal - Experimental, Translational and<br>Clinical, 2020, 6, 205521732094125.                    | 1.0  | 12        |
| 33 | Focusing on recovery goals improves motivation in first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1629-1637.   | 3.1  | 12        |
| 34 | The role of physical pain in global functioning of people with serious mental illness. Schizophrenia<br>Research, 2020, 222, 423-428.   | 2.0  | 3         |
| 35 | Employment functioning in people with severe mental illnesses living in urban vs. rural areas in India.<br>Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1593-1606.   | 3.1  | 11        |
| 36 | Development of the Motivation and Skills Support (MASS) social goal attainment smartphone app for<br>(and with) people with schizophrenia. Journal of Behavioral and Cognitive Therapy, 2020, 30, 23-32.  | 1.4  | 20        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | A 2-year longitudinal study of neuropsychological functioning, psychosocial adjustment and<br>rehospitalisation in schizophrenia and major depression. European Archives of Psychiatry and Clinical<br>Neuroscience, 2020, 270, 699-708.            | 3.2  | 8         |
| 38 | Feasibility and Preliminary Effects of Implementing Acceptance and Commitment Therapy for Inpatients<br>With Psychotic-Spectrum Disorders in a Clinical Psychiatric Intensive Care Setting. Journal of<br>Cognitive Psychotherapy, 2020, 34, 80-96. | 0.4  | 9         |
| 39 | Client predictors of the therapeutic alliance in individual resiliency training for first episode psychosis. Schizophrenia Research, 2019, 204, 375-380.  | 2.0  | 5         |
| 40 | Implementation and fidelity assessment of the NAVICATE treatment program for first episode psychosis<br>in a multi-site study. Schizophrenia Research, 2019, 204, 271-281.  | 2.0  | 31        |
| 41 | Alcohol expectancies in persons with severe mental illness and posttraumatic stress disorder. Cogent<br>Medicine, 2019, 6, 1635805.   | 0.7  | 2         |
| 42 | Disclosure of mental illness to prospective employers: Clinical, psychosocial, and work correlates in persons receiving supported employment. Psychiatry Research, 2019, 273, 312-317.  | 3.3  | 11        |
| 43 | Longitudinal associations of family burden and patient quality of life in the context of first-episode schizophrenia in the RAISE-ETP study. Psychiatry Research, 2019, 276, 60-68.   | 3.3  | 10        |
| 44 | Participants' Lived Experience with the Illness Management and Recovery (IMR) Program in Relation to their Recovery-Process. Community Mental Health Journal, 2019, 55, 983-993.  | 2.0  | 7         |
| 45 | Cognitive functioning as a predictor of response to comprehensive cognitive remediation. Journal of Psychiatric Research, 2019, 113, 117-124.   | 3.1  | 29        |
| 46 | Illness management and recovery: one-year follow-up of a randomized controlled trial in Danish<br>community mental health centers: long-term effects on clinical and personal recovery. BMC<br>Psychiatry, 2019, 19, 65.                            | 2.6  | 18        |
| 47 | Off-hours use of a smartphone intervention to extend support for individuals with schizophrenia spectrum disorders recently discharged from a psychiatric hospital. Schizophrenia Research, 2019, 206, 200-208.                                     | 2.0  | 24        |
| 48 | Stakeholder Perspectives on Implementing Cognitive Behavioral Social Skills Training on Assertive<br>Community Treatment Teams. Administration and Policy in Mental Health and Mental Health Services<br>Research, 2019, 46, 188-199.               | 2.1  | 5         |
| 49 | Evaluation of the Integrated Intervention for Dual Problems and Early Action Among Latino<br>Immigrants With Co-occurring Mental Health and Substance Misuse Symptoms. JAMA Network Open,<br>2019, 2, e186927.                                      | 5.9  | 16        |
| 50 | ls More Rigorous Research on "Open Dialogue―a Priority?. Psychiatric Services, 2019, 70, 1-1.   | 2.0  | 10        |
| 51 | Predicting and preventing symptom onset and relapse in schizophrenia—A metareview of current<br>empirical evidence Journal of Abnormal Psychology, 2019, 128, 840-854.  | 1.9  | 30        |
| 52 | The therapeutic alliance in individual resiliency training for first episode psychosis: Relationship with treatment outcomes and therapy participation Journal of Consulting and Clinical Psychology, 2019, 87, 734-744.                            | 2.0  | 15        |
| 53 | Supported Employment for Persons With Posttraumatic Stress Disorder. JAMA Psychiatry, 2018, 75, 313.  | 11.0 | 0         |
| 54 | What does the Managing Emotions branch of the MSCEIT add to the MATRICS consensus cognitive battery?. Schizophrenia Research, 2018, 197, 414-420.   | 2.0  | 21        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Implementing Illness Management and Recovery Within Assertive Community Treatment: A Pilot Trial of<br>Feasibility and Effectiveness. Psychiatric Services, 2018, 69, 562-571.  | 2.0  | 14        |
| 56 | Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. JAMA<br>Psychiatry, 2018, 75, 555.   | 11.0 | 516       |
| 57 | Factor structure of therapist fidelity to individual resiliency training in the Recovery After an Initial<br>Schizophrenia Episode Early Treatment Program. Microbial Biotechnology, 2018, 12, 1052-1063.                                 | 1.7  | 4         |
| 58 | Demographic and clinical correlates of substance use disorders in first episode psychosis.<br>Schizophrenia Research, 2018, 194, 4-12.  | 2.0  | 65        |
| 59 | Demographic, psychosocial, clinical, and neurocognitive baseline characteristics of Black Americans<br>in the RAISE-ETP study. Schizophrenia Research, 2018, 193, 64-68.  | 2.0  | 24        |
| 60 | Prospective Relationships Between Motivation and Functioning in Recovery After a First Episode of<br>Schizophrenia. Schizophrenia Bulletin, 2018, 44, 369-377.  | 4.3  | 31        |
| 61 | Accounting for group differences in study retention in a randomized trial of specialized treatment for first episode psychosis. Schizophrenia Research, 2018, 195, 481-487.   | 2.0  | 6         |
| 62 | Neuropsychological predictors of response to cognitive behavioral therapy for posttraumatic stress disorder in persons with severe mental illness. Psychiatry Research, 2018, 259, 110-116.   | 3.3  | 5         |
| 63 | Character strengths of individuals with first episode psychosis in Individual Resiliency Training.<br>Schizophrenia Research, 2018, 195, 448-454.   | 2.0  | 22        |
| 64 | Job Endings and Work Trajectories of Persons Receiving Supported Employment and Cognitive Remediation. Psychiatric Services, 2018, 69, 812-818.   | 2.0  | 7         |
| 65 | Impact of comprehensive treatment for first episode psychosis on substance use outcomes: A randomized controlled trial. Psychiatry Research, 2018, 268, 303-311.  | 3.3  | 44        |
| 66 | The Relationship Between Provider Competence, Content Exposure, and Consumer Outcomes in Illness<br>Management and Recovery Programs. Administration and Policy in Mental Health and Mental Health<br>Services Research, 2017, 44, 81-91. | 2.1  | 8         |
| 67 | Cognitive behavioral therapy for posttraumatic stress disorder in individuals with severe mental illness and borderline personality disorder. Psychiatry Research, 2017, 249, 86-93.  | 3.3  | 17        |
| 68 | Effects of Sustained Competitive Employment on Psychiatric Hospitalizations and Quality of Life.<br>Psychiatric Services, 2017, 68, 603-609.  | 2.0  | 30        |
| 69 | Incomes and Outcomes: Social Security Disability Benefits in First-Episode Psychosis. American Journal of Psychiatry, 2017, 174, 886-894.   | 7.2  | 31        |
| 70 | ls it time to loosen the restrictions on athletes with cardiac disorders competing in sport?. British<br>Journal of Sports Medicine, 2017, 51, 1056-1057.   | 6.7  | 6         |
| 71 | Perceived Autonomy Support in the NIMH RAISE Early Treatment Program. Psychiatric Services, 2017, 68, 916-922.  | 2.0  | 15        |
| 72 | Psychological well-being and mental health recovery in the NIMH RAISE early treatment program.<br>Schizophrenia Research, 2017, 185, 167-172.   | 2.0  | 29        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Cognitive–behaviour therapy for post-traumatic stress in schizophrenia. A randomized controlled<br>trial. Psychological Medicine, 2017, 47, 43-51.   | 4.5  | 38        |
| 74 | What are the key ingredients of optimal psychosocial treatment for persons recovering from a first episode of psychosis?. World Psychiatry, 2017, 16, 266-267.   | 10.4 | 5         |
| 75 | Cost-Effectiveness of a PTSD Intervention Tailored for Individuals With Severe Mental Illness.<br>Psychiatric Services, 2017, 68, 1225-1231.   | 2.0  | 10        |
| 76 | Confirmatory factor analysis of the quality of life scale and new proposed factor structure for the quality of life scale-revised. Schizophrenia Research, 2017, 181, 117-123.                             | 2.0  | 17        |
| 77 | A pilot study of the trauma recovery group for veterans with post traumatic stress disorder and co-occurring serious mental illness. Journal of Mental Health, 2017, 26, 237-241.                          | 1.9  | 3         |
| 78 | Supported employment and education in comprehensive, integrated care for first episode psychosis:<br>Effects on work, school, and disability income. Schizophrenia Research, 2017, 182, 120-128.           | 2.0  | 74        |
| 79 | Posttraumatic Reactions to Psychosis: A Qualitative Analysis. Frontiers in Psychiatry, 2017, 8, 129.   | 2.6  | 23        |
| 80 | Editorial: Trauma, Psychosis and Posttraumatic Stress Disorder. Frontiers in Psychiatry, 2017, 8, 220.   | 2.6  | 19        |
| 81 | Jail-to-community treatment continuum for adults with co-occurring substance use and mental disorders: study protocol for a pilot randomized controlled trial. Trials, 2017, 18, 365.                      | 1.6  | 12        |
| 82 | Acceptance and Commitment Therapy for Inpatients with Psychosis (the REACH Study): Protocol for Treatment Development and Pilot Testing. Healthcare (Switzerland), 2017, 5, 23.                            | 2.0  | 18        |
| 83 | The feasibility of implementing cognitive remediation for work in community based psychiatric rehabilitation programs Psychiatric Rehabilitation Journal, 2017, 40, 79-86.                                 | 1.1  | 17        |
| 84 | Randomized controlled trial of an internet cognitive behavioral skills-based program for auditory hallucinations in persons with psychosis Psychiatric Rehabilitation Journal, 2017, 40, 283-292.          | 1.1  | 28        |
| 85 | Next steps for Psychiatric Rehabilitation Journal Psychiatric Rehabilitation Journal, 2017, 40, 343-343.   | 1.1  | 0         |
| 86 | Posttraumatic Stress Disorder Symptoms and Social and Occupational Functioning of People With Schizophrenia. Journal of Nervous and Mental Disease, 2016, 204, 590-598.                                    | 1.0  | 13        |
| 87 | CRITICAL ANALYSIS OF THE CURRENT TREATMENT GUIDELINES FOR COMPLEX PTSD IN ADULTS. Depression and Anxiety, 2016, 33, 359-369.   | 4.1  | 208       |
| 88 | ls recovery possible outside the financial mainstream?. Psychiatric Rehabilitation Journal, 2016, 39, 295-298.   | 1.1  | 3         |
| 89 | Cognitive remediation for vocational rehabilitation nonresponders. Schizophrenia Research, 2016, 175, 48-56.   | 2.0  | 38        |
| 90 | Insight among people with severe mental illness, co-occurring PTSD and elevated psychotic symptoms:<br>Correlates and relationship to treatment participation. Comprehensive Psychiatry, 2016, 68, 172-177 | 3.1  | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Neurocognitive functioning and outcome of the Illness Management and Recovery Program for clients with schizophrenia and schizoaffective disorder. Nordic Journal of Psychiatry, 2016, 70, 430-435.                  | 1.3 | 4         |
| 92  | A Randomized Controlled Trial of Group Coping-Oriented Therapy vs Supportive Therapy in<br>Schizophrenia: Results of a 2-Year Follow-up. Schizophrenia Bulletin, 2016, 42, S71-S80.                                  | 4.3 | 19        |
| 93  | Health Technology Intervention After Hospitalization for Schizophrenia: Service Utilization and User<br>Satisfaction. Psychiatric Services, 2016, 67, 1035-1038.   | 2.0 | 23        |
| 94  | Feasibility Study of Increasing Social Support to Enhance a Healthy Lifestyle Intervention for<br>Individuals with Serious Mental Illness. Journal of the Society for Social Work and Research, 2016, 7,<br>289-313. | 1.3 | 10        |
| 95  | Sustaining the Long-Term Effects of Supported Employment for Persons With Psychiatric Disabilities.<br>American Journal of Psychiatry, 2016, 173, 953-955.   | 7.2 | 8         |
| 96  | Why can't we fund supported employment?. Psychiatric Rehabilitation Journal, 2016, 39, 85-89.  | 1.1 | 21        |
| 97  | Recent advances in supported employment for people with serious mental illness. Current Opinion in Psychiatry, 2016, 29, 196-201.  | 6.3 | 74        |
| 98  | Vocational Rehabilitation for Individuals with Schizophrenia. Current Treatment Options in Psychiatry, 2016, 3, 99-110.  | 1.9 | 3         |
| 99  | Development of a group and familyâ€based cognitive behavioural therapy program for youth at risk for psychosis. Microbial Biotechnology, 2016, 10, 511-521.  | 1.7 | 31        |
| 100 | Cost-Effectiveness of Comprehensive, Integrated Care for First Episode Psychosis in the NIMH RAISE<br>Early Treatment Program. Schizophrenia Bulletin, 2016, 42, 896-906.  | 4.3 | 111       |
| 101 | Feasibility of Behavioral Weight Loss Treatment Enhanced with Peer Support and Mobile Health<br>Technology for Individuals with Serious Mental Illness. Psychiatric Quarterly, 2016, 87, 401-415.                    | 2.1 | 54        |
| 102 | Coordinated Technology-Delivered Treatment to Prevent Rehospitalization in Schizophrenia: A Novel<br>Model of Care. Psychiatric Services, 2016, 67, 444-447.   | 2.0 | 22        |
| 103 | Comprehensive Versus Usual Community Care for First-Episode Psychosis: 2-Year Outcomes From the NIMH RAISE Early Treatment Program. American Journal of Psychiatry, 2016, 173, 362-372.                              | 7.2 | 601       |
| 104 | mHealth for Schizophrenia: Patient Engagement With a Mobile Phone Intervention Following Hospital<br>Discharge. JMIR Mental Health, 2016, 3, e34.  | 3.3 | 117       |
| 105 | Evaluation of cognitive restructuring for post-traumatic stress disorder in people with severe mental illness. British Journal of Psychiatry, 2015, 206, 501-508.  | 2.8 | 83        |
| 106 | Cognitive Enhancement Treatment for People With Mental Illness Who Do Not Respond to Supported<br>Employment: A Randomized Controlled Trial. American Journal of Psychiatry, 2015, 172, 852-861.                     | 7.2 | 138       |
| 107 | Social skills training and computer-assisted cognitive remediation in schizophrenia. Schizophrenia Research, 2015, 162, 35-41.   | 2.0 | 46        |
| 108 | Factor structure of the autonomy preference index in people with severe mental illness. Psychiatry<br>Research, 2015, 228, 526-530.  | 3.3 | 9         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Supporting recovery from psychosis: assessment of REFOCUS. Lancet Psychiatry, the, 2015, 2, 478-479.   | 7.4  | 4         |
| 110 | Peer health coaching for overweight and obese individuals with serious mental illness: intervention development and initial feasibility study. Translational Behavioral Medicine, 2015, 5, 277-284.              | 2.4  | 33        |
| 111 | The NAVIGATE Program for First-Episode Psychosis: Rationale, Overview, and Description of Psychosocial Components. Psychiatric Services, 2015, 66, 680-690.  | 2.0  | 179       |
| 112 | Duration of Untreated Psychosis in Community Treatment Settings in the United States. Psychiatric Services, 2015, 66, 753-756.   | 2.0  | 100       |
| 113 | A brief intervention for posttraumatic stress disorder in persons with a serious mental illness<br>Psychiatric Rehabilitation Journal, 2015, 38, 314-319.  | 1.1  | 11        |
| 114 | The RAISE Early Treatment Program for First-Episode Psychosis. Journal of Clinical Psychiatry, 2015, 76, 240-246.  | 2.2  | 121       |
| 115 | A Randomized Controlled Trial of Illness Management and Recovery With an Active Control Group.<br>Psychiatric Services, 2014, 65, 1005-1011.   | 2.0  | 46        |
| 116 | Targeting consumers in the early stages of substance use treatment: A pilot study Psychiatric Rehabilitation Journal, 2014, 37, 37-42.   | 1.1  | 1         |
| 117 | Integrated IMR for Psychiatric and General Medical Illness for Adults Aged 50 or Older With Serious<br>Mental Illness. Psychiatric Services, 2014, 65, 330-337.  | 2.0  | 96        |
| 118 | A Randomized Controlled Trial of a Peer-Run Antistigma Photovoice Intervention. Psychiatric<br>Services, 2014, 65, 242-246.  | 2.0  | 92        |
| 119 | Have the potential benefits of CBT for severe mental disorders been undersold?. World Psychiatry, 2014, 13, 253-256.   | 10.4 | 6         |
| 120 | Cardiometabolic Risk in Patients With First-Episode Schizophrenia Spectrum Disorders. JAMA<br>Psychiatry, 2014, 71, 1350.  | 11.0 | 318       |
| 121 | Illness Management and Recovery: A Review of the Literature. Psychiatric Services, 2014, 65, 171-179.  | 2.0  | 85        |
| 122 | Improving services for parents with psychiatric disabilities: Three new opportunities in the field of psychiatric rehabilitation Psychiatric Rehabilitation Journal, 2014, 37, 1-3.                              | 1.1  | 6         |
| 123 | Feasibility, Acceptability, and Preliminary Efficacy of a Smartphone Intervention for Schizophrenia.<br>Schizophrenia Bulletin, 2014, 40, 1244-1253.   | 4.3  | 432       |
| 124 | Supported employment for persons with serious mental illness: Current status and future directions.<br>L'Encephale, 2014, 40, S45-S56.   | 0.9  | 74        |
| 125 | Long-Term Outcomes of a Randomized Trial of Integrated Skills Training and Preventive Healthcare for<br>Older Adults with Serious Mental Illness. American Journal of Geriatric Psychiatry, 2014, 22, 1251-1261. | 1.2  | 114       |
| 126 | Rising to the challenge of first episode psychosis: The NIMH Recovery After Initial Schizophrenia<br>Episode (RAISE) initiative Psychiatric Rehabilitation Journal, 2014, 37, 267-269.                           | 1.1  | 10        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | The effects of supported employment in Latino consumers with severe mental illness Psychiatric Rehabilitation Journal, 2014, 37, 113-122.   | 1.1  | 24        |
| 128 | Treatment of Co-Occurring Psychotic and Substance Use Disorders. Social Work in Public Health, 2013, 28, 424-439.   | 1.4  | 53        |
| 129 | A Randomized Controlled Trial of Family Intervention for Co-occurring Substance Use and Severe<br>Psychiatric Disorders. Schizophrenia Bulletin, 2013, 39, 658-672.   | 4.3  | 47        |
| 130 | Psychosocial Treatments for Schizophrenia. Annual Review of Clinical Psychology, 2013, 9, 465-497.  | 12.3 | 284       |
| 131 | Introduction to the special issue on illness self-management Psychiatric Rehabilitation Journal, 2013, 36, 229-230.   | 1.1  | 4         |
| 132 | Mental health system funding of cognitive enhancement interventions for schizophrenia: Summary<br>and update of the New York Office of Mental Health expert panel and stakeholder meeting Psychiatric<br>Rehabilitation Journal, 2013, 36, 133-145. | 1.1  | 48        |
| 133 | Trauma, postâ€ŧraumatic stress disorder, and schizophrenia. Acta Psychiatrica Scandinavica, 2013, 127, 440-441.   | 4.5  | 1         |
| 134 | Relationships Among Depression, PTSD, Methamphetamine Abuse, and Psychosis. Journal of Dual Diagnosis, 2013, 9, 115-122.  | 1.2  | 11        |
| 135 | Should the training of clinical psychologists require competence in the treatment and rehabilitation of individuals with a serious mental illness?. Psychiatric Rehabilitation Journal, 2013, 36, 54-59.  | 1.1  | 14        |
| 136 | Cognitive Functioning in Schizophrenia and Co-occurring Substance Use Disorder: Where Do We Go<br>From Here?. Journal of Dual Diagnosis, 2012, 8, 48-49.  | 1.2  | 5         |
| 137 | Development and Reliability of a Measure of Clinician Competence in Providing Illness Management and Recovery. Psychiatric Services, 2012, 63, 772-778.   | 2.0  | 23        |
| 138 | Use of Fidelity Assessments to Train Clinicians in the CBT for PTSD Program for Clients With Serious<br>Mental Illness. Psychiatric Services, 2012, 63, 785-792.  | 2.0  | 30        |
| 139 | Integrated Illness Management and Recovery: A Program for Integrating Physical and Psychiatric<br>Illness Self-Management in Older Persons with Severe Mental Illness. American Journal of Psychiatric<br>Rehabilitation, 2012, 15, 131-156.        | 0.7  | 60        |
| 140 | Antisocial personality disorder in people with co-occurring severe mental illness and substance use disorders: clinical, functional, and family relationship correlates. Psychosis, 2012, 4, 52-62.   | 0.8  | 28        |
| 141 | Cognitive Remediation and Psychosocial Rehabilitation for Individuals with Severe Mental Illness.<br>Rehabilitation Research and Practice, 2012, 2012, 1-2.   | 0.6  | 2         |
| 142 | Should psychosocial treatment for schizophrenia focus on the proximal or distal consequences of the disorder?. Journal of Mental Health, 2012, 21, 525-530.   | 1.9  | 8         |
| 143 | Family Therapy for Schizophrenia: Coâ€Occurring Psychotic and Substance Use Disorders. Journal of Clinical Psychology, 2012, 68, 490-501.   | 1.9  | 10        |
| 144 | The Effectiveness of Supported Employment in People With Dual Disorders. Journal of Dual Diagnosis, 2011, 7, 90-102.  | 1.2  | 40        |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Randomized trial of social rehabilitation and integrated health care for older people with severe mental illness Journal of Consulting and Clinical Psychology, 2010, 78, 561-573.   | 2.0 | 129       |
| 146 | Integrating Assertive Community Treatment and Illness Management and Recovery for Consumers with Severe Mental Illness. Community Mental Health Journal, 2010, 46, 319-329.  | 2.0 | 70        |
| 147 | The trauma of psychosis: Posttraumatic stress disorder and recent onset psychosis. Schizophrenia<br>Research, 2010, 116, 217-227.  | 2.0 | 114       |
| 148 | Neurocognition and social skill in older persons with schizophrenia and major mood disorders: An analysis of gender and diagnosis effects. Journal of Neurolinguistics, 2010, 23, 297-317.   | 1.1 | 43        |
| 149 | Cognitive-Behavioral Treatment of PTSD in Severe Mental Illness: Pilot Study Replication in an Ethnically Diverse Population. American Journal of Psychiatric Rehabilitation, 2009, 12, 73-91.   | 0.7 | 29        |
| 150 | Training in Illness Self-Management for People with Mental Illness in the Criminal Justice System.<br>American Journal of Psychiatric Rehabilitation, 2009, 12, 31-56.   | 0.7 | 7         |
| 151 | Family intervention for co-occurring substance use and severe psychiatric disorders: Participant characteristics and correlates of initial engagement and more extended exposure in a randomized controlled trial. Addictive Behaviors, 2009, 34, 867-877. | 3.0 | 45        |
| 152 | Work, Recovery, and Comorbidity in Schizophrenia: A Randomized Controlled Trial of Cognitive<br>Remediation. Schizophrenia Bulletin, 2009, 35, 319-335.  | 4.3 | 230       |
| 153 | Randomized Controlled Trial of Illness Management and Recovery in Multiple-Unit Supportive<br>Housing. Psychiatric Services, 2009, 60, 1629-1636.  | 2.0 | 75        |
| 154 | Implementing the Illness Management and Recovery Program in Community Mental Health Settings:<br>Facilitators and Barriers. Psychiatric Services, 2009, 60, 202-209.   | 2.0 | 103       |
| 155 | Use of Integrated Dual Disorder Treatment Via Assertive Community Treatment Versus Clinical Case<br>Management for Persons With Co-Occurring Disorders and Antisocial Personality Disorder. Journal<br>of Nervous and Mental Disease, 2009, 197, 822-828.  | 1.0 | 21        |
| 156 | Treatment of posttraumatic stress disorder in special populations: A cognitive restructuring program , 2009, , .   |     | 33        |
| 157 | Response to Cognitive Rehabilitation in Older Versus Younger Persons with Severe Mental Illness.<br>American Journal of Psychiatric Rehabilitation, 2008, 11, 90-105.  | 0.7 | 50        |
| 158 | Psychosocial Rehabilitation in Older Adults with Serious Mental Illness: A Review of the Research<br>Literature and Recommendations for Development of Rehabilitative Approaches. American Journal of<br>Psychiatric Rehabilitation, 2008, 11, 7-40.       | 0.7 | 32        |
| 159 | Psychosocial Rehabilitation for Older Adults with Serious Mental Illness: Introduction to Special Series. American Journal of Psychiatric Rehabilitation, 2008, 11, 1-6.   | 0.7 | 3         |
| 160 | Helping Older People Experience Success: An Integrated Model of Psychosocial Rehabilitation and<br>Health Care Management for Older Adults with Serious Mental Illness. American Journal of<br>Psychiatric Rehabilitation, 2008, 11, 41-60.                | 0.7 | 43        |
| 161 | A randomized controlled trial of cognitive-behavioral treatment for posttraumatic stress disorder in severe mental illness Journal of Consulting and Clinical Psychology, 2008, 76, 259-271.   | 2.0 | 317       |
| 162 | A meta-analysis of controlled research on social skills training for schizophrenia Journal of<br>Consulting and Clinical Psychology, 2008, 76, 491-504.  | 2.0 | 355       |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Trauma and PTSD Among Adolescents With Severe Emotional Disorders Involved in Multiple Service<br>Systems. Psychiatric Services, 2008, 59, 627-634.  | 2.0  | 78        |
| 164 | A Randomized Controlled Trial of Cognitive Remediation Among Inpatients With Persistent Mental<br>Illness. Psychiatric Services, 2008, 59, 241-247.  | 2.0  | 143       |
| 165 | A Meta-Analysis of Cognitive Remediation in Schizophrenia. American Journal of Psychiatry, 2007, 164, 1791-1802.   | 7.2  | 1,017     |
| 166 | Cognitive Training for Supported Employment: 2-3 Year Outcomes of a Randomized Controlled Trial.<br>American Journal of Psychiatry, 2007, 164, 437-441.  | 7.2  | 280       |
| 167 | Correlates of Adverse Childhood Events Among Adults With Schizophrenia Spectrum Disorders.<br>Psychiatric Services, 2007, 58, 245-253.   | 2.0  | 175       |
| 168 | Reliability and validity of a performance-based measure of skills for communicating with doctors for older people with serious mental illness. Journal of Mental Health, 2007, 16, 569-579.  | 1.9  | 6         |
| 169 | The Better Life Program: Effects of group skills training for persons with severe mental illness and substance use disorders. Journal of Mental Health, 2007, 16, 625-634.   | 1.9  | 6         |
| 170 | The Trauma Recovery Group: A Cognitive-Behavioral Program for Post-Traumatic Stress Disorder in Persons with Severe Mental Illness. Community Mental Health Journal, 2007, 43, 281-304.  | 2.0  | 49        |
| 171 | Measuring Illness Management Outcomes: A Psychometric Study of Clinician and Consumer Rating<br>Scales for Illness Self Management and Recovery. Community Mental Health Journal, 2007, 43, 459-480.   | 2.0  | 94        |
| 172 | Symptom correlates of posttraumatic stress disorder in clients with borderline personality disorder.<br>Comprehensive Psychiatry, 2006, 47, 357-361.   | 3.1  | 28        |
| 173 | Demographic Characteristics and Employment Among People with Severe Mental Illness in a Multisite<br>Study. Community Mental Health Journal, 2006, 42, 143-159.  | 2.0  | 101       |
| 174 | Cognitive and Clinical Predictors of Work Outcomes in Clients with Schizophrenia Receiving<br>Supported Employment Services: 4-year Follow-Up. Administration and Policy in Mental Health and<br>Mental Health Services Research, 2006, 33, 598-606. | 2.1  | 80        |
| 175 | Comparison of ACT and Standard Case Management for Delivering Integrated Treatment for Co-occurring Disorders. Psychiatric Services, 2006, 57, 185-196.  | 2.0  | 170       |
| 176 | The Illness Management and Recovery Program: Rationale, Development, and Preliminary Findings.<br>Schizophrenia Bulletin, 2006, 32, S32-S43.   | 4.3  | 254       |
| 177 | Cognitive and Clinical Predictors of Work Outcomes in Clients with Schizophrenia Receiving<br>Supported Employment Services: 4-year Follow-Up. Administration and Policy in Mental Health and<br>Mental Health Services Research, 2006, 33, 598.     | 2.1  | 0         |
| 178 | Clinical Factors Associated With Employment Among People With Severe Mental Illness. Journal of<br>Nervous and Mental Disease, 2005, 193, 705-713.   | 1.0  | 106       |
| 179 | Results of a Multisite Randomized Trial of Supported Employment Interventions for Individuals With<br>Severe Mental Illness. Archives of General Psychiatry, 2005, 62, 505.  | 12.3 | 240       |
| 180 | Cognitive Behavior Therapy for Psychosis: A Call to Action Clinical Psychology: Science and Practice, 2005, 12, 68-71.   | 0.9  | 27        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Cognitive Training and Supported Employment for Persons With Severe Mental Illness: One-Year<br>Results From a Randomized Controlled Trial. Schizophrenia Bulletin, 2005, 31, 898-909.   | 4.3  | 331       |
| 182 | Psychosocial Treatment for First-Episode Psychosis: A Research Update. American Journal of Psychiatry, 2005, 162, 2220-2220.   | 7.2  | 213       |
| 183 | The Effectiveness of Skills Training for Improving Outcomes in Supported Employment. Psychiatric Services, 2005, 56, 1254-1260.  | 2.0  | 83        |
| 184 | Evaluation of a PTSD psychoeducational program for psychiatric inpatients. Journal of Mental Health, 2005, 14, 121-127.  | 1.9  | 36        |
| 185 | Conduct Disorder and Antisocial Personality Disorder in Persons With Severe Psychiatric and<br>Substance Use Disorders. Schizophrenia Bulletin, 2005, 32, 626-636.                       | 4.3  | 93        |
| 186 | Psychosocial Interventions for Adults with Severe Mental Illnesses and Co-Occurring Substance Use Disorders. Journal of Dual Diagnosis, 2005, 1, 57-82.                                  | 1.2  | 56        |
| 187 | Cognitive-Behavioral Treatment for PTSD in People with Severe Mental Illness: Three Case Studies.<br>American Journal of Psychiatric Rehabilitation, 2004, 7, 147-170.                   | 0.7  | 21        |
| 188 | Supportive Therapy for Schizophrenia: Possible Mechanisms and Implications for Adjunctive Psychosocial Treatments. Schizophrenia Bulletin, 2004, 30, 101-112.                            | 4.3  | 106       |
| 189 | Clinical interventions for severe mental illness and co-occurring substance use disorder. Acta<br>Neuropsychiatrica, 2004, 16, 26-35.  | 2.1  | 13        |
| 190 | A review of research on residential programs for people with severe mental illness and coâ€occurring substance use disorders. Drug and Alcohol Review, 2004, 23, 471-481.                | 2.1  | 167       |
| 191 | Cognitive-Behavioral Treatmenzt of PTSD in Severe Mental Illness: Results of a Pilot Study. American<br>Journal of Psychiatric Rehabilitation, 2004, 7, 171-186.                         | 0.7  | 55        |
| 192 | A Cognitive-Behavioral Treatment Program for Posttraumatic Stress Disorder in Persons with Severe<br>Mental Illness. American Journal of Psychiatric Rehabilitation, 2004, 7, 107-146.   | 0.7  | 54        |
| 193 | Cognitive functioning, symptoms, and work in supported employment: a review and heuristic model.<br>Schizophrenia Research, 2004, 70, 147-173.   | 2.0  | 331       |
| 194 | Schizophrenia. Lancet, The, 2004, 363, 2063-2072.  | 13.7 | 781       |
| 195 | Interpersonal Trauma and Posttraumatic Stress Disorder in Patients With Severe Mental Illness:<br>Demographic, Clinical, and Health Correlates. Schizophrenia Bulletin, 2004, 30, 45-57. | 4.3  | 200       |
| 196 | The Hartford Study of Supported Employment for Persons With Severe Mental Illness Journal of Consulting and Clinical Psychology, 2004, 72, 479-490.                                      | 2.0  | 254       |
| 197 | Posttraumatic Stress Disorder, Supported Employment, and Outcomes in People with Severe Mental<br>Illness. CNS Spectrums, 2004, 9, 913-925.  | 1.2  | 70        |
| 198 | Disulfiram Treatment for Alcoholism in Severe Mental Illness. American Journal on Addictions, 2003,<br>12, 242-252.  | 1.4  | 55        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Implementing Evidence-Based Practices for People with Severe Mental Illness. Behavior Modification, 2003, 27, 387-411.  | 1.6 | 228       |
| 200 | Cognitive and Symptom Predictors of Work Outcomes for Clients With Schizophrenia in Supported Employment. Psychiatric Services, 2003, 54, 1129-1135.  | 2.0 | 213       |
| 201 | Treating the trauma of first episode psychosis: A PTSD perspective. Journal of Mental Health, 2003, 12, 103-108.  | 1.9 | 39        |
| 202 | Disulfiram treatment for alcoholism in severe mental illness. American Journal on Addictions, 2003, 12, 242-52.   | 1.4 | 22        |
| 203 | Social relationships at work: Does the employment model make a difference?. Psychiatric Rehabilitation Journal, 2002, 26, 51-61.  | 1.1 | 35        |
| 204 | Trauma, PTSD, and the course of severe mental illness: an interactive model. Schizophrenia Research, 2002, 53, 123-143.   | 2.0 | 347       |
| 205 | Illness Management and Recovery: A Review of the Research. Psychiatric Services, 2002, 53, 1272-1284.   | 2.0 | 583       |
| 206 | A family intervention program for dual disorders. Community Mental Health Journal, 2002, 38, 253-270.   | 2.0 | 54        |
| 207 | Social functioning, psychopathology, and medication side effects in relation to substance use and abuse in schizophrenia. Schizophrenia Research, 2001, 48, 109-123.  | 2.0 | 141       |
| 208 | Assertive Community Treatment for People with Severe Mental Illness. Disease Management and Health<br>Outcomes, 2001, 9, 141-159.   | 0.4 | 459       |
| 209 | Developing Effective Treatments for Posttraumatic Disorders Among People With Severe Mental<br>Illness. Psychiatric Services, 2001, 52, 1453-1461.  | 2.0 | 110       |
| 210 | Family treatment and medication dosage reduction in schizophrenia: Effects on patient social<br>functioning, family attitudes, and burden Journal of Consulting and Clinical Psychology, 2001, 69,<br>3-12. | 2.0 | 91        |
| 211 | A Prospective Analysis of Work in Schizophrenia. Schizophrenia Bulletin, 2001, 27, 281-296.   | 4.3 | 304       |
| 212 | The effects of cognitive impairment and substance abuse on psychiatric hospitalizations. Community<br>Mental Health Journal, 2001, 37, 303-312.   | 2.0 | 21        |
| 213 | Sleep difficulties and alcohol use motives in female rape victims with posttraumatic stress disorder.<br>Journal of Traumatic Stress, 2001, 14, 469-479.  | 1.8 | 124       |
| 214 | Recent victimization in women and men with severe mental illness: Prevalence and correlates. Journal of Traumatic Stress, 2001, 14, 615-632.  | 1.8 | 290       |
| 215 | Psychometric evaluation of trauma and posttraumatic stress disorder assessments in persons with severe mental illness Psychological Assessment, 2001, 13, 110-117.  | 1.5 | 104       |
| 216 | Supported employment, job preferences, job tenure and satisfaction. Journal of Mental Health, 2001, 10, 411-417.  | 1.9 | 102       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Family treatment and medication dosage reduction in schizophrenia: effects on patient social<br>functioning, family attitudes, and burden. Journal of Consulting and Clinical Psychology, 2001, 69,<br>3-12. | 2.0 | 15        |
| 218 | Self-Esteem as an Outcome Measure in Studies of Vocational Rehabilitation for Adults With Severe Mental Illness. Psychiatric Services, 2000, 51, 229-233.  | 2.0 | 128       |
| 219 | Evidence-based treatment of schizophrenia. Current Psychiatry Reports, 2000, 2, 393-397.   | 4.5 | 80        |
| 220 | Substance Use Disorder in Hospitalized Severely Mentally Ill Psychiatric Patients: Prevalence,<br>Correlates, and Subgroups. Schizophrenia Bulletin, 2000, 26, 179-192.                                      | 4.3 | 238       |
| 221 | Social networks and clinical outcomes of dually diagnosed homeless persons. Behavior Therapy, 1999, 30, 407-430.   | 2.4 | 51        |
| 222 | Conduct disorder, antisocial personality disorder and substance use disorders in schizophrenia and major affective disorders Journal of Studies on Alcohol and Drugs, 1999, 60, 278-284.                     | 2.3 | 100       |
| 223 | Models of Community Care for Severe Mental Illness: A Review of Research on Case Management.<br>Schizophrenia Bulletin, 1998, 24, 37-74.   | 4.3 | 786       |
| 224 | Trauma and posttraumatic stress disorder in severe mental illness Journal of Consulting and<br>Clinical Psychology, 1998, 66, 493-499.   | 2.0 | 594       |
| 225 | Trauma and posttraumatic stress disorder in severe mental illness Journal of Consulting and Clinical Psychology, 1998, 66, 493-499.  | 2.0 | 293       |
| 226 | Dartmouth Assessment of Lifestyle Instrument (DALI): A Substance Use Disorder Screen for People<br>With Severe Mental Illness. American Journal of Psychiatry, 1998, 155, 232-238.                           | 7.2 | 141       |
| 227 | Physical and Sexual Assault History in Women With Serious Mental Illness: Prevalence, Correlates,<br>Treatment, and Future Research Directions. Schizophrenia Bulletin, 1997, 23, 685-696.                   | 4.3 | 338       |
| 228 | Recent Advances in Psychiatric Rehabilitation for Patients with Severe Mental Illness. Harvard Review of Psychiatry, 1997, 5, 123-137.   | 2.1 | 103       |
| 229 | Factor structure of the Brief Psychiatric Rating Scale in schizophrenia Psychological Assessment, 1997, 9, 196-204.  | 1.5 | 124       |
| 230 | Functional impairments in elderly patients with schizophrenia and major affective illness in the community: Social skills, living skills, and behavior problems. Behavior Therapy, 1997, 28, 43-63.          | 2.4 | 60        |
| 231 | Title is missing!. Community Mental Health Journal, 1997, 33, 571-574.   | 2.0 | 1         |
| 232 | Work and Nonvocational Domains of Functioning in Persons with Severe Mental Illness: A<br>Longitudinal Analysis. Journal of Nervous and Mental Disease, 1997, 185, 419-426.                                  | 1.0 | 246       |
| 233 | Expectations and Motives for Alcohol Use in a Psychiatric Outpatient Population. Journal of Nervous and Mental Disease, 1997, 185, 622-626.  | 1.0 | 13        |
| 234 | The course and treatment of substance use disorder in persons with severe mental illness. NIDA<br>Research Monograph, 1997, 172, 86-109.   | 0.1 | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Family burden of schizophrenia and bipolar disorder: perceptions of relatives and professionals.<br>Psychiatric Services, 1996, 47, 507-511.                          | 2.0 | 76        |
| 236 | Emotion recognition and social competence in chronic schizophrenia Journal of Abnormal Psychology, 1996, 105, 271-275.  | 1.9 | 287       |
| 237 | Helping Families Manage Severe Mental Illness. Psychiatric Rehabilitation Skills, 1996, 1, 21-42.   | 0.1 | 9         |
| 238 | New Developments in Social Skills Training. Behaviour Change, 1995, 12, 31-40.  | 1.3 | 38        |
| 239 | Expectations and Motives for Substance Use in Schizophrenia. Schizophrenia Bulletin, 1995, 21, 367-378.   | 4.3 | 106       |
| 240 | Educational family therapy for schizophrenia: a new treatment model for clinical service and research. Schizophrenia Research, 1994, 13, 99-107.                      | 2.0 | 23        |
| 241 | A multisite investigation of the reliability of the Scale for the Assessment of Negative Symptoms.<br>American Journal of Psychiatry, 1994, 151, 1453-1462.           | 7.2 | 93        |
| 242 | Expressed emotion, social skill, and response to negative affect in schizophrenia Journal of<br>Abnormal Psychology, 1993, 102, 339-351.                              | 1.9 | 25        |
| 243 | An Assessment of the Educational Needs of Chronic Psychiatric Patients and their Relatives. British<br>Journal of Psychiatry, 1992, 160, 674-680.                     | 2.8 | 78        |
| 244 | Diagnostic and demographic correlates of substance abuse in schizophrenia and major affective disorder. Acta Psychiatrica Scandinavica, 1992, 85, 48-55.              | 4.5 | 210       |
| 245 | Symptomatology and the prediction of social skills acquisition in schizophrenia. Schizophrenia Research, 1992, 8, 59-68.  | 2.0 | 25        |
| 246 | Comorbidity of schizophrenia and substance abuse: Implications for treatment Journal of Consulting and Clinical Psychology, 1992, 60, 845-856.                        | 2.0 | 125       |
| 247 | Prevalence and stability of social skill deficits in schizophrenia. Schizophrenia Research, 1991, 5, 167-176.   | 2.0 | 162       |
| 248 | Prediction of social skill acquisition in schizophrenic and major affective disorder patients from memory and symptomatology. Psychiatry Research, 1991, 37, 281-296. | 3.3 | 193       |
| 249 | Hallucinations in schizophrenia. Acta Psychiatrica Scandinavica, 1990, 82, 26-29.   | 4.5 | 148       |
| 250 | Gender, social competence, and symptomatology in schizophrenia: A longitudinal analysis Journal of<br>Abnormal Psychology, 1990, 99, 138-147.                         | 1.9 | 68        |
| 251 | An Analysis of Social Competence in Schizophrenia. British Journal of Psychiatry, 1990, 156, 809-818.   | 2.8 | 358       |
| 252 | Prevalence of Substance Abuse in Schizophrenia: Demographic and Clinical Correlates. Schizophrenia<br>Bulletin, 1990, 16, 31-56.                                      | 4.3 | 545       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Behavioral family therapy for schizophrenia. Progress in Behavior Modification, 1990, 26, 122-49.   | 0.1 | 1         |
| 254 | Gender, social competence, and symptomatology in schizophrenia: A longitudinal analysis Journal of<br>Abnormal Psychology, 1990, 99, 138-147. | 1.9 | 40        |
| 255 | Training Skills in the Psychiatrically Disabled: Learning Coping and Competence. Schizophrenia<br>Bulletin, 1986, 12, 631-647.                | 4.3 | 245       |