
Tord Naessen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3106629/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Rapid eye movement sleep apnea and carotid intima thickness in men and women: a SHEâ€MUSTACHE cohort study. Journal of Sleep Research, 2022, 31, e13599.	3.2	7
2	Dimethylarginines correlate to common carotid artery wall layer dimensions and cardiovascular risk factors in pregnant women with/without preeclampsia: A group comparative study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 258, 288-293.	1.1	2
3	Concentrations of nine endogenous steroid hormones in 70-year-old men and women. Endocrine Connections, 2021, 10, 511-520.	1.9	5
4	Low- and Fully N-Glycosylated Gonadotropins Circulating in Women With Polycystic Ovary Syndrome. Journal of the Endocrine Society, 2021, 5, bvab080.	0.2	2
5	Sub-clinical atherosclerosis in the common carotid artery in women with/without previous pre-eclampsia: A seven-year follow-up. Atherosclerosis, 2019, 290, 206-213.	0.8	8
6	Health-related quality of life in young women starting hormonal contraception: a pilot study. European Journal of Contraception and Reproductive Health Care, 2018, 23, 171-178.	1.5	8
7	Obstructive sleep apnea during rapid eye movement sleep is associated with early signs of atherosclerosis in women. Sleep, 2018, 41, .	1.1	29
8	Serum Pentraxin 3 is associated with signs of arterial alteration in women with preeclampsia. International Journal of Cardiology, 2017, 241, 417-422.	1.7	13
9	Oxytocin improves cytological and histological profiles of vaginal atrophy in postmenopausal women. Post Reproductive Health, 2016, 22, 25-33.	0.9	21
10	Artery wall layer dimensions during normal pregnancy: a longitudinal study using noninvasive high-frequency ultrasound. American Journal of Physiology - Heart and Circulatory Physiology, 2013, 304, H229-H234.	3.2	19
11	Individual Common Carotid Artery Wall Layer Dimensions, but Not Carotid Intima–Media Thickness, Indicate Increased Cardiovascular Risk in Women With Preeclampsia. Circulation: Cardiovascular Imaging, 2013, 6, 762-768.	2.6	29
12	Higher endogenous estrogen levels in 70-year-old women and men. Menopause, 2012, 19, 1322-1328.	2.0	12
13	Endogenous Steroids Measured by High-Specificity Liquid Chromatography-Tandem Mass Spectrometry and Prevalent Cardiovascular Disease in 70-Year-Old Men and Women. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1889-1897.	3.6	62
14	Steroid profiles in ovarian follicular fluid in women with and without polycystic ovary syndrome, analyzed by liquid chromatography-tandem mass spectrometry. Fertility and Sterility, 2010, 94, 2228-2233.	1.0	53
15	Tibolone low dose (1.25mg/d) therapy and postural balance in elderly women. Maturitas, 2009, 62, 72-75.	2.4	6
16	Steroid Profiles in Ovarian Follicular Fluid from Regularly Menstruating Women and Women after Ovarian Stimulation. Clinical Chemistry, 2009, 55, 519-526.	3.2	48
17	Early postmenopausal hormone therapy improves postural balance. Menopause, 2007, 14, 14-19.	2.0	34
18	Hormone therapy and postural balance in elderly women. Menopause, 2007, 14, 1020-1024.	2.0	17

Tord Naessen

#	Article	IF	CITATIONS
19	Menopausal estrogen therapy counteracts normal aging effects on intima thickness, media thickness and intima/media ratio in carotid and femoral arteries. Atherosclerosis, 2006, 189, 387-392.	0.8	37
20	Thicker carotid intima layer and thinner media layer in subjects with cardiovascular diseases. Atherosclerosis, 2006, 189, 393-400.	0.8	53
21	Effects of androgens on aromatase activity and ¹¹ Câ€vorozole binding in granulosa cells <i>in vitro</i> . Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 209-215.	2.8	9
22	Endometrial thickness and uterine diameter not affected by ultralow doses of 17β-estradiol in elderly women. American Journal of Obstetrics and Gynecology, 2002, 186, 944-947.	1.3	43
23	Compounds with affinity for serotonergic receptors in the treatment of premenstrual dysphoria: a comparison of buspirone, nefazodone and placebo. Psychopharmacology, 2001, 155, 292-298.	3.1	54
24	The Heart and Estrogen/Progestin Replacement Study (HERS) in perspective - Results not very surprising. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 1037-1041.	2.8	2
25	Time-related effects of a progestogen on the isoforms of serum gonadotrophins in 17β-oestradiol treated post-menopausal women. Clinical Endocrinology, 1996, 44, 651-658.	2.4	10
26	Effect of chronic daily oral administration of 17βoestradiol and norethisterone on the isoforms of serum gonadotrophins in post-menopausal women. Clinical Endocrinology, 1995, 42, 59-64.	2.4	25
27	Reduced risk of breast and endometrial cancer among women with hip fractures (Sweden). Cancer Causes and Control, 1994, 5, 523-528.	1.8	58
28	17β-Oestradiol counteracts the formation of the more acidic isoforms of follicle-stimulating hormone and luteinizing hormone after menopause. Clinical Endocrinology, 1994, 40, 783-789.	2.4	58
29	Colles' fracture associated with reduced bone mineral content. Acta Orthopaedica, 1992, 63, 552-554.	1.4	27
30	Skeletal responsiveness to parathyroid hormone in healthy females: relationship to menopause and oestrogen replacement. Clinical Endocrinology, 1991, 34, 335-340.	2.4	54
31	Obesity in adolescents associated with vascular aging – a study using ultra-high-resolution ultrasound. Upsala Journal of Medical Sciences, 0, 127, .	0.9	0