

# Sabri Soussi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3108524/publications.pdf>

Version: 2024-02-01

29  
papers

467  
citations

623734

14  
h-index

713466

21  
g-index

29  
all docs

29  
docs citations

29  
times ranked

641  
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of Circulating Mucorales DNA in Critically Ill Burn Patients: Preliminary Report of a Screening Strategy for Early Diagnosis and Treatment. <i>Clinical Infectious Diseases</i> , 2016, 63, 1312-1317.	5.8	74
2	Risk of oxalate nephropathy with the use of cyanide antidote hydroxocobalamin in critically ill burn patients. <i>Intensive Care Medicine</i> , 2016, 42, 1080-1081.	8.2	35
3	Early Hemodynamic Management of Critically Ill Burn Patients. <i>Anesthesiology</i> , 2018, 129, 583-589.	2.5	31
4	Low cardiac index and stroke volume on admission are associated with poor outcome in critically ill burn patients: a retrospective cohort study. <i>Annals of Intensive Care</i> , 2016, 6, 87.	4.6	28
5	Extracorporeal membrane oxygenation in burn patients with refractory acute respiratory distress syndrome leads to 28% 90-day survival. <i>Intensive Care Medicine</i> , 2016, 42, 1826-1827.	8.2	24
6	Validation of cardiogenic shock phenotypes in a mixed cardiac intensive care unit population. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, 1006-1014.	1.7	23
7	Chloride toxicity in critically ill patients: What's the evidence?. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2017, 36, 125-130.	1.4	22
8	Intravenous iloprost to recruit the microcirculation in septic shock patients?. <i>Intensive Care Medicine</i> , 2018, 44, 121-122.	8.2	21
9	Contributing factors and outcomes of burn-associated cholestasis. <i>Journal of Hepatology</i> , 2019, 71, 563-572.	3.7	20
10	Management of severe thermal burns in the acute phase in adults and children. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 253-267.	1.4	19
11	Risk Factors for Acute Mesenteric Ischemia in Critically Ill Burns Patients—A Matched Case-Control Study. <i>Shock</i> , 2019, 51, 153-160.	2.1	17
12	Heart rate variability and cardiac baroreflex inhibition-derived index predicts pain perception in burn patients. <i>Burns</i> , 2016, 42, 1445-1454.	1.9	16
13	Hemodynamic coherence in patients with burns. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2016, 30, 437-443.	4.0	15
14	Cardiac output and CVP monitoring to guide fluid removal. <i>Critical Care</i> , 2018, 22, 89.	5.8	15
15	Measurement of Oxygen Consumption Variations in Critically Ill Burns Patients: Are the Fick Method and Indirect Calorimetry Interchangeable?. <i>Shock</i> , 2017, 48, 532-538.	2.1	14
16	Outcome and potentially modifiable risk factors for candidemia in critically ill burns patients: A matched cohort study. <i>Mycoses</i> , 2019, 62, 237-246.	4.0	13
17	Identifying clinical subtypes in sepsis-survivors with different one-year outcomes: a secondary latent class analysis of the FROG-ICU cohort. <i>Critical Care</i> , 2022, 26, 114.	5.8	12
18	Undetectable haptoglobin is associated with major adverse kidney events in critically ill burn patients. <i>Critical Care</i> , 2017, 21, 245.	5.8	11

#	ARTICLE	IF	CITATIONS
19	Prediction of major adverse kidney events in critically ill burn patients. <i>Burns</i> , 2018, 44, 1887-1894.	1.9	10
20	Hemodynamic management of critically ill burn patients: an international survey. <i>Critical Care</i> , 2018, 22, 194.	5.8	10
21	Impact of an <i>Acinetobacter baumannii</i> outbreak on kidney events in a burn unit: A targeted machine learning analysis. <i>American Journal of Infection Control</i> , 2019, 47, 435-438.	2.3	9
22	Evaluation of Biomarkers in Critical Care and Perioperative Medicine. <i>Anesthesiology</i> , 2021, 134, 15-25.	2.5	9
23	Early hypoalbuminemia is associated with 28-day mortality in severely burned patients: A retrospective cohort study. <i>Burns</i> , 2020, 46, 630-638.	1.9	6
24	On-line plasma lactate concentration monitoring in critically ill patients. <i>Critical Care</i> , 2017, 21, 151.	5.8	4
25	PenKid measurement at admission is associated with outcome in severely ill burn patients. <i>Burns</i> , 2020, 46, 1302-1309.	1.9	4
26	Influence of the central venous site on the transpulmonary thermodilution parameters in critically ill burn patients. <i>Burns</i> , 2015, 41, 1607-1610.	1.9	2
27	Individualized Fluid and Vasopressor Therapy: Comment. <i>Anesthesiology</i> , 2021, , .	2.5	2
28	Planned enteral nutrition over-prescription to cover caloric and protein requirements in severely-ill burn patients. <i>Burns</i> , 2018, 44, 2106-2107.	1.9	1
29	Cross-talk phenomenon during femoral transpulmonary thermodilution in a critically ill patient. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2016, 35, 69-70.	1.4	0