
## Sabri Soussi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3108524/publications.pdf Version: 2024-02-01



SARDI SOLISSI

#	Article	IF	CITATIONS
1	Validation of cardiogenic shock phenotypes in a mixed cardiac intensive care unit population. Catheterization and Cardiovascular Interventions, 2022, 99, 1006-1014.	1.7	23
2	Identifying clinical subtypes in sepsis-survivors with different one-year outcomes: a secondary latent class analysis of the FROG-ICU cohort. Critical Care, 2022, 26, 114.	5.8	12
3	Evaluation of Biomarkers in Critical Care and Perioperative Medicine. Anesthesiology, 2021, 134, 15-25.	2.5	9
4	Individualized Fluid and Vasopressor Therapy: Comment. Anesthesiology, 2021, , .	2.5	2
5	Early hypoalbuminemia is associated with 28-day mortality in severely burned patients: A retrospective cohort study. Burns, 2020, 46, 630-638.	1.9	6
6	Management of severe thermal burns in the acute phase in adults and children. Anaesthesia, Critical Care & Pain Medicine, 2020, 39, 253-267.	1.4	19
7	PenKid measurement at admission is associated with outcome in severely ill burn patients. Burns, 2020, 46, 1302-1309.	1.9	4
8	Contributing factors and outcomes of burn-associated cholestasis. Journal of Hepatology, 2019, 71, 563-572.	3.7	20
9	Outcome and potentially modifiable risk factors for candidemia in critically ill burns patients: A matched cohort study. Mycoses, 2019, 62, 237-246.	4.0	13
10	Impact of an Acinetobacter baumannii outbreak on kidney events in a burn unit: A targeted machine learning analysis. American Journal of Infection Control, 2019, 47, 435-438.	2.3	9
11	Risk Factors for Acute Mesenteric Ischemia in Critically Ill Burns Patients—A Matched Case–Control Study. Shock, 2019, 51, 153-160.	2.1	17
12	Intravenous iloprost to recruit the microcirculation in septic shock patients?. Intensive Care Medicine, 2018, 44, 121-122.	8.2	21
13	Planned enteral nutrition over-prescription to cover caloric and protein requirements in severely-ill burn patients. Burns, 2018, 44, 2106-2107.	1.9	1
14	Prediction of major adverse kidney events in critically ill burn patients. Burns, 2018, 44, 1887-1894.	1.9	10
15	Early Hemodynamic Management of Critically Ill Burn Patients. Anesthesiology, 2018, 129, 583-589.	2.5	31
16	Cardiac output and CVP monitoring $\hat{a} \in \$ to guide fluid removal. Critical Care, 2018, 22, 89.	5.8	15
17	Hemodynamic management of critically ill burn patients: an international survey. Critical Care, 2018, 22, 194.	5.8	10
18	Measurement of Oxygen Consumption Variations in Critically Ill Burns Patients: Are the Fick Method and Indirect Calorimetry Interchangeable?. Shock, 2017, 48, 532-538.	2.1	14

SABRI SOUSSI

#	Article	IF	CITATIONS
19	On-line plasma lactate concentration monitoring in critically ill patients. Critical Care, 2017, 21, 151.	5.8	4
20	Chloride toxicity in critically ill patients: What's the evidence?. Anaesthesia, Critical Care & Pain Medicine, 2017, 36, 125-130.	1.4	22
21	Undetectable haptoglobin is associated with major adverse kidney events in critically ill burn patients. Critical Care, 2017, 21, 245.	5.8	11
22	Cross-talk phenomenon during femoral transpulmonary thermodilution in a critically ill patient. Anaesthesia, Critical Care & Pain Medicine, 2016, 35, 69-70.	1.4	0
23	Extracorporeal membrane oxygenation in burn patients with refractory acute respiratory distress syndrome leads to 28Â% 90-day survival. Intensive Care Medicine, 2016, 42, 1826-1827.	8.2	24
24	Detection of Circulating Mucorales DNA in Critically Ill Burn Patients: Preliminary Report of a Screening Strategy for Early Diagnosis and Treatment. Clinical Infectious Diseases, 2016, 63, 1312-1317.	5.8	74
25	Low cardiac index and stroke volume on admission are associated with poor outcome in critically ill burn patients: a retrospective cohort study. Annals of Intensive Care, 2016, 6, 87.	4.6	28
26	Hemodynamic coherence in patients with burns. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2016, 30, 437-443.	4.0	15
27	Heart rate variability and cardiac baroreflex inhibition-derived index predicts pain perception in burn patients. Burns, 2016, 42, 1445-1454.	1.9	16
28	Risk of oxalate nephropathy with the use of cyanide antidote hydroxocobalamin in critically ill burn patients. Intensive Care Medicine, 2016, 42, 1080-1081.	8.2	35
29	Influence of the central venous site on the transpulmonary thermodilution parameters in critically ill burn patients. Burns, 2015, 41, 1607-1610.	1.9	2