## Eric P Moll Van Charante

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3108548/eric-p-moll-van-charante-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116<br/>papers2,613<br/>citations28<br/>h-index47<br/>g-index131<br/>ext. papers3,388<br/>ext. citations4.3<br/>avg, IF5.03<br/>L-index

| #   | Paper  | IF           | Citations |
|-----|--|--------------|-----------|
| 116 | SARS-CoV-2 antibody prevalence and correlates of six ethnic groups living in Amsterdam, the Netherlands: a population-based cross-sectional study, June-October 2020 <i>BMJ Open</i> , <b>2022</b> , 12, e052  | 7 <i>5</i> 2 | 1         |
| 115 | The association between socioeconomic status and prevalence, awareness, treatment and control of hypertension in different ethnic groups: the Healthy Life in an Urban Setting study <i>Journal of Hypertension</i> , <b>2022</b> , 40, 897-907                        | 1.9          | 1         |
| 114 | Differences in SARS-CoV-2 infections during the first and second wave of SARS-CoV-2 between six ethnic groups in Amsterdam, the Netherlands: A population-based longitudinal serological study <i>Lancet Regional Health - Europe, The</i> , <b>2022</b> , 13, 100284  |              | 2         |
| 113 | Attitudes and views on healthy lifestyle interventions for the prevention of dementia and cardiovascular disease among older people with low socioeconomic status: a qualitative study in the Netherlands <i>BMJ Open</i> , <b>2022</b> , 12, e055984                  | 3            | 0         |
| 112 | Diagnostic Accuracy of the Telephone Interview for Cognitive Status for the Detection of Dementia in Primary Care <i>Annals of Family Medicine</i> , <b>2022</b> , 20, 130-136   | 2.9          | O         |
| 111 | Severe Fatigue in the First Year Following SARS-CoV-2 Infection: A Prospective Cohort Study <i>Open Forum Infectious Diseases</i> , <b>2022</b> , 9, ofac127   | 1            | 0         |
| 110 | Association of Systolic Blood Pressure With Dementia Risk and the Role of Age, U-Shaped Associations, and Mortality <i>JAMA Internal Medicine</i> , <b>2021</b> ,  | 11.5         | 1         |
| 109 | Association of Targeting Vascular Risk Factors With a Reduction in Dementia Incidence in Old Age: Secondary Analysis of the Prevention of Dementia by Intensive Vascular care (preDIVA) Randomized Clinical Trial. <i>JAMA Neurology</i> , <b>2021</b> , 78, 1527-1528 | 17.2         | 0         |
| 108 | Longitudinal relation between blood pressure, antihypertensive use and cerebral blood flow, using arterial spin labelling MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2021</b> , 41, 1756-1766  | 7.3          | 4         |
| 107 | Estimating the lifetime risk of dementia using nationwide individually linked cause-of-death and health register data. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 809-816  | 7.8          | 1         |
| 106 | Determinants of suboptimal blood pressure control in a multi-ethnic population: The Healthy Life in an Urban Setting (HELIUS) study. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 1068-1076   | 2.3          | 1         |
| 105 | Prevention of dementia using mobile phone applications (PRODEMOS): protocol for an international randomised controlled trial. <i>BMJ Open</i> , <b>2021</b> , 11, e049762  | 3            | 2         |
| 104 | Association of Angiotensin II-Stimulating Antihypertensive Use and Dementia Risk: Post Hoc Analysis of the PreDIVA Trial. <i>Neurology</i> , <b>2021</b> , 96, e67-e80   | 6.5          | 5         |
| 103 | Performance of Risk Assessment Models for Prevalent or Undiagnosed Type 2 Diabetes Mellitus in a Multi-Ethnic Population-The Helius Study. <i>Global Heart</i> , <b>2021</b> , 16, 13  | 2.9          |           |
| 102 | Design and Development of a Mobile Health (mHealth) Platform for Dementia Prevention in the Prevention of Dementia by Mobile Phone Applications (PRODEMOS) Project <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 733878  | 4.1          | O         |
| 101 | Suitability of dementia risk scores as surrogate outcomes for lifestyle-based multidomain prevention trials. <i>Alzheimerp</i> and <i>Dementia</i> , <b>2020</b> , 16, e042798   | 1.2          |           |
| 100 | Adverse lipid profiles in older people are associated with lower dementia risk. <i>Alzheimerps and Dementia</i> , <b>2020</b> , 16, e044052  | 1.2          |           |

## (2019-2020)

| 99 | Antihypertensive medication classes and the risk of dementia: A systematic review and network meta-analysis. <i>Alzheimerps and Dementia</i> , <b>2020</b> , 16, e039014  | 1.2              | 1               |
|----|---|------------------|-----------------|
| 98 | Pooling individual participant data from randomized controlled trials: Exploring potential loss of information. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232970  | 3.7              | 0               |
| 97 | Investigation of antihypertensive class, dementia, and cognitive decline: A meta-analysis. <i>Neurology</i> , <b>2020</b> , 94, e267-e281   | 6.5              | 38              |
| 96 | Attitudes of at-risk older adults about prevention of cardiovascular disease and dementia using eHealth: a qualitative study in a European context. <i>BMJ Open</i> , <b>2020</b> , 10, e037050   | 3                | 3               |
| 95 | Prevention of dementia using mobile phone applications (PRODEMOS): A randomized controlled trial in progress. <i>Alzheimerp</i> and <i>Dementia</i> , <b>2020</b> , 16, e043039   | 1.2              |                 |
| 94 | Association Between Blood Pressure Variability and Cerebral Small-Vessel Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e013841  | 6                | 34              |
| 93 | Association of anthropometry and weight change with risk of dementia and its major subtypes: A meta-analysis consisting 2.8 million adults with 57 294 cases of dementia. <i>Obesity Reviews</i> , <b>2020</b> , 21, e12989                     | 10.6             | 21              |
| 92 | Dementia risk scores as surrogate outcomes for lifestyle-based multidomain prevention trials-rationale, preliminary evidence and challenges. <i>Alzheimerp</i> and Dementia, <b>2020</b> , 16, 1674-1685  | 1.2              | 8               |
| 91 | Association of Benzodiazepine and Anticholinergic Drug Usage With Incident Dementia: A Prospective Cohort Study of Community-Dwelling Older Adults. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 188-193.e3 | 5.9              | 9               |
| 90 | Effect primaire cardiovasculaire preventie bij ouderen. <i>Huisarts En Wetenschap</i> , <b>2019</b> , 62, 22-25   | 0.1              |                 |
| 89 | Associations of Subjective Memory Complaints and Simple Memory Task Scores With Future Dementia in the Primary Care Setting. <i>Annals of Family Medicine</i> , <b>2019</b> , 17, 412-418   | 2.9              | 5               |
| 88 | A Population Perspective on Prevention of Dementia. Journal of Clinical Medicine, 2019, 8,  | 5.1              | 15              |
| 87 | Visit-to-Visit Blood Pressure Variability and Progression of White Matter Hyperintensities Among Older People With Hypertension. <i>Journal of the American Medical Directors Association</i> , <b>2019</b> , 20, 1175                          | -1 <i>₹7</i> 7.e | :1 <sup>9</sup> |
| 86 | Discontinuation of Antihypertensive Medication, Cognitive Complaints, and Incident Dementia.<br>Journal of the American Medical Directors Association, <b>2019</b> , 20, 1091-1097.e3   | 5.9              | 7               |
| 85 | A cardiovascular risk prediction model for older people: Development and validation in a primary care population. <i>Journal of Clinical Hypertension</i> , <b>2019</b> , 21, 1145-1152   | 2.3              | 13              |
| 84 | A network approach on the relation between apathy and depression symptoms with dementia and functional disability. <i>International Psychogeriatrics</i> , <b>2019</b> , 31, 1655-1663  | 3.4              | 12              |
| 83 | Hypertension management: experiences, wishes and concerns among older people-a qualitative study. <i>BMJ Open</i> , <b>2019</b> , 9, e030742  | 3                | 6               |
| 82 | Integrating nursesSexperiences with supporting behaviour change for cardiovascular prevention into a self-management internet platform in Finland and the Netherlands: a qualitative study. <i>BMJ Open</i> , <b>2019</b> , 9, e023480          | 3                | 5               |

| 81 | Healthy ageing through internet counselling in the elderly (HATICE): a multinational, randomised controlled trial. <i>The Lancet Digital Health</i> , <b>2019</b> , 1, e424-e434  | 14.4             | 37 |
|----|---|------------------|----|
| 80 | Older AdultsSReasons for Participating in an eHealth Prevention Trial: A Cross-Country, Mixed-Methods Comparison. <i>Journal of the American Medical Directors Association</i> , <b>2019</b> , 20, 843-849.e                                | 5 <sup>5.9</sup> | 16 |
| 79 | Visit-To-Visit Blood Pressure Variability and the Risk of Dementia in Older People. <i>Journal of Alzheimerp</i> : <i>Disease</i> , <b>2018</b> , 62, 727-735   | 4.3              | 21 |
| 78 | Prescribing and deprescribing antihypertensive medication in older people by Dutch general practitioners: a qualitative study. <i>BMJ Open</i> , <b>2018</b> , 8, e020871   | 3                | 16 |
| 77 | Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , <b>2018</b> , 96, 110-119  | 5.7              | 17 |
| 76 | Engaging older people in an internet platform for cardiovascular risk self-management: a qualitative study among Dutch HATICE participants. <i>BMJ Open</i> , <b>2018</b> , 8, e019683  | 3                | 15 |
| 75 | Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 363-379    | 5.9              | 27 |
| 74 | Association of Apathy With Risk of Incident Dementia: A Systematic Review and Meta-analysis.<br>JAMA Psychiatry, <b>2018</b> , 75, 1012-1021  | 14.5             | 52 |
| 73 | Modifiable dementia risk score to study heterogeneity in treatment effect of a dementia prevention trial: a post hoc analysis in the preDIVA trial using the LIBRA index. <i>Alzheimerps Research and Therapy</i> , <b>2018</b> , 10, 62    | 9                | 10 |
| 72 | Effects of Primary Cardiovascular Prevention on Vascular Risk in Older Adults. <i>American Journal of Preventive Medicine</i> , <b>2018</b> , 55, 368-375   | 6.1              | 8  |
| 71 | Apathy is associated with incident dementia in community-dwelling older people. <i>Neurology</i> , <b>2018</b> , 90, e82-e89  | 6.5              | 21 |
| 70 | Hoe weet je of cognitieve stoornissen waarschijnlijk zijn?. Huisarts En Wetenschap, <b>2018</b> , 61, 14-17   | 0.1              | 1  |
| 69 | Antihypertensive Drugs, Incident Dementia, and the Competing Risk of Death. <i>Journal of the American Medical Directors Association</i> , <b>2018</b> , 19, 1026-1027  | 5.9              | 2  |
| 68 | Blood pressure-lowering interventions to prevent dementia: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 1780-1787  | 1.9              | 22 |
| 67 | Improving Prediction of Dementia in Primary Care. <i>Annals of Family Medicine</i> , <b>2018</b> , 16, 206-210  | 2.9              | 6  |
| 66 | Determinants of Dropout and Nonadherence in a Dementia Prevention Randomized Controlled Trial: The Prevention of Dementia by Intensive Vascular Care Trial. <i>Journal of the American Geriatrics Society</i> , <b>2017</b> , 65, 1505-1513 | 5.6              | 13 |
| 65 | Lower dementia risk with different classes of antihypertensive medication in older patients.<br>Journal of Hypertension, <b>2017</b> , 35, 2095-2101  | 1.9              | 31 |
| 64 | Effect of Long-Term Vascular Care on Progression of Cerebrovascular Lesions: Magnetic Resonance Imaging Substudy of the PreDIVA Trial (Prevention of Dementia by Intensive Vascular Care). <i>Stroke</i> , <b>2017</b> , 48, 1842-1848      | 6.7              | 20 |

| 63 | Cost-effectiveness of nurse-led multifactorial care to prevent or postpone new disabilities in community-living older people: Results of a cluster randomized trial. <i>PLoS ONE</i> , <b>2017</b> , 12, e0175272                              | 3.7                        | 6   |
|----|--|----------------------------|-----|
| 62 | Improving data sharing in research with context-free encoded missing data. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182   | 23 <i>6.<del>2</del></i> 7 | 3   |
| 61 | Dementia incidence trend over 1992-2014 in the Netherlands: Analysis of primary care data. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002235   | 11.6                       | 33  |
| 60 | How to choose the most appropriate cognitive test to evaluate cognitive complaints in primary care. <i>BMC Family Practice</i> , <b>2017</b> , 18, 101   | 2.6                        | 13  |
| 59 | [P1 <b>0</b> 13]: LOWER DEMENTIA RISK WITH DIFFERENT CLASSES OF ANTIHYPERTENSIVE MEDICATION IN OLDER PATIENTS <b>2017</b> , 13, P237   |                            |     |
| 58 | Development and Validation of an Interactive Internet Platform for Older People: The Healthy Ageing Through Internet Counselling in the Elderly Study. <i>Telemedicine Journal and E-Health</i> , <b>2017</b> , 23, 96-104                     | 5.9                        | 27  |
| 57 | [P2886]: VISIT-TO-VISIT BLOOD PRESSURE VARIABILITY AND THE RISK OF DEMENTIA IN OLDER PEOPLE <b>2017</b> , 13, P872   |                            |     |
| 56 | [P3B73]: HEALTHY AGEING THROUGH INTERNET COUNSELLING IN THE ELDERLY (HATICE): AN ONGOING RANDOMISED CONTROLLED TRIAL <b>2017</b> , 13, P1198-P1199   |                            | 1   |
| 55 | [P1B18]: LOWER DEMENTIA RISK WITH DIFFERENT CLASSES OF ANTIHYPERTENSIVE MEDICATION IN OLDER PATIENTS <b>2017</b> , 13, P533-P534   |                            |     |
| 54 | Cost-effectiveness of different strategies for diagnosis of uncomplicated urinary tract infections in women presenting in primary care. <i>PLoS ONE</i> , <b>2017</b> , 12, e0188818   | 3.7                        | 3   |
| 53 | Comprehensive geriatric assessment: recognition of identified geriatric conditions by community-dwelling older persons. <i>Age and Ageing</i> , <b>2016</b> , 45, 894-899  | 3                          | 8   |
| 52 | Effectiveness of a 6-year multidomain vascular care intervention to prevent dementia (preDIVA): a cluster-randomised controlled trial. <i>Lancet, The</i> , <b>2016</b> , 388, 797-805   | 40                         | 279 |
| 51 | Diagnosing dementia in Dutch general practice: a qualitative study of GPsSpractices and views. <i>British Journal of General Practice</i> , <b>2016</b> , 66, e416-22  | 1.6                        | 12  |
| 50 | The mediating role of cardiovascular risk factors in the relationship between symptoms of apathy and incident cardiovascular disease in community-dwelling older individuals. <i>International Psychogeriatrics</i> , <b>2016</b> , 28, 669-79 | 3.4                        | 8   |
| 49 | Changes in the in-hospital mortality and 30-day post-discharge mortality in acutely admitted older patients: retrospective observational study. <i>Age and Ageing</i> , <b>2016</b> , 45, 41-7   | 3                          | 7   |
| 48 | Comprehensive Geriatric Assessment and Transitional Care in Acutely Hospitalized Patients: The Transitional Care Bridge Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , <b>2016</b> , 176, 302-9                                    | 11.5                       | 53  |
| 47 | Case Finding of Mild Cognitive Impairment and Dementia and Subsequent Care; Results of a Cluster RCT in Primary Care. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156958   | 3.7                        | 10  |
| 46 | Web-Based Interventions Targeting Cardiovascular Risk Factors in Middle-Aged and Older People:<br>A Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , <b>2016</b> , 18, e55                                   | 7.6                        | 63  |

| 45 | Effects of Nurse-Led Multifactorial Care to Prevent Disability in Community-Living Older People: Cluster Randomized Trial. <i>PLoS ONE</i> , <b>2016</b> , 11, e0158714  | 3.7 | 22  |
|----|--|-----|-----|
| 44 | Healthy Ageing Through Internet Counselling in the Elderly: the HATICE randomised controlled trial for the prevention of cardiovascular disease and cognitive impairment. <i>BMJ Open</i> , <b>2016</b> , 6, e010806                                 | 3   | 52  |
| 43 | Impact evaluation of a community-based intervention for prevention of cardiovascular diseases in the slums of Nairobi: the SCALE-UP study. <i>Global Health Action</i> , <b>2016</b> , 9, 30922  | 3   | 18  |
| 42 | O4-05-01: Prevention of Dementia by Intensive Vascular Care (Prediva): A Cluster-Randomized Trial <b>2016</b> , 12, P342-P342  |     |     |
| 41 | P4-392: Healthy Ageing Through Internet Counselling in the Elderly (HATICE): an Ongoing Randomised Controlled Trial <b>2016</b> , 12, P1187-P1188  |     | 2   |
| 40 | Advance care planning in primary care, only for severely ill patients? A structured review. <i>Family Practice</i> , <b>2015</b> , 32, 16-26   | 1.9 | 59  |
| 39 | Cardiovascular prevention model from Kenyan slums to migrants in the Netherlands. <i>Globalization and Health</i> , <b>2015</b> , 11, 11   | 10  | 5   |
| 38 | Apathy in Parkinson's disease: A systematic review and meta-analysis. <i>Movement Disorders</i> , <b>2015</b> , 30, 759-69   | 7   | 191 |
| 37 | Low-grade inflammation differentiates between symptoms of apathy and depression in community-dwelling older individuals. <i>International Psychogeriatrics</i> , <b>2015</b> , 27, 639-47  | 3.4 | 21  |
| 36 | HIV indicator condition-guided testing to reduce the number of undiagnosed patients and prevent late presentation in a high-prevalence area: a case-control study in primary care. <i>Sexually Transmitted Infections</i> , <b>2015</b> , 91, 467-72 | 2.8 | 46  |
| 35 | Dutch family physiciansSawareness of cognitive impairment among the elderly. <i>BMC Geriatrics</i> , <b>2015</b> , 15, 105   | 4.1 | 8   |
| 34 | Community-dwelling patients with dementia and their informal caregivers with and without case management: 2-year outcomes of a pragmatic trial. <i>Journal of the American Medical Directors Association</i> , <b>2015</b> , 16, 800.e1-8            | 5.9 | 14  |
| 33 | Perspectives of older people engaging in nurse-led cardiovascular prevention programmes: a qualitative study in primary care in the Netherlands. <i>British Journal of General Practice</i> , <b>2015</b> , 65, e41-8                                | 1.6 | 18  |
| 32 | Factors associated with recognition and prioritization for falling, and the effect on fall incidence in community dwelling older adults. <i>BMC Geriatrics</i> , <b>2015</b> , 15, 169   | 4.1 | 7   |
| 31 | A simple validated questionnaire predicted functional decline in community-dwelling older persons: prospective cohort studies. <i>Journal of Clinical Epidemiology</i> , <b>2014</b> , 67, 1121-30   | 5.7 | 28  |
| 30 | Culturally adapted hypertension education (CAHE) to improve blood pressure control and treatment adherence in patients of African origin with uncontrolled hypertension: cluster-randomized trial. <i>PLoS ONE</i> , <b>2014</b> , 9, e90103         | 3.7 | 35  |
| 29 | Apathy is an independent risk factor for incident cardiovascular disease in the older individual: a population-based cohort study. <i>International Journal of Geriatric Psychiatry</i> , <b>2014</b> , 29, 454-63                                   | 3.9 | 26  |
| 28 | Preferences regarding disclosure of a diagnosis of dementia: a systematic review. <i>International Psychogeriatrics</i> , <b>2014</b> , 26, 1603-18  | 3.4 | 51  |

## (2009-2014)

| 27 | Self-report of healthcare utilization among community-dwelling older persons: a prospective cohort study. <i>PLoS ONE</i> , <b>2014</b> , 9, e93372  | 3.7               | 21 |  |
|----|--|-------------------|----|--|
| 26 | Women with symptoms of uncomplicated urinary tract infection are often willing to delay antibiotic treatment: a prospective cohort study. <i>BMC Family Practice</i> , <b>2013</b> , 14, 71  | 2.6               | 50 |  |
| 25 | A community-based intervention for primary prevention of cardiovascular diseases in the slums of Nairobi: the SCALE UP study protocol for a prospective quasi-experimental community-based trial. <i>Trials</i> , <b>2013</b> , 14, 409                                | 2.8               | 17 |  |
| 24 | Poststroke apathy. <i>Stroke</i> , <b>2013</b> , 44, 851-60  | 6.7               | 88 |  |
| 23 | Toward a simple diagnostic index for acute uncomplicated urinary tract infections. <i>Annals of Family Medicine</i> , <b>2013</b> , 11, 442-51   | 2.9               | 27 |  |
| 22 | Association of vascular factors with apathy in community-dwelling elderly individuals. <i>Archives of General Psychiatry</i> , <b>2012</b> , 69, 636-42  |                   | 55 |  |
| 21 | Comparative effectiveness of antibiotics for uncomplicated urinary tract infections: network meta-analysis of randomized trials. <i>Family Practice</i> , <b>2012</b> , 29, 659-70   | 1.9               | 17 |  |
| 20 | Case-finding of dementia in general practice and effects of subsequent collaborative care; design of a cluster RCT. <i>BMC Public Health</i> , <b>2012</b> , 12, 609   | 4.1               | 8  |  |
| 19 | Comparing Dutch case management care models for people with dementia and their caregivers: The design of the COMPAS study. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 132   | 2.9               | 21 |  |
| 18 | Comprehensive geriatric assessment, multifactorial interventions and nurse-led care coordination to prevent functional decline in community-dwelling older persons: protocol of a cluster randomized trial. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 85 | 2.9               | 24 |  |
| 17 | Methodological challenges in designing dementia prevention trials - the European Dementia Prevention Initiative (EDPI). <i>Journal of the Neurological Sciences</i> , <b>2012</b> , 322, 64-70   | 3.2               | 68 |  |
| 16 | Vascular risk factors as treatment target to prevent cognitive decline. <i>Journal of Alzheimerps Disease</i> , <b>2012</b> , 32, 733-40   | 4.3               | 19 |  |
| 15 | The accuracy of family physiciansSdementia diagnoses at different stages of dementia: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , <b>2012</b> , 27, 342-54   | 3.9               | 59 |  |
| 14 | Cardiovascular risk management in community-dwelling elderly: opportunities for prevention. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 1365-72   | 3.9               | 12 |  |
| 13 | Symptoms of apathy are associated with progression from mild cognitive impairment to Alzheimer's disease in non-depressed subjects. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2012</b> , 33, 204  | 4 <del>-9</del> 6 | 73 |  |
| 12 | Treatment of cardiovascular risk factors to prevent cognitive decline and dementia: a systematic review. <i>Vascular Health and Risk Management</i> , <b>2010</b> , 6, 775-85  | 4.4               | 69 |  |
| 11 | Methodological issues in a cluster-randomized trial to prevent dementia by intensive vascular care. <i>Journal of Nutrition, Health and Aging</i> , <b>2010</b> , 14, 315-7  | 5.2               | 6  |  |
| 10 | A cluster-randomized controlled trial evaluating the effect of culturally-appropriate hypertension education among Afro-Surinamese and Ghanaian patients in Dutch general practice: study protocol. <i>BMC Health Services Research</i> , <b>2009</b> , 9, 193         | 2.9               | 9  |  |

| 9 | Prevention of dementia by intensive vascular care (PreDIVA): a cluster-randomized trial in progress. <i>Alzheimer Disease and Associated Disorders</i> , <b>2009</b> , 23, 198-204                  | 2.5 | 93 |  |
|---|---|-----|----|--|
| 8 | Wie een huisartsenpost belt, verwacht een huisarts aan de telefoon. <i>Huisarts En Wetenschap</i> , <b>2008</b> , 51, 147-150   | 0.1 | 1  |  |
| 7 | Optimizing the diagnostic work-up of acute uncomplicated urinary tract infections. <i>BMC Family Practice</i> , <b>2008</b> , 9, 64   | 2.6 | 11 |  |
| 6 | Self-referrals to the A&E department during out-of-hours: patientsSmotives and characteristics. <i>Patient Education and Counseling</i> , <b>2008</b> , 70, 256-65                                  | 3.1 | 52 |  |
| 5 | Patients evaluate accessibility and nurse telephone consultations in out-of-hours GP care: determinants of a negative evaluation. <i>Patient Education and Counseling</i> , <b>2007</b> , 65, 131-6 | 3.1 | 32 |  |
| 4 | Out-of-hours demand for GP care and emergency services: patientsSchoices and referrals by general practitioners and ambulance services. <i>BMC Family Practice</i> , <b>2007</b> , 8, 46            | 2.6 | 54 |  |
| 3 | Patient satisfaction with large-scale out-of-hours primary health care in The Netherlands: development of a postal questionnaire. <i>Family Practice</i> , <b>2006</b> , 23, 437-43                 | 1.9 | 34 |  |
| 2 | The first general practitioner hospital in The Netherlands: towards a new form of integrated care?. <i>Scandinavian Journal of Primary Health Care</i> , <b>2004</b> , 22, 38-43                    | 2.7 | 5  |  |
| 1 | SARS-CoV-2 antibody prevalence and determinants of six ethnic groups living in Amsterdam, the Netherlands: a population-based cross-sectional study, June-October 2020                              |     | 3  |  |