

# Audrey Cougnard-Gregoire

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3111003/audrey-cougnard-gregoire-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72  
papers

2,207  
citations

21  
h-index

45  
g-index

83  
ext. papers

2,807  
ext. citations

5.5  
avg, IF

4.18  
L-index

#	Paper	IF	Citations
72	Genetic Risk, Lifestyle, and Age-Related Macular Degeneration in Europe: The EYE-RISK Consortium. <i>Ophthalmology</i> , <b>2021</b> , 128, 1039-1049	7.3	11
71	Development of a Genotype Assay for Age-Related Macular Degeneration: The EYE-RISK Consortium. <i>Ophthalmology</i> , <b>2021</b> , 128, 1604-1617	7.3	19
70	Plasma Lutein, a Nutritional Biomarker for Development of Advanced Age-Related Macular Degeneration: The Alienor Study. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	2
69	Predicting Progression to Advanced Age-Related Macular Degeneration from Clinical, Genetic, and Lifestyle Factors Using Machine Learning. <i>Ophthalmology</i> , <b>2021</b> , 128, 587-597	7.3	8
68	Integrating Metabolomics, Genomics, and Disease Pathways in Age-Related Macular Degeneration: The EYE-RISK Consortium. <i>Ophthalmology</i> , <b>2020</b> , 127, 1693-1709	7.3	11
67	Incidence and Risk Factors of Reticular Pseudodrusen Using Multimodal Imaging. <i>JAMA Ophthalmology</i> , <b>2020</b> , 138, 467-477	3.9	10
66	Response to Comment on Foussard et al. Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> 2019;68:1663-1669. <i>Diabetes</i> , <b>2020</b> , 69, e5-e6	0.9	
65	Trends in the Use of Eye Care Services in Adults Treated for Diabetes between 2008 and 2017 in France: A Nationwide Study. <i>Ophthalmic Research</i> , <b>2020</b> , 63, 452-459	2.9	4
64	Markers of glycation and neonatal hypoglycaemia in gestational diabetes mellitus. <i>Diabetic Medicine</i> , <b>2020</b> , 37, 160-162	3.5	
63	Serum fructosamine predicts macrosomia in well-controlled hyperglycaemic pregnant women: An observational cross-sectional study. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 219-222	5.4	2
62	Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> , <b>2019</b> , 68, 1663-1669	0.9	7
61	CHOROIDAL THICKNESS, VASCULAR FACTORS, AND AGE-RELATED MACULAR DEGENERATION: The ALIENOR Study. <i>Retina</i> , <b>2019</b> , 39, 34-43	3.6	17
60	Metabolomics in serum of patients with non-advanced age-related macular degeneration reveals aberrations in the glutamine pathway. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218457	3.7	8
59	Vision loss and 12-year risk of dementia in older adults: the 3C cohort study. <i>European Journal of Epidemiology</i> , <b>2019</b> , 34, 141-152	12.1	40
58	Increased High-Density Lipoprotein Levels Associated with Age-Related Macular Degeneration: Evidence from the EYE-RISK and European Eye Epidemiology Consortia. <i>Ophthalmology</i> , <b>2019</b> , 126, 393-406	7.3	49
57	Prevalence and Associated Factors of Uncorrected Refractive Error in Older Adults in a Population-Based Study in France. <i>JAMA Ophthalmology</i> , <b>2019</b> , 137, 3-11	3.9	11
56	Mediterranean Diet and Incidence of Advanced Age-Related Macular Degeneration: The EYE-RISK Consortium. <i>Ophthalmology</i> , <b>2019</b> , 126, 381-390	7.3	44

55	Systemic and Ocular Determinants of Peripapillary Retinal Nerve Fiber Layer Thickness Measurements in the European Eye Epidemiology (E3) Population. <i>Ophthalmology</i> , <b>2018</b> , 125, 1526-1536	7.3	41
54	A new perspective on lipid research in age-related macular degeneration. <i>Progress in Retinal and Eye Research</i> , <b>2018</b> , 67, 56-86	20.5	94
53	Unhealthy behaviours and risk of visual impairment: The CONSTANCES population-based cohort. <i>Scientific Reports</i> , <b>2018</b> , 8, 6569	4.9	14
52	Incidence of and Risk Factors Associated With Age-Related Macular Degeneration: Four-Year Follow-up From the ALIENOR Study. <i>JAMA Ophthalmology</i> , <b>2018</b> , 136, 473-481	3.9	42
51	The Decreasing Prevalence of Nonrefractive Visual Impairment in Older Europeans: A Meta-analysis of Published and Unpublished Data. <i>Ophthalmology</i> , <b>2018</b> , 125, 1149-1159	7.3	9
50	Skin autofluorescence predicts major adverse cardiovascular events in patients with type 1 diabetes: a 7-year follow-up study. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 82	8.7	17
49	Metabolomics and Age-Related Macular Degeneration. <i>Metabolites</i> , <b>2018</b> , 9,	5.6	21
48	Screening for retinopathy of prematurity by telemedicine in a tertiary level neonatal intensive care unit in France: Review of a six-year period. <i>Journal Francais DtOphthalmologie</i> , <b>2018</b> , 41, 926-932	0.8	4
47	Autofluorescence of Skin Advanced Glycation End Products as a Risk Factor for Open Angle Glaucoma: The ALIENOR Study <b>2018</b> , 59, 75-84		6
46	Comment on Kelly et al. Subclinical First Trimester Renal Abnormalities Are Associated With Preeclampsia in Normoalbuminuric Women With Type 1 Diabetes. <i>Diabetes Care</i> 2018;41:120-127. <i>Diabetes Care</i> , <b>2018</b> , 41, e101	14.6	1
45	Skin autofluorescence, renal insufficiency and retinopathy in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 619-623	3.2	11
44	French Medical-Administrative Database for Epidemiology and Safety in Ophthalmology (EPISAFE): The EPISAFE Collaboration Program in Cataract Surgery. <i>Ophthalmic Research</i> , <b>2017</b> , 58, 67-73	2.9	17
43	A parental history of diabetes is associated with a high risk of retinopathy in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , <b>2017</b> , 43, 557-559	5.4	2
42	Vitreomacular Adhesion and Its Association With Age-Related Macular Degeneration in a Population-Based Setting: The Alienor Study <b>2017</b> , 58, 2180-2186		10
41	Prevalence of Age-Related Macular Degeneration in Europe: The Past and the Future. <i>Ophthalmology</i> , <b>2017</b> , 124, 1753-1763	7.3	220
40	Meta-analysis of gene-environment-wide association scans accounting for education level identifies additional loci for refractive error. <i>Nature Communications</i> , <b>2016</b> , 7, 11008	17.4	79
39	Olive Oil Consumption and Age-Related Macular Degeneration: The Alienor Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0160240	3.7	22
38	Optic Radiations Microstructural Changes in Glaucoma and Association With Severity: A Study Using 3Tesla-Magnetic Resonance Diffusion Tensor Imaging <b>2016</b> , 57, 6539-6547		14

37	Multimodal Imaging of Reticular Pseudodrusen in a Population-Based Setting: The Alienor Study <b>2016</b> , 57, 3058-65		31
36	Associations of Biomechanical Properties of the Cornea With Environmental and Metabolic Factors in an Elderly Population: The ALIENOR Study <b>2016</b> , 57, 2003-11		20
35	Associations with intraocular pressure across Europe: The European Eye Epidemiology (E) Consortium. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 1101-1111	12.1	16
34	Autofluorescence of Skin Advanced Glycation End Products: Marker of Metabolic Memory in Elderly Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 841-6	6.4	29
33	Increasing Prevalence of Myopia in Europe and the Impact of Education. <i>Ophthalmology</i> , <b>2015</b> , 122, 1489-97	9.7	220
32	Vitamin D Deficiency in Community-Dwelling Elderly Is Not Associated with Age-Related Macular Degeneration. <i>Journal of Nutrition</i> , <b>2015</b> , 145, 1865-72	4.1	16
31	Prevalence of refractive error in Europe: the European Eye Epidemiology (E(3)) Consortium. <i>European Journal of Epidemiology</i> , <b>2015</b> , 30, 305-15	12.1	193
30	Association of advanced glycation end products and chronic kidney disease with macroangiopathy in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2015</b> , 29, 270-4	3.2	19
29	Elevated high-density lipoprotein cholesterol and age-related macular degeneration: the Alienor study. <i>PLoS ONE</i> , <b>2014</b> , 9, e90973	3.7	67
28	Lifetime exposure to ambient ultraviolet radiation and the risk for cataract extraction and age-related macular degeneration: the Alienor Study <b>2014</b> , 55, 7619-27		55
27	Long-term blood pressure and age-related macular degeneration: the ALIENOR study <b>2013</b> , 54, 1905-12		33
26	Influence of the drug exposure definition on the assessment of the antipsychotic metabolic impact in patients initially treated with mood-stabilizers. <i>British Journal of Clinical Pharmacology</i> , <b>2012</b> , 74, 189-96	3.8	7
25	Impact of duration of antidepressant treatment on the risk of occurrence of a new sequence of antidepressant treatment. <i>Pharmacopsychiatry</i> , <b>2011</b> , 44, 96-101	2	18
24	Antipsychotic use patterns in persons initially treated with mood stabilizers: a naturalistic study. <i>Pharmacopsychiatry</i> , <b>2010</b> , 43, 17-23	2	5
23	Self-perceived cognitive deficits and occupational outcome in persons with schizophrenia. <i>Psychiatry Research</i> , <b>2010</b> , 178, 437-9	9.9	14
22	Impact of antidepressants on the risk of suicide in patients with depression in real-life conditions: a decision analysis model. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1307-15	6.9	18
21	The prognostic impact of psychotropic drugs in intentional drug overdose. <i>Pharmacopsychiatry</i> , <b>2009</b> , 42, 51-6	2	10
20	Factors associated with choice of psychotropic drugs used for intentional drug overdose. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2009</b> , 259, 86-91	5.1	19

19	Characteristics associated with duration of employment of persons with schizophrenia after first contact with psychiatric services. <i>Work</i> , <b>2009</b> , 34, 365-71	1.6	6
18	Congruence between diagnosis of recurrent major depressive disorder and psychotropic treatment in the general population. <i>Acta Psychiatrica Scandinavica</i> , <b>2008</b> , 117, 20-7	6.5	14
17	Gender differences in metabolic monitoring of second-generation antipsychotic prescription. <i>Human Psychopharmacology</i> , <b>2008</b> , 23, 471-4	2.3	3
16	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness-persistence model. <i>Psychological Medicine</i> , <b>2007</b> , 37, 513-27	6.9	185
15	Accuracy of information on substance use recorded in medical charts of patients with intentional drug overdose. <i>Psychiatry Research</i> , <b>2007</b> , 152, 73-9	9.9	8
14	A survey of general practitioners' knowledge of symptoms and epidemiology of schizophrenia. <i>European Psychiatry</i> , <b>2006</b> , 21, 238-44	6	9
13	Metabolic abnormalities associated with second generation antipsychotics: fact or fiction? Development of guidelines for screening and monitoring. <i>International Clinical Psychopharmacology</i> , <b>2006</b> , 21 Suppl 2, S11-5	2.2	76
12	Pattern of health service utilization and predictors of readmission after a first admission for psychosis: a 2-year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , <b>2006</b> , 113, 340-9	6.5	19
11	Psychotic disorders among homeless subjects attending a psychiatric emergency service. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2006</b> , 41, 904-10	4.5	17
10	Psychiatric disorders and their comorbidity in subjects with parasuicide by intentional drug overdose: prevalence and gender differences. <i>Psychiatry Research</i> , <b>2005</b> , 136, 93-100	9.9	9
9	A decision analysis model to assess the feasibility of the early detection of psychosis in the general population. <i>Schizophrenia Research</i> , <b>2005</b> , 74, 27-36	3.6	11
8	Impact of substance use on the onset and course of early psychosis. <i>Schizophrenia Research</i> , <b>2005</b> , 79, 69-75	3.6	39
7	Impact of visits from pharmaceutical company representatives on antipsychotic prescription in primary care. <i>Schizophrenia Research</i> , <b>2005</b> , 77, 107-9	3.6	5
6	Prognostic impact of psychoactive substances use during hospitalization for intentional drug overdose. <i>Acta Psychiatrica Scandinavica</i> , <b>2005</b> , 112, 134-40	6.5	5
5	How do general practitioners manage subjects with early schizophrenia and collaborate with mental health professionals? A postal survey in South-Western France. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 892-8	4.5	17
4	Pathways to care of first-admitted subjects with psychosis in South-Western France. <i>Psychological Medicine</i> , <b>2004</b> , 34, 267-76	6.9	43
3	Factors influencing compulsory admission in first-admitted subjects with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2004</b> , 39, 804-9	4.5	33
2	Accuracy of self-report and toxicological assays to detect substance misuse disorders in parasuicide patients. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 108, 410-8	6.5	8

- 1 A decade of debate on early intervention in psychosis: a systematic review of screening criteria. *Schizophrenia Research*, **2003**, 60, 91-3 3.6 4