

Yanju Liu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3111581/yanju-liu-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

2,011
citations

22
h-index

44
g-index

59
ext. papers

2,669
ext. citations

7.8
avg, IF

5.5
L-index

#	Paper	IF	Citations
59	Nanoencapsulation, Nano-guard for Pesticides: A New Window for Safe Application. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 1447-83	5.7	420
58	Hidden values in bauxite residue (red mud): recovery of metals. <i>Waste Management</i> , 2014 , 34, 2662-73	8.6	225
57	Influences of feedstock sources and pyrolysis temperature on the properties of biochar and functionality as adsorbents: A meta-analysis. <i>Science of the Total Environment</i> , 2020 , 744, 140714	10.2	147
56	Red mud as an amendment for pollutants in solid and liquid phases. <i>Geoderma</i> , 2011 , 163, 1-12	6.7	138
55	Emerging contaminants in the environment: Risk-based analysis for better management. <i>Chemosphere</i> , 2016 , 154, 350-357	8.4	133
54	Uncertainties in human health risk assessment of environmental contaminants: A review and perspective. <i>Environment International</i> , 2015 , 85, 120-32	12.9	77
53	Critical review of magnetic biosorbents: Their preparation, application, and regeneration for wastewater treatment. <i>Science of the Total Environment</i> , 2020 , 702, 134893	10.2	69
52	Structural evolution of chitosan-palygorskite composites and removal of aqueous lead by composite beads. <i>Applied Surface Science</i> , 2015 , 353, 363-375	6.7	61
51	Effects of ageing and soil properties on the oral bioavailability of benzo[a]pyrene using a swine model. <i>Environment International</i> , 2014 , 70, 192-202	12.9	57
50	Structural, electrokinetic and surface properties of activated palygorskite for environmental application. <i>Applied Clay Science</i> , 2016 , 134, 95-102	5.2	44
49	Thermal stability of biochar and its effects on cadmium sorption capacity. <i>Bioresource Technology</i> , 2017 , 246, 48-56	11	44
48	Competitive sorption of cadmium and zinc in contrasting soils. <i>Geoderma</i> , 2016 , 268, 60-68	6.7	40
47	Measurement of soil lead bioavailability and influence of soil types and properties: A review. <i>Chemosphere</i> , 2017 , 184, 27-42	8.4	39
46	Differences in the response of soil dehydrogenase activity to Cd contamination are determined by the different substrates used for its determination. <i>Chemosphere</i> , 2017 , 169, 324-332	8.4	36
45	Effect of ageing on benzo[a]pyrene extractability in contrasting soils. <i>Journal of Hazardous Materials</i> , 2015 , 296, 175-184	12.8	32
44	Co-pyrolysis of sewage sludge and rice husk/ bamboo sawdust for biochar with high aromaticity and low metal mobility. <i>Environmental Research</i> , 2020 , 191, 110034	7.9	32
43	Lead concentration in the blood of the general population living near a lead-zinc mine site, Nigeria: Exposure pathways. <i>Science of the Total Environment</i> , 2016 , 542, 908-14	10.2	31

42	Surface electrochemical properties of red mud (bauxite residue): zeta potential and surface charge density. <i>Journal of Colloid and Interface Science</i> , 2013 , 394, 451-7	9.3	31
41	Using 2003-2014 U.S. NHANES data to determine the associations between per- and polyfluoroalkyl substances and cholesterol: Trend and implications. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 173, 461-468	7	30
40	Issues raised by the reference doses for perfluorooctane sulfonate and perfluorooctanoic acid. <i>Environment International</i> , 2017 , 105, 86-94	12.9	28
39	Adsorption of Perfluorooctane sulfonate (PFOS) onto metal oxides modified biochar. <i>Environmental Technology and Innovation</i> , 2020 , 19, 100816	7	24
38	Sustainability and environmental ethics for the application of engineered nanoparticles. <i>Environmental Science and Policy</i> , 2020 , 103, 85-98	6.2	24
37	Soil properties influence kinetics of soil acid phosphatase in response to arsenic toxicity. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 147, 266-274	7	21
36	Assessing the interactions between micropollutants and nanoparticles in engineered and natural aquatic environments. <i>Critical Reviews in Environmental Science and Technology</i> , 2020 , 50, 135-215	11.1	17
35	Comparison of oral bioavailability of benzo[a]pyrene in soils using rat and swine and the implications for human health risk assessment. <i>Environment International</i> , 2016 , 94, 95-102	12.9	16
34	Hollow Porous Silica Nanosphere with Single Large Pore Opening for Pesticide Loading and Delivery. <i>ACS Applied Nano Materials</i> , 2020 , 3, 105-113	5.6	15
33	Using publicly available data, a physiologically-based pharmacokinetic model and Bayesian simulation to improve arsenic non-cancer dose-response. <i>Environment International</i> , 2016 , 92-93, 239-46	12.9	14
32	The source of lead determines the relationship between soil properties and lead bioaccessibility. <i>Environmental Pollution</i> , 2019 , 246, 53-59	9.3	14
31	A meta-analysis to correlate lead bioavailability and bioaccessibility and predict lead bioavailability. <i>Environment International</i> , 2016 , 92-93, 139-45	12.9	13
30	Quantifying statistical relationships between commonly used in vitro models for estimating lead bioaccessibility. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 6873-82	5.1	12
29	Metagenomics analysis identifies nitrogen metabolic pathway in bioremediation of diesel contaminated soil. <i>Chemosphere</i> , 2021 , 271, 129566	8.4	11
28	Land application of sewage sludge biochar: Assessments of soil-plant-human health risks from potentially toxic metals. <i>Science of the Total Environment</i> , 2021 , 756, 144137	10.2	10
27	Comparison of ashing and pyrolysis treatment on cadmium/zinc hyperaccumulator plant: Effects on bioavailability and metal speciation in solid residues and risk assessment. <i>Environmental Pollution</i> , 2021 , 272, 116039	9.3	9
26	Nanobiopesticides: Composition and preparation methods 2019 , 69-131		8
25	Core-Shell Interface-Oriented Synthesis of Bowl-Structured Hollow Silica Nanospheres Using Self-Assembled ABC Triblock Copolymeric Micelles. <i>Langmuir</i> , 2018 , 34, 13584-13596	4	8

24	Investigating the relationship between lead speciation and bioaccessibility of mining impacted soils and dusts. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 17056-17067	5.1	7
23	Effects of thermal treatments on the characterisation and utilisation of red mud with sawdust additive. <i>Waste Management and Research</i> , 2016 , 34, 518-26	4	7
22	Bioavailability and risk estimation of heavy metal(loid)s in chromated copper arsenate treated timber after remediation for utilisation as garden materials. <i>Chemosphere</i> , 2019 , 216, 757-765	8.4	7
21	A Pooled Data Analysis to Determine the Relationship between Selected Metals and Arsenic Bioavailability in Soil. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
20	Comparison of in vitro models in a mice model and investigation of the changes in Pb speciation during Pb bioavailability assessments. <i>Journal of Hazardous Materials</i> , 2020 , 388, 121744	12.8	6
19	Facile one pot preparation of magnetic chitosan-palygorskite nanocomposite for efficient removal of lead from water. <i>Journal of Colloid and Interface Science</i> , 2022 , 608, 575-587	9.3	6
18	Magnetically separable mesoporous alginate polymer beads assist adequate removal of aqueous methylene blue over broad solution pH. <i>Journal of Cleaner Production</i> , 2021 , 319, 128694	10.3	6
17	Using Q to evaluate the reasonable As(V) adsorption on soils with different pH. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 160, 308-315	7	5
16	Single and Binary Adsorption Behaviour and Mechanisms of Cd ²⁺ , Cu ²⁺ and Ni ²⁺ onto Modified Biochar in Aqueous Solutions. <i>Processes</i> , 2021 , 9, 1829	2.9	4
15	Predicting the combined toxicity of binary metal mixtures (Cu-Ni and Zn-Ni) to wheat. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 205, 111334	7	4
14	Immobilization of Cd and Pb in a contaminated acidic soil amended with hydroxyapatite, bentonite, and biochar. <i>Journal of Soils and Sediments</i> , 2021 , 21, 2262-2272	3.4	4
13	Spatial-Temporal Changes and Driving Force Analysis of Green Space in Coastal Cities of Southeast China over the Past 20 Years. <i>Land</i> , 2021 , 10, 537	3.5	4
12	Mesoporous Biopolymer Architecture Enhanced the Adsorption and Selectivity of Aqueous Heavy-Metal Ions. <i>ACS Omega</i> , 2021 , 6, 15316-15331	3.9	4
11	The effects of soil properties and co-contaminants on sorption of perfluorooctane sulfonate (PFOS) in contrasting soils. <i>Environmental Technology and Innovation</i> , 2020 , 19, 100965	7	3
10	Total oxidisable precursor assay towards selective detection of PFAS in AFFF. <i>Journal of Cleaner Production</i> , 2021 , 328, 129568	10.3	2
9	Bacterial community profile of the crude oil-contaminated saline soil in the Yellow River Delta Natural Reserve, China. <i>Chemosphere</i> , 2021 , 289, 133207	8.4	2
8	Novel Bacillus cereus strain from electrokinetically remediated saline soil towards the remediation of crude oil. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 26351-26360	5.1	1
7	Magnetic responsive mesoporous alginate/β-cyclodextrin polymer beads enhance selectivity and adsorption of heavy metal ions.. <i>International Journal of Biological Macromolecules</i> , 2022 ,	7.9	1

6	Capability of Organically Modified Montmorillonite Nanoclay as a Carrier for Imidacloprid Delivery. <i>ACS Agricultural Science and Technology</i> , 2022 , 2, 57-68		1
5	Effects of Phosphate, Red Mud, and Biochar on As, Cd, and Cu Immobilization and Enzymatic Activity in a Co-Contaminated Soil. <i>Processes</i> , 2022 , 10, 1127	2.9	1
4	Relationship between Soil Fungi and Seedling Density in the Vicinity of Adult Conspecifics in an Arid Desert Forest. <i>Forests</i> , 2021 , 12, 92	2.8	0
3	Using quantitative ion character-activity relationship (QICAR) method in evaluation of metal toxicity toward wheat. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 221, 112443	7	0
2	Magnetic biochar for removal of perfluorooctane sulphonate (PFOS): Interfacial interaction and adsorption mechanism. <i>Environmental Technology and Innovation</i> , 2022 , 28, 102593	7	0
1	Effects of Modified Biochar on the Mobility and Speciation Distribution of Cadmium in Contaminated Soil. <i>Processes</i> , 2022 , 10, 818	2.9	