Filipe Dantas Torres

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3112002/filipe-dantas-torres-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

318	10,299	51	85
papers	citations	h-index	g-index
336	11,993	3.4	6.91
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
318	Ticks on reptiles and amphibians in Central Amazonia, with notes on rickettsial infections <i>Experimental and Applied Acarology</i> , 2022 , 86, 129-144	2.1	1
317	Performance assessment of a new indirect rapid diagnostic test for plague detection in humans and other mammalian hosts <i>Acta Tropica</i> , 2022 , 231, 106427	3.2	1
316	Exploring IL-17 gene promoter polymorphisms in canine leishmaniasis <i>Acta Tropica</i> , 2022 , 106452	3.2	
315	Genetic and geographical delineation of zoonotic vector-borne helminths of canids <i>Scientific Reports</i> , 2022 , 12, 6699	4.9	O
314	Occurrence and bacterial loads of Bartonella and haemotropic Mycoplasma species in privately owned cats and dogs and their fleas from East and Southeast Asia <i>Zoonoses and Public Health</i> , 2022 ,	2.9	2
313	Ornithodoros cf. mimon infected with a spotted fever group Rickettsia in Brazil. <i>Acta Tropica</i> , 2022 , 233, 106541	3.2	O
312	Effects of Migonemyia migonei salivary gland homogenates on Leishmania (Viannia) braziliensis infection in BALB/c mice <i>Acta Tropica</i> , 2021 , 227, 106271	3.2	
311	Tick infestation on birds in an urban Atlantic Forest fragment in north-eastern Brazil. <i>Experimental and Applied Acarology</i> , 2021 , 85, 305-318	2.1	O
310	Illegal Wildlife Trade: A Gateway to Zoonotic Infectious Diseases. <i>Trends in Parasitology</i> , 2021 , 37, 181-1	84 4	34
309	Didelphis spp. opossums and their parasites in the Americas: A One Health perspective. <i>Parasitology Research</i> , 2021 , 120, 4091-4111	2.4	9
308	Seasonal dynamics of Amblyomma sculptum in two areas of the Cerrado biome midwestern Brazil, where human cases of rickettsiosis have been reported. <i>Experimental and Applied Acarology</i> , 2021 , 84, 215-225	2.1	3
307	Genetic variability of Ehrlichia canis TRP36 in ticks, dogs, and red foxes from Eurasia. <i>Veterinary Microbiology</i> , 2021 , 255, 109037	3.3	2
306	Legal versus Illegal Wildlife Trade: Zoonotic Disease Risks. <i>Trends in Parasitology</i> , 2021 , 37, 360-361	6.4	8
305	Seasonal dynamics and rickettsial infection in free-living Amblyomma dubitatum in the Atlantic forest biome in north-eastern Brazil. <i>Acta Tropica</i> , 2021 , 217, 105854	3.2	O
304	Molecular epidemiology and prevalence of babesial infections in dogs in two hyperendemic foci in Brazil. <i>Parasitology Research</i> , 2021 , 120, 2681-2687	2.4	O
303	Bilateral Anomaly in a Male of Evandromyia lenti (Diptera: Psychodidae) in Pernambuco, Brazil. Journal of the American Mosquito Control Association, 2021 , 37, 98-100	0.9	0
302	Serological evidence of Ehrlichia minasensis infection in Brazilian dogs. <i>Acta Tropica</i> , 2021 , 219, 105931	3.2	1

301	Thelazia callipaeda. <i>Trends in Parasitology</i> , 2021 , 37, 263-264	6.4	12
300	Comparison of serological and molecular tests to investigate Leishmania spp. infections in stray dogs from an area of intense visceral leishmaniasis transmission in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021 , 30, e006621	1.3	
299	Beyond taxonomy: species complexes in New World phlebotomine sand flies. <i>Medical and Veterinary Entomology</i> , 2021 , 35, 267-283	2.4	3
298	Canine and feline vector-borne diseases of zoonotic concern in Southeast Asia. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021 , 1, 100001		5
297	Role of reptiles and associated arthropods in the epidemiology of rickettsioses: A one health paradigm. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009090	4.8	14
296	World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) guidelines for studies evaluating the efficacy of parasiticides in reducing the risk of vector-borne pathogen transmission in dogs and cats. <i>Veterinary Parasitology</i> , 2021 , 290, 109369	2.8	3
295	Genetic structure of allopatric populations of Lutzomyia longipalpis sensu lato in Brazil. <i>Acta Tropica</i> , 2021 , 222, 106031	3.2	2
294	Who is Lutzomyia longipalpis (Lutz & Neiva, 1912)?. Acta Tropica, 2021 , 224, 106151	3.2	
293	Vector-borne pathogens in dogs of different regions of Iran and Pakistan. <i>Parasitology Research</i> , 2021 , 120, 4219-4228	2.4	8
292	Overview on Dirofilaria immitis in the Americas, with notes on other filarial worms infecting dogs. <i>Veterinary Parasitology</i> , 2020 , 282, 109113	2.8	23
291	Lutzomyia evandroi in a New Area of Occurrence of Leishmaniasis. <i>Acta Parasitologica</i> , 2020 , 65, 716-72	2 2 1.7	0
290	Spatial analysis and epidemiological profile of visceral leishmaniasis, northeastern Brazil: A cross-sectional study. <i>Acta Tropica</i> , 2020 , 208, 105520	3.2	4
289	Lutzomyia longipalpis (Sand Fly). Trends in Parasitology, 2020, 36, 796-797	6.4	2
288	TroCCAP recommendations for the diagnosis, prevention and treatment of parasitic infections in dogs and cats in the tropics. <i>Veterinary Parasitology</i> , 2020 , 283, 109167	2.8	15
287	On the validity of "Candidatus Dirofilaria hongkongensis" and on the use of the provisional status Candidatus in zoological nomenclature. <i>Parasites and Vectors</i> , 2020 , 13, 287	4	3
286	Comparison of Diagnostic Tools for the Detection of Infection in Dogs. <i>Pathogens</i> , 2020 , 9,	4.5	13
285	Beauveria bassiana (Hypocreales: Cordycipitaceae) Reduces the Survival Time of Lutzomyia longipalpis (Diptera: Psychodidae), the Main Vector of the Visceral Leishmaniasis Agent in the Americas. <i>Journal of Medical Entomology</i> , 2020 , 57, 2025-2029	2.2	0
284	Experimental infections and co-infections with Leishmania braziliensis and Leishmania infantum in two sand fly species, Lutzomyia migonei and Lutzomyia longipalpis. <i>Scientific Reports</i> , 2020 , 10, 3566	4.9	8

283	Phlebotomine sand flies and Leishmania species in a focus of cutaneous leishmaniasis in Algeria. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008024	4.8	6
282	Ticks and associated pathogens in camels (Camelus dromedarius) from Riyadh Province, Saudi Arabia. <i>Parasites and Vectors</i> , 2020 , 13, 110	4	25
281	Toxocara prevalence in dogs and cats in Brazil. Advances in Parasitology, 2020, 109, 715-741	3.2	3
2 80	Vaccination against canine leishmaniasis in Brazil. International Journal for Parasitology, 2020 , 50, 171-1	7 .6 .3	11
279	Prevalence and incidence of vector-borne pathogens in unprotected dogs in two Brazilian regions. Parasites and Vectors, 2020 , 13, 195	4	11
278	Fast multiplex real-time PCR assay for simultaneous detection of dog and human blood and Leishmania parasites in sand flies. <i>Parasites and Vectors</i> , 2020 , 13, 131	4	9
277	Detection of Leishmania DNA in Sand Flies (Diptera: Psychodidae) From a Cutaneous Leishmaniasis Outbreak Area in Northeastern Brazil. <i>Journal of Medical Entomology</i> , 2020 , 57, 529-533	2.2	1
276	Leishmania infantum in Tigers and Sand Flies from a Leishmaniasis-Endemic Area, Southern Italy. <i>Emerging Infectious Diseases</i> , 2020 , 26, 1311-1314	10.2	6
275	Ixodid and Argasid Ticks 2020 ,		О
274	Asymptomatic Leishmania infection in blood donors from a major blood bank in Northeastern Brazil: a cross-sectional study. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2020 , 62, e92	2.2	1
273	Parasites and vector-borne diseases disseminated by rehomed dogs. <i>Parasites and Vectors</i> , 2020 , 13, 546	4	11
272	Ecology of Antricola ticks in a bat cave in north-eastern Brazil. <i>Experimental and Applied Acarology</i> , 2020 , 82, 255-264	2.1	1
271	Evaluation of different storage times and preservation methods on phlebotomine sand fly DNA concentration and purity. <i>Parasites and Vectors</i> , 2020 , 13, 399	4	1
270	Molecular detection of pathogens in ticks and fleas collected from companion dogs and cats in East and Southeast Asia. <i>Parasites and Vectors</i> , 2020 , 13, 420	4	19
269	Vector-borne pathogens in dogs from Guatemala, Central America. <i>Veterinary Parasitology:</i> Regional Studies and Reports, 2020 , 22, 100468	1.2	1
268	A molecular survey of vector-borne pathogens and haemoplasmas in owned cats across Italy. <i>Parasites and Vectors</i> , 2020 , 13, 116	4	14
267	Letter to the editor regarding the paper "Tick infestation of the eyelid". <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2020 , 54, e20200398	1.5	
266	Ticks (Ixodida: Argasidae, Ixodidae) of Brazil: Updated species checklist and taxonomic keys. <i>Ticks and Tick-borne Diseases</i> , 2019 , 10, 101252	3.6	36

(2018-2019)

265	High prevalence of vector-borne pathogens in domestic and wild carnivores in Iraq. <i>Acta Tropica</i> , 2019 , 197, 105058	3.2	17
264	Detection of Rickettsia spp. in Rhipicephalus sanguineus (sensu lato) collected from free-roaming dogs in Coahuila state, northern Mexico. <i>Parasites and Vectors</i> , 2019 , 12, 130	4	10
263	Home sweet home: sand flies find a refuge in remote indigenous villages in north-eastern Brazil, where leishmaniasis is endemic. <i>Parasites and Vectors</i> , 2019 , 12, 118	4	8
262	Effectiveness of a 10% imidacloprid/4.5% flumethrin polymer matrix collar in reducing the risk of Bartonella spp. infection in privately owned cats. <i>Parasites and Vectors</i> , 2019 , 12, 69	4	5
261	Paternal leakage and mtDNA heteroplasmy in Rhipicephalus spp. ticks. <i>Scientific Reports</i> , 2019 , 9, 1460	4.9	14
260	Performance of recombinant chimeric proteins in the serological diagnosis of Trypanosoma cruzi infection in dogs. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007545	4.8	10
259	Phenology of Amblyomma sculptum in a degraded area of Atlantic rainforest in north-eastern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2019 , 10, 101263	3.6	4
258	A nationwide survey of Leishmania infantum infection in cats and associated risk factors in Italy. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007594	4.8	28
257	Failure of the dog culling strategy in controlling human visceral leishmaniasis in Brazil: A screening coverage issue?. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007553	4.8	9
256	Tick infestation on caimans: a casual tick-host association in the Atlantic rainforest biome?. <i>Experimental and Applied Acarology</i> , 2019 , 79, 411-420	2.1	7
255	Canine Leishmaniasis Control in the Context of One Health. <i>Emerging Infectious Diseases</i> , 2019 , 25, 1-4	10.2	28
254	Culling Dogs for Zoonotic Visceral Leishmaniasis Control: The Wind of Change. <i>Trends in Parasitology</i> , 2019 , 35, 97-101	6.4	35
253	Ticks and associated pathogens from dogs in northern Vietnam. Parasitology Research, 2019, 118, 139-1	4 24	10
252	Borrelia burgdorferi (sensu lato) in ectoparasites and reptiles in southern Italy. <i>Parasites and Vectors</i> , 2019 , 12, 35	4	25
251			
	Detection of Leishmania infantum DNA in phlebotomine sand flies from an area where canine leishmaniosis is endemic in southern Italy. <i>Veterinary Parasitology</i> , 2018 , 253, 39-42	2.8	18
250	·		11
	leishmaniosis is endemic in southern Italy. <i>Veterinary Parasitology</i> , 2018 , 253, 39-42 Level of agreement between two commercially available rapid serological tests and the official		

247	Biological compatibility between two temperate lineages of brown dog ticks, Rhipicephalus sanguineus (sensu lato). <i>Parasites and Vectors</i> , 2018 , 11, 398	4	19
246	Morphological and phylogenetic analyses of Lutzomyia migonei from three Brazilian states. <i>Acta Tropica</i> , 2018 , 187, 144-150	3.2	4
245	Rhipicephalus sanguineus (Latreille, 1806): Neotype designation, morphological re-description of all parasitic stages and molecular characterization. <i>Ticks and Tick-borne Diseases</i> , 2018 , 9, 1573-1585	3.6	65
244	Ehrlichia spp. infection in rural dogs from remote indigenous villages in north-eastern Brazil. <i>Parasites and Vectors</i> , 2018 , 11, 139	4	10
243	Canine visceral leishmaniasis: Diagnosis and management of the reservoir living among us. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006082	4.8	66
242	Competence of from the United States as an Intermediate Host of the Eyeworm. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 98, 1175-1178	3.2	6
241	New records of ticks infesting bats in Brazil, with observations on the first nymphal stage of Ornithodoros hasei. <i>Experimental and Applied Acarology</i> , 2018 , 76, 537-549	2.1	12
240	Species Concepts: What about Ticks?. <i>Trends in Parasitology</i> , 2018 , 34, 1017-1026	6.4	32
239	Transcriptome of larvae representing the Rhipicephalus sanguineus complex. <i>Molecular and Cellular Probes</i> , 2017 , 31, 85-90	3.3	7
238	Feline and canine leishmaniosis and other vector-borne diseases in the Aeolian Islands: Pathogen and vector circulation in a confined environment. <i>Veterinary Parasitology</i> , 2017 , 236, 144-151	2.8	72
237	Zoonotic Parasites of Sheltered and Stray Dogs in the Era of the Global Economic and Political Crisis. <i>Trends in Parasitology</i> , 2017 , 33, 813-825	6.4	86
236	Exposure to vector-borne pathogens in privately owned dogs living in different socioeconomic settings in Brazil. <i>Veterinary Parasitology</i> , 2017 , 243, 18-23	2.8	19
235	Genetic characterization of Rhipicephalus sanguineus (sensu lato) ticks from dogs in Portugal. <i>Parasites and Vectors</i> , 2017 , 10, 133	4	25
234	Rhipicephalus turanicus, a new vector of Hepatozoon canis. <i>Parasitology</i> , 2017 , 144, 730-737	2.7	30
233	Sand fly population dynamics and cutaneous leishmaniasis among soldiers in an Atlantic forest remnant in northeastern Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005406	4.8	8
232	Prevention of feline leishmaniosis with an imidacloprid 10%/flumethrin 4.5% polymer matrix collar. <i>Parasites and Vectors</i> , 2017 , 10, 334	4	27
231	Season-long control of flea and tick infestations in a population of cats in the Aeolian archipelago using a collar containing 10% imidacloprid and 4.5% flumethrin. <i>Veterinary Parasitology</i> , 2017 , 248, 80-8	3 ^{.8}	13
230	A new PCR assay for the detection and differentiation of Babesia canis and Babesia vogeli. <i>Ticks and Tick-borne Diseases</i> , 2017 , 8, 862-865	3.6	9

(2016-2017)

229	Canine Edefensin-1 (CBD1) gene as a possible marker for Leishmania infantum infection in dogs. <i>Parasites and Vectors</i> , 2017 , 10, 199	4	5
228	Ticks and associated pathogens in dogs from Greece. Parasites and Vectors, 2017, 10, 301	4	24
227	Anaplasmosis 2017 , 215-222		1
226	Babesiosis 2017 , 347-354		2
225	Theileriosis 2017 , 355-361		
224	Hepatozoonosis 2017 , 363-368		
223	Dirofilariosis 2017 , 445-455		
222	Thelaziosis 2017 , 457-464		
221	Diseases Caused by Acari (Ticks and Mites) 2017 , 537-548		1
220	Ixodes ventalloi: morphological and molecular support for species integrity. <i>Parasitology Research</i> , 2017 , 116, 251-258	2.4	9
219		2.4	9
	2017, 116, 251-258 Efficacy against nematode infections and safety of afoxolaner plus milbemycin oxime chewable		
219	2017, 116, 251-258 Efficacy against nematode infections and safety of afoxolaner plus milbemycin oxime chewable tablets in domestic dogs under field conditions in Europe. <i>Parasitology Research</i> , 2017, 116, 259-269 Leishmania-FAST15: A rapid, sensitive and low-cost real-time PCR assay for the detection of Leishmania infantum and Leishmania braziliensis kinetoplast DNA in canine blood samples.	2.4	14
219	Efficacy against nematode infections and safety of afoxolaner plus milbemycin oxime chewable tablets in domestic dogs under field conditions in Europe. <i>Parasitology Research</i> , 2017 , 116, 259-269 Leishmania-FAST15: A rapid, sensitive and low-cost real-time PCR assay for the detection of Leishmania infantum and Leishmania braziliensis kinetoplast DNA in canine blood samples. <i>Molecular and Cellular Probes</i> , 2017 , 31, 65-69	2.4	14 25
219 218 217	Efficacy against nematode infections and safety of afoxolaner plus milbemycin oxime chewable tablets in domestic dogs under field conditions in Europe. <i>Parasitology Research</i> , 2017 , 116, 259-269 Leishmania-FAST15: A rapid, sensitive and low-cost real-time PCR assay for the detection of Leishmania infantum and Leishmania braziliensis kinetoplast DNA in canine blood samples. <i>Molecular and Cellular Probes</i> , 2017 , 31, 65-69 Ixodes ricinus (Linnaeus, 1758) (Figs. 6789) 2017 , 189-195	2.4	14 25 1
219 218 217 216	Efficacy against nematode infections and safety of afoxolaner plus milbemycin oxime chewable tablets in domestic dogs under field conditions in Europe. <i>Parasitology Research</i> , 2017 , 116, 259-269 Leishmania-FAST15: A rapid, sensitive and low-cost real-time PCR assay for the detection of Leishmania infantum and Leishmania braziliensis kinetoplast DNA in canine blood samples. <i>Molecular and Cellular Probes</i> , 2017 , 31, 65-69 Ixodes ricinus (Linnaeus, 1758) (Figs. 6789) 2017 , 189-195 Haemaphysalis inermis Birula, 1895 (Figs. 8587) 2017 , 231-235	2.4	14 25 1
219 218 217 216 215	Efficacy against nematode infections and safety of afoxolaner plus milbemycin oxime chewable tablets in domestic dogs under field conditions in Europe. <i>Parasitology Research</i> , 2017 , 116, 259-269 Leishmania-FAST15: A rapid, sensitive and low-cost real-time PCR assay for the detection of Leishmania infantum and Leishmania braziliensis kinetoplast DNA in canine blood samples. <i>Molecular and Cellular Probes</i> , 2017 , 31, 65-69 Ixodes ricinus (Linnaeus, 1758) (Figs. 6789) 2017 , 189-195 Haemaphysalis inermis Birula, 1895 (Figs. 8587) 2017 , 231-235 Rhipicephalus sanguineus s.l. (Latreille, 1806) (Figs. 127129) 2017 , 323-327	2.4	14 25 1 1 3

211	Angiostrongylus chabaudi in felids: New findings and a review of the literature. <i>Veterinary Parasitology</i> , 2016 , 228, 188-192	2.8	21
210	Filarioids infecting dogs in northeastern Brazil. Veterinary Parasitology, 2016 , 226, 26-9	2.8	20
209	Exon-intron structure and sequence variation of the calreticulin gene among Rhipicephalus sanguineus group ticks. <i>Parasites and Vectors</i> , 2016 , 9, 640	4	4
208	Development of Crenosoma vulpis in the common garden snail Cornu aspersum: implications for epidemiological studies. <i>Parasites and Vectors</i> , 2016 , 9, 208	4	23
207	The southernmost foci of Dermacentor reticulatus in Italy and associated Babesia canis infection in dogs. <i>Parasites and Vectors</i> , 2016 , 9, 213	4	24
206	First report of Thelazia callipaeda infection in wild European rabbits (Oryctolagus cuniculus) in Portugal. <i>Parasites and Vectors</i> , 2016 , 9, 236	4	20
205	Zoonotic ocular onchocercosis caused by Onchocerca lupi in dogs in Romania. <i>Parasitology Research</i> , 2016 , 115, 859-62	2.4	16
204	Gastropod-Borne Helminths: A Look at the Snail-Parasite Interplay. <i>Trends in Parasitology</i> , 2016 , 32, 255	-8.64	26
203	Meloidogyne eggs in human stool in Northeastern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2016 , 49, 802	1.5	1
202	Increase in Eyeworm Infections in Eastern Europe. <i>Emerging Infectious Diseases</i> , 2016 , 22, 1513-5	10.2	33
201	VISCERAL LEISHMANIASIS IN PETROLINA, STATE OF PERNAMBUCO, BRAZIL, 2007-2013. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2016 , 58, 29	2.2	7
200	Field Evaluation of Two Different Treatment Approaches and Their Ability to Control Fleas and Prevent Canine Leishmaniosis in a Highly Endemic Area. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e00	04987	34
199	Vertical transmission of Anaplasma platys and Leishmania infantum in dogs during the first half of gestation. <i>Parasites and Vectors</i> , 2016 , 9, 269	4	18
198	Paramyosin of canine Onchocerca lupi: usefulness for the diagnosis of a neglected zoonotic disease. <i>Parasites and Vectors</i> , 2016 , 9, 493	4	4
197	Efficacy of moxidectin 2.5% and imidacloprid 10% in the treatment of ocular thelaziosis by Thelazia callipaeda in naturally infected dogs. <i>Veterinary Parasitology</i> , 2016 , 227, 118-21	2.8	15
196	Further thoughts on the taxonomy and vector role of Rhipicephalus sanguineus group ticks. <i>Veterinary Parasitology,</i> 2015 , 208, 9-13	2.8	79
195	Occurrence of Ixodiphagus hookeri (Hymenoptera: Encyrtidae) in Ixodes ricinus (Acari: Ixodidae) in southern Italy. <i>Ticks and Tick-borne Diseases</i> , 2015 , 6, 234-6	3.6	15
194	Release of lungworm larvae from snails in the environment: potential for alternative transmission pathways. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003722	4.8	42

(2015-2015)

193	Ecology of sand flies in a low-density residential rural area, with mixed forest/agricultural exploitation, in north-eastern Brazil. <i>Acta Tropica</i> , 2015 , 146, 89-94	3.2	11
192	Native strains of Beauveria bassiana for the control of Rhipicephalus sanguineus sensu lato. <i>Parasites and Vectors</i> , 2015 , 8, 80	4	16
191	Clinical case presentation and a review of the literature of canine onchocercosis by Onchocerca lupi in the United States. <i>Parasites and Vectors</i> , 2015 , 8, 89	4	34
190	The role of wild canids and felids in spreading parasites to dogs and cats in Europe. Part I: Protozoa and tick-borne agents. <i>Veterinary Parasitology</i> , 2015 , 213, 12-23	2.8	72
189	The role of wild canids and felids in spreading parasites to dogs and cats in Europe. Part II: Helminths and arthropods. <i>Veterinary Parasitology</i> , 2015 , 213, 24-37	2.8	114
188	Rapid Tests and the Diagnosis of Visceral Leishmaniasis and Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome Coinfection. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015 , 93, 967-9	3.2	25
187	Crenosoma vulpis in wild and domestic carnivores from Italy: a morphological and molecular study. <i>Parasitology Research</i> , 2015 , 114, 3611-7	2.4	27
186	Canine Infections with Onchocerca lupi Nematodes, United States, 2011-2014. <i>Emerging Infectious Diseases</i> , 2015 , 21, 868-71	10.2	26
185	Potential role of ATP-binding cassette transporters against acaricides in the brown dog tick Rhipicephalus sanguineus sensu lato. <i>Medical and Veterinary Entomology</i> , 2015 , 29, 88-93	2.4	15
184	First report of a naturally patent infection of Angiostrongylus costaricensis in a dog. <i>Veterinary Parasitology</i> , 2015 , 212, 431-4	2.8	18
183	Climate change, biodiversity, ticks and tick-borne diseases: The butterfly effect. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2015 , 4, 452-61	2.6	134
182	Simultaneous infection by four feline lungworm species and implications for the diagnosis. <i>Parasitology Research</i> , 2015 , 114, 317-21	2.4	22
181	Vector-Borne Parasitic Zoonotic Infections in Humans 2015 , 505-516		1
180	Feline lungworms unlock a novel mode of parasite transmission. <i>Scientific Reports</i> , 2015 , 5, 13105	4.9	31
179	Review of P arasitology: a conceptual approach(by Eric S. Loker and Bruce V. Hofkin. <i>Parasites and Vectors</i> , 2015 , 8,	4	78
178	Identification of phlebotomine sand fly blood meals by real-time PCR. <i>Parasites and Vectors</i> , 2015 , 8, 230	4	33
177	Transmission of the eyeworm Thelazia callipaeda: between fantasy and reality. <i>Parasites and Vectors</i> , 2015 , 8, 273	4	21
176	Toward the formation of a Companion Animal Parasite Council for the Tropics (CAPCT). <i>Parasites and Vectors</i> , 2015 , 8, 271	4	13

175	The past, present, and future of Leishmania genomics and transcriptomics. <i>Trends in Parasitology</i> , 2015 , 31, 100-8	6.4	65
174	Vector-Borne Zoonoses 2015 , 683-695		1
173	Image diagnosis of zoonotic onchocercosis by Onchocerca lupi. Veterinary Parasitology, 2014 , 203, 91-5	2.8	22
172	Cercopithifilaria spp. in dogs in Sardinia Island (Italy). <i>Parasitology Research</i> , 2014 , 113, 675-9	2.4	11
171	The enigma of the dog mummy from ancient Egypt and the origin of 'Rhipicephalus sanguineus'. <i>Parasites and Vectors</i> , 2014 , 7, 2	4	16
170	A preliminary investigation of serological tools for the detection of Onchocerca lupi infection in dogs. <i>Parasitology Research</i> , 2014 , 113, 1989-91	2.4	14
169	A look into the Medical and Veterinary Entomology crystal ball. <i>Medical and Veterinary Entomology</i> , 2014 , 28 Suppl 1, 6-13	2.4	3
168	Detection of Anaplasma platys in dogs and Rhipicephalus sanguineus group ticks by a quantitative real-time PCR. <i>Veterinary Parasitology</i> , 2014 , 205, 285-8	2.8	33
167	Chronic polyarthritis associated to Cercopithifilaria bainae infection in a dog. <i>Veterinary Parasitology</i> , 2014 , 205, 401-4	2.8	20
166	Efficacy of a slow-release imidacloprid (10%)/flumethrin (4.5%) collar for the prevention of canine leishmaniosis. <i>Parasites and Vectors</i> , 2014 , 7, 327	4	50
165	Ticks infesting humans in Italy and associated pathogens. <i>Parasites and Vectors</i> , 2014 , 7, 328	4	97
164	The spread of zoonotic Thelazia callipaeda in the Balkan area. Parasites and Vectors, 2014, 7, 352	4	51
163	Spirocerca lupi infection in a dog from southern Italy: an "old fashioned" disease?. <i>Parasitology Research</i> , 2014 , 113, 2391-4	2.4	18
162	Diversity of Cercopithifilaria species in dogs from Portugal. <i>Parasites and Vectors</i> , 2014 , 7, 261	4	14
161	Seasonal dynamics of Rhipicephalus rossicus attacking domestic dogs from the steppic region of southeastern Romania. <i>Parasites and Vectors</i> , 2014 , 7, 97	4	9
160	Molecular detection of tick-borne pathogens in Rhipicephalus sanguineus group ticks. <i>Ticks and Tick-borne Diseases</i> , 2014 , 5, 943-6	3.6	73
159	Failure of imidocarb dipropionate and toltrazuril/emodepside plus clindamycin in treating Hepatozoon canis infection. <i>Veterinary Parasitology</i> , 2014 , 200, 242-5	2.8	13
158	Occurrence of Hepatozoon canis and Cercopithifilaria bainae in an off-host population of Rhipicephalus sanguineus sensu lato ticks. <i>Ticks and Tick-borne Diseases</i> , 2014 , 5, 311-4	3.6	14

157	When is an "asymptomatic" dog asymptomatic?. Veterinary Parasitology, 2014, 202, 341-2	2.8	4
156	Resolution of canine ocular thelaziosis in avermectin-sensitive Border Collies from Spain. <i>Veterinary Parasitology</i> , 2014 , 200, 203-6	2.8	8
155	Lungworms of the genus Troglostrongylus (Strongylida: Crenosomatidae): neglected parasites for domestic cats. <i>Veterinary Parasitology</i> , 2014 , 202, 104-12	2.8	76
154	Effect of night time-intervals, height of traps and lunar phases on sand fly collection in a highly endemic area for canine leishmaniasis. <i>Acta Tropica</i> , 2014 , 133, 73-7	3.2	31
153	Anaplasma platys in bone marrow megakaryocytes of young dogs. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 2231-4	9.7	13
152	Pathological and histological findings associated with the feline lungworm Troglostrongylus brevior. <i>Veterinary Parasitology</i> , 2014 , 204, 416-9	2.8	25
151	Evaluation of blood and bone marrow in selected canine vector-borne diseases. <i>Parasites and Vectors</i> , 2014 , 7, 534	4	19
150	Development of the feline lungworms Aelurostrongylus abstrusus and Troglostrongylus brevior in Helix aspersa snails. <i>Parasitology</i> , 2014 , 141, 563-9	2.7	44
149	Molecular detection of Leishmania in phlebotomine sand flies in a cutaneous and visceral leishmaniasis endemic area in northeastern Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2014 , 56, 357-60	2.2	8
148	New records and human parasitism by Ornithodoros mimon (Acari: Argasidae) in Brazil. <i>Journal of Medical Entomology</i> , 2014 , 51, 283-7	2.2	30
147	Dogs, cats, parasites, and humans in Brazil: opening the black box. <i>Parasites and Vectors</i> , 2014 , 7, 22	4	103
146	Morphological keys for the identification of Italian phlebotomine sand flies (Diptera: Psychodidae: Phlebotominae). <i>Parasites and Vectors</i> , 2014 , 7, 479	4	24
145	Development of Acanthocheilonema reconditum (Spirurida, Onchocercidae) in the cat flea Ctenocephalides felis (Siphonaptera, Pulicidae). <i>Parasitology</i> , 2014 , 141, 1718-25	2.7	18
144	Ecology of phlebotomine sand flies and Leishmania infantum infection in a rural area of southern Italy. <i>Acta Tropica</i> , 2014 , 137, 67-73	3.2	27
143	Further thoughts on "Asymptomatic dogs are highly competent to transmit Leishmania (Leishmania) infantum chagasi to the natural vector". <i>Veterinary Parasitology</i> , 2014 , 204, 443-4	2.8	5
142	Simultaneous detection of the feline lungworms Troglostrongylus brevior and Aelurostrongylus abstrusus by a newly developed duplex-PCR. <i>Veterinary Parasitology</i> , 2014 , 199, 172-8	2.8	42
141	Incidence of Cercopithifilaria bainae in dogs and probability of co-infection with other tick-borne pathogens. <i>PLoS ONE</i> , 2014 , 9, e88198	3.7	11
140	Redescription of Cercopithifilaria bainae Almeida & Vicente, 1984 (Spirurida, Onchocercidae) from a dog in Sardinia, Italy. <i>Parasites and Vectors</i> , 2013 , 6, 132	4	31

139	Paediatric visceral leishmaniasis in Italy: a 'One Health' approach is needed. <i>Parasites and Vectors</i> , 2013 , 6, 123	4	3
138	Are vector-borne pathogen co-infections complicating the clinical presentation in dogs?. <i>Parasites and Vectors</i> , 2013 , 6, 97	4	57
137	Tick vectors of Cercopithifilaria bainae in dogs: Rhipicephalus sanguineus sensu lato versus Ixodes ricinus. <i>Parasitology Research</i> , 2013 , 112, 3013-7	2.4	20
136	Effect of egg clustering on the fitness of Rhipicephalus sanguineus larvae. <i>Parasitology Research</i> , 2013 , 112, 1795-7	2.4	4
135	Morphological and genetic diversity of Rhipicephalus sanguineus sensu lato from the New and Old Worlds. <i>Parasites and Vectors</i> , 2013 , 6, 213	4	192
134	Transstadial transmission of Hepatozoon canis from larvae to nymphs of Rhipicephalus sanguineus. <i>Veterinary Parasitology</i> , 2013 , 196, 1-5	2.8	35
133	Detection and quantification of Leishmania braziliensis in ectoparasites from dogs. <i>Veterinary Parasitology</i> , 2013 , 196, 506-8	2.8	4
132	The prevention of canine leishmaniasis and its impact on public health. <i>Trends in Parasitology</i> , 2013 , 29, 339-45	6.4	122
131	Comments on potential efficacy of monthly administrations of spot-on moxidectin 2.5%/imidacloprid 10% in the simultaneous prevention of major canine filarioses. <i>Parasitology Research</i> , 2013 , 112, 3979-80	2.4	2
130	Dirofilariosis in the Americas: a more virulent Dirofilaria immitis?. Parasites and Vectors, 2013, 6, 288	4	65
129	Efficacy of an imidacloprid/flumethrin collar against fleas, ticks and tick-borne pathogens in dogs. <i>Parasites and Vectors</i> , 2013 , 6, 245	4	41
128	Efficiency of flagging and dragging for tick collection. Experimental and Applied Acarology, 2013, 61, 11	9-27	31
127	Redescription of Onchocerca lupi (Spirurida: Onchocercidae) with histopathological observations. <i>Parasites and Vectors</i> , 2013 , 6, 309	4	28
126	Seasonal dynamics of Ixodes ricinus on ground level and higher vegetation in a preserved wooded area in southern Europe. <i>Veterinary Parasitology</i> , 2013 , 192, 253-8	2.8	34
125	Corrigendum to Ticks and tick-borne diseases: a One Health perspective \(\textit{Trends in Parasitology}\), 2013 , 29, 516	6.4	2
124	Survival of first-stage larvae of the cat lungworm Troglostrongylus brevior (Strongylida: Crenosomatidae) under different conditions. <i>Experimental Parasitology</i> , 2013 , 135, 570-2	2.1	13
123	Experimental evidence against transmission of Hepatozoon canis by Ixodes ricinus. <i>Ticks and Tick-borne Diseases</i> , 2013 , 4, 391-4	3.6	35
122	Cercopithifilaria rugosicauda (Spirurida, Onchocercidae) in a roe deer and ticks from southern Italy. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2013 , 2, 292-6	2.6	О

(2012-2013)

121	Comparative analyses of mitochondrial and nuclear genetic markers for the molecular identification of Rhipicephalus spp. <i>Infection, Genetics and Evolution</i> , 2013 , 20, 422-7	4.5	27
120	Control of visceral leishmaniasis in Brazil: recommendations from Brasileish. <i>Parasites and Vectors</i> , 2013 , 6, 8	4	15
119	Ecology of Lutzomyia longipalpis in an area of visceral leishmaniasis transmission in north-eastern Brazil. <i>Acta Tropica</i> , 2013 , 126, 99-102	3.2	36
118	Systematics and ecology of the brown dog tick, Rhipicephalus sanguineus. <i>Ticks and Tick-borne Diseases</i> , 2013 , 4, 171-80	3.6	126
117	Quantitative real time PCR assays for the detection of Leishmania (Viannia) braziliensis in animals and humans. <i>Molecular and Cellular Probes</i> , 2013 , 27, 122-8	3.3	24
116	Vector-borne helminths of dogs and humans in Europe. Parasites and Vectors, 2013, 6, 16	4	192
115	Species diversity and abundance of ticks in three habitats in southern Italy. <i>Ticks and Tick-borne Diseases</i> , 2013 , 4, 251-5	3.6	38
114	Treatment of Dirofilaria repens microfilariaemia with a combination of doxycycline hyclate and ivermectin. <i>Veterinary Parasitology</i> , 2013 , 197, 702-4	2.8	15
113	Detection of Leishmania infantum in animals and their ectoparasites by conventional PCR and real time PCR. <i>Experimental and Applied Acarology</i> , 2013 , 59, 473-81	2.1	14
112	Troglostrongylus brevior and a nonexistent 'dilemma'. <i>Trends in Parasitology</i> , 2013 , 29, 517-8	6.4	37
111	Small mammals as hosts of Leishmania spp. in a highly endemic area for zoonotic leishmaniasis in North-Eastern Brazil. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2013 , 107, 592-	7 ²	30
110	Zoonotic Onchocerca lupi infection in dogs, Greece and Portugal, 2011-2012. <i>Emerging Infectious Diseases</i> , 2013 , 19, 2000-3	10.2	48
109	Cutaneous distribution and circadian rhythm of Onchocerca lupi microfilariae in dogs. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2585	4.8	31
108	Species diversity of dermal microfilariae of the genus Cercopithifilaria infesting dogs in the Mediterranean region. <i>Parasitology</i> , 2013 , 140, 99-108	2.7	28
107	Evidence for direct transmission of the cat lungworm Troglostrongylus brevior (Strongylida: Crenosomatidae). <i>Parasitology</i> , 2013 , 140, 821-4	2.7	59
106	Prevention of canine leishmaniosis in a hyper-endemic area using a combination of 10% imidacloprid/4.5% flumethrin. <i>PLoS ONE</i> , 2013 , 8, e56374	3.7	46
105	Immature argasid ticks: diagnosis and keys for Neotropical region. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 443-56	1.3	29
104	Rhipicephalus sanguineus (Ixodida, Ixodidae) as intermediate host of a canine neglected filarial species with dermal microfilariae. <i>Veterinary Parasitology</i> , 2012 , 183, 330-7	2.8	50

103	Towards a rapid molecular identification of the common phlebotomine sand flies in the Mediterranean region. <i>Veterinary Parasitology</i> , 2012 , 184, 267-70	2.8	21
102	Starvation and overwinter do not affect the reproductive fitness of Rhipicephalus sanguineus. <i>Veterinary Parasitology</i> , 2012 , 185, 260-4	2.8	11
101	Hepatozoon canis infection in ticks during spring and summer in Italy. <i>Parasitology Research</i> , 2012 , 110, 695-8	2.4	22
100	Canine leishmaniosis in the Old and New Worlds: unveiled similarities and differences. <i>Trends in Parasitology</i> , 2012 , 28, 531-8	6.4	119
99	Ticks and tick-borne diseases: a One Health perspective. <i>Trends in Parasitology</i> , 2012 , 28, 437-46	6.4	601
98	Autochthonous and migratory birds as a dispersion source for Ixodes ricinus in southern Italy. <i>Experimental and Applied Acarology</i> , 2012 , 58, 167-74	2.1	17
97	A duplex real-time polymerase chain reaction assay for the detection of and differentiation between Dirofilaria immitis and Dirofilaria repens in dogs and mosquitoes. <i>Veterinary Parasitology</i> , 2012 , 185, 181-5	2.8	28
96	Cutaneous distribution and localization of Cercopithifilaria sp. microfilariae in dogs. <i>Veterinary Parasitology</i> , 2012 , 190, 143-50	2.8	27
95	Exposure of small mammals to ticks and rickettsiae in Atlantic Forest patches in the metropolitan area of Recife, North-eastern Brazil. <i>Parasitology</i> , 2012 , 139, 83-91	2.7	29
94	Apparent tick paralysis by Rhipicephalus sanguineus (Acari: Ixodidae) in dogs. <i>Veterinary Parasitology</i> , 2012 , 188, 325-9	2.8	18
93	A multiplex PCR for the simultaneous detection of species of filarioids infesting dogs. <i>Acta Tropica</i> , 2012 , 122, 150-4	3.2	46
92	An assessment of genetic variability in the mitochondrial cytochrome c oxidase subunit 1 gene of Cercopithifilaria sp. (Spirurida, Onchocercidae) from dog and Rhipicephalus sanguineus populations. <i>Molecular and Cellular Probes</i> , 2012 , 26, 81-9	3.3	13
91	Troglostrongylus brevior and Troglostrongylus subcrenatus (Strongylida: Crenosomatidae) as agents of broncho-pulmonary infestation in domestic cats. <i>Parasites and Vectors</i> , 2012 , 5, 178	4	88
90	Vector-borne diseasesconstant challenge for practicing veterinarians: recommendations from the CVBD World Forum. <i>Parasites and Vectors</i> , 2012 , 5, 55	4	45
89	Molecular xenomonitoring of Dirofilaria immitis and Dirofilaria repens in mosquitoes from north-eastern Italy by real-time PCR coupled with melting curve analysis. <i>Parasites and Vectors</i> , 2012 , 5, 76	4	47
88	Human ocular filariasis: further evidence on the zoonotic role of Onchocerca lupi. <i>Parasites and Vectors</i> , 2012 , 5, 84	4	57
87	Therapeutic efficacy of milbemycin oxime/praziquantel oral formulation (Milbemax[]) against Thelazia callipaeda in naturally infested dogs and cats. <i>Parasites and Vectors</i> , 2012 , 5, 85	4	30
86	First laboratory culture of Phortica variegata (Diptera, Steganinae), a vector of Thelazia callipaeda. Journal of Vector Ecology, 2012 , 37, 458-61	1.5	4

(2011-2012)

85	Description of a new species of bat-associated argasid tick (Acari: Argasidae) from Brazil. <i>Journal of Parasitology</i> , 2012 , 98, 36-45	0.9	43
84	Tracking the vector of Onchocerca lupi in a rural area of Greece. <i>Emerging Infectious Diseases</i> , 2012 , 18, 1196-200	10.2	18
83	Clinical and hematological findings in Leishmania braziliensis-infected dogs from Pernambuco, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 418-20	1.3	11
82	On a Cercopithifilaria sp. transmitted by Rhipicephalus sanguineus: a neglected, but widespread filarioid of dogs. <i>Parasites and Vectors</i> , 2012 , 5, 1	4	174
81	New insights into the ecology and biology of Acanthocheilonema reconditum (Grassi, 1889) causing canine subcutaneous filariosis. <i>Parasitology</i> , 2012 , 139, 530-6	2.7	36
80	Ecological implications on the aggregation of Amblyomma fuscum (Acari: Ixodidae) on Thrichomys laurentius (Rodentia: Echimyidae), in northeastern Brazil. <i>Experimental and Applied Acarology</i> , 2012 , 57, 83-90	2.1	8
79	Underwater survival of Rhipicephalus sanguineus (Acari: Ixodidae). <i>Experimental and Applied Acarology</i> , 2012 , 57, 171-8	2.1	8
78	Cutaneous leishmaniasis in northeastern Brazil: a critical appraisal of studies conducted in State of Pernambuco. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2012 , 45, 425-9	1.5	29
77	Multilocus molecular and phylogenetic analysis of phlebotomine sand flies (Diptera: Psychodidae) from southern Italy. <i>Acta Tropica</i> , 2011 , 119, 91-8	3.2	20
76	First record of Aquanirmus major Cicchino & Gonzlez Acua (Phthiraptera: Philopteridae) on the Great Grebe, Podiceps major Boddaert (Aves: Podicipedidae) in Brazil. <i>Neotropical Entomology</i> , 2011 , 40, 148-9	1.2	1
75	Dogs as reservoirs for Leishmania braziliensis. <i>Emerging Infectious Diseases</i> , 2011 , 17, 326-7; author reply 327	10.2	10
74	Ticks as vectors of Leishmania parasites. <i>Trends in Parasitology</i> , 2011 , 27, 155-9	6.4	34
73	Evolution of clinical, haematological and biochemical findings in young dogs naturally infected by vector-borne pathogens. <i>Veterinary Microbiology</i> , 2011 , 149, 206-12	3.3	44
72	Morphological and molecular data on the dermal microfilariae of a species of Cercopithifilaria from a dog in Sicily. <i>Veterinary Parasitology</i> , 2011 , 182, 221-9	2.8	57
71	Vector-borne parasitic zoonoses: emerging scenarios and new perspectives. <i>Veterinary Parasitology</i> , 2011 , 182, 14-21	2.8	152
70	Diagnosis of Hepatozoon canis in young dogs by cytology and PCR. <i>Parasites and Vectors</i> , 2011 , 4, 55	4	71
69	Quantification of Leishmania infantum DNA in females, eggs and larvae of Rhipicephalus sanguineus. <i>Parasites and Vectors</i> , 2011 , 4, 56	4	32
68	Ticks infesting the endangered Italian hare (Lepus corsicanus) and their habitat in an ecological park in southern Italy. <i>Experimental and Applied Acarology</i> , 2011 , 53, 95-102	2.1	15

67	Rhipicephalus sanguineus on dogs: relationships between attachment sites and tick developmental stages. <i>Experimental and Applied Acarology</i> , 2011 , 53, 389-97	2.1	18
66	Cold-stress response of engorged females of Rhipicephalus sanguineus. <i>Experimental and Applied Acarology</i> , 2011 , 54, 313-8	2.1	10
65	Ixodid ticks of road-killed wildlife species in southern Italy: new tick-host associations and locality records. <i>Experimental and Applied Acarology</i> , 2011 , 55, 293-300	2.1	32
64	Effects of aggregation on the reproductive biology of Rhipicephalus sanguineus females. <i>Experimental and Applied Acarology</i> , 2011 , 55, 417-23	2.1	1
63	New insights into the morphology, molecular characterization and identification of Baylisascaris transfuga (Ascaridida, Ascarididae). <i>Veterinary Parasitology</i> , 2011 , 175, 97-102	2.8	42
62	Human intraocular filariasis caused by Dirofilaria sp. nematode, Brazil. <i>Emerging Infectious Diseases</i> , 2011 , 17, 863-6	10.2	48
61	Human intraocular filariasis caused by Pelecitus sp. nematode, Brazil. <i>Emerging Infectious Diseases</i> , 2011 , 17, 867-9	10.2	17
60	Human ocular infection with Dirofilaria repens (Railliet and Henry, 1911) in an area endemic for canine dirofilariasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 84, 1002-4	3.2	32
59	Seasonal variation in the effect of climate on the biology of Rhipicephalus sanguineus in southern Europe. <i>Parasitology</i> , 2011 , 138, 527-36	2.7	31
58	Case report: First evidence of human zoonotic infection by Onchocerca lupi (Spirurida, Onchocercidae). <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 84, 55-8	3.2	87
57	The mitochondrial genome of the common cattle grub, Hypoderma lineatum. <i>Medical and Veterinary Entomology</i> , 2010 , 24, 329-35	2.4	25
56	Risk for the introduction of exotic ticks and pathogens into Italy through the illegal importation of tortoises, Testudo graeca. <i>Medical and Veterinary Entomology</i> , 2010 , 24, 336-9	2.4	20
55	Seasonal dynamics of the brown dog tick, Rhipicephalus sanguineus, on a confined dog population in Italy. <i>Medical and Veterinary Entomology</i> , 2010 , 24, 309-15	2.4	58
54	Phlebotomine sand flies (Diptera: Psychodidae) of the state of Minas Gerais, Brazil. <i>Neotropical Entomology</i> , 2010 , 39, 115-23	1.2	11
53	Phlebotomine sand flies (Diptera: Psychodidae: Phlebotominae) in the State of Pernambuco. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2010 , 43, 733-6	1.5	16
52	Diagnosis of canine vector-borne diseases in young dogs: a longitudinal study. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 3316-24	9.7	80
51	Ticks infesting wildlife species in northeastern Brazil with new host and locality records. <i>Journal of Medical Entomology</i> , 2010 , 47, 1243-6	2.2	22
50	Canine and feline vector-borne diseases in Italy: current situation and perspectives. <i>Parasites and Vectors</i> , 2010 , 3, 2	4	121

(2009-2010)

49	Biology and ecology of the brown dog tick, Rhipicephalus sanguineus. <i>Parasites and Vectors</i> , 2010 , 3, 26	4	306
48	Occurrence and genetic variability of Phlebotomus papatasi in an urban area of southern Italy. <i>Parasites and Vectors</i> , 2010 , 3, 77	4	11
47	Experimental and field investigations on the role of birds as hosts of Leishmania infantum, with emphasis on the domestic chicken. <i>Acta Tropica</i> , 2010 , 113, 80-3	3.2	14
46	Phlebotomine sand fly population dynamics in a leishmaniasis endemic peri-urban area in southern Italy. <i>Acta Tropica</i> , 2010 , 116, 227-34	3.2	51
45	Detection of Leishmania infantum in Rhipicephalus sanguineus ticks from Brazil and Italy. <i>Parasitology Research</i> , 2010 , 106, 857-60	2.4	46
44	Ticks on captive and free-living wild animals in northeastern Brazil. <i>Experimental and Applied Acarology</i> , 2010 , 50, 181-9	2.1	32
43	Clinical and laboratory monitoring of dogs naturally infected by Leishmania infantum. <i>Veterinary Journal</i> , 2010 , 186, 370-3	2.5	23
42	Transovarial passage of Leishmania infantum kDNA in artificially infected Rhipicephalus sanguineus. <i>Experimental Parasitology</i> , 2010 , 125, 184-5	2.1	22
41	Fleas and ticks as vectors of Leishmania spp. to dogs: caution is needed. <i>Veterinary Parasitology</i> , 2010 , 168, 173-4	2.8	14
40	Efficacy of an in-feed formulation containing ivermectin for the control of intestinal strongyles in captive zebras (Equus burchelli (Gray, 1824)). <i>Veterinary Parasitology</i> , 2010 , 169, 133-7	2.8	4
39	Cutaneous and visceral leishmaniasis in dogs from a rural community in northeastern Brazil. <i>Veterinary Parasitology</i> , 2010 , 170, 313-7	2.8	33
38	Effects of prolonged exposure to low temperature on eggs of the brown dog tick, Rhipicephalus sanguineus (Latreille, 1806) (Acari: Ixodidae). <i>Veterinary Parasitology</i> , 2010 , 171, 327-30	2.8	13
37	Prevention of endemic canine vector-borne diseases using imidacloprid 10% and permethrin 50% in young dogs: a longitudinal field study. <i>Veterinary Parasitology</i> , 2010 , 172, 323-32	2.8	77
36	Analysis of a mitochondrial noncoding region for the identification of the most diffused Hypoderma species (Diptera, Oestridae). <i>Veterinary Parasitology</i> , 2010 , 173, 317-23	2.8	4
35	Ectoparasite infestation on rural dogs in the municipality of SB Vicente Ffrer, Pernambuco, Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2009 , 18, 75-7	1.3	30
34	The ticks (Acari: Ixodida: Argasidae, Ixodidae) of Brazil. Systematic and Applied Acarology, 2009 , 14, 30	0.8	63
33	Managing canine vector-borne diseases of zoonotic concern: part one. <i>Trends in Parasitology</i> , 2009 , 25, 157-63	6.4	185
32	Managing canine vector-borne diseases of zoonotic concern: part two. <i>Trends in Parasitology</i> , 2009 , 25, 228-35	6.4	108

31	Ocular dirofilariosis by Dirofilaria immitis in a dog: first case report from Europe. <i>Journal of Small Animal Practice</i> , 2009 , 50, 667-9	1.6	15
30	Thelazia callipaeda (Spirurida, Thelaziidae) in wild animals: report of new host species and ecological implications. <i>Veterinary Parasitology</i> , 2009 , 166, 262-7	2.8	78
29	Mites (Mesostigmata: Spinturnicidae and Spelaeorhynchidae) associated with bats in northeast Brazil. <i>Journal of Medical Entomology</i> , 2009 , 46, 712-5	2.2	8
28	Canine leishmaniosis in South America. <i>Parasites and Vectors</i> , 2009 , 2 Suppl 1, S1	4	87
27	Host Records for the Immature Stages of the South American Tick, Amblyomma fuscum (Acari: Ixodidae). <i>Entomological News</i> , 2009 , 120, 370-374	0.4	9
26	New records of Ixodes paranaensis (Acari: Ixodidae) from Minas Gerais, southeastern Brazil. <i>Systematic and Applied Acarology</i> , 2009 , 14, 213	0.8	8
25	Ticks on domestic animals in Pernambuco, Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2009 , 18, 22-8	1.3	17
24	Fighting neglected tropical diseases in the postgenomic era. <i>Trends in Parasitology</i> , 2008 , 24, 156-7; author reply 157-8	6.4	3
23	Causative agents of canine babesiosis in Brazil. <i>Preventive Veterinary Medicine</i> , 2008 , 83, 210-1; author reply 212-3	3.1	6
22	Canine vector-borne diseases in Brazil. <i>Parasites and Vectors</i> , 2008 , 1, 25	4	98
22	Canine vector-borne diseases in Brazil. <i>Parasites and Vectors</i> , 2008 , 1, 25 Bats and their role in human rabies epidemiology in the Americas. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2008 , 14,	2.2	98
	Bats and their role in human rabies epidemiology in the Americas. <i>Journal of Venomous Animals and</i>		
21	Bats and their role in human rabies epidemiology in the Americas. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2008 , 14, Ticks infesting amphibians and reptiles in Pernambuco, Northeastern Brazil. <i>Brazilian Journal of</i>	2.2	6
21	Bats and their role in human rabies epidemiology in the Americas. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2008 , 14, Ticks infesting amphibians and reptiles in Pernambuco, Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2008 , 17, 218-21 The brown dog tick, Rhipicephalus sanguineus (Latreille, 1806) (Acari: Ixodidae): from taxonomy to	2.2	6
21 20 19	Bats and their role in human rabies epidemiology in the Americas. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2008 , 14, Ticks infesting amphibians and reptiles in Pernambuco, Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2008 , 17, 218-21 The brown dog tick, Rhipicephalus sanguineus (Latreille, 1806) (Acari: Ixodidae): from taxonomy to control. <i>Veterinary Parasitology</i> , 2008 , 152, 173-85 Towards the standardization of the abbreviations of genus names of ticks (Acari: Parasitiformes:	2.2 1.3 2.8	6 29 331
21 20 19	Bats and their role in human rabies epidemiology in the Americas. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2008 , 14, Ticks infesting amphibians and reptiles in Pernambuco, Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2008 , 17, 218-21 The brown dog tick, Rhipicephalus sanguineus (Latreille, 1806) (Acari: Ixodidae): from taxonomy to control. <i>Veterinary Parasitology</i> , 2008 , 152, 173-85 Towards the standardization of the abbreviations of genus names of ticks (Acari: Parasitiformes: Ixodida). <i>Veterinary Parasitology</i> , 2008 , 154, 94-7 Occurrence of antibodies to Neospora caninum and Toxoplasma gondii in dogs from Pernambuco,	2.2 1.3 2.8	6 29 331 11
21 20 19 18	Bats and their role in human rabies epidemiology in the Americas. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2008 , 14, Ticks infesting amphibians and reptiles in Pernambuco, Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2008 , 17, 218-21 The brown dog tick, Rhipicephalus sanguineus (Latreille, 1806) (Acari: Ixodidae): from taxonomy to control. <i>Veterinary Parasitology</i> , 2008 , 152, 173-85 Towards the standardization of the abbreviations of genus names of ticks (Acari: Parasitiformes: Ixodida). <i>Veterinary Parasitology</i> , 2008 , 154, 94-7 Occurrence of antibodies to Neospora caninum and Toxoplasma gondii in dogs from Pernambuco, Northeast Brazil. <i>Veterinary Parasitology</i> , 2008 , 157, 9-13 Heterodoxus spiniger (Enderlein, 1909) em c\(\text{B}\)s dom\(\text{B}\)ticos (Canis familiaris, L. 1758) da cidade de Recife, Estado de Pernambuco, Brasil. <i>Brazilian Journal of Veterinary Research and Animal Science</i> ,	2.2 1.3 2.8 2.8	6 29 331 11 15

LIST OF PUBLICATIONS

13	Rocky Mountain spotted fever. Lancet Infectious Diseases, The, 2007, 7, 724-32	25.5	193
12	Rhipicephalus sanguineus (Acari: Ixodidae), the brown dog tick, parasitizing humans in Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2006 , 39, 64-7	1.5	113
11	Presence of Leishmania amastigotes in peritoneal fluid of a dog with leishmaniasis from Alagoas, Northeast Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2006 , 48, 219-21	2.2	6
10	Visceral leishmaniasis in Brazil: revisiting paradigms of epidemiology and control. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2006 , 48, 151-6	2.2	109
9	Do any insects other than phlebotomine sandflies (Diptera: Psychodidae) transmit Leishmania infantum (Kinetoplastida: Trypanosomatidae) from dog to dog?. <i>Veterinary Parasitology</i> , 2006 , 136, 379	9-308	16
8	Seroepidemiological survey on canine leishmaniasis among dogs from an urban area of Brazil. <i>Veterinary Parasitology</i> , 2006 , 140, 54-60	2.8	75
7	Leishmune vaccine: the newest tool for prevention and control of canine visceral leishmaniosis and its potential as a transmission-blocking vaccine. <i>Veterinary Parasitology</i> , 2006 , 141, 1-8	2.8	54
6	Canine babesiosis: a Brazilian perspective. <i>Veterinary Parasitology</i> , 2006 , 141, 197-203	2.8	43
5	Leishmania infantum versus Leishmania chagasi: do not forget the law of priority. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006 , 101, 117-8; discussion 118	2.6	27
4	Final comments on an interesting taxonomic dilemma: Leishmania infantum versus Leishmania infantum chagasi. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006 , 101, 929-30	2.6	8
3	First record of Desmodus rotundus in urban area from the city of Olinda, Pernambuco, Northeastern Brazil: a case report. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2005 , 47, 107	-8 ^{2.2}	10
2	Epidemiologic surveillance of canine visceral leishmaniasis in the municipality of Recife, Pernambuco. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2005 , 38, 444-5	1.5	8
1	FIRST RECORD OF AMBLYOMMA ROTUNDATUM KOCH, 1844 (ACARI: IXODIDAE) PARASITIZING CROTALUS DURISSUS CASCAVELLA (WAGLER, 1824) (SQUAMATA: VIPERIDAE) IN THE STATE OF PERNAMBUCO, BRAZIL. <i>Arquivos Do Instituto Biologico</i> , 2005 , 72, 389-390	1.6	4