

M Manuela R Da Fonseca

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3112962/m-manuela-r-da-fonseca-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75 papers	2,755 citations	26 h-index	51 g-index
77 ext. papers	3,017 ext. citations	5 avg, IF	5.26 L-index

#	Paper	IF	Citations
75	Economic and environmental assessment of bacterial poly(3-hydroxybutyrate) production from the organic fraction of municipal solid waste. <i>Bioresources and Bioprocessing</i> , 2021 , 8,	5.2	4
74	Xylonic acid production from xylose by <i>Paraburkholderia sacchari</i> . <i>Biochemical Engineering Journal</i> , 2021 , 170, 107982	4.2	10
73	Characterization and Production of a Polyhydroxyalkanoate from Cassava Peel Waste: Manufacture of Biopolymer Microfibers by Electrospinning. <i>Journal of Polymers and the Environment</i> , 2021 , 29, 187-200	4.5	6
72	Macroalgae as Protein Sources: A Review on Protein Bioactivity, Extraction, Purification and Characterization. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7969	2.6	6
71	Giving credit to residual bioresources: From municipal solid waste hydrolysate and waste plum juice to poly (3-hydroxybutyrate). <i>Waste Management</i> , 2020 , 118, 534-540	8.6	2
70	Upgrading the organic fraction of municipal solid waste to poly(3-hydroxybutyrate). <i>Bioresource Technology</i> , 2019 , 290, 121785	11	8
69	Marine algal carbohydrates as carbon sources for the production of biochemicals and biomaterials. <i>Biotechnology Advances</i> , 2018 , 36, 798-817	17.8	88
68	Feeding strategies for tuning poly (3-hydroxybutyrate-co-4-hydroxybutyrate) monomeric composition and productivity using <i>Burkholderia sacchari</i> . <i>International Journal of Biological Macromolecules</i> , 2017 , 105, 825-833	7.9	16
67	A <i>Burkholderia sacchari</i> cell factory: production of poly-3-hydroxybutyrate, xylitol and xylonic acid from xylose-rich sugar mixtures. <i>New Biotechnology</i> , 2017 , 34, 12-22	6.4	37
66	Efficient P(3HB) extraction from <i>Burkholderia sacchari</i> cells using non-chlorinated solvents. <i>Biochemical Engineering Journal</i> , 2015 , 103, 39-46	4.2	23
65	Production of poly(3-hydroxybutyrate-co-4-hydroxybutyrate) by <i>Burkholderia sacchari</i> using wheat straw hydrolysates and gamma-butyrolactone. <i>International Journal of Biological Macromolecules</i> , 2014 , 71, 59-67	7.9	46
64	Polyhydroxyalkanoates: waste glycerol upgrade into electrospun fibrous scaffolds for stem cells culture. <i>International Journal of Biological Macromolecules</i> , 2014 , 71, 131-40	7.9	24
63	Enhanced bioproduction of poly-3-hydroxybutyrate from wheat straw lignocellulosic hydrolysates. <i>New Biotechnology</i> , 2014 , 31, 104-13	6.4	141
62	On the heterogeneous composition of bacterial polyhydroxyalkanoate terpolymers. <i>Bioresource Technology</i> , 2013 , 147, 434-441	11	8
61	Effect of cultivation parameters on the production of poly(3-hydroxybutyrate-co-4-hydroxybutyrate) and poly(3-hydroxybutyrate-4-hydroxybutyrate-3-hydroxyvalerate) by <i>Cupriavidus necator</i> using waste glycerol. <i>Bioresource Technology</i> , 2013 , 144, 281-7	11	122
60	Adaptation of <i>Cupriavidus necator</i> to conditions favoring polyhydroxyalkanoate production. <i>Journal of Biotechnology</i> , 2012 , 164, 309-17	3.7	9
59	Bioaugmentation and biostimulation strategies to improve the effectiveness of bioremediation processes. <i>Biodegradation</i> , 2011 , 22, 231-41	4.1	485

58	Antibacterial properties of the extract of <i>Abelmoschus esculentus</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2011 , 16, 971-977	3.1	19
57	Esterification activity and operational stability of <i>Candida rugosa</i> lipase immobilized in polyurethane foams in the production of ethyl butyrate. <i>Biochemical Engineering Journal</i> , 2010 , 48, 246-252	4.2	49
56	Lipase/acyltransferase-catalysed interesterification of fat blends containing n-3 polyunsaturated fatty acids. <i>European Journal of Lipid Science and Technology</i> , 2009 , 111, 120-134	3	28
55	Operational stability of immobilised lipase/acyltransferase during interesterification of fat blends. <i>European Journal of Lipid Science and Technology</i> , 2009 , 111, 358-367	3	21
54	Synthesis of ethyl butyrate in organic media catalyzed by <i>Candida rugosa</i> lipase immobilized in polyurethane foams: A kinetic study. <i>Biochemical Engineering Journal</i> , 2009 , 43, 327-332	4.2	38
53	Interesterification of fat blends rich in Ω 3 polyunsaturated fatty acids catalysed by immobilized <i>Thermomyces lanuginosa</i> lipase under high pressure. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2008 , 52-53, 58-66		15
52	Pattern recognition of lipase-catalyzed or chemically interesterified fat blends containing n-3 polyunsaturated fatty acids. <i>European Journal of Lipid Science and Technology</i> , 2008 , 110, 893-904	3	6
51	Assessment of three-dimensional biofilm structure using an optical microscope. <i>BioTechniques</i> , 2007 , 42, 616, 618-20	2.5	21
50	Modelling the production of ethyl butyrate catalysed by <i>Candida rugosa</i> lipase immobilised in polyurethane foams. <i>Biochemical Engineering Journal</i> , 2007 , 33, 148-158	4.2	30
49	Preventing biofilm formation: promoting cell separation with terpenes. <i>FEMS Microbiology Ecology</i> , 2007 , 61, 406-13	4.3	28
48	Adaptation of <i>Rhodococcus erythropolis</i> cells to high concentrations of toluene. <i>Applied Microbiology and Biotechnology</i> , 2007 , 76, 1423-30	5.7	42
47	Degradation of hydrocarbons and alcohols by <i>Rhodococcus erythropolis</i> DCL14: A comparison in scale performance. <i>Biocatalysis and Biotransformation</i> , 2007 , 25, 144-150	2.5	7
46	Degradation of toluene and xylene by <i>Rhodococcus</i> cells. <i>Journal of Biotechnology</i> , 2007 , 131, S101	3.7	
45	Biotransformation of terpenes. <i>Biotechnology Advances</i> , 2006 , 24, 134-42	17.8	181
44	Operational stability of <i>Thermomyces lanuginosa</i> lipase during interesterification of fat in continuous packed-bed reactors. <i>European Journal of Lipid Science and Technology</i> , 2006 , 108, 545-553	3	40
43	Carvone: Why and how should one bother to produce this terpene. <i>Food Chemistry</i> , 2006 , 95, 413-422	8.5	263
42	A simple imaging method for biomass determination. <i>Journal of Microbiological Methods</i> , 2005 , 60, 135-408	4.0	8
41	Modelling the microenvironment of a lipase immobilized in polyurethane foams. <i>Biocatalysis and Biotransformation</i> , 2005 , 23, 363-373	2.5	11

40	Partitioning of water in organic systems with lipase immobilized in polyurethane foams. <i>Biochemical Engineering Journal</i> , 2005 , 26, 29-37	4.2	14
39	Calibration of near infrared spectroscopy for solid fat content of fat blends analysis using nuclear magnetic resonance data. <i>Analytica Chimica Acta</i> , 2005 , 544, 213-218	6.6	9
38	Degradation of hydrocarbons and alcohols at different temperatures and salinities by <i>Rhodococcus erythropolis</i> DCL14. <i>FEMS Microbiology Ecology</i> , 2005 , 51, 389-99	4.3	59
37	Lipase-catalysed interesterification of palm stearin with soybean oil in a continuous fluidised-bed reactor. <i>European Journal of Lipid Science and Technology</i> , 2005 , 107, 455-463	3	34
36	Adaptation of <i>Rhodococcus erythropolis</i> DCL14 to growth on n-alkanes, alcohols and terpenes. <i>Applied Microbiology and Biotechnology</i> , 2005 , 67, 383-8	5.7	60
35	The remarkable <i>Rhodococcus erythropolis</i> . <i>Applied Microbiology and Biotechnology</i> , 2005 , 67, 715-26	5.7	100
34	Cell adaptation to solvent, substrate and product: a successful strategy to overcome product inhibition in a bioconversion system. <i>Applied Microbiology and Biotechnology</i> , 2005 , 69, 268-75	5.7	31
33	Principal component analysis applied to bacterial cell behaviour in the presence of organic solvents. <i>Biocatalysis and Biotransformation</i> , 2004 , 22, 203-214	2.5	12
32	Kinetics of L-tryptophan production from indole and L-serine catalyzed by whole cells with tryptophanase activity. <i>Journal of Bioscience and Bioengineering</i> , 2004 , 97, 289-93	3.3	14
31	Solvent toxicity in organic-aqueous systems analysed by multivariate analysis. <i>Bioprocess and Biosystems Engineering</i> , 2004 , 26, 361-75	3.7	24
30	Behaviour of <i>Mycobacterium</i> sp. NRRL B-3805 whole cells in aqueous, organic-aqueous and organic media studied by fluorescence microscopy. <i>Applied Microbiology and Biotechnology</i> , 2004 , 64, 695-701	5.7	24
29	Modelling lipase-catalysed transesterification of fats containing n-3 fatty acids monitored by their solid fat content. <i>European Journal of Lipid Science and Technology</i> , 2004 , 106, 599-612	3	20
28	<i>Mycobacterium</i> sp., <i>Rhodococcus erythropolis</i> , and <i>Pseudomonas putida</i> behavior in the presence of organic solvents. <i>Microscopy Research and Technique</i> , 2004 , 64, 215-22	2.8	52
27	Integration of the production and the purification processes of cutinase secreted by a recombinant <i>Saccharomyces cerevisiae</i> SU50 strain. <i>Journal of Biotechnology</i> , 2004 , 109, 147-58	3.7	26
26	Recombinant <i>Saccharomyces cerevisiae</i> strain triggers acetate production to fuel biosynthetic pathways. <i>Journal of Biotechnology</i> , 2004 , 109, 159-67	3.7	12
25	Towards a cost effective strategy for cutinase production by a recombinant <i>Saccharomyces cerevisiae</i> : strain physiological aspects. <i>Applied Microbiology and Biotechnology</i> , 2003 , 61, 69-76	5.7	26
24	Response surface modeling of glycerolysis catalyzed by <i>Candida rugosa</i> lipase immobilized in different polyurethane foams for the production of partial glycerides. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2003 , 21, 71-80		21
23	A simple method to observe organic solvent drops with a standard optical microscope. <i>Microscopy Research and Technique</i> , 2003 , 60, 465-6	2.8	13

22	Towards the bio-production of trans-carveol and carvone from limonene: induction after cell growth on limonene and toluene. <i>Tetrahedron: Asymmetry</i> , 2003 , 14, 3925-3931		20
21	Principal Components Analysis as a Tool to Summarise Biotransformation Data: Influence on Cells of Solvent Type and Phase Ratio. <i>Biocatalysis and Biotransformation</i> , 2003 , 21, 305-314	2.5	20
20	Influence of reactor configuration on the production of carvone from carveol by whole cells of <i>Rhodococcus erythropolis</i> DCL14. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2002 , 19-20, 377-387		26
19	Maintenance of cell viability in the biotransformation of (R)-carveol with whole cells of <i>Rhodococcus erythropolis</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2002 , 19-20, 389-398		37
18	Modelling the biokinetic resolution of diastereomers present in unequal initial amounts. <i>Tetrahedron: Asymmetry</i> , 2002 , 13, 1637-1643		9
17	A microporous membrane interface for the monitoring of dissolved gaseous and volatile compounds by on-line mass spectrometry. <i>Journal of Membrane Science</i> , 2002 , 208, 49-56	9.6	6
16	Development of a reaction system for the selective conversion of (R)-trans-carveol to (R)-carvone with whole cells of <i>Rhodococcus erythropolis</i> DCL14. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2001 , 11, 719-724		25
15	Contribution of response surface design to the development of glycerolysis systems catalyzed by commercial immobilized lipases. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2001 , 11, 699-711		66
14	Response surface modelling of the production of ω -polyunsaturated fatty acids-enriched fats by a commercial immobilized lipase. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2001 , 11, 677-686		40
13	Production and Recovery of Limonene-1,2-Diol and Simultaneous Resolution of a Diastereomeric Mixture of Limonene-1,2-Epoxyde with whole Cells of <i>Rhodococcus Erythropolis</i> DCL14. <i>Biocatalysis and Biotransformation</i> , 2000 , 18, 223-235	2.5	25
12	Diffusion in cell-free and cell immobilising kappa-carrageenan gel beads with and without chemical reaction. <i>Biotechnology and Bioengineering</i> , 1999 , 63, 625-31	4.9	9
11	Solubility of Propene in Water and in a Mineral Medium for the Cultivation of a <i>Xanthobacter</i> Strain. <i>Journal of Solution Chemistry</i> , 1998 , 27, 455-461	1.8	8
10	Solvent selection for the biotransformation of terpenes by <i>Pseudomonas putida</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 1998 , 5, 295-299		10
9	Novel calibration method for mass spectrometers for on-line gas analysis. Set-up for the monitoring of a bacterial fermentation. <i>Bioprocess and Biosystems Engineering</i> , 1998 , 19, 289		10
8	Recovery of the activity of an immobilized lipase after its use in fat transesterification. <i>Progress in Biotechnology</i> , 1998 , 15, 435-440		
7	Performance of a Liquid-Impeled Loop Reactor with Immobilized Cells. <i>Progress in Biotechnology</i> , 1996 , 511-517		1
6	Model for the production of L-tryptophan from L-serine and indole by immobilized cells in a three-phase liquid-impeled loop reactor. <i>Bioprocess and Biosystems Engineering</i> , 1996 , 14, 151-158		5
5	Adsorption studies for the separation of L-tryptophan from L-serine and indole in a bioconversion medium. <i>Bioprocess and Biosystems Engineering</i> , 1995 , 12, 95-102		9

4	The effect of solid medium composition on growth and sporulation of <i>Streptomyces clavuligerus</i> ; spore viability during storage at +4°C. <i>Biotechnology Letters</i> , 1995 , 9, 361-364		3
3	The Effect of Substrate Hydrophobicity on the Kinetic Behaviour of Immobilized <i>Candida rugosa</i> Lipase. <i>Biocatalysis and Biotransformation</i> , 1995 , 13, 99-110	2.5	12
2	Batch cultivation of <i>Xanthobacter</i> Py2 on 1-pentene. <i>Biotechnology Letters</i> , 1994 , 16, 989-994	3	3
1	Callus and suspension culture of <i>Silybum marianum</i> . Biosynthesis of proteins with clotting activity. <i>Biotechnology Letters</i> , 1986 , 8, 19-24	3	18