

Marina J Orlova-Bienkowskaja

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3114572/publications.pdf>

Version: 2024-02-01

30
papers

793
citations

623734

14
h-index

552781

26
g-index

34
all docs

34
docs citations

34
times ranked

711
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The harlequin ladybird, <i>Harmonia axyridis</i> : global perspectives on invasion history and ecology. <i>Biological Invasions</i> , 2016, 18, 997-1044. | 2.4 | 275 |
| 2 | Ashes in Europe are in danger: the invasive range of <i>Agrilus planipennis</i> in European Russia is expanding. <i>Biological Invasions</i> , 2014, 16, 1345-1349. | 2.4 | 71 |
| 3 | <i>Harmonia axyridis</i> (Coleoptera: Coccinellidae) in Asia: a re-examination of the native range and invasion to southeastern Kazakhstan and Kyrgyzstan. <i>Biological Invasions</i> , 2015, 17, 1941-1948. | 2.4 | 46 |
| 4 | The life cycle of the emerald ash borer <i>Agrilus planipennis</i> in European Russia and comparisons with its life cycles in Asia and North America. <i>Agricultural and Forest Entomology</i> , 2016, 18, 182-188. | 1.3 | 40 |
| 5 | Current range of <i>Agrilus planipennis</i> Fairmaire, an alien pest of ash trees, in European Russia and Ukraine. <i>Annals of Forest Science</i> , 2020, 77, 1. | 2.0 | 34 |
| 6 | Are native ranges of the most destructive invasive pests well known? A case study of the native range of the emerald ash borer, <i>Agrilus planipennis</i> (Coleoptera: Buprestidae). <i>Biological Invasions</i> , 2018, 20, 1275-1286. | 2.4 | 30 |
| 7 | Around the world in 500 years: Inter-regional spread of alien species over recent centuries. <i>Global Ecology and Biogeography</i> , 2021, 30, 1621-1632. | 5.8 | 29 |
| 8 | Modeling long-distance dispersal of emerald ash borer in European Russia and prognosis of spread of this pest to neighboring countries within next 5 years. <i>Ecology and Evolution</i> , 2018, 8, 9295-9304. | 1.9 | 26 |
| 9 | Discovery of the first European parasitoid of the emerald ash borer <i>Agrilus planipennis</i> (Coleoptera: Buprestidae). <i>Journal of Applied Ecology</i> , 2019, 11, 1078-1083. | 1.2 | 23 |
| 10 | Record of the Emerald Ash Borer (<i>Agrilus planipennis</i>) in Ukraine is Confirmed. <i>Insects</i> , 2019, 10, 338. | 2.2 | 23 |
| 11 | Emerald Ash Borer Approaches the Borders of the European Union and Kazakhstan and Is Confirmed to Infest European Ash. <i>Forests</i> , 2021, 12, 691. | 2.1 | 19 |
| 12 | Minimum Winter Temperature as a Limiting Factor of the Potential Spread of <i>Agrilus planipennis</i> , an Alien Pest of Ash Trees, in Europe. <i>Insects</i> , 2020, 11, 258. | 2.2 | 18 |
| 13 | Cascading ecological effects caused by the establishment of the emerald ash borer <i>Agrilus planipennis</i> (Coleoptera: Buprestidae) in European Russia. <i>European Journal of Entomology</i> , 2015, 112, 778-789. | 1.2 | 18 |
| 14 | Range expansion of <i>Agrilus convexicollis</i> in European Russia expedited by the invasion of the emerald ash borer, <i>Agrilus planipennis</i> (Coleoptera: Buprestidae). <i>Biological Invasions</i> , 2015, 17, 537-544. | 2.4 | 17 |
| 15 | Alien leaf beetles (Coleoptera, Chrysomelidae) of European Russia and some general tendencies of leaf beetle invasions. <i>PLoS ONE</i> , 2018, 13, e0203561. | 2.5 | 15 |
| 16 | Factors determining variation in colour morph frequencies in invasive <i>Harmonia axyridis</i> populations. <i>Biological Invasions</i> , 2020, 22, 2049-2062. | 2.4 | 14 |
| 17 | Key to Holarctic species of <i>Epitrix</i> flea beetles (Coleoptera: Chrysomelidae: Galerucinae: Alticini) with review of their distribution, host plants and history of invasions. <i>Zootaxa</i> , 2016, 4175, 401. | 0.5 | 12 |
| 18 | An illustrated guide to distinguish emerald ash borer (<i>Agrilus planipennis</i>) from its congeners in Europe. <i>Forestry</i> , 2019, , . | 2.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Low Heat Availability Could Limit the Potential Spread of the Emerald Ash Borer to Northern Europe (Prognosis Based on Growing Degree Days per Year). <i>Insects</i> , 2022, 13, 52. | 2.2 | 10 |
| 20 | Southern Range Expansion of the Emerald Ash Borer, <i>Agrilus planipennis</i> , in Russia Threatens Ash and Olive Trees in the Middle East and Southern Europe. <i>Forests</i> , 2022, 13, 541. | 2.1 | 10 |
| 21 | Coinvasion by the ladybird <i>Harmonia axyridis</i> (Coleoptera: Coccinellidae) and its parasites, <i>Hesperomyces virescens</i> (Ascomycota: Laboulbeniales) and <i>Parasitylenchus bifurcatus</i> (Nematoda:). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> | | |
| 22 | Invasive Agricultural Pest <i>Drosophila suzukii</i> (Diptera, Drosophilidae) Appeared in the Russian Caucasus. <i>Insects</i> , 2020, 11, 826. | 2.2 | 7 |
| 23 | World checklist of flea-beetles of the genus <i>Epitrix</i> (Coleoptera: Chrysomelidae: Galerucinae: Alticini). <i>Zootaxa</i> , 2017, 4268, 523. | 0.5 | 5 |
| 24 | Predicting the Invasion Potential of the Lily Leaf Beetle, <i>Lilioceris lili</i> Scopoli (Coleoptera:). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td</i> | 2.2 | 5 |
| 25 | Current Distribution and Diagnostic Features of Two Potentially Invasive Asian Buprestid Species: <i>Agrilus mali</i> Matsumura and <i>A. fleischeri</i> Obenberger (Coleoptera: Buprestidae). <i>Insects</i> , 2020, 11, 493. | 2.2 | 5 |
| 26 | Rigorous Morphological Studies Confirm That the Classical Object of Pest Control <i>Chilocorus kuwanae</i> Is the Same Species as <i>Ch. renipustulatus</i> (Coleoptera: Coccinellidae). <i>Insects</i> , 2020, 11, 368. | 2.2 | 5 |
| 27 | Alien Pests Can Spread Quickly: Woolly Ash Aphid <i>Prociphilus fraxinifolii</i> (Hemiptera: Eriosomatidae) Has Occupied Europe in 18 Years. <i>Forests</i> , 2021, 12, 1176. | 2.1 | 5 |
| 28 | History of the Biodiversity of Ladybirds (Coccinellidae) at the Black Sea Coast of the Russian Caucasus in the Last 120 Years – Does the Landscape Transformation and Establishment of <i>Harmonia axyridis</i> Have an Impact?. <i>Insects</i> , 2020, 11, 824. | 2.2 | 3 |
| 29 | Discovery of <i>Rickettsia</i> and <i>Rickettsiella</i> Intracellular Bacteria in Emerald Ash Borer <i>Agrilus planipennis</i> by Metagenomic Study of Larval Gut Microbiome in European Russia. <i>Forests</i> , 2022, 13, 974. | 2.1 | 1 |
| 30 | Confirmation of <i>Drosophila suzukii</i> (Matsumura) (Diptera: Drosophilidae) report in the Russian Caucasus. <i>EPPO Bulletin</i> , 0, , . | 0.8 | 0 |