

Tsuyoshi Ikeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3115584/publications.pdf>

Version: 2024-02-01

17
papers

664
citations

687363

13
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

871
citing authors

#	ARTICLE	IF	CITATIONS
1	Corosolic acid inhibits glioblastoma cell proliferation by suppressing the activation of signal transducer and activator of transcription β and nuclear factor κ B in tumor cells and tumor-associated macrophages. <i>Cancer Science</i> , 2011, 102, 206-211.	3.9	131
2	Cytotoxic Activity of Steroidal Glycosides from Solanum Plants. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 1198-1201.	1.4	80
3	Anti-herpes Virus Type 1 Activity of Oleanane-Type Triterpenoids. <i>Biological and Pharmaceutical Bulletin</i> , 2005, 28, 1779-1781.	1.4	80
4	Oleanolic acid inhibits macrophage differentiation into the M2 phenotype and glioblastoma cell proliferation by suppressing the activation of STAT3. <i>Oncology Reports</i> , 2011, 26, 1533-7.	2.6	74
5	Corosolic acid impairs tumor development and lung metastasis by inhibiting the immunosuppressive activity of myeloid-derived suppressor cells. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 1046-1054.	3.3	55
6	Pregnane- and Furostane-Type Oligoglycosides from the Seeds of <i>Allium tuberosum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 142-145.	1.3	38
7	Studies on the chemical constituents of green leaves of <i>Eucommia ulmoides</i> Oliv.. <i>Journal of Natural Medicines</i> , 2007, 61, 220-221.	2.3	38
8	Corosolic acid enhances the antitumor effects of chemotherapy on epithelial ovarian cancer by inhibiting signal transducer and activator of transcription 3 signaling. <i>Oncology Letters</i> , 2013, 6, 1619-1623.	1.8	34
9	Physiological functions of solanaceous and tomato steroidal glycosides. <i>Journal of Natural Medicines</i> , 2006, 61, 1-13.	2.3	31
10	Seasonal variation of mogrosides in Lo Han Kuo (<i>Siraitia grosvenori</i>) fruits. <i>Journal of Natural Medicines</i> , 2007, 61, 307-312.	2.3	27
11	Sesquiterpenoids, Triterpenoids, and Flavonoids from the Fruits of <i>Schinus molle</i> . <i>Food Science and Technology Research</i> , 2008, 14, 499-508.	0.6	25
12	<i>Eucommia ulmoides</i> extracts prevent the formation of advanced glycation end products. <i>Food and Function</i> , 2016, 7, 2566-2573.	4.6	17
13	<i>Drosera tokaiensis</i> extract containing multiple phenolic compounds inhibits the formation of advanced glycation end-products. <i>Archives of Biochemistry and Biophysics</i> , 2020, 693, 108586.	3.0	14
14	Studies of the chemical constituents of the flower buds of <i>Magnolia kobus</i> and <i>M. salicifolia</i> . <i>Journal of Natural Medicines</i> , 2007, 61, 222-223.	2.3	9
15	Soyasapogenols contained in soybeans suppress tumour progression by regulating macrophage differentiation into the protumoural phenotype. <i>Journal of Functional Foods</i> , 2015, 19, 594-605.	3.4	7
16	Search for the Functions of Glyco-linkages in Natural Glycosides by using Trans-glycosylation. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 2006, 64, 34-48.	0.1	2
17	Effect of natural compounds on human macrophage activation. <i>Inflammation and Regeneration</i> , 2010, 30, 520-523.	3.7	0