Marta Verweij

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3115656/publications.pdf

Version: 2024-02-01

41627 66518 9,702 280 51 82 citations g-index h-index papers 287 287 287 8507 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Measurement of inclusive charged-particle b-jet production in pp and p-Pb collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
2	Production of light (anti)nuclei in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	9
3	Prompt D0, D+, and D*+ production in Pb–Pb collisions at \$\$ sqrt{s_{mathrm{NN}}} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	23
4	Prompt and non-prompt J/ Γ production cross sections at midrapidity in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 5.02 and 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	9
5	Production of light (anti)nuclei in pp collisions at $\$$ sqrt $\{s\}$ = 5.02 $\$$ ÂTeV. European Physical Journal C, 2022, 82, 1.	1.4	7
6	Investigating charm production and fragmentation via azimuthal correlations of prompt D mesons with charged particles in pp collisions at $\frac{1}{s} = 13$ FeV. European Physical Journal C, 2022, 82, 1.	1.4	6
7	Measurements of the groomed and ungroomed jet angularities in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	8
8	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	1.4	33
9	Search for top squark pair production using dilepton final states in $\{p\}$ ext $\{p\}$ s collision data collected at $\{p\}$ at $\{p\}$ s. European Physical Journal C, 2021, 81, 3.	1.4	33
10	Centrality dependence of J/ Γ and Γ (2S) production and nuclear modification in p-Pb collisions at \$\$ sqrt{s_{mathrm{NN}}} \$\$ = 8.16 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
11	Measurements of $f^{p}} {mathrm{p}} ightarrow {mathrm{Z}} {mathrm{Z}} $$ production cross sections and constraints on anomalous triple gauge couplings at $$sqrt{s} = 13,ext {TeV} $$. European Physical Journal C, 2021, 81, 200.$	1.4	24
12	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
13	Long- and short-range correlations and their event-scale dependence in high-multiplicity pp collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
14	Measurement of beauty and charm production in pp collisions at $\$\$$ sqrt $\$\$$ = 5.02 TeV via non-prompt and prompt D mesons. Journal of High Energy Physics, 2021, 2021, 1.	1.6	17
15	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	1.4	18
16	Production of pions, kaons, (anti-)protons and \$\$phi \$\$ mesons in Xe–Xe collisions at \$\$sqrt{s_{mathrm{NN}}}\$\$Â=Â5.44 TeV. European Physical Journal C, 2021, 81, 1.	1.4	12
17	Pseudorapidity distributions of charged particles as a function of mid- and forward rapidity multiplicities in pp collisions at \$\$sqrt{s}\$\$Â=Â5.02, 7 and 13 TeV. European Physical Journal C, 2021, 81, 1.	1.4	12
18	Coherent \$\$mathrm{J}/psi \$\$Âand \$\${uppsi '}\$\$Âphotoproduction at midrapidity in ultra-peripheral Pbâ€"Pb Âcollisions at \$\$sqrt{s_{mathrm {NN}}}~=~5.02\$\$ÂTeV. European Physical Journal C, 2021, 81, 1.	1.4	18

#	Article	IF	CITATIONS
19	Energy dependence of $\$$ phi $\$$ meson production at forward rapidity in pp collisions at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
20	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
21	Jet fragmentation transverse momentum distributions in pp and p-Pb collisions at $\$$ sqrt $\$$, $\$$, $\$$ sqrt $\$$, $\$$ sqrt $\$$, $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	1
22	$\mbox{smathrm } (K_S)^{0}$, and (anti-)\$Lambda \$\$-hadron correlations in pp collisions atÂ\$\${sqrt{s}} = 13\$\$ÂTeV. European Physical Journal C, 2021, 81, 1.	1.4	1
23	First measurements of N-subjettiness in central Pb-Pb collisions at $\$$ sqrt $\{s_{NN}\}$ \$\\$ = 2.76 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	1
24	Anisotropic flow of identified hadrons in Xe-Xe collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.44 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
25	Measurement of the production cross section of prompt $\$ {Xi}_{mathrm{c}}^0 \$ baryons at midrapidity in pp collisions at \$\$ sqrt{s} \$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	11
26	Charged-particle multiplicity fluctuations in Pb–Pb collisions at \$\$sqrt{s_{mathrm {NN}}}\$\$ Â=Â2.76ÂTeV. European Physical Journal C, 2021, 81, 1.	1.4	2
27	Inclusive $\$$ ext {J}/psi $\$$ production at midrapidity in pp collisions at $\$$ sqrt{s} = 13 $\$$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	6
28	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21
29	Search for electroweak production of a vector-like T quark using fully hadronic final states. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
30	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \le i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i $	0.5	27
31	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
32	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{13}{ext}$ European Physical Journal C, 2020, 80, 752.	1.4	23
33	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a}^* \leq a = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84
34	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
35	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
36	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{{}^{}}\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	1.4	22

#	Article	IF	CITATIONS
37	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\mbox{smathrm {PbPb}$$ collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 2.76$$ and 5.02$$,ext {TeV}$$. European Physical Journal C, 2020, 80, 534.$	1.4	14
38	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	1.4	11
39	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	1.4	10
40	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	1.4	78
41	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	1.4	70
42	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
43	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
44	A multi-dimensional search for new heavy resonances decaying to boosted $\$ w \{\}{\}\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\	1.4	31
45	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $$$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	26
46	Novel tools and observables for jet physics in heavy-ion collisions. Journal of Physics G: Nuclear and Particle Physics, 2020, 47, 065102.	1.4	42
47	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
48	Measurement of differential cross sections and charge ratios for t-channel single top quark production in protonâ \in "proton collisions at $\frac{s}=13$ \$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
49	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$\$ normalised multi-differential cross sections in \$\${ext {p}} \$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C. 2020, 80, 1.	1.4	33
50	Production of $\$$ mesons in pp collisions at $\$$ mathbf $\{$ sqrt $\{$ s $\}$ =7,ext $\{$ TeV $\}\}$ \$\$. European Physical Journal C, 2020, 80, 1.	1.4	4
51	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{I} , leptons and two jets in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	33
52	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
53	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ $13 $ \$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
54	Inclusive search for supersymmetry in pp collisions at $\$\$ $ sqrt $\$\$=13 $ $\$\$ $ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3

#	Article	IF	CITATIONS
55	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
56	Search for excited leptons in \hat{a} , " \hat{a} ," \hat{a} final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
57	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	1.6	24
58	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
59	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:	1.4	33
60	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	1.4	35
61	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2019, 79, 564.	1.4	50
62	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
63	Measurement of the top quark mass in the all-jets final state at $\$\$qrt\{s\}=13$,ext $\{TeV\}$ $\$\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
64	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	1.4	8
65	Search for charged Higgs bosons in the H± â†' τ±ντ decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
66	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton \hat{s} proton collisions at $\frac{s}{s} = 13$, ext TeV $s = 13$ TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
67	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
68	Search for a low-mass $\ddot{l}_{,a}$ Fresonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	9
69	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV via Higgs boson decays to \ddot{I} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	7
70	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{1}/4\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
71	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
72	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	1.4	11

#	Article	IF	Citations
73	Measurements of the pp \hat{a}^{*} WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
74	Measurement of the f^{t} mathrm f^{t} overline mathrm f^{t} so f^{t} production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
75	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
76	Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} \$\$ final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
77	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	1.4	29
78	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
79	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	1.4	48
80	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ \in "proton collisions at $\$$ sqrt $\{s\} = 13$, ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	1.4	34
81	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	1.4	11
82	Search for rare decays of $\$$ mathrm $\{Z\}$ \$\$ Z and Higgs bosons to $\$$ {mathrm $\{J\}$ /psi $\}$ \$\$ J / I and a photon in proton-proton collisions at $\$$ \$sqrt $\{s\}$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20
83	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
84	Measurements of $\$$ mathrm{t}-overline{mathrm{t}} $\$$ differential cross sections in proton-proton collisions at $\$$ sqrt{mathrm{s}}=13 $\$$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
85	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
86	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
87	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
88	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	23
89	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
90	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12

#	Article	IF	CITATIONS
91	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	40
92	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
93	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$a€™â,,"ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	10
94	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in \$\$mathrm{p}mathrm{p}\$\$ collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	1.4	6
95	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>p</mml:mi> <mml:mo>+</mml:mo> <mml:mi>p</mml:mi> and <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"><mml:mi>A</mml:mi><mml:mo>+</mml:mo><mml:mi>A</mml:mi></mml:math>	1.6	1
96	collisions. Physical Review D, 2019, 100, . Measurement of the differential Drell-Yan cross section in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
97	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
98	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ $\$$ 5. European Physical Journal C, 2019, 79, 893.	1.4	12
99	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
100	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ \$. European Physical Journal C, 2019, 79, 886.	1.4	16
101	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
102	Search for supersymmetry using Higgs boson to diphoton decays at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	4
103	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
104	Search for anomalous triple gauge couplings in WW and WZ production in lepton $+$ jet events in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
105	Study of the \$\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
106	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $s=7$, ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	1.4	10
107	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{NN}}}= $5.02 \$\$$ and 8.16 TeV . Journal of High Energy Physics, 2018 , 2018 , 1 .	1.6	8
108	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," $\hat{1}$ / $2\hat{a}$	1.6	36

#	Article	IF	CITATIONS
109	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
110	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p → Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $\mbox{staints}$ a → 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
111	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	1.4	16
112	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
113	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	o
114	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6
115	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
116	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
117	Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
118	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
119	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
120	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
121	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
122	Search for $\$\$$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ mathrm $\{H\}$ $\$\$$ production in the all-jet final state in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
123	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
124	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{NN}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
125	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
126	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	19

#	Article	IF	CITATIONS
127	Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	1.6	43
128	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
129	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{\text{I}}_{\text{m}}$, leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
130	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	26
131	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
132	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
133	Measurement of the top quark mass with lepton+jets final states using \$\$mathrm {p}\$\$\$\$mathrm {p}\$\$\$ collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2018, 78, 891.	1.4	34
134	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
135	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
136	Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
137	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
138	Search for narrow and broad dijet resonances in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	1.6	82
139	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
140	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
141	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
142	Search for supersymmetry in events with a $\ddot{\ }$, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
143	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} , " \hat{a} " channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
144	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ qrt{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46

#	Article	IF	CITATIONS
145	Measurement of differential cross sections for $\{z\}$ z boson production in association with jets in proton-proton collisions at $\{z\}$ z	1.4	39
146	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	Citations
163	Search for beyond the standard model Higgs bosons decaying into a $$$ mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
164	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	1.4	58
165	Measurement of prompt and nonprompt charmonium suppression in $\$$ ext {PbPb} $\$$ collisions at 5.02 $\$$,ext {Te}ext {V} $\$$ \$. European Physical Journal C, 2018, 78, 509.	1.4	83
166	Search for lepton flavour violating decays of the Higgs boson to $\hat{l}/\!\!/\hat{l}$, and \hat{e} , in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
167	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying I,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
168	Electroweak production of two jets in association with a Z boson in proton \hat{s} proton collisions at $s=13 $, ext {TeV}\$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	17
169	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
170	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
171	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
172	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
173	Search for a singly produced third-generation scalar leptoquark decaying to a $\ddot{\text{I}}$, lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
174	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
175	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
176	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
177	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
178	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
179	Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
180	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37

#	Article	IF	Citations
181	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
182	Measurement of b hadron lifetimes in pp collisions at $\$\$qrt\{s\} = 8\$\$ s = 8\$\$,ext\{Te\}ext\{V\}\$\$$ TeV. European Physical Journal C, 2018, 78, 457.	1.4	15
183	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at ($sqrt{s} = 13,ext{TeV}$)., 2018, 78, 1.		3
184	Charged-particle multiplicities in protonâ \in "proton collisions at \$\$sqrt{s} = 0.9\$\$ s = 0.9 to 8ÂTeV. European Physical Journal C, 2017, 77, 1.	1.4	62
185	Measurement of prompt and nonprompt $\mbox{mathrm{J}/{psi}}$ production in $\mbox{mathrm {p}mathrm {p}}$ p p and $\mbox{mathrm {p}mathrm {Pb}}$ p Pb collisions at $\mbox{sqrt{s}_{mathrm {NN}}}$ =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	1.4	53
186	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$	1.4	29
187	Measurement of azimuthal correlations of D mesons with charged particles in pp collisions at $\$\$$ s = 7 ÂTeV and pâ \in Pb collisions at $\$\$$ sqrt $\{\{s\}\}_\{$ scriptscriptstyle $\{mathrm\{NN\}\}\}\}=5.02\$\$$ s NN = 5.02 ÂTeV. European Physical Journal C, 2017, 77, 245.	1.4	23
188	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
189	Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
190	Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ where $f(t)=0$ we collisions at $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ is a sum of the j	1.4	23
191	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
192	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
193	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
194	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
195	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
196	Measurements of the pp \hat{a}^{\dagger} ' $\hat{W}^{\hat{3}\hat{3}}$ and pp \hat{a}^{\dagger} ' $\hat{Z}^{\hat{3}\hat{3}}$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	S _{1.6}	10
197	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	1.4	98
198	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14

#	Article	IF	CITATIONS
199	Addendum to: Centrality dependence of high-pT D-meson suppression in Pb-Pb collisions at s N N = 2.76 \$\$ sqrt{{mathrm{s}}_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	6
200	Suppression and azimuthal anisotropy of prompt and nonprompt $f(J)^{r} = 1 - r^{r} $ production in PbPb collisions at $f(L)^{r} = 1 - r^{r} $ and $f(L)^{r} = 1 - r^{r} $ production Physical Journal C, 2017, 77, 252.	1.4	82
201	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
202	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ s = 8 ÂTeV. European Physical Journal C, 2017, 77, 354.	1.4	23
203	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
204	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
205	Searches for $W\hat{a}\in \mathbb{R}^2$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
206	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
207	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
208	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
209	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27
210	Search for top squark pair production in pp collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
211	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
212	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
213	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	1.4	57
214	Search for top quark partners with charge 5/3 in proton-proton collisions at s = 13 $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
215	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at s = 8 $\$$ sqrt{s}=8 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
216	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17

#	Article	IF	CITATIONS
217	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
218	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$\$ $sqrt\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
219	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
220	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13~$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
221	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
222	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
223	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4
224	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ % s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
225	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
226	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
227	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
228	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
229	Particle identification in ALICE: a Bayesian approach. European Physical Journal Plus, 2016, 131, 1.	1.2	29
230	Multiplicity and transverse momentum evolution of charge-dependent correlations in pp, p–Pb, and Pb–Pb collisions at the LHC. European Physical Journal C, 2016, 76, 86.	1.4	30
231	Centrality dependence of $\Gamma(2S)$ suppression in p-Pb collisions at s N N = 5.02 \$\$ {sqrt{s}}_{mathrm{NN}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
232	Differential studies of inclusive J/ $\tilde{\Gamma}$ and $\tilde{\Gamma}$ (2S) production at forward rapidity in Pb-Pb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
233	Centrality dependence of charged jet production in p–Pb collisions at \$\$sqrt{s_mathrm{NN}}\$\$ s NN = 5.02 TeV. European Physical Journal C, 2016, 76, 271.	1.4	31
234	Measurement of D-meson production versus multiplicity in p-Pb collisions at s N N = $5.02 $ \$ sqrt{{mathrm{s}}_{mathrm{NN}}}= $5.02 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10

#	Article	IF	CITATIONS
235	Measurement of D s + production and nuclear modification factor in Pb-Pb collisions at s N N = $2.76 $ \$ sqrt{{mathrm{s}}_{mathrm{NN}}}= $2.76 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
236	Production of K \$\$^{*}\$\$ \hat{a} — (892) \$\$^{0}\$\$ 0 and \$\$phi \$\$ \hat{b} (1020) in p \hat{a} €"Pb collisions at \$\$\$qrt{s_{{ext {NN}}}}\$\$ s NN = 5.02 TeV. European Physical Journal C, 2016, 76, 245.	1.4	89
237	Inclusive quarkonium production at forward rapidity in pp collisions at $\$$ mathbf $\{$ sqrt $\{$ s $\}$ =8 $\}$ - $\$$ $\}$ s = 8 TeV. European Physical Journal C, 2016, 76, 184.	1.4	39
238	Transverse momentum dependence of D-meson production in Pb-Pb collisions at s N N = $2.76 \$\$$ sqrt{{mathrm{s}}_{mathrm{NN}}}= $2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	88
239	Rapidity and transverse-momentum dependence of the inclusive J/\tilde{l} nuclear modification factor in p-Pb collisions at s N N \$\$ sqrt{s_{N N}} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	38
240	Inclusive, prompt and non-prompt J/ $\tilde{\Gamma}$ production at mid-rapidity in Pb-Pb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
241	Coherent \ddot{i} -O photoproduction in ultra-peripheral Pb-Pb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
242	Measurement of jet quenching with semi-inclusive hadron-jet distributions in central Pb-Pb collisions at s N N = $2.76 \$\$ $ sqrt $\{s_{mathrm}NN\}\}=2.76 \$\$ $ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	48
243	Forward-backward multiplicity correlations in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 0.9, 2.76 and 7 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
244	Centrality dependence of high-pT D meson suppression in Pb-Pb collisions at s N N = $2.76 \$\$$ sqrt{s_{mathrm{N}}}= $2.76 \$\$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
245	Measurement of charm and beauty production at central rapidity versus charged-particle multiplicity in proton-proton collisions at $s=7$ \$\$ sqrt{ $s}=7$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	50
246	Centrality dependence of inclusive J/ \tilde{l} production in p-Pb collisions at s N N = 5.02 \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
247	Production of \$\$mathbf {Sigma (1385)^{pm }}\$\$ Σ (1385) ± and \$\$mathbf {Xi (1530)^{0}}\$\$ Ξ (1530) 0 in proton–proton collisions at \$\$mathbf {sqrt{s}=}\$\$. European Physical Journal C, 2015, 75, 1.	1.4	125
248	Inclusive photon production at forward rapidities in protonâ \in proton collisions at \$\$mathbf {sqrt{s}}\$\$ s = 0.9, 2.76 and 7 TeV. European Physical Journal C, 2015, 75, 1.	1.4	12
249	Elliptic flow of identified hadrons in Pb-Pb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	118
250	Measurement of pion, kaon and proton production in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 TeV. European Physical Journal C, 2015, 75, 226.	1.4	149
251	Event-by-event mean $\$ varvec{p}_{mathbf} {T}}\$\$ p T Âfluctuations in pp and Pbâ \in "Pb collisions at the LHC. European Physical Journal C, 2014, 74, 1.	1.4	61
252	Transverse momentum dependence of inclusive primary charged-particle production in p–Pb collisions at \$\$sqrt{s_mathrm{{NN}}}=5.02~ext {TeV}\$\$ s NN = 5.02 TeV. European Physical Journal C, 2014, 74, 1.	1.4	58

#	Article	IF	CITATIONS
253	Suppression of $\ddot{\Gamma}(2S)$ production in p-Pb collisions at s N N \$\$ sqrt{s_{mathrm{NN}}} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	24
254	Neutral pion production at midrapidity in pp and Pb–Pb collisions at \$\$sqrt{s_{{mathrm {NN}}}}= 2.76,{mathrm {TeV}}\$\$ s NN = 2.76 TeV. European Physical Journal C, 2014, 74, 1.	1.4	72
255	Measurement of charged jet suppression in Pb-Pb collisions at $\frac{1}{5}$ sqrt{{ $s_{NN}}$ } = 2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	68
256	J/\tilde{l} production and nuclear effects in p-Pb collisions at $q=1$ sqrt{{{mathrm{s}}_{mathrm{NN}}}} = 5.02 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	44
257	Measurement of quarkonium production at forward rapidity in $\$$ mathbf $\{pp\}$ \$\$ pp collisions at $\$$ mathbf $\{sqrt\{s\}=7\}$ ~\$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2974.	1.4	89
258	Measurement of inelastic, single- and double-diffraction cross sections in proton–proton collisions at the LHC with ALICE. European Physical Journal C, 2013, 73, 2456.	1.4	202
259	Mid-rapidity anti-baryon to baryon ratios in pp collisions at $sqrt\{s\} = 0.9, 2.76$ mbox{ and }7mbox{ TeV}\$ measured by ALICE. European Physical Journal C, 2013, 73, 1.	1.4	31
260	Multiplicity dependence of two-particle azimuthal correlations in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	18
261	Energy dependence of the transverse momentum distributions of charged particles in pp collisions measured by ALICE. European Physical Journal C, 2013, 73, 2662.	1.4	101
262	Charmonium and e + e â^' pair photoproduction at mid-rapidity in ultra-peripheral Pbâ€"Pb collisions at \$sqrt{s_{mathrm{NN}}} = 2.76 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2617.	1.4	203
263	xmins:xocs="http://www.eisevier.com/xmi/xocs/dtd" xmins:xs="http://www.w3.org/2001/XMLSchema xmlns:xsi="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.w3.org/1998/Math/MathML" Measuren eintpof jetspectraiwith charged cpartioles abl Pbae" Pb collisions at < mml:math altimg="si1.gif"	0.6	2
264	overflow="scroll"xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd"s.ce="http://www.w3.org/2001/XMLSchema" xmlns:xs="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML"	0.6	2
265	xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/co Comparison of jet quenching formalisms for a quark-gluon plasma "brick― Physical Review C, 2012, 86,	1.1	108
266	Underlying Event measurements in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV with the ALICE experiment at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	31
267	Measurement of charm production at central rapidity in proton-proton collisions at $\$$ sqrt $\{s\}$ = 2.76; $\{ext\{TeV\}\}$ $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	115
268	Suppression of high transverse momentum D mesons in central Pb-Pb collisions at $\$ sqrt{{ $s_{mathrm{NN}}}$ }=2.76;mathrm{TeV} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	228
269	Measurement of prompt $J/\hat{\Gamma}$ and beauty hadron production cross sections at mid-rapidity in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
270	Transverse sphericity of primary charged particles in minimum bias proton–proton collisions at \$mathbf{sqrt{s}=0.9},~mathbf{2.76}~mbox{and}~mathbf{7}~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	32

#	Article	IF	CITATIONS
271	Production of Kâ^—(892)0 and $\ddot{\text{I}}$ •(1020) in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	111
272	Measurement of event background fluctuations for charged particle jet reconstruction in Pb-Pb collisions at	1.6	58
273	Measurement of charm production at central rapidity in proton-proton collisions at	1.6	139
274	Strange particle production in proton–proton collisions at \$sqrt{s}=0.9\$ \$mbox {\${m TeV}\$}\$ with ALICE at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	140
275	Production of pions, kaons and protons in pp collisions at $q=900$ -mathrm{GeV}\$ with ALICE at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	209
276	Comparison of radiative energy loss models in a hot QCD medium. Nuclear Physics A, 2011, 855, 359-362.	0.6	0
277	First proton–proton collisions at the LHC as observed withÂtheÂALICE detector: measurement of the charged-particle pseudorapidity density at \$sqrt{s}=900\$ ÂGeV. European Physical Journal C, 2010, 65, 111-125.	1.4	124
278	Charged-particle multiplicity measurement in proton–proton collisions at \$sqrt{s}=0.9\$ and 2.36ÂTeV with ALICE at LHC. European Physical Journal C, 2010, 68, 89-108.	1.4	199
279	Charged-particle multiplicity measurement in proton–proton collisions at \$sqrt{s}=7\$ÂTeV with ALICE at LHC. European Physical Journal C, 2010, 68, 345-354.	1.4	212
280	Underlying Event measurements in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the ALICE experiment at the LHC. , 0, .		1