Yuehua Li

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3115952/yuehua-li-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

2,050
citations

43
g-index

69
ext. papers

2,528
ext. citations

66
avg, IF

L-index

#	Paper	IF	Citations
67	Impact of Selective Renal Afferent Denervation on Oxidative Stress and Vascular Remodeling in Spontaneously Hypertensive Rats. <i>Antioxidants</i> , 2022 , 11, 1003	7.1	O
66	Dysregulation of the Excitatory Renal Reflex in the Sympathetic Activation of Spontaneously Hypertensive Rat. <i>Frontiers in Physiology</i> , 2021 , 12, 673950	4.6	1
65	Protective roles of the TIR/BB-loop mimetic AS-1 in alkali-induced corneal neovascularization by inhibiting ERK phosphorylation. <i>Experimental Eye Research</i> , 2021 , 207, 108568	3.7	O
64	Inhibition of miR-135a-5p attenuates vascular smooth muscle cell proliferation and vascular remodeling in hypertensive rats. <i>Acta Pharmacologica Sinica</i> , 2021 , 42, 1798-1807	8	6
63	miR-31-5p Promotes Oxidative Stress and Vascular Smooth Muscle Cell Migration in Spontaneously Hypertensive Rats via Inhibiting FNDC5 Expression. <i>Biomedicines</i> , 2021 , 9,	4.8	5
62	Salusin-lin Intermediate Dorsal Motor Nucleus of the Vagus Regulates Sympathetic-Parasympathetic Balance and Blood Pressure. <i>Biomedicines</i> , 2021 , 9,	4.8	1
61	Extracellular vesicle-mediated miR135a-5p transfer in hypertensive rat contributes to vascular smooth muscle cell proliferation via targeting FNDC5. <i>Vascular Pharmacology</i> , 2021 , 140, 106864	5.9	3
60	RND3 attenuates oxidative stress and vascular remodeling in spontaneously hypertensive rat via inhibiting ROCK1 signaling. <i>Redox Biology</i> , 2021 , 48, 102204	11.3	1
59	MiR155-5p Inhibits Cell Migration and Oxidative Stress in Vascular Smooth Muscle Cells of Spontaneously Hypertensive Rats. <i>Antioxidants</i> , 2020 , 9,	7.1	14
58	Angiotensin Type 1 Receptors and Superoxide Anion Production in Hypothalamic Paraventricular Nucleus Contribute to Capsaicin-Induced Excitatory Renal Reflex and Sympathetic Activation. <i>Neuroscience Bulletin</i> , 2020 , 36, 463-474	4.3	10
57	Triad3A attenuates pathological cardiac hypertrophy involving the augmentation of ubiquitination-mediated degradation of TLR4 and TLR9. <i>Basic Research in Cardiology</i> , 2020 , 115, 19	11.8	22
56	HSPA12A attenuates lipopolysaccharide-induced liver injury through inhibiting caspase-11-mediated hepatocyte pyroptosis via PGC-1Edependent acyloxyacyl hydrolase expression. Cell Death and Differentiation, 2020, 27, 2651-2667	12.7	13
55	FNDC5 Attenuates Oxidative Stress and NLRP3 Inflammasome Activation in Vascular Smooth Muscle Cells via Activating the AMPK-SIRT1 Signal Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 6384803	6.7	15
54	MiR155-5p in adventitial fibroblasts-derived extracellular vesicles inhibits vascular smooth muscle cell proliferation via suppressing angiotensin-converting enzyme expression. <i>Journal of Extracellular Vesicles</i> , 2020 , 9, 1698795	16.4	46
53	HSPA12A unstabilizes CD147 to inhibit lactate export and migration in human renal cell carcinoma. <i>Theranostics</i> , 2020 , 10, 8573-8590	12.1	7
52	Interleukin-1[In hypothalamic paraventricular nucleus mediates excitatory renal reflex. <i>Pflugers Archiv European Journal of Physiology</i> , 2020 , 472, 1577-1586	4.6	4
51	Chemical Stimulation of Renal Tissue Induces Sympathetic Activation and a Pressor Response via the Paraventricular Nucleus in Rats. <i>Neuroscience Bulletin</i> , 2020 , 36, 143-152	4.3	12

Curcumin attenuates migration of vascular smooth muscle cells via inhibiting NF B -mediated NLRP3 expression in spontaneously hypertensive rats. <i>Journal of Nutritional Biochemistry</i> , 2019 , 72, 10	8213	14	
BCL6 Attenuates Proliferation and Oxidative Stress of Vascular Smooth Muscle Cells in Hypertension. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 5018410	6.7	14	
Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial dysfunction. <i>Molecular Medicine Reports</i> , 2019 , 19, 4797-4805	2.9	4	
HSPA12A is required for adipocyte differentiation and diet-induced obesity through a positive feedback regulation with PPARII <i>Cell Death and Differentiation</i> , 2019 , 26, 2253-2267	12.7	15	
Cardiomyocyte-specific deficiency of HSPB1 worsens cardiac dysfunction by activating NFB-mediated leucocyte recruitment after myocardial infarction. <i>Cardiovascular Research</i> , 2019 , 115, 154-167	9.9	17	
FNDC5 inhibits foam cell formation and monocyte adhesion in vascular smooth muscle cells via suppressing NFB-mediated NLRP3 upregulation. <i>Vascular Pharmacology</i> , 2019 , 121, 106579	5.9	18	
Peli1 induction impairs cardiac microvascular endothelium through Hsp90 dissociation from IRE1 <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 2606-2617	6.9	19	
TIR/BB-loop mimetic AS-1 protects vascular endothelial cells from injury induced by hypoxia/reoxygenation. <i>Journal of Biomedical Research</i> , 2019 , 34, 343-350	1.5		
Prostaglandin E/EP receptor signalling pathway promotes diabetic retinopathy in a rat model of diabetes. <i>Diabetologia</i> , 2019 , 62, 335-348	10.3	18	
HSPA12A Is a Novel Player in Nonalcoholic Steatohepatitis via Promoting Nuclear PKM2-Mediated M1 Macrophage Polarization. <i>Diabetes</i> , 2019 , 68, 361-376	0.9	27	
FNDC5 attenuates adipose tissue inflammation and insulin resistance via AMPK-mediated macrophage polarization in obesity. <i>Metabolism: Clinical and Experimental</i> , 2018 , 83, 31-41	12.7	66	
HSPA12B promotes functional recovery after ischaemic stroke through an eNOS-dependent mechanism. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 2252-2262	5.6	6	
Fibronectin type III domain containing 5 attenuates NLRP3 inflammasome activation and phenotypic transformation of adventitial fibroblasts in spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 2018 , 36, 1104-1114	1.9	22	
Heat shock protein A12A encodes a novel prosurvival pathway during ischaemic stroke. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 1862-1872	6.9	7	
Fibronectin Type III Domain-Containing 5 Attenuates Liver Fibrosis Via Inhibition of Hepatic Stellate Cell Activation. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 227-236	3.9	7	
Exosome-Mediated Transfer of ACE (Angiotensin-Converting Enzyme) From Adventitial Fibroblasts of Spontaneously Hypertensive Rats Promotes Vascular Smooth Muscle Cell Migration. <i>Hypertension</i> , 2018 , 72, 881-888	8.5	37	
SUV39H1 mediated SIRT1 trans-repression contributes to cardiac ischemia-reperfusion injury. <i>Basic Research in Cardiology</i> , 2017 , 112, 22	11.8	27	
Silencing salusin-lattenuates cardiovascular remodeling and hypertension in spontaneously hypertensive rats. <i>Scientific Reports</i> , 2017 , 7, 43259	4.9	17	
	NLRP3 expression in spontaneously hypertensive rats. <i>Journal of Nutritional Biochemistry</i> , 2019, 72, 10 BCL6 Attenuates Proliferation and Oxidative Stress of Vascular Smooth Muscle Cells in Hypertension. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 5018410 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial dysfunction. <i>Molecular Medicine Reports</i> , 2019, 19, 4797-4805 HSPA12A is required for adipocyte differentiation and diet-induced obesity through a positive feedback regulation with PPARLCell Death and Differentiation, 2019, 26, 2253-2267 Cardiomyocyte-specific deficiency of HSPB1 worsens cardiac dysfunction by activating NFB-mediated leucocyte recruitment after myocardial infarction. <i>Cardiovascular Research</i> , 2019, 115, 154-167 FNDC5 inhibits foam cell formation and monocyte adhesion in vascular smooth muscle cells via suppressing NFB-mediated NLRP3 upregulation. <i>Vascular Pharmacology</i> , 2019, 121, 106579 Peli1 induction impairs cardiac microvascular endothelium through Hsp90 dissociation from IRE1D <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 2606-2617 TIR/BB-loop mimetic AS-1 protects vascular endothelial cells from injury induced by hypoxia/reoxygenation. <i>Journal of Biomedical Research</i> , 2019, 34, 343-350 Prostaglandin E/EP receptor signalling pathway promotes diabetic retinopathy in a rat model of diabetes. <i>Diabetologia</i> , 2019, 62, 335-348 HSPA12A Is a Novel Player in Nonalcoholic Steatohepatitis via Promoting Nuclear PKM2-Mediated M1 Macrophage Polarization. <i>Diabetes</i> , 2019, 68, 361-376 FNDC5 attenuates adipose tissue inflammation and insulin resistance via AMPK-mediated macrophage polarization in obesity. <i>Metabolism:</i> Clinical and Experimental, 2018, 83, 31-41 HSPA12B promotes functional recovery after ischaemic stroke through an eNOS-dependent mechanism. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 2252-2262 Fibronectin type III domain containing 5 attenuates NLRP3 inflammasome activation a	BCL6 Attenuates Proliferation and Oxidative Stress of Vascular Smooth Muscle Cells in Hypertension. Oxidative Medicine and Cellular Longevily, 2019, 2019, 2019, 5018410 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial dysfunction. Molecular Medicine Reports, 2019, 19, 4797-4805 HSPA12A is required for adipocyte differentiation and diet-induced obesity through a positive feedback regulation with PPARICell Death and Differentiation, 2019, 26, 2253-2267 Cardiomyocyte-specific deficiency of HSPB1 worsens cardiac dysfunction by activating NFB-mediated leucocyte recruitment after myocardial infarction. Cardiovascular Research, 2019, 115, 154-167 FNOCS inhibits foam cell formation and monocyte adhesion in vascular smooth muscle cells via suppressing NFB-mediated NLRP3 upregulation. Vascular Pharmacology, 2019, 121, 106579 Pell1 induction impairs cardiac microvascular endothelium through Hsp90 dissociation from IRE1II Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 2606-2617 TIR/BB-loop mimetic AS-1 protects vascular endothelial cells from injury induced by hypoxia/reoxygenation. Journal of Biomedical Research, 2019, 34, 343-350 Prostaglandin E/EP receptor signalling pathway promotes diabetic retinopathy in a rat model of diabetes. Diabetologia, 2019, 62, 335-348 FNDCS attenuates adipose tissue inflammation and insulin resistance via AMPK-mediated macrophage Polarization. Diabetes, 2019, 68, 361-376 FNDCS attenuates adipose tissue inflammation and insulin resistance via AMPK-mediated macrophage Polarization in obesity. Metabolism: Clinical and Experimental, 2018, 83, 31-41 HSPA12B promotes functional recovery after ischaemic stroke through an eNOS-dependent mechanism. Journal of Cellular and Molecular Medicine, 2018, 22, 2252-2262 Fibronectin type III domain containing 5 attenuates NLRP3 inflammasome activation and phenotypic transformation of adventitial Fibroblasts in spontaneously hypertensive rats. Journal of Hypertension, 2018, 36, 11	RECEA Attenuates Proliferation and Oxidative Stress of Vascular Smooth Muscle Cells in Hypertension. Oxidative Medicine and Cellular Longevity, 2019, 2019, 5018410 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial dysfunction. Molecular Medicine Reports, 2019, 19, 4797-4805 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial dysfunction. Molecular Medicine Reports, 2019, 19, 4797-4805 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial dysfunction. Molecular Medicine Reports, 2019, 19, 4797-4805 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial dysfunction. Molecular Medicine Reports, 2019, 19, 4797-4805 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial molecular Medicine Reports, 2019, 19, 479-4805 Exosomes derived from mangiferin-stimulated perivascular adipose tissue ameliorate endothelial molecular Medicine Research, 2019, 20, 2253-2267 Exodiomyocyte-specific deficiency of HSPB1 worsens cardiac dysfunction by activating NFB-mediated NLRP3 upregulation. Vascular smooth muscle cells via suppressing NFB-mediated NLRP3 upregulation. Vascular Pharmacology, 2019, 121, 106579 FNDC5 inhibits foam cell formation and monocyte adhesion in vascular smooth muscle cells via suppressing NFB-mediated NLRP3 upregulation. Vascular Pharmacology, 2019, 121, 106579 FNDC5 inhibits foam cell formation and monocyte adhesion in vascular smooth muscle cells via suppressing NFB-mediated NLRP3 upregulation. Vascular Pharmacology, 2019, 121, 106579 FNDC5 inhibits foam cell formation and monocyte adhesion in vascular smooth muscle cells via suppressing NFB-mediated NLRP3 upregular pharmacologia, 2019, 121, 121, 122 FNDC5 inhibits foam cell formation and monocyte adhesion in vascular smooth muscle cells via pharmacologia, 2019, 2019, 121, 121, 122 FNDC5 attenuates adipose discurate adoubted to the formation p

32	Salusin-Leontributes to oxidative stress and inflammation in diabetic cardiomyopathy. <i>Cell Death and Disease</i> , 2017 , 8, e2690	9.8	48
31	The histone H3K9 methyltransferase SUV39H links SIRT1 repression to myocardial infarction. <i>Nature Communications</i> , 2017 , 8, 14941	17.4	48
30	TIR/BB-loop mimetic AS-1 attenuates cardiac ischemia/reperfusion injury via a caveolae and caveolin-3-dependent mechanism. <i>Scientific Reports</i> , 2017 , 7, 44638	4.9	2
29	The TIR/BB-loop mimetic AS-1 prevents non-alcoholic steatohepatitis and hepatic insulin resistance by inhibiting NLRP3-ASC inflammasome activation. <i>British Journal of Pharmacology</i> , 2017 , 174, 1841-18	58 ^{.6}	12
28	NLRP3 inflammasome activation contributes to VSMC phenotypic transformation and proliferation in hypertension. <i>Cell Death and Disease</i> , 2017 , 8, e3074	9.8	114
27	BCL6 attenuates renal inflammation via negative regulation of NLRP3 transcription. <i>Cell Death and Disease</i> , 2017 , 8, e3156	9.8	21
26	NLRP3 Gene Deletion Attenuates Angiotensin II-Induced Phenotypic Transformation of Vascular Smooth Muscle Cells and Vascular Remodeling. <i>Cellular Physiology and Biochemistry</i> , 2017 , 44, 2269-228	ક્રુે.9	67
25	Elaminoisobutyric acid attenuates hepatic endoplasmic reticulum stress and glucose/lipid metabolic disturbance in mice with type 2 diabetes. <i>Scientific Reports</i> , 2016 , 6, 21924	4.9	52
24	Reduced lipolysis response to adipose afferent reflex involved in impaired activation of adrenoceptor-cAMP-PKA-hormone sensitive lipase pathway in obesity. <i>Scientific Reports</i> , 2016 , 6, 3437-	4 ^{4.9}	16
23	HSPA12B Attenuated Acute Myocardial Ischemia/reperfusion Injury via Maintaining Endothelial Integrity in a PI3K/Akt/mTOR-dependent Mechanism. <i>Scientific Reports</i> , 2016 , 6, 33636	4.9	36
22	Salusin-Induces foam cell formation and monocyte adhesion in human vascular smooth muscle cells via miR155/NOX2/NFB pathway. <i>Scientific Reports</i> , 2016 , 6, 23596	4.9	32
21	The TIR/BB-loop mimetic AS-1 attenuates mechanical stress-induced cardiac fibroblast activation and paracrine secretion via modulation of large tumor suppressor kinase 1. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016 , 1862, 1191-202	6.9	8
20	Relaxin in paraventricular nucleus contributes to sympathetic overdrive and hypertension via PI3K-Akt pathway. <i>Neuropharmacology</i> , 2016 , 103, 247-56	5.5	22
19	Salusin-IPromotes Vascular Smooth Muscle Cell Migration and Intimal Hyperplasia After Vascular Injury via ROS/NFB/MMP-9 Pathway. <i>Antioxidants and Redox Signaling</i> , 2016 , 24, 1045-57	8.4	72
18	HSP27 Alleviates Cardiac Aging in Mice via a Mechanism Involving Antioxidation and Mitophagy Activation. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 2586706	6.7	27
17	FNDC5 Alleviates Hepatosteatosis by Restoring AMPK/mTOR-Mediated Autophagy, Fatty Acid Oxidation, and Lipogenesis in Mice. <i>Diabetes</i> , 2016 , 65, 3262-3275	0.9	78
16	Salusin-Itontributes to vascular remodeling associated with hypertension via promoting vascular smooth muscle cell proliferation and vascular fibrosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 1709-18	6.9	51
15	FNDC5 overexpression and irisin ameliorate glucose/lipid metabolic derangements and enhance lipolysis in obesity. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 1867-75	6.9	124

LIST OF PUBLICATIONS

14	Histone Methyltransferase SET1 Mediates Angiotensin II-Induced Endothelin-1 Transcription and Cardiac Hypertrophy in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1207-17	9.4	39
13	Pellino1-mediated TGF-II synthesis contributes to mechanical stress induced cardiac fibroblast activation. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 79, 145-56	5.8	38
12	Class III PI3K-mediated prolonged activation of autophagy plays a critical role in the transition of cardiac hypertrophy to heart failure. <i>Journal of Cellular and Molecular Medicine</i> , 2015 , 19, 1710-9	5.6	26
11	Irisin inhibits hepatic gluconeogenesis and increases glycogen synthesis via the PI3K/Akt pathway in type 2 diabetic mice and hepatocytes. <i>Clinical Science</i> , 2015 , 129, 839-50	6.5	190
10	GABA in Paraventricular Nucleus Regulates Adipose Afferent Reflex in Rats. <i>PLoS ONE</i> , 2015 , 10, e0136	598 3	9
9	HSPA12B attenuates acute lung injury during endotoxemia in mice. <i>International Immunopharmacology</i> , 2015 , 29, 599-606	5.8	6
8	HSPA12B: a novel facilitator of lung tumor growth. <i>Oncotarget</i> , 2015 , 6, 9924-36	3.3	13
7	Silencing of Pellino1 improves post-infarct cardiac dysfunction and attenuates left ventricular remodelling in mice. <i>Cardiovascular Research</i> , 2014 , 102, 46-55	9.9	19
6	Lipoic acid protected cardiomyoblasts from the injury induced by sodium nitroprusside through ROS-mediated Akt/Gsk-3[activation. <i>Toxicology in Vitro</i> , 2014 , 28, 1461-73	3.6	6
5	The TIR/BB-loop mimetic AS-1 prevents cardiac hypertrophy by inhibiting IL-1R-mediated MyD88-dependent signaling. <i>Basic Research in Cardiology</i> , 2011 , 106, 787-99	11.8	25
4	17beta-estradiol inhibits angiotensin II-induced cardiac myofibroblast differentiation. <i>European Journal of Pharmacology</i> , 2009 , 616, 155-9	5.3	27
3	Blockade of MyD88 attenuates cardiac hypertrophy and decreases cardiac myocyte apoptosis in pressure overload-induced cardiac hypertrophy in vivo. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 290, H985-94	5.2	67
2	Reduced cardiac hypertrophy in toll-like receptor 4-deficient mice following pressure overload. <i>Cardiovascular Research</i> , 2005 , 68, 224-34	9.9	118
1	NF-kappaB activation is required for the development of cardiac hypertrophy in vivo. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H1712-20	5.2	139