

Yuan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/311823/publications.pdf>

Version: 2024-02-01

179
papers

4,781
citations

109137

35
h-index

143772

57
g-index

183
all docs

183
docs citations

183
times ranked

6583
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of Germline Mutations in East-Asian Young Never-Smokers with Lung Adenocarcinoma by Whole-Exome Sequencing. <i>Phenomics</i> , 2023, 3, 182-189.	0.9	5
2	The prognostic value of Kirsten rat sarcoma viral oncogene homolog mutations in resected lung adenocarcinoma differs according to clinical features. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 163, e73-e85.	0.4	18
3	Surgery for pre- and minimally invasive lung adenocarcinoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 163, 456-464.	0.4	33
4	Subsolid Lesions Exceeding 3 Centimeters: The Ground-Glass Opacity Component Still Matters. <i>Annals of Thoracic Surgery</i> , 2022, 113, 984-992.	0.7	5
5	Subsolid Lung Adenocarcinomas: Radiological, Clinical and Pathological Features and Outcomes. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2022, 34, 702-710.	0.4	11
6	Decreasing Prevalence of Benign Etiology in Resected Lung Nodules Suspicious for Lung Cancer over the Last Decade. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2022, 34, 1093-1099.	0.4	6
7	PD-L1 Expression and Comprehensive Molecular Profiling Predict Survival in Nonsmall Cell Lung Cancer: A Real-World Study of a Large Chinese Cohort. <i>Clinical Lung Cancer</i> , 2022, 23, 43-51.	1.1	11
8	Prognostic implication of tumor spread through air spaces in patients with pathologic NO lung adenocarcinoma. <i>Lung Cancer</i> , 2022, 164, 33-38.	0.9	11
9	Liquid Biopsy and Tissue Biopsy Comparison with Digital PCR and IHC/FISH for HER2 Amplification Detection in Breast Cancer Patients. <i>Journal of Cancer</i> , 2022, 13, 744-751.	1.2	10
10	Association between polypharmacy and mortality in the older adults: A systematic review and meta-analysis. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104630.	1.4	28
11	Loss of <i>TSC1/TSC2</i> sensitizes immune checkpoint blockade in non-small cell lung cancer. <i>Science Advances</i> , 2022, 8, eabi9533.	4.7	16
12	The Grading System of Lung Adenocarcinoma: Ever-Evolving Concepts. <i>Journal of Thoracic Oncology</i> , 2022, 17, e30.	0.5	0
13	The Eph receptor A4 plays a role in demyelination and depression-related behavior. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	14
14	Sevoflurane-Induced Apoptosis in the Mouse Cerebral Cortex Follows Similar Characteristics of Physiological Apoptosis. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, 873658.	1.4	4
15	Association of the programmed death ligand-1 combined positive score in tumors and clinicopathological features in esophageal cancer. <i>Thoracic Cancer</i> , 2022, 13, 523-532.	0.8	8
16	A new AI-assisted scoring system for PD-L1 expression in NSCLC. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 221, 106829.	2.6	6
17	Comprehensive investigation of lung cancer associated with cystic airspaces: predictive value of morphology. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 62, .	0.6	2
18	Detection and treatment of lung adenocarcinoma at pre-/minimally invasive stage: is it lead-time bias?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2717-2722.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Prognostic value of epidermal growth factor receptor gene mutation in resected lung adenocarcinoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 162, 664-674.e7.	0.4	34
20	Computed tomography density is not associated with pathological tumor invasion for pure ground-glass nodules. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 162, 451-459.e3.	0.4	21
21	Gefitinib as neoadjuvant therapy for resectable stage II-IIIa non-small cell lung cancer: A phase II study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 161, 434-442.e2.	0.4	58
22	OCT-Angiography Comparison between Obstructive Sleep Apnea Children and Normal Subjects in China. <i>Current Eye Research</i> , 2021, 46, 355-360.	0.7	7
23	Exome-Wide Association Analysis Suggests LRP2BP as a Susceptibility Gene for Endothelial Injury in Systemic Sclerosis in the Han Chinese Population. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1254-1263.e6.	0.3	2
24	Clinicopathological and molecular characteristics associated with PD-L1 expression in non-small cell lung cancer: a large-scale, multi-center, real-world study in China. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1547-1556.	1.2	17
25	Excellent Prognosis of Patients With Invasive Lung Adenocarcinomas During Surgery Misdiagnosed as Atypical Adenomatous Hyperplasia, Adenocarcinoma In Situ, or Minimally Invasive Adenocarcinoma by Frozen Section. <i>Chest</i> , 2021, 159, 1265-1272.	0.4	16
26	Is 99m Tc bone scintigraphy necessary in the preoperative workup for patients with cT1N0 subsolid lung cancer? A prospective multicenter cohort study. <i>Thoracic Cancer</i> , 2021, 12, 415-419.	0.8	2
27	Predict multicategory causes of death in lung cancer patients using clinicopathologic factors. <i>Computers in Biology and Medicine</i> , 2021, 129, 104161.	3.9	12
28	Esophagectomy With Three-Field Versus Two-Field Lymphadenectomy for Middle and Lower Thoracic Esophageal Cancer: Long-Term Outcomes of a Randomized Clinical Trial. <i>Journal of Thoracic Oncology</i> , 2021, 16, 310-317.	0.5	56
29	SMAD4 mutation correlates with poor prognosis in non-small cell lung cancer. <i>Laboratory Investigation</i> , 2021, 101, 463-476.	1.7	16
30	Clinical impact of the tumor immune microenvironment in completely resected stage IIIA(N2) non-small cell lung cancer based on an immunological score approach. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592098497.	1.4	14
31	Combination of CD47 and CD68 expression predicts survival in eastern-Asian patients with non-small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 739-747.	1.2	8
32	Novel application of bergapten and quercetin with anti-bacterial, osteogenesis-potentiating, and anti-inflammation tri-effects. <i>Acta Biochimica Et Biophysica Sinica</i> , 2021, 53, 683-696.	0.9	7
33	Graphene-Reinforced Titanium Enhances Soft Tissue Seal. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 665305.	2.0	9
34	Is flexible bronchoscopy necessary in the preoperative workup of patients with peripheral cT1N0 subsolid lung cancer? A prospective multi-center cohort study. <i>Translational Lung Cancer Research</i> , 2021, 10, 1635-1641.	1.3	2
35	Primary Tumor Resection Improves Survival for EGFR-TKI-Treated Patients With Occult M1a Lung Adenocarcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 622723.	1.3	2
36	Ground glass opacity featured lung adenocarcinoma in teenagers. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 3719-3724.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Case Report: EGFR-Positive Early-Stage Lung Adenocarcinoma Transforming to Squamous Cell Carcinoma After TKI Treatment. <i>Frontiers in Oncology</i> , 2021, 11, 696881.	1.3	2
38	Genetic-pathological prediction for timing and site-specific recurrence pattern in resected lung adenocarcinoma. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 60, 1223-1231.	0.6	6
39	Automated tumor proportion scoring for PD-L1 expression based on multistage ensemble strategy in non-small cell lung cancer. <i>Journal of Translational Medicine</i> , 2021, 19, 249.	1.8	3
40	PD-L1 expression in non-small cell lung cancer: heterogeneity by pathologic types, tissue sampling and metastasis. <i>Journal of Thoracic Disease</i> , 2021, 13, 4360-4370.	0.6	3
41	Systemic immune-inflammation index is a stage-dependent prognostic factor in patients with operable non-small cell lung cancer. <i>Translational Lung Cancer Research</i> , 2021, 10, 3144-3154.	1.3	15
42	Emergence and Genetic Characterization of Plasmid-Encoded VIM-2-Producing <i>Pseudomonas stutzeri</i> with Novel Integron In1998 Isolated from Cerebrospinal Fluid. <i>Infection and Drug Resistance</i> , 2021, Volume 14, 3415-3424.	1.1	5
43	Automated tumor proportion score analysis for PD-L1 (22C3) expression in lung squamous cell carcinoma. <i>Scientific Reports</i> , 2021, 11, 15907.	1.6	14
44	DDX56 modulates post-transcriptional Wnt signaling through miRNAs and is associated with early recurrence in squamous cell lung carcinoma. <i>Molecular Cancer</i> , 2021, 20, 108.	7.9	18
45	Impact of Adjuvant Therapy on Survival in Surgically Resected Limited-Stage Small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 704517.	1.3	1
46	Testing for EGFR Mutations and ALK Rearrangements in Advanced Non-Small-Cell Lung Cancer: Considerations for Countries in Emerging Markets. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 4671-4692.	1.0	6
47	Clinicopathologic features and prognostic value of epidermal growth factor receptor mutation in patients with pT1a and pT1b invasive lung adenocarcinoma after surgical resection. <i>Journal of Thoracic Disease</i> , 2021, 13, 5496-5507.	0.6	2
48	Validation of the Novel International Association for the Study of Lung Cancer Grading System for Invasive Pulmonary Adenocarcinoma and Association With Common Driver Mutations. <i>Journal of Thoracic Oncology</i> , 2021, 16, 1684-1693.	0.5	54
49	Clinical Value of Upfront Cranial Radiation Therapy in Osimertinib-Treated Epidermal Growth Factor Receptorâ€“Mutant Non-Small Cell Lung Cancer With Brain Metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 804-815.	0.4	22
50	Comparison of cytokine level changes in gingival crevicular fluid between the aligner and pendulum appliance during early molar distalization. <i>Journal of Orofacial Orthopedics</i> , 2021, , 1.	0.5	0
51	PD-L1 Expression in Chinese Patients with Advanced Non-Small Cell Lung Cancer (NSCLC): A Multi-Center Retrospective Observational Study. <i>Journal of Cancer</i> , 2021, 12, 7390-7398.	1.2	6
52	Characteristics of Dysregulated Proinflammatory Cytokines and Cognitive Dysfunction in Late-Life Depression and Amnesic Mild Cognitive Impairment. <i>Frontiers in Immunology</i> , 2021, 12, 803633.	2.2	5
53	A biopolymer hydrogel electrostatically reinforced by amino-functionalized bioactive glass for accelerated bone regeneration. <i>Science Advances</i> , 2021, 7, eabj7857.	4.7	22
54	Segment Location and Ground Glass Opacity Ratio Reliably Predict Node-Negative Status in Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2020, 109, 1061-1068.	0.7	32

#	ARTICLE	IF	CITATIONS
55	Imaging Features Suggestive of Multiple Primary Lung Adenocarcinomas. <i>Annals of Surgical Oncology</i> , 2020, 27, 2061-2070.	0.7	22
56	Results of low-dose computed tomography as a regular health examination among Chinese hospital employees. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 160, 824-831.e4.	0.4	86
57	High prevalence of ROS1 gene rearrangement detected by FISH in EGFR and ALK negative lung adenocarcinoma. <i>Experimental and Molecular Pathology</i> , 2020, 117, 104548.	0.9	9
58	Risk factors of postoperative recurrence and potential candidate of adjuvant radiotherapy in lung adenosquamous carcinoma. <i>Journal of Thoracic Disease</i> , 2020, 12, 5593-5602.	0.6	3
59	CRISPR/Cas9 mediated establishment of a human CSRP3 compound heterozygous knockout hESC line to model cardiomyopathy and heart failure. <i>Stem Cell Research</i> , 2020, 49, 102077.	0.3	4
60	Generation of patient-specific induced pluripotent stem cells (ZZUSAHi001-A) derived from a familial atrial fibrillation patient carrying KCNA5 c.775G>A mutation. <i>Stem Cell Research</i> , 2020, 47, 101915.	0.3	0
61	LncRNA-RP11 Modulates TGF- β 1-Activated Radiation-Induced Lung Injury Through Downregulating microRNA-29a. <i>Dose-Response</i> , 2020, 18, 155932582094907.	0.7	4
62	Circular RNA circ_0000517 regulates hepatocellular carcinoma development via miR-326/IGF1R axis. <i>Cancer Cell International</i> , 2020, 20, 404.	1.8	25
63	Supraclavicular Recurrence in Completely Resected (y)pN2 Non-Small Cell Lung Cancer: Implications for Postoperative Radiotherapy. <i>Frontiers in Oncology</i> , 2020, 10, 1414.	1.3	2
64	Ribosome 18S m6A Methyltransferase METTL5 Promotes Translation Initiation and Breast Cancer Cell Growth. <i>Cell Reports</i> , 2020, 33, 108544.	2.9	71
65	Establishment of an induced pluripotent stem cell line (ZZUSAHi002-A) derived from peripheral blood mononuclear cells of a healthy individual. <i>Stem Cell Research</i> , 2020, 48, 101966.	0.3	3
66	EGFR-mutant lung adenocarcinoma harboring co-mutational tumor suppressor genes predicts poor prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1781-1789.	1.2	13
67	Hormone receptor expression correlates with EGFR gene mutation in lung cancer in patients with simultaneous primary breast cancer. <i>Translational Lung Cancer Research</i> , 2020, 9, 325-336.	1.3	4
68	Development and validation of a five-gene model to predict postoperative brain metastasis in operable lung adenocarcinoma. <i>International Journal of Cancer</i> , 2020, 147, 584-592.	2.3	23
69	The IgG galactosylation ratio is higher in spondyloarthritis patients and associated with the MRI score. <i>Clinical Rheumatology</i> , 2020, 39, 2317-2323.	1.0	10
70	Pattern of Recurrence Analysis in Metastatic EGFR-Mutant NSCLC Treated with Osimertinib: Implications for Consolidative Stereotactic Body Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 107, 62-71.	0.4	25
71	Epistatic interaction between PKD2 and ABCG2 influences the pathogenesis of hyperuricemia and gout. <i>Hereditas</i> , 2020, 157, 2.	0.5	3
72	Rare giant primary intracranial angioleiomyoma in lateral ventricle: a case report and the literature review. <i>British Journal of Neurosurgery</i> , 2020, 34, 710-714.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Ground-glass opacity-featured lung adenocarcinoma has no response to chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2411-2417.	1.2	5
74	The influence of initial defect morphology of alveolar ridge on volumetric change of grafted bone following guided bone regeneration in the anterior maxilla region: an exploratory retrospective study. <i>Annals of Translational Medicine</i> , 2020, 8, 1592-1592.	0.7	3
75	A clinical-radiomics nomogram for the preoperative prediction of lung metastasis in colorectal cancer patients with indeterminate pulmonary nodules. <i>European Radiology</i> , 2019, 29, 439-449.	2.3	70
76	Distinct Prognostic Factors in Patients with Stage I Non-Small Cell Lung Cancer with Radiologic Part-Solid or Solid Lesions. <i>Journal of Thoracic Oncology</i> , 2019, 14, 2133-2142.	0.5	120
77	Real World Experience of Crizotinib in 104 Patients With ALK Rearrangement Non-small-cell Lung Cancer in a Single Chinese Cancer Center. <i>Frontiers in Oncology</i> , 2019, 9, 1116.	1.3	18
78	Detection of Novel NRG1, EGFR, and MET Fusions in Lung Adenocarcinomas in the Chinese Population. <i>Journal of Thoracic Oncology</i> , 2019, 14, 2003-2008.	0.5	52
79	Primary Gastrointestinal-Type Clear Cell Sarcoma-like Tumor of the Bronchus: A Hitherto Unreported Bronchial Tumor. <i>Journal of Thoracic Oncology</i> , 2019, 14, e202-e205.	0.5	5
80	Comparative analysis of co-occurring mutations of specific tumor suppressor genes in lung adenocarcinoma between Asian and Caucasian populations. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 747-757.	1.2	8
81	IgG Galactosylation status combined with MYOM2-rs2294066 precisely predicts anti-TNF response in ankylosing spondylitis. <i>Molecular Medicine</i> , 2019, 25, 25.	1.9	16
82	Short versus longer implants with osteotome sinus floor elevation for moderately atrophic posterior maxillae: A 1-year randomized clinical trial. <i>Journal of Clinical Periodontology</i> , 2019, 46, 855-862.	2.3	20
83	A Pathologic Complete Response to Neoadjuvant Chemotherapy and Immunotherapy Followed by Surgery in a Patient With NSCLC. <i>Journal of Thoracic Oncology</i> , 2019, 14, e104-e106.	0.5	1
84	Optimal timing and clinical value of radiotherapy in advanced ALK-rearranged non-small cell lung cancer with or without baseline brain metastases: implications from pattern of failure analyses. <i>Radiation Oncology</i> , 2019, 14, 44.	1.2	16
85	tRNA-based prognostic score in predicting survival outcomes of lung adenocarcinomas. <i>International Journal of Cancer</i> , 2019, 145, 1982-1990.	2.3	18
86	A novel semiautomatic segmentation protocol to evaluate guided bone regeneration outcomes: A pilot randomized, controlled clinical trial. <i>Clinical Oral Implants Research</i> , 2019, 30, 344-352.	1.9	12
87	Crizotinib in Chinese Patients with ROS1-Rearranged Advanced Non-Small-Cell Lung Cancer in Routine Clinical Practice. <i>Targeted Oncology</i> , 2019, 14, 315-323.	1.7	22
88	Lung Adenocarcinomas Manifesting as Radiological Part-Solid Nodules Define a Special Clinical Subtype. <i>Journal of Thoracic Oncology</i> , 2019, 14, 617-627.	0.5	151
89	Patterns and risks of postoperative recurrence in completely resected EGFR-mutant non-small cell lung cancer: prognostic significance of routine immunohistochemical markers. <i>Translational Lung Cancer Research</i> , 2019, 8, 967-978.	1.3	15
90	Radiographic Features of Metastatic Brain Tumors from ALK-rearranged Non-small Cell Lung Cancer: Implications for Optimal Treatment Modalities. <i>Journal of Cancer</i> , 2019, 10, 6660-6665.	1.2	4

#	ARTICLE	IF	CITATIONS
91	Genomic and immune profiling of pre-invasive lung adenocarcinoma. <i>Nature Communications</i> , 2019, 10, 5472.	5.8	127
92	CT Morphological Features Integrated With Whole-Lesion Histogram Parameters to Predict Lung Metastasis for Colorectal Cancer Patients With Pulmonary Nodules. <i>Frontiers in Oncology</i> , 2019, 9, 1241.	1.3	8
93	Correlation between PD-L1 expression and clinicopathological characteristics of non-small cell lung cancer: A real-world study of a large Chinese cohort. <i>Journal of Thoracic Disease</i> , 2019, 11, 4591-4601.	0.6	35
94	Oral Microbiome in Patients with Oesophageal Squamous Cell Carcinoma. <i>Scientific Reports</i> , 2019, 9, 19055.	1.6	46
95	The novel circCLK3/miR-320a/FoxM1 axis promotes cervical cancer progression. <i>Cell Death and Disease</i> , 2019, 10, 950.	2.7	71
96	Frequency and clinical significance of <i>NF1</i> mutation in lung adenocarcinomas from East Asian patients. <i>International Journal of Cancer</i> , 2019, 144, 290-296.	2.3	13
97	Salvianolic acid B attenuates experimental skin fibrosis of systemic sclerosis. <i>Biomedicine and Pharmacotherapy</i> , 2019, 110, 546-553.	2.5	24
98	Genetic association of non-MHC region with ankylosing spondylitis in a Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 852-853.	0.5	12
99	3D Fast Spin-Echo T1-Black-Blood Imaging for the Preoperative Detection of Venous Sinus Invasion by Meningioma. <i>Clinical Neuroradiology</i> , 2019, 29, 65-73.	1.0	12
100	Long non-coding RNA DLX6-AS1 is associated with malignant progression and promotes proliferation and invasion in esophageal squamous cell carcinoma. <i>Molecular Medicine Reports</i> , 2019, 19, 1942-1950.	1.1	15
101	Histology and oncogenic driver alterations of lung adenocarcinoma in Chinese. <i>American Journal of Cancer Research</i> , 2019, 9, 1212-1223.	1.4	4
102	Genetic variants in two pathways influence serum urate levels and gout risk: a systematic pathway analysis. <i>Scientific Reports</i> , 2018, 8, 3848.	1.6	5
103	Tumor histology predicts mediastinal nodal status and may be used to guide limited lymphadenectomy in patients with clinical stage I non-small cell lung cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 2648-2656.e2.	0.4	31
104	Significance of blood and salivary IEX-1 expression in diagnosis of epithelial ovarian carcinoma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 764-771.	0.6	5
105	A comprehensive evaluation of clinicopathologic characteristics, molecular features and prognosis in lung adenocarcinoma with solid component. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 725-734.	1.2	17
106	Smoking quantity determines disease activity and function in Chinese patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2018, 37, 1605-1616.	1.0	11
107	Are exon 19 deletions and L858R different in early stage lung adenocarcinoma?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 165-171.	1.2	6
108	3D convolutional neural network for differentiating pre-invasive lesions from invasive adenocarcinomas appearing as ground-glass nodules with diameters ≥ 3 cm using HRCT. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018, 8, 491-499.	1.1	46

#	ARTICLE	IF	CITATIONS
109	Lutein inhibits proliferation, invasion and migration of hypoxic breast cancer cells via downregulation of HES1. <i>International Journal of Oncology</i> , 2018, 52, 2119-2129.	1.4	22
110	Anti-SIRT1 autoantibody is elevated in ankylosing spondylitis: a potential disease biomarker. <i>BMC Immunology</i> , 2018, 19, 38.	0.9	12
111	Salvianolic acid B attenuates experimental pulmonary inflammation by protecting endothelial cells against oxidative stress injury. <i>European Journal of Pharmacology</i> , 2018, 840, 9-19.	1.7	28
112	A Case of Primary Pulmonary Combined Small Cell Carcinoma With Adenocarcinoma Harboring the Same KLC1-ALK Fusion in Both Histologic Components. <i>Journal of Thoracic Oncology</i> , 2018, 13, e197-e199.	0.5	5
113	Predictors of Pathologic Tumor Invasion and Prognosis for Ground Glass Opacity Featured Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2018, 106, 1682-1690.	0.7	50
114	A Case of Small Cell Lung Cancer Transformation from EGFR-Mutant Lung Adenocarcinoma with Primary Resistance to Gefitinib. <i>Journal of Thoracic Oncology</i> , 2018, 13, e211-e214.	0.5	4
115	ALK-rearrangement neuroendocrine carcinoma of the lung: a comprehensive study of a rare case series and review of literature. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 4991-4998.	1.0	31
116	Development and Validation of Web-Based Nomograms to Precisely Predict Conditional Risk of Site-Specific Recurrence for Patients With Completely Resected Non-small Cell Lung Cancer. <i>Chest</i> , 2018, 154, 501-511.	0.4	37
117	So-called "non-classic" ciliated muconodular papillary tumors: a comprehensive comparison of the clinicopathological and molecular features with classic ciliated muconodular papillary tumors. <i>Human Pathology</i> , 2018, 82, 193-201.	1.1	30
118	Thymoma and thymic carcinoma associated with multilocular thymic cyst: a clinicopathologic analysis of 18 cases. <i>Diagnostic Pathology</i> , 2018, 13, 41.	0.9	18
119	Clinical Significance of Complex Glandular Patterns in Lung Adenocarcinoma. <i>American Journal of Clinical Pathology</i> , 2018, 150, 65-73.	0.4	31
120	Extended Right Thoracic Approach Compared With Limited Left Thoracic Approach for Patients With Middle and Lower Esophageal Squamous Cell Carcinoma. <i>Annals of Surgery</i> , 2018, 267, 826-832.	2.1	49
121	Predicting prognosis of post-chemotherapy patients with resected IIIA non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 4186-4194.	0.6	5
122	Clinicopathologic Characteristics of Patients with HER2 Insertions in Non-small Cell Lung Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 291-297.	0.7	22
123	Ciliated muconodular papillary tumor of the lung harboring <i>ALK</i> gene rearrangement: Case report and review of the literature. <i>Pathology International</i> , 2017, 67, 171-175.	0.6	50
124	Effects of multiple genetic loci on the pathogenesis from serum urate to gout. <i>Scientific Reports</i> , 2017, 7, 43614.	1.6	42
125	Copy number variants of ABCF1, IL17REL, and FCGR3A are associated with the risk of gout. <i>Protein and Cell</i> , 2017, 8, 467-470.	4.8	11
126	Should Nonsmokers Be Excluded from Early Lung Cancer Screening with Low-Dose Spiral Computed Tomography? Community-Based Practice in Shanghai. <i>Translational Oncology</i> , 2017, 10, 485-490.	1.7	37

#	ARTICLE	IF	CITATIONS
127	Clinical patterns and characteristics of ankylosing spondylitis in China. <i>Clinical Rheumatology</i> , 2017, 36, 1561-1568.	1.0	25
128	Mendelian randomization analysis indicates serum urate has a causal effect on renal function in Chinese women. <i>International Urology and Nephrology</i> , 2017, 49, 2035-2042.	0.6	6
129	Effect of titanium implants with strontium incorporation on bone apposition in animal models: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 15563.	1.6	23
130	Poor Sleep Quality Is Associated with Dawn Phenomenon and Impaired Circadian Clock Gene Expression in Subjects with Type 2 Diabetes Mellitus. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-8.	0.6	11
131	Comprehensive investigation of clinicopathologic features, oncogenic driver mutations and immunohistochemical markers in peripheral lung squamous cell carcinoma. <i>Journal of Thoracic Disease</i> , 2017, 9, 4434-4440.	0.6	9
132	Unique distribution of programmed death ligand 1 (PD-L1) expression in East Asian non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2017, 9, 2579-2586.	0.6	51
133	Elevated serum urate is a potential factor in reduction of total bilirubin: a Mendelian randomization study. <i>Oncotarget</i> , 2017, 8, 103864-103873.	0.8	0
134	The prevalence and prognostic significance of KRAS mutation subtypes in lung adenocarcinomas from Chinese populations. <i>OncoTargets and Therapy</i> , 2016, 9, 833.	1.0	38
135	Copy Number Variation of HLA-DQA1 and APOBEC3A/3B Contribute to the Susceptibility of Systemic Sclerosis in the Chinese Han Population. <i>Journal of Rheumatology</i> , 2016, 43, 880-886.	1.0	4
136	The Histologic Classifications of Lung Adenocarcinomas Are Discriminable by Unique Lineage Backgrounds. <i>Journal of Thoracic Oncology</i> , 2016, 11, 2161-2172.	0.5	7
137	Minor Components of Micropapillary and Solid Subtypes in Lung Adenocarcinoma are Predictors of Lymph Node Metastasis and Poor Prognosis. <i>Annals of Surgical Oncology</i> , 2016, 23, 2099-2105.	0.7	108
138	Effect of glutamate on lysosomal membrane permeabilization in primary cultured cortical neurons. <i>Molecular Medicine Reports</i> , 2016, 13, 2499-2505.	1.1	22
139	Prevalence and clinicopathological characteristics of ALK fusion subtypes in lung adenocarcinomas from Chinese populations. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 833-843.	1.2	15
140	Precise Diagnosis of Intraoperative Frozen Section Is an Effective Method to Guide Resection Strategy for Peripheral Small-Sized Lung Adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2016, 34, 307-313.	0.8	173
141	Decoupled temporal variability and signal synchronization of spontaneous brain activity in loss of consciousness: An fMRI study in anesthesia. <i>NeuroImage</i> , 2016, 124, 693-703.	2.1	79
142	Prognostic value of tumor-infiltrating lymphocytes for patients with completely resected stage IIIA(N2) non-small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 7227-7240.	0.8	38
143	Analysis of mutational and clinicopathologic characteristics of lung adenocarcinoma with clear cell component. <i>Oncotarget</i> , 2016, 7, 24596-24603.	0.8	25
144	Superior mediastinal mature cystic teratoma with gastrointestinal adenocarcinoma transformation: Report of a case. <i>Oncotarget</i> , 2016, 7, 38392-38397.	0.8	10

#	ARTICLE	IF	CITATIONS
145	EGFR Exon 18 Mutations in East Asian Patients with Lung Adenocarcinomas: A Comprehensive Investigation of Prevalence, Clinicopathologic Characteristics and Prognosis. <i>Scientific Reports</i> , 2015, 5, 13959.	1.6	34
146	SOX2 expression is associated with FGFR fusion genes and predicts favorable outcome in lung squamous cell carcinomas. <i>OncoTargets and Therapy</i> , 2015, 8, 3009.	1.0	9
147	Comprehensive investigation of oncogenic driver mutations in Chinese non-small cell lung cancer patients. <i>Oncotarget</i> , 2015, 6, 34300-34308.	0.8	70
148	Magnetic Resonance Imaging Characteristics of Ovarian Clear Cell Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0132406.	1.1	2
149	High EGFR and low p-Akt expression is associated with better outcome after nimotuzumab-containing treatment in esophageal cancer patients: preliminary clinical result and testable hypothesis. <i>Oncotarget</i> , 2015, 6, 18674-18682.	0.8	19
150	Lung adenocarcinoma: Are skip N2 metastases different from non-skip?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 150, 790-795.	0.4	38
151	Intranasal Administration of Maleic Anhydride-Modified Human Serum Albumin for Pre-Exposure Prophylaxis of Respiratory Syncytial Virus Infection. <i>Viruses</i> , 2015, 7, 798-819.	1.5	11
152	Is bronchoscopy necessary in the preoperative workup of a solitary pulmonary nodule?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 150, 36-40.	0.4	17
153	Prevalence and Clinicopathological Characteristics of BRAF Mutations in Chinese Patients with Lung Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1284-1291.	0.7	7
154	MRI characteristics of intraductal papilloma. <i>Acta Radiologica</i> , 2015, 56, 276-283.	0.5	6
155	Prognostic value of the IASLC/ATS/ERS classification and IMP3 expression in lung adenocarcinoma of Chinese cases. <i>American Journal of Cancer Research</i> , 2015, 5, 2266-76.	1.4	4
156	Protein expression of programmed death 1 ligand 1 and ligand 2 independently predict poor prognosis in surgically resected lung adenocarcinoma. <i>OncoTargets and Therapy</i> , 2014, 7, 567.	1.0	206
157	Association of HLA-DPB1 with Scleroderma and Its Clinical Features in Chinese Population. <i>PLoS ONE</i> , 2014, 9, e87363.	1.1	35
158	PIK3CA Mutations Frequently Coexist with EGFR/KRAS Mutations in Non-Small Cell Lung Cancer and Suggest Poor Prognosis in EGFR/KRAS Wildtype Subgroup. <i>PLoS ONE</i> , 2014, 9, e88291.	1.1	126
159	Association of the HLA-DRB1 with Scleroderma in Chinese Population. <i>PLoS ONE</i> , 2014, 9, e106939.	1.1	29
160	Primary concomitant EGFR T790M mutation predicted worse prognosis in non-small cell lung cancer patients. <i>OncoTargets and Therapy</i> , 2014, 7, 513.	1.0	32
161	Comparison of clinical features, molecular alterations, and prognosis in morphological subgroups of lung invasive mucinous adenocarcinoma. <i>OncoTargets and Therapy</i> , 2014, 7, 2127.	1.0	18
162	Oncogenic mutations are associated with histological subtypes but do not have an independent prognostic value in lung adenocarcinoma. <i>OncoTargets and Therapy</i> , 2014, 7, 1423.	1.0	41

#	ARTICLE	IF	CITATIONS
163	Recurrent TERT promoter mutations in non-small cell lung cancers. <i>Lung Cancer</i> , 2014, 86, 369-373.	0.9	27
164	Synchronous Non-small Cell Lung Cancers: Diagnostic Yield can be Improved by Histologic and Genetic Methods. <i>Annals of Surgical Oncology</i> , 2014, 21, 4369-4374.	0.7	21
165	A Comprehensive Investigation of Molecular Features and Prognosis of Lung Adenocarcinoma with Micropapillary Component. <i>Journal of Thoracic Oncology</i> , 2014, 9, 1772-1778.	0.5	69
166	Comparison of ADC values of intracranial hemangiopericytomas and angiomatous and anaplastic meningiomas. <i>Journal of Neuroradiology</i> , 2014, 41, 188-194.	0.6	32
167	ALK, ROS1 and RET fusions in 1139 lung adenocarcinomas: A comprehensive study of common and fusion pattern-specific clinicopathologic, histologic and cytologic features. <i>Lung Cancer</i> , 2014, 84, 121-126.	0.9	194
168	FGFR1/3 Tyrosine Kinase Fusions Define a Unique Molecular Subtype of Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 4107-4114.	3.2	125
169	Comprehensive Analysis of Oncogenic Mutations in Lung Squamous Cell Carcinoma With Minor Glandular Component. <i>Chest</i> , 2014, 145, 473-479.	0.4	36
170	The prognostic and predictive value of solid subtype in invasive lung adenocarcinoma. <i>Scientific Reports</i> , 2014, 4, 7163.	1.6	42
171	Magnetic Resonance Imaging and Computed Tomography Characteristics of Renal Cell Carcinoma Associated with Xp11.2 Translocation/TFE3 Gene Fusion. <i>PLoS ONE</i> , 2014, 9, e99990.	1.1	32
172	Predictive Factors of Lymph Node Status in Small Peripheral Non-small Cell Lung Cancers: Tumor Histology is More Reliable. <i>Annals of Surgical Oncology</i> , 2013, 20, 1949-1954.	0.7	58
173	Copper induces cellular senescence in human glioblastoma multiforme cells through downregulation of Bmi-1. <i>Oncology Reports</i> , 2013, 29, 1805-1810.	1.2	31
174	Mature teratoma of the spinal cord in adults: An unusual case. <i>Oncology Letters</i> , 2013, 6, 942-946.	0.8	25
175	ALK-Rearranged Lung Cancer in Chinese: A Comprehensive Assessment of Clinicopathology, IHC, FISH and RT-PCR. <i>PLoS ONE</i> , 2013, 8, e69016.	1.1	52
176	MicroRNA-212 displays tumor-promoting properties in non-small cell lung cancer cells and targets the hedgehog pathway receptor <i>PTCH1</i> . <i>Molecular Biology of the Cell</i> , 2012, 23, 1423-1434.	0.9	74
177	Myoepithelial carcinoma: First case reported in the trachea. <i>Pathology International</i> , 2012, 62, 55-59.	0.6	3
178	Desflurane Preconditioning Inhibits Endothelial Nuclear Factor- κ B Activation by Targeting the Proximal End of Tumor Necrosis Factor- α Signaling. <i>Anesthesia and Analgesia</i> , 2008, 106, 1473-1479.	1.1	14
179	MET exon 14 skipping defines a unique molecular class of non-small cell lung cancer. <i>Oncotarget</i> , 0, 7, 41691-41702.	0.8	68