

Liming Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3119269/publications.pdf>

Version: 2024-02-01

59
papers

1,188
citations

471477

17
h-index

414395

32
g-index

61
all docs

61
docs citations

61
times ranked

1598
citing authors

#	ARTICLE	IF	CITATIONS
1	A breathing A4 paper by in situ growth of green metal-organic frameworks for air freshening and cleaning. Chinese Journal of Chemical Engineering, 2022, 52, 95-102.	3.5	3
2	Encapsulation of fragrances in micron-size silk fibroin carriers via coaxial electrohydrodynamic techniques. Materials Chemistry and Physics, 2021, 260, 124167.	4.0	7
3	Tuning the release rate of volatile molecules by pore surface engineering in metal-organic frameworks. Chinese Chemical Letters, 2021, 32, 1988-1992.	9.0	9
4	LuxS quorum sensing system mediating Lactobacillus plantarum probiotic characteristics. Archives of Microbiology, 2021, 203, 4141-4148.	2.2	14
5	Silica Nanoparticle Deposition on Natural Fibrous Substrates: Kinetic and Thermodynamic Studies. Industrial & Engineering Chemistry Research, 2021, 60, 9500-9507.	3.7	3
6	CelluMOFs: Green, Facile, and Flexible Metal-Organic Frameworks for Versatile Applications. Advanced Functional Materials, 2021, 31, 2105395.	14.9	54
7	Encapsulation of Highly Volatile Fragrances in Y Zeolites for Sustained Release: Experimental and Theoretical Studies. ACS Omega, 2020, 5, 31925-31935.	3.5	23
8	A novel photothermo-responsive nanocarrier for the controlled release of low-volatile fragrances. RSC Advances, 2020, 10, 14867-14876.	3.6	9
9	Zwitterionic copolymerization of γ -butyrolactone with 3,3-bis(chloromethyl) oxacyclobutane catalyzed by scandium triflates. Polymer Chemistry, 2020, 11, 1845-1851.	3.9	11
10	All-Aqueous Direct Deposition of Fragrance-Loaded Nanoparticles onto Fabric Surfaces by Electro spraying. ACS Applied Polymer Materials, 2019, 1, 2590-2596.	4.4	18
11	Biocompatible Cyclodextrin-Based Metal-Organic Frameworks for Long-Term Sustained Release of Fragrances. Industrial & Engineering Chemistry Research, 2019, 58, 19767-19777.	3.7	58
12	Bioinspired Polymer-Bound Organocatalysts for Direct Asymmetric Aldol Reaction: Experimental and Computational Studies. Catalysts, 2019, 9, 398.	3.5	1
13	A chiroptical nanoprobe for highly selective recognition of histidine enantiomers in aqueous media. Sensors and Actuators B: Chemical, 2019, 284, 55-62.	7.8	13
14	Encapsulation and controlled release of fragrances from functionalized porous metal-organic frameworks. AIChE Journal, 2019, 65, 491-499.	3.6	39
15	Nanotechnology in fragrances: current status and future prospects. Scientia Sinica Chimica, 2019, 49, 575-580.	0.4	2
16	Fibrous pore structure of silk fabric, cattle leather and wallpaper base paper and their adsorption properties. Scientia Sinica Chimica, 2019, 49, 619-624.	0.4	3
17	Effective intracellular delivery and Th1 immune response induced by ovalbumin loaded in pH-responsive polyphosphazene polymersomes. Nanomedicine: Nanotechnology, Biology, and Medicine, 2018, 14, 1609-1618.	3.3	19
18	A pH-responsive fragrance release system based on pseudopeptide polymeric micelles. Reactive and Functional Polymers, 2018, 132, 138-144.	4.1	24

#	ARTICLE	IF	CITATIONS
19	A Pseudopeptide Polymer Micelle Used for Asymmetric Catalysis of the Aldol Reaction in Water. <i>Polymers</i> , 2018, 10, 1004.	4.5	6
20	A polymer-based probe for specific discrimination of cysteine. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 4859-4866.	2.8	9
21	Synthesis and evaluation of pseudopeptide chiral stationary phases for enantioselective resolution. <i>Journal of Chromatography A</i> , 2017, 1521, 53-62.	3.7	5
22	Properties of Electrospun Nanofibers of Multi-Block Copolymers of [Poly- μ -caprolactone- <i>b</i> -poly(tetrahydrofuran-co- μ -caprolactone)] <i>m</i> Synthesized by Janus Polymerization. <i>Polymers</i> , 2017, 9, 559.	4.5	16
23	Fusogenic Reactive Oxygen Species Triggered Charge-Reversal Vector for Effective Gene Delivery. <i>Advanced Materials</i> , 2016, 28, 1743-1752.	21.0	288
24	Gene Delivery: Fusogenic Reactive Oxygen Species Triggered Charge-Reversal Vector for Effective Gene Delivery (Adv. Mater. 9/2016). <i>Advanced Materials</i> , 2016, 28, 1714-1714.	21.0	11
25	Novel amphiphilic poly(2-oxazoline)s bearing l-prolinamide moieties as the pendants: Synthesis, micellization and catalytic activity in aqueous aldol reaction. <i>Polymer</i> , 2016, 102, 33-42.	3.8	11
26	Novel poly(2-oxazoline)s with pendant l-prolinamide moieties as efficient organocatalysts for direct asymmetric aldol reaction. <i>Catalysis Science and Technology</i> , 2016, 6, 6739-6749.	4.1	9
27	A chiroptical chemodosimeter for fast and specific detection of mercury(II) ions in aqueous media. <i>Analytical Methods</i> , 2015, 7, 8550-8553.	2.7	3
28	Synthesis and selective recognition toward zinc ion of chiral poly(imine-triazole). <i>Journal of Polymer Science Part A</i> , 2014, 52, 2248-2257.	2.3	6
29	A simple and effective fluorescent chemosensor for the cascade recognition of Zn ²⁺ and H ₂ PO ₄ ⁻ ions in protic media. <i>Tetrahedron</i> , 2014, 70, 1011-1015.	1.9	39
30	Living cationic ring-opening polymerization of 2-oxazolines initiated by rare-earth metal triflates. <i>RSC Advances</i> , 2014, 4, 59917-59926.	3.6	17
31	A polymeric film probe with a turn-on fluorescence response to hydrogen sulfate ions in aqueous media. <i>Journal of Materials Chemistry B</i> , 2013, 1, 5014.	5.8	29
32	A microsatellite genetic linkage map of half smooth tongue sole (<i>Cynoglossus semilaevis</i>). <i>Marine Genomics</i> , 2013, 9, 17-23.	1.1	20
33	Polymer-based fluoride-selective chemosensor: Synthesis, sensing property, and its use for the design of molecular-scale logic devices. <i>Journal of Polymer Science Part A</i> , 2012, 50, 590-598.	2.3	28
34	A chiral polymer-based turn-on fluorescent sensor for specific recognition of hydrogen sulfate. <i>Journal of Polymer Science Part A</i> , 2012, 50, 4191-4197.	2.3	13
35	A fluoride-selective colorimetric and fluorescent chemosensor and its use for the design of molecular-scale logic devices. <i>Sensors and Actuators B: Chemical</i> , 2011, 160, 1005-1010.	7.8	63
36	Analysis of new microsatellite markers developed from reported sequences of Japanese flounder <i>Paralichthys olivaceus</i> . <i>Journal of Ocean University of China</i> , 2010, 9, 365-370.	1.2	0

#	ARTICLE	IF	CITATIONS
37	Optically active polyacrylamides bearing an oxazoline pendant: Influence of stereoregularity on both chiroptical properties and chiral recognition. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5411-5418.	2.3	16
38	Optically active copolymers of N-(oxazolanyl)phenylmaleimides with methyl methacrylate: Synthesis and chiral recognition ability. <i>Polymer</i> , 2009, 50, 404-409.	3.8	13
39	SYNTHESIS AND CHIROPTICAL PROPERTY OF N-(OXAZOLINYL)PHENYL METHACRYLAMIDE BASED OPTICALLY ACTIVE POLYMERS. <i>Acta Polymerica Sinica</i> , 2009, 009, 775-780.	0.0	2
40	A novel optically active diblock copolymer composed of poly(ethylene glycol) and poly[N-(4-(4-phenyl-5,5-dihydro-1,3-oxazol-2-yl)phenyl)maleimide]: Synthesis, micellization behavior, and chiroptical property. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1025-1033.	1.2	12
41	Poly(N-phenylmaleimides) bearing chiral oxazolanyl pendant: Supramolecular aggregation and enantioselectivity in fluorescence response. <i>Polymer</i> , 2008, 49, 2065-2070.	3.8	15
42	Metal-induced supramolecular chirality in optically active polymers of oxazoline-substituted N-phenylmaleimides. <i>Chirality</i> , 2007, 19, 521-527.	2.6	16
43	Optically active polymethacrylamides bearing a bulky oxazoline pendant: Synthesis and characterization. <i>Reactive and Functional Polymers</i> , 2007, 67, 636-643.	4.1	22
44	Synthesis and characterization of optically active star-shaped poly (N-phenylmaleimide)s with a calixarene core. <i>Polymer International</i> , 2007, 56, 796-802.	3.1	13
45	Preparation and characterization of γ -functionalized polystyrene-magnetite nanocomposites. <i>Materials Chemistry and Physics</i> , 2007, 101, 291-296.	4.0	26
46	A new nonhydrolytic synthesis of magnetite nanocrystallites in the presence of γ -functionalized polystyrene matrix. <i>Journal of Applied Polymer Science</i> , 2006, 101, 186-191.	2.6	3
47	Synthesis of star-shaped poly(μ -caprolactone) by samarium-based tetrafunctional initiator and its dilute-solution properties. <i>Journal of Applied Polymer Science</i> , 2006, 102, 175-182.	2.6	8
48	Synthesis and anionic polymerization of optically active N-phenylmaleimides bearing bulky oxazoline substituents. <i>European Polymer Journal</i> , 2005, 41, 2592-2601.	5.4	21
49	Synthesis and magnetic properties of novel poly(N-2-thiazolyl(meth)acrylamide)-Fe(II) complexes. <i>Journal of Applied Polymer Science</i> , 2005, 98, 83-87.	2.6	7
50	Ring-opening polymerization of ϵ -caprolactone with a divalent samarium bis(phosphido) complex. <i>Journal of Applied Polymer Science</i> , 2005, 98, 1558-1564.	2.6	13
51	A novel bithiazole-containing polymeric complex with soft ferromagnetism. <i>Polymers for Advanced Technologies</i> , 2005, 16, 646-649.	3.2	12
52	Synthesis and polymerization of novel N-substituted maleimides containing an oxazoline group. <i>Polymer Bulletin</i> , 2004, 52, 1.	3.3	10
53	Bithiazole-containing polymeric complex and PVA composite film: Preparation and magnetic properties. <i>Journal of Applied Polymer Science</i> , 2004, 93, 1264-1270.	2.6	2
54	Styrene polymerization with rare earth catalysts using a magnesium alkyl cocatalyst. <i>Journal of Polymer Science Part A</i> , 2003, 34, 3519-3525.	2.3	14

#	ARTICLE	IF	CITATIONS
55	Novel Sm(PPh ₂) ₂ initiator for the synthesis of poly(μ -caprolactone) with linear and star-shaped structures. Polymer Bulletin, 2002, 49, 17-23.	3.3	4
56	Synthesis of ultra-high molecular weight polystyrene with rare earth-magnesium alkyl catalyst system: general features of bulk polymerization. Polymer International, 2001, 50, 63-66.	3.1	13
57	Syntheses and magnetic properties of novel bithiazole-containing polymeric complexes. Journal of Applied Polymer Science, 2001, 81, 1353-1359.	2.6	10
58	Synthesis and magnetic properties of novel poly(Schiff base)-Fe ²⁺ complexes. Macromolecular Rapid Communications, 2000, 21, 1099-1102.	3.9	50
59	Polymerization of N-phenylmaleimide with rare earth coordination catalysts. Macromolecular Rapid Communications, 1996, 17, 427-431.	3.9	3