
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3121315/publications.pdf Version: 2024-02-01



KAD CHENC

#	Article	IF	CITATIONS
1	Covid-19: risk factors for severe disease and death. BMJ, The, 2020, 368, m1198.	3.0	1,242
2	Interleukin-6 receptor pathways in coronary heart disease: a collaborative meta-analysis of 82 studies. Lancet, The, 2012, 379, 1205-1213.	6.3	668
3	Physical activity for cancer survivors: meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2012, 344, e70-e70.	2.4	618
4	The primary health-care system in China. Lancet, The, 2017, 390, 2584-2594.	6.3	609
5	A genome-wide association study identifies colorectal cancer susceptibility loci on chromosomes 10p14 and 8q23.3. Nature Genetics, 2008, 40, 623-630.	9.4	514
6	Mass masking in the COVID-19 epidemic: people need guidance. Lancet, The, 2020, 395, 945.	6.3	508
7	Quality of primary health care in China: challenges and recommendations. Lancet, The, 2020, 395, 1802-1812.	6.3	391
8	Effect of anti-inflammatory drugs on overall risk of common cancer: case-control study in general practice research database. BMJ: British Medical Journal, 2000, 320, 1642-1646.	2.4	372
9	Wearing face masks in the community during the COVID-19 pandemic: altruism and solidarity. Lancet, The, 2022, 399, e39-e40.	6.3	309
10	An Intervention Involving Traditional Birth Attendants and Perinatal and Maternal Mortality in Pakistan. New England Journal of Medicine, 2005, 352, 2091-2099.	13.9	297
11	Passive smoking exposure and risk of COPD among adults in China: the Guangzhou Biobank Cohort Study. Lancet, The, 2007, 370, 751-757.	6.3	248
12	Reliability and Validity of the IPAQ-Chinese. Medicine and Science in Sports and Exercise, 2008, 40, 303-307.	0.2	226
13	Bristol, Shipman, and clinical governance: Shewhart's forgotten lessons. Lancet, The, 2001, 357, 463-467.	6.3	206
14	Use of personal protective equipment against coronavirus disease 2019 by healthcare professionals in Wuhan, China: cross sectional study. BMJ, The, 2020, 369, m2195.	3.0	200
15	Effectiveness of polypill for primary and secondary prevention of cardiovascular diseases (PolyIran): a pragmatic, cluster-randomised trial. Lancet, The, 2019, 394, 672-683.	6.3	197
16	Cohort Profile: The Guangzhou Biobank Cohort Study, a Guangzhou–Hong Kong–Birmingham collaboration. International Journal of Epidemiology, 2006, 35, 844-852.	0.9	194
17	A case-control study of oesophageal adenocarcinoma in women: a preventable disease. British Journal of Cancer, 2000, 83, 127-132.	2.9	178
18	Age of Menarche and the Metabolic Syndrome in China. Epidemiology, 2007, 18, 740-746.	1.2	145

#	Article	IF	CITATIONS
19	Short or Long Sleep Duration Is Associated with Memory Impairment in Older Chinese: the Guangzhou Biobank Cohort Study. Sleep, 2011, 34, 575-580.	0.6	142
20	Cluster randomised controlled trial of expert system based on the transtheoretical ("stages of) Tj ETQq0 0 0 rgBT 319, 948-953.	/Overlock 2.4	10 Tf 50 70 134
21	Cancer incidence in the south Asian population of England (1990–92). British Journal of Cancer, 1999, 79, 645-654.	2.9	131
22	An assessment of the Nam Pehchan computer program for the identification of names of south Asian ethnic origin. Journal of Public Health, 1999, 21, 401-406.	1.0	128
23	China's primary health-care reform. Lancet, The, 2011, 377, 2064-2066.	6.3	126
24	A methodological and substantive review of the evidence that schools cause pupils to smoke. Social Science and Medicine, 2004, 58, 2253-2265.	1.8	125
25	Genomic complexity of urothelial bladder cancer revealed in urinary cfDNA. European Journal of Human Genetics, 2016, 24, 1167-1174.	1.4	115
26	A pilot double-blind randomised placebo-controlled trial of the effects of fixed-dose combination therapy (†polypill') on cardiovascular risk factors. International Journal of Clinical Practice, 2010, 64, 1220-1227.	0.8	113
27	The importance of anaemia in diagnosing colorectal cancer: a case–control study using electronic primary care records. British Journal of Cancer, 2008, 98, 323-327.	2.9	112
28	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study. BMC Medicine, 2009, 7, 17.	2.3	112
29	Pickled vegetables in the aetiology of oesophageal cancer in Hong Kong Chinese. Lancet, The, 1992, 339, 1314-1318.	6.3	107
30	Methicillin-resistant Staphylococcus aureus (MRSA): a community-based prevalence survey. Epidemiology and Infection, 2001, 126, 351-356.	1.0	106
31	Effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6 and 7 year olds: cluster randomised controlled trial (WAVES study). BMJ: British Medical Journal, 2018, 360, k211.	2.4	106
32	Prior TB, Smoking, and Airflow Obstruction. Chest, 2010, 137, 593-600.	0.4	101
33	The role of grandparents in childhood obesity in China - evidence from a mixed methods study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 91.	2.0	101
34	Nutrition and esophageal cancer. Cancer Causes and Control, 1996, 7, 33-40.	0.8	100
35	Does smoking status influence the prognosis of bladder cancer? A systematic review. BJU International, 2002, 90, 228-239.	1.3	96
36	The importance of social sources of cigarettes to school students. Tobacco Control, 2003, 12, 67-73.	1.8	95

#	Article	IF	CITATIONS
37	Systemic hypertension and glaucoma: mechanisms in common and co-occurrence. British Journal of Ophthalmology, 2005, 89, 960-963.	2.1	89
38	Napping Is Associated with Increased Risk of Type 2 Diabetes: The Guangzhou Biobank Cohort Study. Sleep, 2010, 33, 402-407.	0.6	88
39	Doctors in China. Lancet, The, 1991, 338, 515.	6.3	87
40	Airflow obstruction and metabolic syndrome: the Guangzhou Biobank Cohort Study. European Respiratory Journal, 2010, 35, 317-323.	3.1	86
41	Egg consumption and the risk of cardiovascular disease and all-cause mortality: Guangzhou Biobank Cohort Study and meta-analyses. European Journal of Nutrition, 2019, 58, 785-796.	1.8	86
42	Self-Reported Long Total Sleep Duration Is Associated With Metabolic Syndrome. Diabetes Care, 2011, 34, 2317-2319.	4.3	83
43	UroMark—a urinary biomarker assay for the detection of bladder cancer. Clinical Epigenetics, 2017, 9, 8.	1.8	81
44	Incidence of Cancers Following Orthotopic Liver Transplantation in a Single Center: Comparison with National Cancer Incidence Rates for England and Wales. Transplantation, 2005, 80, 759-764.	0.5	80
45	The United Kingdom Childhood Cancer Study of exposure to domestic sources of ionising radiation: 1: radon gas. British Journal of Cancer, 2002, 86, 1721-1726.	2.9	75
46	Risk factors of suicide among schizophrenics. Acta Psychiatrica Scandinavica, 1990, 81, 220-224.	2.2	74
47	Risk factors for squamous cell carcinoma of the oesophagus in women: a case–control study. British Journal of Cancer, 2001, 85, 1667-1670.	2.9	74
48	Discrepancies between population-based data and adverse reaction reports in assessing drugs as causes of acute pancreatitis. Alimentary Pharmacology and Therapeutics, 2003, 17, 887-893.	1.9	74
49	The risk of preterm delivery in women from different ethnic groups. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 894-899.	1.1	72
50	The effect of smoking on the male excess of bladder cancer: A metaâ€analysis and geographical analyses. International Journal of Cancer, 2009, 124, 412-419.	2.3	72
51	The influence of school culture on smoking among pupils. Social Science and Medicine, 2004, 58, 1767-1780.	1.8	70
52	A controlled trial of an expert system and self-help manual intervention based on the stages of change versus standard self-help materials in smoking cessation. Addiction, 2003, 98, 345-345.	1.7	69
53	Life long endogenous estrogen exposure and later adulthood cognitive function in a population of naturally postmenopausal women from Southern China: The Guangzhou Biobank Cohort Study. Psychoneuroendocrinology, 2011, 36, 864-873.	1.3	68
54	Impact of dietary patterns and the main food groups on mortality and recurrence in cancer survivors: a systematic review of current epidemiological literature. BMJ Open, 2018, 8, e014530.	0.8	68

#	Article	lF	CITATIONS
55	Multiplex PCR and Next Generation Sequencing for the Non-Invasive Detection of Bladder Cancer. PLoS ONE, 2016, 11, e0149756.	1.1	66
56	Parity and the metabolic syndrome in older Chinese women: the Guangzhou Biobank Cohort Study. Clinical Endocrinology, 2006, 65, 460-469.	1.2	65
57	All-Cause Mortality in Patients With Diabetes Under Treatment With Dapagliflozin: A Population-Based, Open-Cohort Study in The Health Improvement Network Database. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1719-1725.	1.8	65
58	Life-Course Origins of Social Inequalities in Metabolic Risk in the Population of a Developing Country. American Journal of Epidemiology, 2008, 167, 419-428.	1.6	64
59	The Change-in-Stage and Updated Smoking Status Results from a Cluster-Randomized Trial of Smoking Prevention and Cessation Using the Transtheoretical Model among British Adolescents. Preventive Medicine, 2001, 33, 313-324.	1.6	63
60	Mechanisms of recurrence of Ta/T1 bladder cancer. Annals of the Royal College of Surgeons of England, 2010, 92, 519-524.	0.3	63
61	Targeted case finding for chronic obstructive pulmonary disease versus routine practice in primary care (TargetCOPD): a cluster-randomised controlled trial. Lancet Respiratory Medicine,the, 2016, 4, 720-730.	5.2	63
62	Gestational dyslipidaemia and adverse birthweight outcomes: a systematic review and metaâ€analysis. Obesity Reviews, 2018, 19, 1256-1268.	3.1	63
63	Adding fluoride to water supplies. BMJ: British Medical Journal, 2007, 335, 699-702.	2.4	62
64	Sudden death in patients receiving drugs tending to prolong the QT interval. British Journal of Clinical Pharmacology, 2009, 68, 743-751.	1.1	61
65	A cluster randomised controlled trial of smoking cessation in pregnant women comparing interventions based on the transtheoretical (stages of change) model to standard care. Tobacco Control, 2003, 12, 168-177.	1.8	60
66	Evaluation of Moderate Alcohol Use and Cognitive Function Among Men Using a Mendelian Randomization Design in the Guangzhou Biobank Cohort Study. American Journal of Epidemiology, 2012, 175, 1021-1028.	1.6	59
67	Covid-19: breaking the chain of household transmission. BMJ, The, 2020, 370, m3181.	3.0	59
68	An assessment of the quality of randomised controlled trials conducted in China. Trials, 2008, 9, 22.	0.7	58
69	The Born in Guangzhou Cohort Study (BIGCS). European Journal of Epidemiology, 2017, 32, 337-346.	2.5	58
70	Smoking, smoking cessation and inflammatory markers in older Chinese men: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2009, 203, 304-310.	0.4	53
71	Sleep Duration and Memory in the Elderly Chinese: Longitudinal Analysis of the Guangzhou Biobank Cohort Study. Sleep, 2014, 37, 1737-1744.	0.6	53
72	The West Midlands Bladder Cancer Prognosis Programme: rationale and design. BJU International, 2010, 105, 784-788.	1.3	52

#	Article	IF	CITATIONS
73	The diagnostic performance of scoring systems to identify symptomatic colorectal cancer compared to current referral guidance. Gut, 2011, 60, 1242-1248.	6.1	51
74	Case finding for chronic obstructive pulmonary disease: a model for optimising a targeted approach. Thorax, 2010, 65, 492-498.	2.7	50
75	Social deprivation and breast cancer. Journal of Public Health, 2003, 25, 228-233.	1.0	49
76	Does stage-based smoking cessation advice in pregnancy result in long-term quitters? 18-month postpartum follow-up of a randomized controlled trial. Addiction, 2005, 100, 107-116.	1.7	49
77	Atrial fibrillation and obesity among older Chinese: The Guangzhou Biobank Cohort Study. International Journal of Cardiology, 2011, 148, 48-52.	0.8	49
78	Genetically predicted testosterone and cardiovascular risk factors in men: a Mendelian randomization analysis in the Guangzhou Biobank Cohort Study. International Journal of Epidemiology, 2014, 43, 140-148.	0.9	48
79	Are randomized trials conducted in China or India biased? A comparative empirical analysis. Journal of Clinical Epidemiology, 2011, 64, 90-95.	2.4	47
80	Replication study of SNP associations for colorectal cancer in Hong Kong Chinese. British Journal of Cancer, 2011, 104, 369-375.	2.9	47
81	Targeted deep sequencing of urothelial bladder cancers and associated urinary <scp>DNA</scp> : a 23â€gene panel with utility for nonâ€invasive diagnosis and risk stratification. BJU International, 2019, 124, 532-544.	1.3	47
82	White blood cell count and the metabolic syndrome in older Chinese: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2008, 201, 418-424.	0.4	46
83	NSAIDs and Gastrointestinal Cancer Prevention. Drugs, 2002, 62, 945-956.	4.9	45
84	Physical Activity and Blood Pressure in Primary School Children. Hypertension, 2013, 61, 70-75.	1.3	45
85	Socioeconomic determinants of childhood obesity among primary school children in Guangzhou, China. BMC Public Health, 2016, 16, 482.	1.2	45
86	Fluid intake and the risk of bladder cancer: Results from the South and East China case ontrol study on bladder cancer. International Journal of Cancer, 2010, 127, 638-645.	2.3	44
87	Biomarkers in bladder cancer. BJU International, 2010, 105, 608-613.	1.3	44
88	Moderate Alcohol Use and Cardiovascular Disease from Mendelian Randomization. PLoS ONE, 2013, 8, e68054.	1.1	44
89	The CHIRPY DRAGON intervention in preventing obesity in Chinese primary-schoolaged children: AÂcluster-randomised controlled trial. PLoS Medicine, 2019, 16, e1002971.	3.9	43
90	Covid-19: why is the UK government ignoring WHO's advice?. BMJ, The, 2020, 368, m1284.	3.0	43

#	Article	IF	CITATIONS
91	Effects of dietary and physical activity interventions on generic and cancer-specific health-related quality of life, anxiety, and depression in colorectal cancer survivors: a randomized controlled trial. Journal of Cancer Survivorship, 2020, 14, 424-433.	1.5	43
92	Inequality and inequity in access to health care and treatment for chronic conditions in China: the Guangzhou Biobank Cohort Study. Health Policy and Planning, 2013, 28, 467-479.	1.0	42
93	Combined proteome and transcriptome analyses for the discovery of urinary biomarkers for urothelial carcinoma. British Journal of Cancer, 2013, 108, 1854-1861.	2.9	41
94	Expression of Engrailed-2 (EN2) protein in bladder cancer and its potential utility as a urinary diagnostic biomarker. European Journal of Cancer, 2013, 49, 2214-2222.	1.3	41
95	Methylation of HOXA9 and ISL1 Predicts Patient Outcome in High-Grade Non-Invasive Bladder Cancer. PLoS ONE, 2015, 10, e0137003.	1.1	40
96	Toward Personalised Liquid Biopsies for Urothelial Carcinoma: Characterisation of ddPCR and Urinary cfDNA for the Detection of the TERT 228 G>A/T Mutation. Bladder Cancer, 2018, 4, 41-48.	0.2	40
97	A randomized controlled trial of smoking cessation for pregnant women to test the effect of a transtheoretical model-based intervention on movement in stage and interaction with baseline stage. British Journal of Health Psychology, 2006, 11, 263-278.	1.9	39
98	Height, Its Components, and Cardiovascular Risk Among Older Chinese: A Cross-Sectional Analysis of the Guangzhou Biobank Cohort Study. American Journal of Public Health, 2007, 97, 1834-1841.	1.5	39
99	Stopping drinking and risk of oesophageal cancer. BMJ: British Medical Journal, 1995, 310, 1094-1097.	2.4	38
100	Snoring and Vascular Risk Factors and Disease in a Low-Risk Chinese Population: The Guangzhou Biobank Cohort Study. Sleep, 2006, 29, 896-900.	0.6	37
101	Uric acid levels, even in the normal range, are associated with increased cardiovascular risk: The Guangzhou Biobank Cohort Study. International Journal of Cardiology, 2013, 168, 2238-2241.	0.8	37
102	Process evaluation design in a cluster randomised controlled childhood obesity prevention trial: the WAVES study. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 112.	2.0	37
103	Oesophageal cancer in never-smokers and never-drinkers. International Journal of Cancer, 1995, 60, 820-822.	2.3	36
104	Physical Activity, Adiposity, and Diabetes Risk in Middle-Aged and Older Chinese Population: The Guangzhou Biobank Cohort Study. Diabetes Care, 2010, 33, 2342-2348.	4.3	36
105	Sex, susceptibility to smoking and chronic obstructive pulmonary disease: the effect of different diagnostic criteria. Analysis of the Health Survey for England. Thorax, 2012, 67, 600-605.	2.7	36
106	Is aldehyde dehydrogenase 2 a credible genetic instrument for alcohol use in Mendelian randomization analysis in Southern Chinese men?. International Journal of Epidemiology, 2013, 42, 318-328.	0.9	36
107	Protein shedding in urothelial bladder cancer: prognostic implications of soluble urinary EGFR and EpCAM. British Journal of Cancer, 2015, 112, 1052-1058.	2.9	36
108	Liver enzymes and incident diabetes in China: a prospective analysis of 10â€764 participants in the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2015, 69, 1040-1044.	2.0	36

#	Article	IF	CITATIONS
109	Quantitative genome-wide methylation analysis of high-grade non-muscle invasive bladder cancer. Epigenetics, 2016, 11, 237-246.	1.3	36
110	A Systematic Review of Lifestyle Modification and Glucose Intolerance in the Prevention of Type 2 Diabetes. Current Diabetes Reviews, 2010, 6, 378-387.	0.6	35
111	Impact of impaired fasting glucose and impaired glucose tolerance on arterial stiffness in an older Chinese population: the Guangzhou Biobank Cohort Study–CVD. Metabolism: Clinical and Experimental, 2010, 59, 367-372.	1.5	35
112	Smoking is associated with lower age, higher grade, higher stage, and larger size of malignant bladder tumors at diagnosis. International Journal of Cancer, 2013, 133, 446-454.	2.3	35
113	A comparison of patient and tumour characteristics in two <scp>UK</scp> bladder cancer cohorts separated by 20 years. BJU International, 2013, 112, 169-175.	1.3	35
114	Urinary EpCAM in urothelial bladder cancer patients: characterisation and evaluation of biomarker potential. British Journal of Cancer, 2014, 110, 679-685.	2.9	35
115	Effect of social factors on winter hospital admission for respiratory disease: a case–control study of older people in the UK. British Journal of General Practice, 2008, 58, e1-e9.	0.7	34
116	Breastfeeding practice, oral contraceptive use and risk of rheumatoid arthritis among Chinese women: the Guangzhou Biobank Cohort Study. Rheumatology, 2014, 53, 860-866.	0.9	34
117	Family and Neighborhood Correlates of Overweight and Obesogenic Behaviors Among Chinese Children. International Journal of Behavioral Medicine, 2014, 21, 700-709.	0.8	34
118	Sodiumâ€glucose coâ€transporterâ€2 inhibitors and susceptibility to <scp>COVID</scp> â€19: A populationâ€based retrospective cohort study. Diabetes, Obesity and Metabolism, 2021, 23, 263-269.	2.2	34
119	Smoking cessation and carotid atherosclerosis: the Guangzhou Biobank Cohort Study–CVD. Journal of Epidemiology and Community Health, 2010, 64, 1004-1009.	2.0	33
120	Mask wearing to complement social distancing and save lives during COVID-19. International Journal of Tuberculosis and Lung Disease, 2020, 24, 556-558.	0.6	33
121	Primary care reform in China. British Journal of General Practice, 2012, 62, 546-547.	0.7	32
122	Maternal dietary patterns during pregnancy and preterm delivery: a large prospective cohort study in China. Nutrition Journal, 2018, 17, 71.	1.5	32
123	Passive smoking and chronic obstructive pulmonary disease: cross-sectional analysis of data from the Health Survey for England. BMJ Open, 2011, 1, e000153-e000153.	0.8	31
124	A cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6–7 year old children: the WAVES study protocol. BMC Public Health, 2015, 15, 488.	1.2	31
125	Is leg length a biomarker of childhood conditions in older Chinese women? The Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2008, 62, 160-166.	2.0	30
126	An overview of the Guangzhou Biobank Cohort Study–Cardiovascular Disease Subcohort (GBCS-CVD): a platform for multidisciplinary collaboration. Journal of Human Hypertension, 2010, 24, 139-150.	1.0	30

#	Article	IF	CITATIONS
127	Dose-Response Relation Between Physical Activity and Cognitive Function: Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2011, 21, 857-863.	0.9	30
128	Association of the metabolic syndrome with vascular disease in an older Chinese population: Guangzhou Biobank Cohort Study. Journal of Endocrinological Investigation, 2006, 29, 989-996.	1.8	29
129	Assessment of highâ€throughput highâ€resolution MALDIâ€TOFâ€MS of urinary peptides for the detection of muscleâ€invasive bladder cancer. Proteomics - Clinical Applications, 2011, 5, 493-503.	0.8	29
130	Early life vitamin D status and asthma and wheeze: a systematic review and meta-analysis. BMC Pulmonary Medicine, 2018, 18, 120.	0.8	29
131	Is inter-school variation in smoking uptake and cessation due to differences in pupil composition? A cohort study. Health and Place, 2005, 11, 55-65.	1.5	28
132	Defining the frequency of human papillomavirus and polyomavirus infection in urothelial bladder tumours. Scientific Reports, 2018, 8, 11290.	1.6	28
133	Are height and leg length universal markers of childhood conditions? The Guangzhou Biobank cohort study. Journal of Epidemiology and Community Health, 2008, 62, 607-614.	2.0	27
134	Smoking, smoking cessation and aortic arch calcification in older Chinese: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2009, 202, 529-534.	0.4	27
135	Is childhood meat eating associated with better later adulthood cognition in a developing population?. European Journal of Epidemiology, 2010, 25, 507-516.	2.5	27
136	Effect of alcohol and aldehyde dehydrogenase gene polymorphisms on alcohol-associated hypertension: the Guangzhou Biobank Cohort Study. Hypertension Research, 2013, 36, 741-746.	1.5	27
137	A new birthweight reference in Guangzhou, southern China, and its comparison with the global reference. Archives of Disease in Childhood, 2014, 99, 1091-1097.	1.0	27
138	Single Fasting Plasma Glucose Versus 75-g Oral Glucose-Tolerance Test in Prediction of Adverse Perinatal Outcomes: A Cohort Study. EBioMedicine, 2017, 16, 284-291.	2.7	27
139	Association of adiposity with pulmonary function in older Chinese: Guangzhou Biobank Cohort Study. Respiratory Medicine, 2017, 132, 102-108.	1.3	27
140	Past dust and GAS/FUME exposure and COPD in Chinese: The Guangzhou Biobank Cohort Study. Respiratory Medicine, 2012, 106, 1421-1428.	1.3	26
141	Polypill for the prevention of cardiovascular disease (PolyIran): study design and rationale for a pragmatic cluster randomized controlled trial. European Journal of Preventive Cardiology, 2015, 22, 1609-1617.	0.8	26
142	All-cause mortality in patients with diabetes under glucagon-like peptide-1 agonists: A population-based, open cohort study. Diabetes and Metabolism, 2017, 43, 211-216.	1.4	26
143	Milk consumption and risk of mortality from all-cause, cardiovascular disease and cancer in older people. Clinical Nutrition, 2020, 39, 3442-3451.	2.3	26
144	The risk of smoking in relation to engagement with a school-based smoking intervention. Social Science and Medicine, 2003, 56, 869-882.	1.8	25

#	Article	IF	CITATIONS
145	Smoking and serum vitamin D in older Chinese people: cross-sectional analysis based on the Guangzhou Biobank Cohort Study. BMJ Open, 2016, 6, e010946.	0.8	25
146	Dietary and Physical Activity Interventions for Colorectal Cancer Survivors: A Randomized Controlled Trial. Scientific Reports, 2018, 8, 5731.	1.6	25
147	Brachialâ€ankle pulse wave velocity and cardiovascular risk factors in the nonâ€diabetic and newly diagnosed diabetic Chinese: Guangzhou Biobank Cohort Study VD. Diabetes/Metabolism Research and Reviews, 2010, 26, 133-139.	1.7	24
148	Mendelian randomization estimates of alanine aminotransferase with cardiovascular disease: Guangzhou Biobank Cohort study. Human Molecular Genetics, 2017, 26, ddw396.	1.4	24
149	White blood cell count and all-cause and cause-specific mortality in the Guangzhou biobank cohort study. BMC Public Health, 2018, 18, 1232.	1.2	24
150	Under-prescribing of Prevention Drugs and Primary Prevention of Stroke and Transient Ischaemic Attack in UK General Practice: A Retrospective Analysis. PLoS Medicine, 2016, 13, e1002169.	3.9	24
151	Childhood cancer in the south Asian population of England (1990–1992). British Journal of Cancer, 2001, 84, 1215-1218.	2.9	23
152	c-Reactive protein and the metabolic syndrome in older Chinese: Guangzhou Biobank Cohort Study. Atherosclerosis, 2007, 194, 483-489.	0.4	23
153	Arterial stiffness and left-ventricular diastolic dysfunction: Guangzhou Biobank Cohort Study-CVD. Journal of Human Hypertension, 2011, 25, 152-158.	1.0	23
154	The association between smoking cessation before and after diagnosis and non-muscle-invasive bladder cancer recurrence: a prospective cohort study. Cancer Causes and Control, 2018, 29, 675-683.	0.8	23
155	Mortality in relation to changes in physical activity in middle-aged to older Chinese: An 8-year follow-up of the Guangzhou Biobank Cohort Study. Journal of Sport and Health Science, 2021, 10, 430-438.	3.3	23
156	The influence of in-pregnancy smoking cessation programmes on partner quitting and women's social support mobilization: a randomized controlled trial [ISRCTN89131885]. BMC Public Health, 2005, 5, 80.	1.2	22
157	Is advice to stop smoking from a midwife stressful for pregnant women who smoke? Data from a randomized controlled trial. Preventive Medicine, 2005, 40, 575-582.	1.6	22
158	Preventing childhood obesity, phase II feasibility study focusing on South Asians: BEACHeS. BMJ Open, 2014, 4, e004579.	0.8	22
159	Males with prolactinoma are at increased risk of incident cardiovascular disease. Clinical Endocrinology, 2018, 88, 71-76.	1.2	22
160	Model-based evaluation of the long-term cost-effectiveness of systematic case-finding for COPD in primary care. Thorax, 2019, 74, 730-739.	2.7	22
161	Atrial fibrillation in low- and middle-income countries: a narrative review. European Heart Journal Supplements, 2020, 22, O61-O77.	0.0	22
162	Pathways to obesity in a developing population: The Guangzhou Biobank Cohort Study. International Journal of Epidemiology, 2009, 38, 72-82.	0.9	21

#	Article	lF	CITATIONS
163	Adolescent Build and Diabetes: The Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2011, 21, 61-66.	0.9	21
164	Cohort Profile: The Birmingham Chronic Obstructive Pulmonary Disease (COPD) Cohort Study. International Journal of Epidemiology, 2017, 46, dyv350.	0.9	21
165	Parental Death during Childhood and Adult Cardiovascular Risk in a Developing Country: The Guangzhou Biobank Cohort Study. PLoS ONE, 2011, 6, e19675.	1.1	20
166	Socioeconomic influences at different life stages on health in Guangzhou, China. Social Science and Medicine, 2011, 72, 1884-1892.	1.8	20
167	Development of a childhood obesity prevention programme with a focus on UK South Asian communities. Preventive Medicine, 2013, 57, 948-954.	1.6	20
168	The effect of physician's 30 s smoking cessation intervention for male medical outpatients: a pilot randomized controlled trial. Journal of Public Health, 2013, 35, 375-383.	1.0	20
169	Age at menarche and cardiovascular risk factors using Mendelian randomization in the Guangzhou Biobank Cohort Study. Preventive Medicine, 2017, 101, 142-148.	1.6	20
170	Uptake of referrals for women with positive perinatal depression screening results and the effectiveness of interventions to increase uptake: a systematic review and meta-analysis. Epidemiology and Psychiatric Sciences, 2020, 29, e143.	1.8	20
171	Are longer legs associated with enhanced fertility in Chinese women?â~†. Evolution and Human Behavior, 2008, 29, 434-443.	1.4	19
172	Exome-chip association analysis reveals an Asian-specific missense variant in PAX4 associated with type 2 diabetes in Chinese individuals. Diabetologia, 2017, 60, 107-115.	2.9	19
173	Associations between maternal exposure to incense burning and blood pressure during pregnancy. Science of the Total Environment, 2018, 610-611, 1421-1427.	3.9	19
174	Association of vascular risk factors with increasing glycemia even in normoglycemic subjects in an older Chinese population: the Guangzhou Biobank Cohort Study. Metabolism: Clinical and Experimental, 2006, 55, 1035-1041.	1.5	18
175	Alcohol use and fasting glucose in a developing southern Chinese population: the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2008, 63, 121-127.	2.0	18
176	Prevalence of adiposity and its association with sleep duration, quality, and timing among 9–12-year-old children in Guangzhou, China. Journal of Epidemiology, 2017, 27, 531-537.	1.1	18
177	Interleukin-17-positive mast cells influence outcomes from BCG for patients with CIS: Data from a comprehensive characterisation of the immune microenvironment of urothelial bladder cancer. PLoS ONE, 2017, 12, e0184841.	1.1	18
178	Chinese Women's Acceptance and Uptake of Referral after Screening for Perinatal Depression. International Journal of Environmental Research and Public Health, 2020, 17, 8686.	1.2	18
179	Trends in rates and seasonal distribution of sudden infant deaths in England and Wales, 1988-92. BMJ: British Medical Journal, 1995, 310, 631-632.	2.4	18
180	The West Midlands ActiVe lifestyle and healthy Eating in School children (WAVES) study: a cluster randomised controlled trial testing the clinical effectiveness and cost-effectiveness of a multifaceted obesity prevention intervention programme targeted at children aged 6–7 years. Health Technology Assessment, 2018, 22, 1-608.	1.3	18

#	Article	IF	CITATIONS
181	Suicide Among Chinese Schizophrenics in Hong Kong. British Journal of Psychiatry, 1989, 154, 243-246.	1.7	17
182	Oesophageal cancer in Britain BMJ: British Medical Journal, 1992, 304, 711-711.	2.4	17
183	Childhood Growth and Adulthood Cognition in a Rapidly Developing Population. Epidemiology, 2009, 20, 91-99.	1.2	17
184	The Metabolic syndrome is associated with subclinical atherosclerosis independent of insulin resistance: the Guangzhou Biobank Cohort Study VD. Clinical Endocrinology, 2010, 73, 181-188.	1.2	17
185	Moderate Alcohol Use and Cognitive Function in the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2010, 20, 873-882.	0.9	17
186	Independent and combined associations of abdominal obesity and seated resting heart rate with type 2 diabetes among older Chinese: the Guangzhou Biobank Cohort Study. Diabetes/Metabolism Research and Reviews, 2011, 27, 298-306.	1.7	17
187	Influence of heart rate at rest for predicting the metabolic syndrome in older Chinese adults. Acta Diabetologica, 2013, 50, 325-331.	1.2	17
188	Prediction of 4-year incident diabetes in older Chinese: Recalibration of the Framingham diabetes score on Guangzhou Biobank Cohort Study. Preventive Medicine, 2014, 69, 63-68.	1.6	17
189	Adiposity and incident diabetes within 4 years of followâ€up: the Guangzhou Biobank Cohort Study. Diabetic Medicine, 2017, 34, 1400-1406.	1.2	17
190	Designing an intervention to help people with colorectal adenomas reduce their intake of red and processed meat and increase their levels of physical activity: a qualitative study. BMC Cancer, 2012, 12, 255.	1.1	16
191	TargetCOPD: a pragmatic randomised controlled trial of targeted case finding for COPD versusroutine practice in primary care: protocol. BMC Pulmonary Medicine, 2014, 14, 157.	0.8	16
192	Process evaluation results of a cluster randomised controlled childhood obesity prevention trial: the WAVES study. BMC Public Health, 2017, 17, 681.	1.2	16
193	The role of social support in family socio-economic disparities in depressive symptoms during early pregnancy: Evidence from a Chinese birth cohort. Journal of Affective Disorders, 2018, 238, 418-423.	2.0	16
194	Healthâ€related quality of life around the time of diagnosis in patients with bladder cancer. BJU International, 2019, 124, 984-991.	1.3	16
195	Mendelian Randomization Focused Analysis of Vitamin D on the Secondary Prevention of Ischemic Stroke, 2021, 52, 3926-3937.	1.0	16
196	Oesophageal cancer mortality in Europe: paradoxical time trend in relation to smoking and drinking. British Journal of Cancer, 1992, 65, 613-617.	2.9	15
197	Alcohol consumption and electrocardiographic left ventricular hypertrophy and mediation by elevated blood pressure in older Chinese men: The Guangzhou Biobank Cohort Study. Alcohol, 2013, 47, 473-480.	0.8	15
198	Past Occupational Dust Exposure, Depressive Symptoms and Anxiety in Retired Chinese Factory Workers: The Guangzhou Biobank Cohort Study. Journal of Occupational Health, 2014, 56, 444-452.	1.0	15

#	Article	IF	CITATIONS
199	Influence of Alzheimer's disease genes on cognitive decline: the Guangzhou Biobank Cohort Study. Neurobiology of Aging, 2014, 35, 2422.e3-2422.e8.	1.5	15
200	The association of pulmonary function with carotid atherosclerosis in older Chinese: Guangzhou Biobank Cohort Study-CVD Subcohort. Atherosclerosis, 2015, 243, 469-476.	0.4	15
201	Cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of an obesity prevention programme for Chinese primary school-aged children: the CHIRPY DRAGON study protocol. BMJ Open, 2017, 7, e018415.	0.8	15
202	Glycaemia and hand grip strength in aging people: Guangzhou biobank cohort study. BMC Geriatrics, 2020, 20, 399.	1.1	15
203	Screening and the epidemic of thyroid cancer in China: An analysis of national representative inpatient and commercial insurance databases. International Journal of Cancer, 2021, 148, 1106-1114.	2.3	15
204	Effectiveness of additional follow-up telephone counseling in a smoking cessation clinic in Beijing and predictors of quitting among Chinese male smokers. BMC Public Health, 2015, 16, 63.	1.2	14
205	Adiposity and mortality in older Chinese: an 11-year follow-up of the Guangzhou Biobank Cohort Study. Scientific Reports, 2020, 10, 1924.	1.6	14
206	Glucose, Insulin, and Lipids in Cord Blood of Neonates and Their Association with Birthweight: Differential Metabolic Risk of Large for Gestational Age and Small for Gestational Age Babies. Journal of Pediatrics, 2020, 220, 64-72.e2.	0.9	14
207	Milk Consumption and Cardiovascular Risk Factors in Older Chinese: The Guangzhou Biobank Cohort Study. PLoS ONE, 2014, 9, e84813.	1.1	14
208	Alcohol sensitivity, alcohol use and hypertension in an older Chinese population: the Guangzhou Biobank Cohort Study. Hypertension Research, 2009, 32, 741-747.	1.5	13
209	Visceral adiposity would be expected to predict incident diabetes better in women than men. Diabetologia, 2010, 53, 393-395.	2.9	13
210	White blood cell subsets are associated with carotid intima-media thickness and pulse wave velocity in an older Chinese population: the Guangzhou Biobank Cohort Study. Journal of Human Hypertension, 2012, 26, 485-492.	1.0	13
211	Hyperglycaemia and Vitamin D: A Systematic Overview. Current Diabetes Reviews, 2012, 8, 18-31.	0.6	13
212	Stress across the life course and depression in a rapidly developing population: the Guangzhou Biobank Cohort Study. International Journal of Geriatric Psychiatry, 2016, 31, 629-637.	1.3	13
213	A Mendelian randomization study of testosterone and cognition in men. Scientific Reports, 2016, 6, 21306.	1.6	13
214	Liver enzymes as mediators of association between obesity and diabetes: the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2017, 27, 204-207.	0.9	13
215	Let us not forget the mask in our attempts to stall the spread of COVID-19. International Journal of Tuberculosis and Lung Disease, 2020, 24, 364-366.	0.6	13
216	Alcohol Use and Gamma-Glutamyltransferase Using a Mendelian Randomization Design in the Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0137790.	1.1	13

#	Article	IF	CITATIONS
217	A practical method for monitoring general practice mortality in the UK: findings from a pilot study in a health board of Northern Ireland. British Journal of General Practice, 2005, 55, 670-6.	0.7	13
218	A case–control study of elderly patients with acute respiratory illness: Effect of influenza vaccination on admission to hospital in winter 2003–2004. Vaccine, 2007, 25, 7909-7913.	1.7	12
219	Leg length and age of puberty among men and women from a developing population: The Guangzhou Biobank Cohort study. American Journal of Human Biology, 2010, 22, 683-687.	0.8	12
220	Size Does Matter: Adolescent Build and Male Reproductive Success in the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2011, 21, 56-60.	0.9	12
221	Passive smoking and aortic arch calcification in older Chinese never smokers: The Guangzhou Biobank Cohort Study. International Journal of Cardiology, 2011, 148, 189-193.	0.8	12
222	Mental Health and Asthma in China: the Guangzhou Biobank Cohort Study. International Journal of Behavioral Medicine, 2013, 20, 259-264.	0.8	12
223	Genetically predicted testosterone and electrocardiographic QT interval duration in Chinese: a Mendelian randomization analysis in the Guangzhou Biobank Cohort Study. International Journal of Epidemiology, 2015, 44, 613-620.	0.9	12
224	Relationship between weight status and health-related quality of life in Chinese primary school children in Guangzhou: a cross-sectional study. Health and Quality of Life Outcomes, 2016, 14, 166.	1.0	12
225	Protocol for a nationwide survey of primary health care in China: the China PEACE (Patient-centered) Tj ETQq1 1 BMJ Open, 2017, 7, e016195.	0.784314	1 rgBT /Over 12
226	Predictions of Preterm Birth from Early Pregnancy Characteristics: Born in Guangzhou Cohort Study. Journal of Clinical Medicine, 2018, 7, 185.	1.0	12
227	Genome-wide Association Study for Tumour Stage, Grade, Size, and Age at Diagnosis of Non–muscle-invasive Bladder Cancer. European Urology Oncology, 2019, 2, 381-389.	2.6	12
228	The impact of training healthcare professionals' communication skills on the clinical care of diabetes and hypertension: a systematic review and meta-analysis. BMC Family Practice, 2021, 22, 152.	2.9	12
229	Exploring the roles of urinary HAI-1, EpCAM & EGFR in bladder cancer prognosis & risk stratification. Oncotarget, 2018, 9, 25244-25253.	0.8	12
230	Polypill for prevention of cardiovascular diseases with focus on non-alcoholic steatohepatitis: the PolyIran-Liver trial. European Heart Journal, 2022, 43, 2023-2033.	1.0	12
231	Highly Sensitive and Specific Detection of Bladder Cancer via Targeted Ultra-deep Sequencing of Urinary DNA. European Urology Oncology, 2023, 6, 67-75.	2.6	12
232	Smoking among young doctors in Hong Kong: a message to medical educators. Medical Education, 1990, 24, 158-163.	1.1	11
233	Pros and cons of standardised mortality ratios. Lancet, The, 1995, 346, 1432.	6.3	11
234	Intergenerational â€~mismatch' and adiposity in a developing population: The Guangzhou biobank cohort study. Social Science and Medicine, 2010, 70, 834-843.	1.8	11

#	Article	IF	CITATIONS
235	Plasminogen activator inhibitor-1 and HbA1c defined prediabetes: the Guangzhou Biobank Cohort Study-CVD. Clinical Endocrinology, 2011, 74, 528-531.	1.2	11
236	Study protocol for "Moving Bright, Eating Smartâ€â€" A phase 2 clinical trial on the acceptability and feasibility of a diet and physical activity intervention to prevent recurrence in colorectal cancer survivors. BMC Public Health, 2013, 13, 487.	1.2	11
237	Alcohol consumption and aortic arch calcification in an older Chinese sample: The Guangzhou Biobank Cohort Study. International Journal of Cardiology, 2013, 164, 349-354.	0.8	11
238	Genetically predicted 17β-estradiol and systemic inflammation in women: a separate-sample Mendelian randomisation analysis in the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2014, 68, 780-785.	2.0	11
239	Evaluation of Moderate Alcohol Use With QT Interval and Heart Rate Using Mendelian Randomization Analysis Among Older Southern Chinese Men in the Guangzhou Biobank Cohort Study. American Journal of Epidemiology, 2015, 182, 320-327.	1.6	11
240	Call for shared decision making in China: Challenges and opportunities. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2017, 123-124, 32-35.	0.7	11
241	HumanMethylation450K Array–Identified Biomarkers Predict Tumour Recurrence/Progression at Initial Diagnosis of High-risk Non-muscle Invasive Bladder Cancer. Biomarkers in Cancer, 2018, 10, 1179299X1775192.	3.6	11
242	Back-Splicing Transcript Isoforms (Circular RNAs) Affect Biologically Relevant Pathways and Offer an Additional Layer of Information to Stratify NMIBC Patients. Frontiers in Oncology, 2020, 10, 812.	1.3	11
243	The etiology of esophageal cancer in Chinese. Seminars in Oncology, 1994, 21, 411-5.	0.8	11
244	Estimated birth weight and adult cardiovascular risk factors in a developing southern Chinese population: a cross sectional study. BMC Public Health, 2010, 10, 270.	1.2	10
245	Systematic differences among never, occasional and moderate alcohol users in southern China, and its use in alcohol research: a cross-sectional study. Journal of Epidemiology and Community Health, 2013, 67, 1054-1060.	2.0	10
246	Glycaemia is associated with cognitive impairment in older adults: the Guangzhou Biobank Cohort Study. Age and Ageing, 2015, 44, 65-71.	0.7	10
247	Fruit and vegetable intake and the risk of recurrence in patients with non-muscle invasive bladder cancer: a prospective cohort study. Cancer Causes and Control, 2018, 29, 573-579.	0.8	10
248	High relative risk of all-cause mortality attributed to smoking in China: Guangzhou Biobank Cohort Study. PLoS ONE, 2018, 13, e0196610.	1.1	10
249	Non-Coding Mutations in Urothelial Bladder Cancer: Biological and Clinical Relevance and Potential Utility as Biomarkers. Bladder Cancer, 2019, 5, 263-272.	0.2	10
250	Timing of Cow's Milk or Cow's Milk Formula Introduction to the Infant Diet and Atopic Risk in Children: a Systematic Review and Meta-analysis. Clinical Reviews in Allergy and Immunology, 2020, 59, 46-60.	2.9	10
251	Fruit consumption and the risk of bladder cancer: A pooled analysis by the Bladder Cancer Epidemiology and Nutritional Determinants Study. International Journal of Cancer, 2020, 147, 2091-2100.	2.3	10
252	Physicians' very brief (30â€sec) intervention for smoking cessation on 13 671 smokers in China: a pragmatic randomized controlled trial. Addiction, 2021, 116, 1172-1185.	1.7	10

#	Article	IF	CITATIONS
253	Responding to out of hours requests for visits: a survey of general practitioner opinion. BMJ: British Medical Journal, 1996, 312, 1401-1402.	2.4	10
254	A new horizon in primary prevention of cardiovascular disease, can we prevent heart attack by "heart polypill"?. Archives of Iranian Medicine, 2008, 11, 306-13.	0.2	10
255	Does smoking influence survival in cancer patients through effects on respiratory and vascular disease?. European Journal of Cancer Prevention, 2006, 15, 87-90.	0.6	9
256	Implications of increased weight and waist circumference on vascular risk in an older Chinese population: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2008, 196, 682-688.	0.4	9
257	Obesity, high-sensitive C-reactive protein and snoring in older Chinese: The Guangzhou Biobank Cohort Study. Respiratory Medicine, 2010, 104, 1750-1756.	1.3	9
258	Childhood secondhand smoke exposure and pregnancy loss in never smokers: the Guangzhou Biobank Cohort Study. Tobacco Control, 2017, 26, 697-702.	1.8	9
259	Does tea consumption during early pregnancy have an adverse effect on birth outcomes?. Birth, 2017, 44, 281-289.	1.1	9
260	Accuracy and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among primary care patients (≥40 years) in China: a cross-sectional screening test accuracy study: findings from the Breathe Well group. BMJ Open, 2021, 11, e051811.	0.8	9
261	Aortic Arch Calcification and Vascular Disease: The Guangzhou Biobank Cohort Study. Cardiology, 2010, 117, 260-264.	0.6	8
262	Are babies conceived during Ramadan born smaller and sooner than babies conceived at other times of the year? A Born in Bradford Cohort Study. Journal of Epidemiology and Community Health, 2017, 71, 722-728.	2.0	8
263	Age at menarche and depressive symptoms in older Southern Chinese women: A Mendelian randomization study in the Guangzhou Biobank Cohort Study. Psychiatry Research, 2018, 259, 32-35.	1.7	8
264	Relationship between pulmonary function and peripheral vascular function in older Chinese: Guangzhou biobank cohort study-CVD. BMC Pulmonary Medicine, 2018, 18, 74.	0.8	8
265	Promoting smoking cessation in China: a foot-in-the-door approach to tobacco control advocacy. Global Health Promotion, 2019, 26, 41-49.	0.7	8
266	Adiposity change and mortality in middle-aged to older Chinese: an 8-year follow-up of the Guangzhou Biobank Cohort Study. BMJ Open, 2020, 10, e039239.	0.8	8
267	Cost-Effectiveness of a School-and Family-Based Childhood Obesity Prevention Programme in China: The "CHIRPY DRAGON―Cluster-Randomised Controlled Trial. International Journal of Public Health, 2021, 66, 1604025.	1.0	8
268	Adverse Lifestyle Leads to an Annual Excess of 2 Million Deaths in China. PLoS ONE, 2014, 9, e89650.	1.1	8
269	Fruit and Vegetable Consumption and Cardiovascular Risk Factors in Older Chinese: The Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0135380.	1.1	8
270	Can the Stages of Change for Smoking Acquisition Be Measured Reliably in Adolescents?. Preventive Medicine, 2002, 35, 407-414.	1.6	7

#	Article	IF	CITATIONS
271	Does the Age of Achieving Pubertal Landmarks Predict Cognition inÂOlder Men? Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2010, 20, 948-954.	0.9	7
272	Genetically Predicted Testosterone and Systemic Inflammation in Men: A Separate-Sample Mendelian Randomization Analysis in Older Chinese Men. PLoS ONE, 2015, 10, e0126442.	1.1	7
273	Genetically predicted 17beta-estradiol and cardiovascular risk factors in women: a Mendelian randomization analysis using young women in Hong Kong and older women in the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2016, 26, 171-175.	0.9	7
274	Total Fluid Intake and the Risk of Recurrence in Patients With Non-Muscle Invasive Bladder Cancer: A Prospective Cohort Study. Bladder Cancer, 2018, 4, 303-310.	0.2	7
275	Patients choose certainty over burden in bladder cancer surveillance. World Journal of Urology, 2019, 37, 2747-2753.	1.2	7
276	The mediating role of inflammation in the association between cigarette smoking and intima-media thickness. Medicine (United States), 2020, 99, e19207.	0.4	7
277	Prevalence of congenital microcephaly and its risk factors in an area at risk of Zika outbreaks. BMC Pregnancy and Childbirth, 2021, 21, 214.	0.9	7
278	The experiences of Chinese general practitioners in communicating with people with type 2 diabetes—a focus group study. BMC Family Practice, 2021, 22, 156.	2.9	7
279	Aortic arch calcification and risk of all-cause mortality and cardiovascular disease: The Guangzhou Biobank Cohort Study. The Lancet Regional Health - Western Pacific, 2022, 23, 100460.	1.3	7
280	Ultrasonographic findings in Crohn's disease Reply. Gut, 2000, 46, 293-293.	6.1	6
281	Age-specific relevance of usual blood pressure to vascular mortality. Lancet, The, 2003, 361, 1389.	6.3	6
282	Strategies for reducing maternal mortality. Lancet, The, 2006, 368, 2122.	6.3	6
283	Childhood meat eating and inflammatory markers: The Guangzhou Biobank Cohort Study. BMC Public Health, 2011, 11, 345.	1.2	6
284	COPD and Depressive Symptoms: Findings from the Guangzhou Biobank Cohort Study. Annals of Behavioral Medicine, 2012, 44, 408-415.	1.7	6
285	Alcohol sensitivity, alcohol use and high-sensitivity C-reactive protein in older Chinese men: The Guangzhou Biobank Cohort Study. Alcohol, 2016, 57, 41-48.	0.8	6
286	Changes in adiposity in an older <scp>C</scp> hinese population in rapid economic transition. Obesity, 2016, 24, 2217-2223.	1.5	6
287	Development of the theory-based Chinese primary school children physical activity and dietary behaviour changes intervention (CHIRPY DRAGON): development of a cluster-randomised controlled trial. Lancet, The, 2016, 388, S51.	6.3	6
288	Effectiveness of a Kindergarten-Based Intervention for Preventing Childhood Obesity. Pediatrics, 2017, 140, e20171221.	1.0	6

#	Article	IF	CITATIONS
289	Exposure to secondhand smoke and risk of peripheral arterial disease in southern Chinese non-smokers: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Sub-cohort. Vascular, 2017, 25, 283-289.	0.4	6
290	Differences in perceived causes of childhood obesity between migrant and local communities in China: A qualitative study. PLoS ONE, 2017, 12, e0177505.	1.1	6
291	Gene-environment interaction with smoking for increased non- muscle-invasive bladder cancer tumor size. Translational Andrology and Urology, 2020, 9, 1329-1337.	0.6	6
292	PD-L2 Is Constitutively Expressed in Normal and Malignant Urothelium. Frontiers in Oncology, 2021, 11, 626748.	1.3	6
293	Higher total white blood cell and neutrophil counts are associated with an increased risk of fatal stroke occurrence: the Guangzhou biobank cohort study. BMC Neurology, 2021, 21, 470.	0.8	6
294	Mendelian randomization analysis of vitamin D in the secondary prevention of hypertensive-diabetic subjects: role of facilitating blood pressure control. Genes and Nutrition, 2022, 17, 1.	1.2	6
295	Associations of face-to-face and non-face-to-face social isolation with all-cause and cause-specific mortality: 13-year follow-up of the Guangzhou Biobank Cohort study. BMC Medicine, 2022, 20, 178.	2.3	6
296	Percutaneous drainage of echinococcal cysts. Gut, 2001, 48, 578-578.	6.1	5
297	Effects of Tea Consumption on Renal Function in a Metropolitan Chinese Population: The Guangzhou Biobank Cohort Study. , 2014, 24, 26-31.		5
298	Childhood Passive Smoking Exposure and Age at Menarche in Chinese Women Who Had Never Smoked: The Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0130429.	1.1	5
299	Genetically predicted 17beta-estradiol, cognitive function and depressive symptoms in women: A Mendelian randomization in the Guangzhou Biobank Cohort Study. Preventive Medicine, 2016, 88, 80-85.	1.6	5
300	Environment-wide association study to identify factors associated with hematocrit: evidence from the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2016, 26, 638-642.e2.	0.9	5
301	Effectiveness of varenicline and counselling for smoking cessation in an observational cohort study in China. BMJ Open, 2016, 6, e009381.	0.8	5
302	Glycemic Measures and Risk of Mortality in Older Chinese: The Guangzhou Biobank Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e181-e190.	1.8	5
303	Association of fish consumption with risk of all-cause and cardiovascular disease mortality: an 11-year follow-up of the Guangzhou Biobank Cohort Study. European Journal of Clinical Nutrition, 2022, 76, 389-396.	1.3	5
304	Relationship Between Weight Status and Health-Related Quality of Life in School-age Children in China. Journal of Health Economics and Outcomes Research, 2022, 9, 75-81.	0.6	5
305	Association of alcohol drinking with incident type 2 diabetes and preâ€diabetes: The Guangzhou Biobank Cohort Study. Diabetes/Metabolism Research and Reviews, 2022, 38, e3548.	1.7	5
306	Combined exome and transcriptome sequencing of non-muscle-invasive bladder cancer: associations between genomic changes, expression subtypes, and clinical outcomes. Genome Medicine, 2022, 14, .	3.6	5

#	Article	IF	CITATIONS
307	Helicobacter pylori,Lifestyle Risk Factors, and Adenocarcinoma of the Esophagus. Journal of Infectious Diseases, 2000, 181, 805-806.	1.9	4
308	Usefulness of Physical Fitness and the Metabolic Syndrome to Predict Vascular Disease Risk in Older Chinese (from the Guangzhou Biobank Cohort Study-Cardiovascular Disease Subcohort [GBCS-CVD]). American Journal of Cardiology, 2011, 108, 845-850.	0.7	4
309	Intergenerational influences on diabetes in a developing population: The Guangzhou Biobank Cohort Study. American Journal of Human Biology, 2011, 23, 747-754.	0.8	4
310	Does childhood meat eating contribute to sex differences in risk factors for ischaemic heart disease in a developing population?. Journal of Epidemiology and Community Health, 2011, 65, 522-528.	2.0	4
311	Life-course origins of social inequalities in adult immune cell markers of inflammation in a developing southern Chinese population: the Guangzhou Biobank Cohort Study. BMC Public Health, 2012, 12, 269.	1.2	4
312	Glycated Hemoglobin, Albuminuria and Surrogate Markers of Macrovascular Disease in Adults Without Diabetes: The Guangzhou Biobank Cohort Study, Cardiovascular Disease Subcohort. Canadian Journal of Diabetes, 2018, 42, 245-250.e1.	0.4	4
313	An exploration of the longitudinal relation between parental feeding practices and child anthropometric adiposity measures from the West Midlands Active Lifestyle and Healthy Eating in Schoolchildren (WAVES) Study. American Journal of Clinical Nutrition, 2018, 108, 1316-1323.	2.2	4
314	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. European Heart Journal, 2019, 40, 3005-3007.	1.0	4
315	Study to evaluate the effectiveness and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among residents (≥40 years) in four cities in China: protocol for a multicentre cross-sectional study on behalf of the Breathe Well group. BMJ Open, 2020, 10, e035738.	0.8	4
316	Association of a composite score of relative grip strength and timed up and go test with incident type 2 diabetes mellitus: Guangzhou Biobank Cohort Study. Aging, 2021, 13, 18376-18391.	1.4	4
317	Obesity indicators as mediators of association between daytime napping and type 2 diabetes mellitus: the Guangzhou Biobank Cohort Study. BMC Public Health, 2022, 22, 56.	1.2	4
318	Risk factors for oesophageal adenocarcinoma in women in Britain. Gastroenterology, 2000, 118, A36.	0.6	3
319	Obesity prevention: life course approach vs continuing environmental â€ <sup>~</sup> detoxification'. International Journal of Epidemiology, 2006, 35, 1100-1101.	0.9	3
320	Passive smoking exposure and risk of COPD in China – Authors' reply. Lancet, The, 2008, 371, 201-202.	6.3	3
321	Aldehyde dehydrogenase 2—a potential genetic risk factor for lung function among southern Chinese: evidence from the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2014, 24, 606-611.	0.9	3
322	Weight status, cardiorespiratory fitness and high blood pressure relationship among 5–12-year-old Chinese primary school children. Journal of Human Hypertension, 2017, 31, 808-814.	1.0	3
323	Genetic scores for BMI related to metabolically unhealthy obesity in an older Chinese population. Clinical Endocrinology, 2019, 91, 759-769.	1.2	3
324	External Replication of Urinary Bladder Cancer Prognostic Polymorphisms in the UK Biobank. Frontiers in Oncology, 2019, 9, 1082.	1.3	3

#	Article	IF	CITATIONS
325	Tar, nicotine and carbon monoxide yield of UK cigarettes and the risk of non-muscle-invasive and muscle-invasive bladder cancer. European Journal of Cancer Prevention, 2019, 28, 40-44.	0.6	3
326	Nut Consumption and Cardiovascular Risk in Older Chinese: The Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0137178.	1.1	3
327	Multiplex screening of 422 candidate serum biomarkers in bladder cancer patients identifies syndecan-1 and macrophage colony-stimulating factor 1 as prognostic indicators. Translational Cancer Research, 2017, 6, S657-S665.	0.4	3
328	The experiences of people with type 2 diabetes in communicating with general practitioners in China – a primary care focus group study. , 2022, 23, 24.		3
329	Habitual tea consumption was associated with lower levels of depressive symptoms among older Chinese: Guangzhou Biobank Cohort Study. Nutrition Research, 2022, 103, 59-67.	1.3	3
330	STAG2 Protein Expression in Non–muscle-invasive Bladder Cancer: Associations with Sex, Genomic and Transcriptomic Changes, and Clinical Outcomes. European Urology Open Science, 2022, 38, 88-95.	0.2	3
331	Blood pressure trajectories during pregnancy and preterm delivery: A prospective cohort study in China. Journal of Clinical Hypertension, 0, , .	1.0	3
332	An Intervention Involving Traditional Birth Attendants in Pakistan. New England Journal of Medicine, 2005, 353, 1417-1418.	13.9	2
333	P2-395 Socioeconomic influences at different life stages on self-rated health in Guangzhou, China. Journal of Epidemiology and Community Health, 2011, 65, A331-A331.	2.0	2
334	MRE11A Isoform Expression Associated with Outcome Following Radiotherapy in Muscle-Invasive Bladder Cancer does not Alter Cell Survival and DNA Double-Strand Break Repair Following Ionising Radiation. Bladder Cancer, 2019, 5, 147-157.	0.2	2
335	Association between serum progesterone concentration in early pregnancy and duration of pregnancy: a cohort study. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 2096-2102.	0.7	2
336	A Simple Model for Predicting 10-Year Cardiovascular Risk in Middle-Aged to Older Chinese: Guangzhou Biobank Cohort Study. Journal of Cardiovascular Translational Research, 2021, , 1.	1.1	2
337	Lived experience of dietary change among Chinese colorectal cancer survivors in Hong Kong: A qualitative study. BMJ Open, 2021, 11, e051052.	0.8	2
338	Brain-derived neurotrophic factor gene variants and obesity in former smokers. BMC Genomics, 2021, 22, 668.	1.2	2
339	Using a rapid prioritisation process to identify health research priorities in LMICs. , 2018, , .		2
340	Low-Carbohydrate Diets and Mortality in Older Asian People: A 15-Year Follow-Up from a Prospective Cohort Study. Nutrients, 2022, 14, 1406.	1.7	2
341	Timing of infant formula introduction in relation to BMI and overweight at ages 1 and 3 years: the Born in Guangzhou Cohort Study (BIGCS). British Journal of Nutrition, 2022, , 1-9.	1.2	2
342	Use of Shewhart's technique. Lancet, The, 2001, 358, 512.	6.3	1

#	Article	IF	CITATIONS
343	Was Bristol an outlier?. Lancet, The, 2001, 358, 2083-2084.	6.3	1
344	Olive oil and colorectal cancer. Journal of Epidemiology and Community Health, 2001, 55, 448-448.	2.0	1
345	Height, its components, and coagulability among older Chinese : The Guangzhou biobank cohort study. American Journal of Human Biology, 2014, 26, 603-608.	0.8	1
346	Re: Defining Progression in Nonmuscle Invasive Bladder Cancer: It is Time for a New, Standard Definition. Journal of Urology, 2014, 191, 1930-1931.	0.2	1
347	81DEPRESSIVE SYMPTOMS PREDICT MEMORY DECLINE, AND VICE VERSA, OVER SUBSEQUENT 4 YEARS: LONGITUDINAL ANALYSIS OF THE GUANGZHOU BIOBANK COHORT STUDY. Age and Ageing, 2015, 44, ii25.4-ii25.	0.7	1
348	Improving the prevention and management of respiratory diseases in China: the crucial role of primary care. Lancet Respiratory Medicine,the, 2015, 3, e35.	5.2	1
349	Single fasting plasma glucose measurement compared with 75 g oral glucose-tolerance test in prediction of adverse perinatal outcomes: a prospective cohort study from China. Lancet, The, 2016, 388, S8.	6.3	1
350	Discriminatory performance of adiponectin and leptin in the identification of impaired glucose tolerance: The Guangzhou Biobank Cohort Study - Cardiovascular Disease Subcohort. PLoS ONE, 2018, 13, e0206964.	1.1	1
351	Prevalence and clinical profiles of disproportionate and proportionate microcephaly in China: a population-based cross-sectional study. Lancet, The, 2018, 392, S51.	6.3	1
352	Development and validation of a prediction model for airflow obstruction in older Chinese: Guangzhou Biobank Cohort Study. Respiratory Medicine, 2020, 173, 106158.	1.3	1
353	The risk of preterm delivery in women from different ethnic groups. , 2002, 109, 894.		1
354	Our choice is not binary between lockdown and herd immunity. BMJ, The, 2020, 371, m4051.	3.0	1
355	Case-finding and improving patient outcomes for chronic obstructive pulmonary disease in primary care: the BLISS research programme including cluster RCT. Programme Grants for Applied Research, 2021, 9, 1-148.	0.4	1
356	Responding to out of hours requests for visits: a survey of general practitioner opinion. BMJ: British Medical Journal, 1996, 312, 1401-1402.	2.4	1
357	Update on effects of screening mammography. Lancet, The, 2002, 360, 339.	6.3	0
358	Re: Palou et al.: Recurrence at Three Months and High-grade Recurrence as Prognostic Factor of Progression in Multivariate Analysis of T1G2 Bladder Tumors. (Urology 2009;73:1313-1317). Urology, 2009, 74, 714.	0.5	0
359	P1-4 ALDH2 is a valid instrument for mendelian randomisation studies in alcohol epidemiologythe Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2011, 65, A68-A68.	2.0	0
360	P2-132 Intergenerational influences on diabetes in a developing population: the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2011, 65, A257-A257.	2.0	0

#	Article	IF	CITATIONS
361	P2-133 Muscle mass is associated with diabetes in a developing population: the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2011, 65, A257-A257.	2.0	0
362	Leg length is associated with lower values of inflammatory markers in older Chinese: The Guangzhou Biobank Cohort Study. Annals of Human Biology, 2015, 42, 144-150.	0.4	0
363	Differences in perceived causes of childhood obesity between migrant and local communities in China: a qualitative study. Lancet, The, 2016, 388, S3.	6.3	0
364	LIFELONG BURDEN OF VITAMIN D DEFICIENCY INCREASES CLINICAL CARDIAC EVENTS AND DEATH UNRAVELED BY AN EXOME CHIP-DERIVED MULTI-LOCI GENETIC RISK SCORE: A MENDELIAN-RANDOMIZED STUDY. Journal of the American College of Cardiology, 2017, 69, 1657.	1.2	0
365	Blood pressure at early pregnancy and gestational hypertensive disorders: a prospective cohort study in China. Lancet, The, 2017, 390, S62.	6.3	0
366	Fluid intake and clinicopathological characteristics of bladder cancer: the West Midlands Bladder Cancer Prognosis Programme. European Journal of Cancer Prevention, 2020, 29, 110-118.	0.6	0
367	Polypill for prevention of cardiovascular diseases – Authors' reply. Lancet, The, 2020, 395, 414-415.	6.3	0
368	TargetCOPD: A pragmatic randomised controlled trial of targeted case finding for COPD <i>versus</i> routine practice in primary care. , 2015, , .		0
369	COPD over diagnosis in the UK. , 2015, , .		0
370	Impact of Maternal Metabolic Parameters on Birth Weight and Cord Blood Insulin Concentration—Findings from the Born in Guangzhou Study. Diabetes, 2018, 67, 1442-P.	0.3	0
371	Overweight and adenocarcinoma of the oesophagus. BMJ: British Medical Journal, 2001, 322, 366.	2.4	0