

Martin J Lauritzen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3121748/martin-j-lauritzen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

14,148
citations

54
h-index

118
g-index

180
ext. papers

16,084
ext. citations

7
avg, IF

6.57
L-index

#	Paper	IF	Citations
154	Brain barriers and their potential role in migraine pathophysiology.. <i>Journal of Headache and Pain</i> , 2022 , 23, 16	8.8	1
153	Brain capillary pericytes and neurovascular coupling. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2021 , 254, 110893	2.6	10
152	A Suite of Neurophotonic Tools to Underpin the Contribution of Internal Brain States in fMRI. <i>Current Opinion in Biomedical Engineering</i> , 2021 , 18, 100273-100273	4.4	0
151	Precapillary sphincters and pericytes at first-order capillaries as key regulators for brain capillary perfusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	13
150	ATP induces contraction of cultured brain capillary pericytes via activation of P2Y-type purinergic receptors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H699-H712	5.2	7
149	Automatic continuous EEG signal analysis for diagnosis of delirium in patients with sepsis. <i>Clinical Neurophysiology</i> , 2021 , 132, 2075-2082	4.3	0
148	Steady-state visual evoked potential temporal dynamics reveal correlates of cognitive decline. <i>Clinical Neurophysiology</i> , 2020 , 131, 836-846	4.3	0
147	Precapillary sphincters maintain perfusion in the cerebral cortex. <i>Nature Communications</i> , 2020 , 11, 395	17.4	53
146	Discovering correlates of age-related decline in a healthy late-midlife male birth cohort. <i>Aging</i> , 2020 , 12, 16709-16743	5.6	0
145	Conjugation of Therapeutic PSD-95 Inhibitors to the Cell-Penetrating Peptide Tat Affects Blood-Brain Barrier Adherence, Uptake, and Permeation. <i>Pharmaceutics</i> , 2020 , 12,	6.4	8
144	Continuous EEG Monitoring in a Consecutive Patient Cohort with Sepsis and Delirium. <i>Neurocritical Care</i> , 2020 , 32, 121-130	3.3	16
143	Modification of oxygen consumption and blood flow in mouse somatosensory cortex by cell-type-specific neuronal activity. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020 , 40, 2010-2025	7.3	10
142	Brain Responses to Passive Sensory Stimulation Correlate With Intelligence. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 201	5.3	0
141	Sensory Stimulation-Induced Astrocytic Calcium Signaling in Electrically Silent Ischemic Penumbra. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 223	5.3	2
140	In Vivo Three-Dimensional Two-Photon Microscopy to Study Conducted Vascular Responses by Local ATP Ejection Using a Glass Micro-Pipette. <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	4
139	Neurostereologic Lesion Volumes and Spreading Depolarizations in Severe Traumatic Brain Injury Patients: A Pilot Study. <i>Neurocritical Care</i> , 2019 , 30, 557-568	3.3	6
138	Deep sleep drives brain fluid oscillations. <i>Science</i> , 2019 , 366, 572-573	33.3	10

137	Discovering markers of healthy aging: a prospective study in a Danish male birth cohort. <i>Aging</i> , 2019 , 11, 5943-5974	5.6	5
136	Apolipoprotein M-bound sphingosine-1-phosphate regulates blood-brain barrier paracellular permeability and transcytosis. <i>ELife</i> , 2019 , 8,	8.9	28
135	Early focal brain injury after subarachnoid hemorrhage correlates with spreading depolarizations. <i>Neurology</i> , 2019 , 92, e326-e341	6.5	28
134	Sleep efficiency and neurophysiological patterns in middle-aged men are associated with cognitive change over their adult life course. <i>Journal of Sleep Research</i> , 2019 , 28, e12793	5.8	4
133	Spontaneous astrocytic Ca activity abounds in electrically suppressed ischemic penumbra of aged mice. <i>Glia</i> , 2019 , 67, 37-52	9	9
132	Monitoring of blood oxygenation in brain by resonance Raman spectroscopy. <i>Journal of Biophotonics</i> , 2018 , 11, e201700311	3.1	6
131	CaMKII-dependent endoplasmic reticulum fission by whisker stimulation and during cortical spreading depolarization. <i>Brain</i> , 2018 , 141, 1049-1062	11.2	11
130	Fast Ca responses in astrocyte end-feet and neurovascular coupling in mice. <i>Glia</i> , 2018 , 66, 348-358	9	30
129	Spinal dorsal horn astrocytes release GABA in response to synaptic activation. <i>Journal of Physiology</i> , 2018 , 596, 4983-4994	3.9	18
128	Hyposalivation and Poor Dental Health Status Are Potential Correlates of Age-Related Cognitive Decline in Late Midlife in Danish Men. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 10	5.3	7
127	Stimulation-induced increases in cerebral blood flow and local capillary vasoconstriction depend on conducted vascular responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5796-E5804	11.5	76
126	EEG correlates of visual short-term memory in older age vary with adult lifespan cognitive development. <i>Neurobiology of Aging</i> , 2018 , 62, 210-220	5.6	11
125	Initial brain aging: heterogeneity of mitochondrial size is associated with decline in complex I-linked respiration in cortex and hippocampus. <i>Neurobiology of Aging</i> , 2018 , 61, 215-224	5.6	13
124	Contributions of the glycocalyx, endothelium, and extravascular compartment to the blood-brain barrier. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E9429-E9438	11.5	88
123	Active role of capillary pericytes during stimulation-induced activity and spreading depolarization. <i>Brain</i> , 2018 , 141, 2032-2046	11.2	53
122	Interneuron Deficit Associates Attenuated Network Synchronization to Mismatch of Energy Supply and Demand in Aging Mouse Brains. <i>Cerebral Cortex</i> , 2017 , 27, 646-659	5.1	30
121	Spreading depression of Leß and its emerging relevance to acute brain injury in humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 1553-1570	7.3	26
120	The continuum of spreading depolarizations in acute cortical lesion development: Examining Leß legacy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 1571-1594	7.3	205

119	Recording, analysis, and interpretation of spreading depolarizations in neurointensive care: Review and recommendations of the COSBID research group. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 1595-1625	7.3	173
118	PSD-95 uncoupling from NMDA receptors by Tat- N-dimer ameliorates neuronal depolarization in cortical spreading depression. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 1820-1828	7.3	19
117	A Critical Role for Astrocytes in Hypercapnic Vasodilation in Brain. <i>Journal of Neuroscience</i> , 2017 , 37, 2403-2414	6.6	40
116	Rev1 contributes to proper mitochondrial function via the PARP-NAD-SIRT1-PGC1 β axis. <i>Scientific Reports</i> , 2017 , 7, 12480	4.9	12
115	Multi-modal assessment of neurovascular coupling during cerebral ischaemia and reperfusion using remote middle cerebral artery occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2494-2508	7.3	7
114	Passive Double-Sensory Evoked Coherence Correlates with Long-Term Memory Capacity. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 598	3.3	4
113	Visual steady state in relation to age and cognitive function. <i>PLoS ONE</i> , 2017 , 12, e0171859	3.7	8
112	Subjective sleep quality and daytime sleepiness in late midlife and their association with age-related changes in cognition. <i>Sleep Medicine</i> , 2016 , 17, 165-73	4.6	38
111	In response: Gamma oscillations or spikes?. <i>Epilepsia</i> , 2016 , 57, 1524-5	6.4	1
110	Neocortical gamma oscillations in idiopathic generalized epilepsy. <i>Epilepsia</i> , 2016 , 57, 796-804	6.4	15
109	Early detection of Alzheimer's disease using MRI hippocampal texture. <i>Human Brain Mapping</i> , 2016 , 37, 1148-61	5.9	108
108	Elevated p16ink4a Expression in Human Labial Salivary Glands as a Potential Correlate of Cognitive Aging in Late Midlife. <i>PLoS ONE</i> , 2016 , 11, e0152612	3.7	7
107	Melatonin and cortisol profiles in late midlife and their association with age-related changes in cognition. <i>Nature and Science of Sleep</i> , 2016 , 8, 47-53	3.6	24
106	Cognitive Change during the Life Course and Leukocyte Telomere Length in Late Middle-Aged Men. <i>Frontiers in Aging Neuroscience</i> , 2016 , 8, 300	5.3	9
105	Activity-dependent calcium, oxygen, and vascular responses in a mouse model of familial hemiplegic migraine type 1. <i>Annals of Neurology</i> , 2016 , 80, 219-32	9.4	19
104	Glutamate-system defects behind psychiatric manifestations in a familial hemiplegic migraine type 2 disease-mutation mouse model. <i>Scientific Reports</i> , 2016 , 6, 22047	4.9	52
103	Spreading Depression, Spreading Depolarizations, and the Cerebral Vasculature. <i>Physiological Reviews</i> , 2015 , 95, 953-93	47.9	291
102	Increased deoxythymidine triphosphate levels is a feature of relative cognitive decline. <i>Mitochondrion</i> , 2015 , 25, 34-7	4.9	8

101	GABAA Receptor-Mediated Bidirectional Control of Synaptic Activity, Intracellular Ca ²⁺ , Cerebral Blood Flow, and Oxygen Consumption in Mouse Somatosensory Cortex In Vivo. <i>Cerebral Cortex</i> , 2015 , 25, 2594-609	5.1	16
100	Capillary pericytes regulate cerebral blood flow in health and disease. <i>Nature</i> , 2014 , 508, 55-60	50.4	1083
99	Associations between xerostomia, histopathological alterations, and autonomic innervation of labial salivary glands in men in late midlife. <i>Experimental Gerontology</i> , 2014 , 57, 211-7	4.5	10
98	Multiscale vision model for event detection and reconstruction in two-photon imaging data. <i>Neurophotonics</i> , 2014 , 1, 011012	3.9	2
97	Subclinical cognitive decline in middle-age is associated with reduced task-induced deactivation of the brain's default mode network. <i>Human Brain Mapping</i> , 2014 , 35, 4488-98	5.9	40
96	Integrated Measurements of Electrical Activity, Oxygen Tension, Blood Flow, and Ca ²⁺ -Signaling in Rodents In Vivo. <i>Neuroinformatics</i> , 2014 , 243-264	0.4	1
95	Neurovascular Coupling in Relation to Cortical Spreading Depression. <i>Neuroinformatics</i> , 2014 , 273-286	0.4	
94	Rapid stimulus-evoked astrocyte Ca ²⁺ elevations and hemodynamic responses in mouse somatosensory cortex in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E4678-87	11.5	131
93	Multiscale vision model highlights spontaneous glial calcium waves recorded by 2-photon imaging in brain tissue. <i>NeuroImage</i> , 2013 , 68, 192-202	7.9	6
92	Prognostic value of periodic electroencephalographic discharges for neurological patients with profound disturbances of consciousness. <i>Clinical Neurophysiology</i> , 2013 , 124, 44-51	4.3	40
91	Increased 20-HETE synthesis explains reduced cerebral blood flow but not impaired neurovascular coupling after cortical spreading depression in rat cerebral cortex. <i>Journal of Neuroscience</i> , 2013 , 33, 2562-70	6.6	56
90	Spontaneous calcium waves in Bergman glia increase with age and hypoxia and may reduce tissue oxygen. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013 , 33, 161-9	7.3	36
89	Negative BOLD signal changes in ipsilateral primary somatosensory cortex are associated with perfusion decreases and behavioral evidence for functional inhibition. <i>NeuroImage</i> , 2012 , 59, 3119-27	7.9	65
88	Neuronal inhibition and excitation, and the dichotomic control of brain hemodynamic and oxygen responses. <i>NeuroImage</i> , 2012 , 62, 1040-50	7.9	107
87	Activity-dependent increases in local oxygen consumption correlate with postsynaptic currents in the mouse cerebellum in vivo. <i>Journal of Neuroscience</i> , 2011 , 31, 18327-37	6.6	35
86	Clinical relevance of cortical spreading depression in neurological disorders: migraine, malignant stroke, subarachnoid and intracranial hemorrhage, and traumatic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 17-35	7.3	505
85	Cyclosporine A, FK506, and NIM811 ameliorate prolonged CBF reduction and impaired neurovascular coupling after cortical spreading depression. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 1588-98	7.3	26
84	Glial and neuronal control of brain blood flow. <i>Nature</i> , 2010 , 468, 232-43	50.4	1571

83	Principal cell spiking, postsynaptic excitation, and oxygen consumption in the rat cerebellar cortex. <i>Journal of Neurophysiology</i> , 2009 , 102, 1503-12	3.2	27
82	REGIONAL CEREBRAL BLOOD FLOW IN INDUCED AND SPONTANEOUS ATTACKS OF COMMON MIGRAINE. <i>Acta Neurologica Scandinavica</i> , 2009 , 65, 72-73	3.8	1
81	CHLORMEZANONE IN THE TREATMENT OF MIGRAINE ATTACKS. A DOUBLE BLIND COMPARISON WITH DIAZEPAM AND PLACEBO.. <i>Acta Neurologica Scandinavica</i> , 2009 , 65, 81-82	3.8	
80	Cerebral haemodynamic response or excitability is not affected by sildenafil. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 830-9	7.3	22
79	Pathway-specific variations in neurovascular and neurometabolic coupling in rat primary somatosensory cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 976-86	7.3	80
78	Persistent increase in oxygen consumption and impaired neurovascular coupling after spreading depression in rat neocortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1517-27	7.3	168
77	Cortical spreading ischaemia is a novel process involved in ischaemic damage in patients with aneurysmal subarachnoid haemorrhage. <i>Brain</i> , 2009 , 132, 1866-81	11.2	415
76	Modeling neuro-vascular coupling in rat cerebellum: characterization of deviations from linearity. <i>NeuroImage</i> , 2009 , 45, 96-108	7.9	5
75	Glutamate receptor-dependent increments in lactate, glucose and oxygen metabolism evoked in rat cerebellum in vivo. <i>Journal of Physiology</i> , 2008 , 586, 1337-49	3.9	95
74	Gamma-aminobutyric acid modulates local brain oxygen consumption and blood flow in rat cerebellar cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 906-15	7.3	24
73	Association of seizures with cortical spreading depression and peri-infarct depolarisations in the acutely injured human brain. <i>Clinical Neurophysiology</i> , 2008 , 119, 1973-84	4.3	167
72	Nonlinear neurovascular coupling in rat sensory cortex by activation of transcallosal fibers. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 575-87	7.3	69
71	Cortical spreading depression and peri-infarct depolarization in acutely injured human cerebral cortex. <i>Brain</i> , 2006 , 129, 778-90	11.2	323
70	Delayed ischaemic neurological deficits after subarachnoid haemorrhage are associated with clusters of spreading depolarizations. <i>Brain</i> , 2006 , 129, 3224-37	11.2	435
69	Reading vascular changes in brain imaging: is dendritic calcium the key?. <i>Nature Reviews Neuroscience</i> , 2005 , 6, 77-85	13.5	224
68	Dynamic changes in brain glucose and lactate in pericontusional areas of the human cerebral cortex, monitored with rapid sampling on-line microdialysis: relationship with depolarisation-like events. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 402-13	7.3	123
67	Activity-induced tissue oxygenation changes in rat cerebellar cortex: interplay of postsynaptic activation and blood flow. <i>Journal of Physiology</i> , 2005 , 565, 279-94	3.9	110
66	Contact allergy to methylidibromo glutaronitrile--data from a \$front line\$network. <i>Contact Dermatitis</i> , 2005 , 52, 138-41	2.7	24

65	Systemic T-cell activation in acute clinically isolated optic neuritis. <i>Journal of Neuroimmunology</i> , 2005 , 162, 165-72	3.5	18
64	Initial evidence for peri-infarct depolarization or cortical spreading depression as a cause of neurological deterioration in patients with subarachnoid haemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S116-S116	7.3	
63	Activity-dependent oxygen transients in rat cerebellar cortex are blocked by synaptic inhibition. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S66-S66	7.3	
62	Detection of cortical spreading depression and peri-infarct depolarisations in the injured human brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S427-S427	7.3	
61	Oxygen consumption by spiking activity in rat cerebellum. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S81-S81	7.3	
60	Impaired neurovascular coupling by transhemispheric diaschisis in rat cerebral cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 713-9	7.3	17
59	Principal neuron spiking: neither necessary nor sufficient for cerebral blood flow in rat cerebellum. <i>Journal of Physiology</i> , 2004 , 560, 181-9	3.9	79
58	Contribution of somatosensory cortex to evoked cerebellar blood flow responses. <i>NeuroReport</i> , 2004 , 15, 695-8	1.7	3
57	Brain function and neurophysiological correlates of signals used in functional neuroimaging. <i>Journal of Neuroscience</i> , 2003 , 23, 3972-80	6.6	154
56	Dissociation of spikes, synaptic activity, and activity-dependent increments in rat cerebellar blood flow by tonic synaptic inhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 16000-5	11.5	63
55	Context sensitivity of activity-dependent increases in cerebral blood flow. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 4239-44	11.5	59
54	Carpal tunnel syndrome in repetitive work: a follow-up study. <i>American Journal of Industrial Medicine</i> , 2002 , 42, 344-53	2.7	44
53	NO- and non-NO-, non-prostanoid-dependent vasodilatation in rat sciatic nerve during maturation and developing experimental diabetic neuropathy. <i>Journal of Physiology</i> , 2002 , 543, 977-93	3.9	18
52	Spreading and synchronous depressions of cortical activity in acutely injured human brain. <i>Stroke</i> , 2002 , 33, 2738-43	6.7	328
51	Neuronal deactivation explains decreased cerebellar blood flow in response to focal cerebral ischemia or suppressed neocortical function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 7699-704	11.5	173
50	Relationship of spikes, synaptic activity, and local changes of cerebral blood flow. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001 , 21, 1367-83	7.3	205
49	Coupling and uncoupling of activity-dependent increases of neuronal activity and blood flow in rat somatosensory cortex. <i>Journal of Physiology</i> , 2001 , 533, 773-85	3.9	175
48	Temporal coupling between neuronal activity and blood flow in rat cerebellar cortex as indicated by field potential analysis. <i>Journal of Physiology</i> , 2000 , 523 Pt 1, 235-46	3.9	88

47	In vivo mechanisms of acetylcholine-induced vasodilation in rat sciatic nerve. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 279, H1044-54	5.2	11
46	Nitric oxide synthase activity and expression in experimental diabetic neuropathy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2000 , 59, 798-807	3.1	49
45	Scanning laser-Doppler flowmetry of rat cerebral circulation during cortical spreading depression. <i>Journal of Vascular Research</i> , 2000 , 37, 513-22	1.9	39
44	Modification of activity-dependent increases in cerebellar blood flow by extracellular potassium in anaesthetized rats. <i>Journal of Physiology</i> , 1999 , 520 Pt 1, 281-92	3.9	34
43	Nonspecific facilitation of responses to transcranial magnetic stimulation. <i>Muscle and Nerve</i> , 1999 , 22, 857-63	3.4	22
42	Functional recruitment of red blood cells to rat brain microcirculation accompanying increased neuronal activity in cerebellar cortex. <i>NeuroReport</i> , 1999 , 10, 3257-63	1.7	20
41	Modification of activity-dependent increases of cerebral blood flow by excitatory synaptic activity and spikes in rat cerebellar cortex. <i>Journal of Physiology</i> , 1998 , 512 (Pt 2), 555-66	3.9	285
40	Nitric oxide scavenging by hemoglobin or nitric oxide synthase inhibition by N-nitro-L-arginine induces cortical spreading ischemia when K ⁺ is increased in the subarachnoid space. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 978-90	7.3	234
39	Laminar analysis of cerebral blood flow in cortex of rats by laser-Doppler flowmetry: a pilot study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 1326-36	7.3	58
38	Cerebral blood flow increases evoked by electrical stimulation of rat cerebellar cortex: relation to excitatory synaptic activity and nitric oxide synthesis. <i>Brain Research</i> , 1996 , 710, 204-14	3.7	62
37	Electrophysiological findings in a Danish family with Machado-Joseph disease. <i>Muscle and Nerve</i> , 1996 , 19, 743-50	3.4	10
36	Laser-Doppler evaluation of rat brain microcirculation: comparison with the [14C]-iodoantipyrine method suggests discordance during cerebral blood flow increases. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 156-61	7.3	91
35	Real time laser-Doppler perfusion imaging of cortical spreading depression in rat neocortex. <i>NeuroReport</i> , 1995 , 6, 1271-3	1.7	69
34	Pathophysiology of the migraine aura. The spreading depression theory. <i>Brain</i> , 1994 , 117 (Pt 1), 199-210	1.2	944
33	Microdialysis of interstitial amino acids during spreading depression and anoxic depolarization in rat neocortex. <i>Brain Research</i> , 1993 , 612, 61-9	3.7	129
32	Transient hyperemia succeeds oligemia in the wake of cortical spreading depression. <i>Brain Research</i> , 1993 , 602, 350-3	3.7	28
31	The effect of glutamate receptor blockade on anoxic depolarization and cortical spreading depression. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 223-9	7.3	231
30	Prepro-vasoactive intestinal polypeptide-derived peptide sequences in cerebral blood vessels of rats: on the functional anatomy of metabolic autoregulation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 932-8	7.3	19

29	Migraine with aura, cerebral ischemia, spreading depression, and compton scatter. <i>Headache</i> , 1991 , 31, 49-53	4.2	3
28	Cortical spreading depression is associated with arachidonic acid accumulation and preservation of energy charge. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 115-22	7.3	97
27	Influence of MK-801 on brain extracellular calcium and potassium activities in severe hypoglycemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 136-9	7.3	38
26	Quisqualate, kainate and NMDA can initiate spreading depression in the turtle cerebellum. <i>Brain Research</i> , 1988 , 475, 317-27	3.7	100
25	Magnetic field associated with spreading depression: a model for the detection of migraine. <i>Brain Research</i> , 1988 , 442, 185-90	3.7	51
24	Blood Flow and Metabolism in Cortical Spreading Depression. <i>Advances in Behavioral Biology</i> , 1988 , 269-277		
23	Magnetic field associated with neural activities in an isolated cerebellum. <i>Brain Research</i> , 1987 , 412, 151-57	3.7	32
22	Cortical spreading depression as a putative migraine mechanism. <i>Trends in Neurosciences</i> , 1987 , 10, 8-13	13.3	129
21	Uncoupling of cerebral blood flow and metabolism after single episode of cortical spreading depression in the rat brain. <i>Brain Research</i> , 1986 , 370, 405-8	3.7	34
20	On the possible relation of spreading cortical depression to classical migraine. <i>Cephalalgia</i> , 1985 , 5 Suppl 2, 47-51	6.1	21
19	rCBF after TIA and during migraine attacks. <i>Cephalalgia</i> , 1985 , 5 Suppl 2, 43-6	6.1	1
18	Regional cerebral blood flow assessed by 133Xe inhalation and emission tomography: normal values. <i>Journal of Computer Assisted Tomography</i> , 1985 , 9, 861-6	2.2	69
17	Clinical trial of nimodipine for single attacks of classic migraine. <i>Cephalalgia</i> , 1985 , 5, 125-31	6.1	26
16	Cerebral Blood Flow Changes in Migraine: Their Possible Correspondence to the Perfusion Changes of Spreading Cortical Depression 1985 , 87-96		
15	Regional cerebral blood flow during migraine attacks by Xenon-133 inhalation and emission tomography. <i>Brain</i> , 1984 , 107 (Pt 2), 447-61	11.2	307
14	Long-lasting reduction of cortical blood flow of the brain after spreading depression with preserved autoregulation and impaired CO2 response. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984 , 4, 546-54	7.3	128
13	Changes in regional cerebral blood flow during the course of classic migraine attacks. <i>Annals of Neurology</i> , 1983 , 13, 633-41	9.4	297
12	Regulation of regional cerebral blood flow during and between migraine attacks. <i>Annals of Neurology</i> , 1983 , 14, 569-72	9.4	120

11	Electromyography of pericranial muscles during treatment of spontaneous common migraine attacks. <i>Pain</i> , 1982 , 14, 137-147	8	14
10	The effects of sodium nitroprusside on cerebral blood flow and cerebral venous blood gases. I. Observations in awake man during and following moderate blood pressure reduction. <i>European Journal of Clinical Investigation</i> , 1982 , 12, 383-7	4.6	18
9	Spreading cerebral oligemia in classical- and normal cerebral blood flow in common migraine. <i>Headache</i> , 1982 , 22, 242-8	4.2	103
8	Persistent oligemia of rat cerebral cortex in the wake of spreading depression. <i>Annals of Neurology</i> , 1982 , 12, 469-74	9.4	168
7	Chlormezanone in the treatment of migraine attacks: a double blind comparison with diazepam and placebo. <i>Cephalalgia</i> , 1982 , 2, 205-10	6.1	6
6	Focal hyperemia followed by spreading oligemia and impaired activation of rCBF in classic migraine. <i>Annals of Neurology</i> , 1981 , 9, 344-52	9.4	766
5	Regional cerebral blood flow during rest and skilled hand movements by xenon-133 inhalation and emission computerized tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1981 , 1, 385-7	7.3	40
4	EEG during attacks of common and classical migraine. <i>Cephalalgia</i> , 1981 , 1, 63-6	6.1	39
3	Purification of rat renal renin from crude kidney extracts by diamino-hexamethylene-sepharose chromatography. <i>Biochemical and Biophysical Research Communications</i> , 1980 , 96, 907-14	3.4	
2	Precapillary sphincters control cerebral blood flow		3
1	Apolipoprotein M-bound sphingosine-1-phosphate regulates blood-brain barrier paracellular permeability and transcytosis		2