Yuwei Xie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/312214/publications.pdf

Version: 2024-02-01

394286 360920 1,341 43 19 35 citations h-index g-index papers 43 43 43 2043 all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	16S rRNA metabarcoding unearths responses of rare gut microbiome of fathead minnows exposed to benzo[a]pyrene. Science of the Total Environment, 2022, 807, 151060.	3.9	3
2	RNA metabarcoding helps reveal zooplankton community response to environmental stressors. Environmental Pollution, 2022, 292, 118446.	3.7	2
3	Effects of aqueous fluoxetine exposure on gut microbiome of adult Pimephales promelas. Science of the Total Environment, 2022, 813, 152422.	3.9	5
4	RNA in Municipal Wastewater Reveals Magnitudes of COVID-19 Outbreaks across Four Waves Driven by SARS-CoV-2 Variants of Concern. ACS ES&T Water, 2022, 2, 1852-1862.	2.3	22
5	Effects of in situ experimental selenium exposure on finescale dace (Phoxinus neogaeus) gut microbiome. Environmental Research, 2022, 212, 113151.	3.7	5
6	Rapid transition between SARS-CoV-2 variants of concern Delta and Omicron detected by monitoring municipal wastewater from three Canadian cities. Science of the Total Environment, 2022, 841, 156741.	3.9	25
7	Next generation per- and poly-fluoroalkyl substances: Status and trends, aquatic toxicity, and risk assessment., 2022, 1, 117-131.		45
8	Environmental DNA of preservative ethanol performed better than water samples in detecting macroinvertebrate diversity using metabarcoding. Diversity and Distributions, 2021, 27, 1989-2002.	1.9	11
9	Remodeling of Arctic char (<i>Salvelinus alpinus</i>) lipidome under a stimulated scenario of Arctic warming. Global Change Biology, 2021, 27, 3282-3298.	4.2	3
10	Responses of juvenile fathead minnow (Pimephales promelas) gut microbiome to a chronic dietary exposure of benzo[a]pyrene. Environmental Pollution, 2021, 278, 116821.	3.7	12
11	Using zooplankton metabarcoding to assess the efficacy of different techniques to clean-up an oil-spill in a boreal lake. Aquatic Toxicology, 2021, 236, 105847.	1.9	2
12	Life Cycle Exposure to Environmentally Relevant Concentrations of Diphenyl Phosphate (DPhP) Inhibits Growth and Energy Metabolism of Zebrafish in a Sex-Specific Manner. Environmental Science & Environmental & Envir	4.6	6
13	Comparison of approaches to quantify SARS-CoV-2 in wastewater using RT-qPCR: Results and implications from a collaborative inter-laboratory study in Canada. Journal of Environmental Sciences, 2021, 107, 218-229.	3.2	91
14	High-throughput transcriptomics: An insight on the pathways affected in HepG2 cells exposed to nickel oxide nanoparticles. Chemosphere, 2020, 244, 125488.	4.2	17
15	Effects of the husky oil spill on gut microbiota of native fishes in the North Saskatchewan River, Canada. Aquatic Toxicology, 2020, 229, 105658.	1.9	16
16	Integrated assessment of west coast of South Korea by use of benthic bacterial community structure as determined by eDNA, concentrations of contaminants, and in vitro bioassays. Environment International, 2020, 137, 105569.	4.8	5
17	Differential responses of gut microbiota of male and female fathead minnow (Pimephales promelas) to a short-term environmentally-relevant, aqueous exposure to benzo[a]pyrene. Chemosphere, 2020, 252, 126461.	4.2	37
18	Sedimentary DNA reveals over 150†years of ecosystem change by human activities in Lake Chao, China. Environment International, 2019, 133, 105214.	4.8	25

#	Article	lF	Citations
19	Selenium oxyanion bioconcentration in natural freshwater periphyton. Ecotoxicology and Environmental Safety, 2019, 180, 693-704.	2.9	14
20	Acid mine drainage affects the diversity and metal resistance gene profile of sediment bacterial community along a river. Chemosphere, 2019, 217, 790-799.	4.2	83
21	In situ microbiota distinguished primary anthropogenic stressor in freshwater sediments. Environmental Pollution, 2018, 239, 189-197.	3.7	19
22	eDNA-based bioassessment of coastal sediments impacted by an oil spill. Environmental Pollution, 2018, 238, 739-748.	3.7	47
23	Sensitive community responses of microbiota to copper in sediment toxicity test. Environmental Toxicology and Chemistry, 2018, 37, 599-608.	2.2	23
24	Elevated CO2 accelerates polycyclic aromatic hydrocarbon accumulation in a paddy soil grown with rice. PLoS ONE, 2018, 13, e0196439.	1.1	4
25	Application of Environmental DNA Metabarcoding for Predicting Anthropogenic Pollution in Rivers. Environmental Science & Environmental E	4.6	44
26	Ecogenomics of Zooplankton Community Reveals Ecological Threshold of Ammonia Nitrogen. Environmental Science & Environmental S	4.6	83
27	Environmental DNA metabarcoding reveals primary chemical contaminants in freshwater sediments from different land-use types. Chemosphere, 2017, 172, 201-209.	4.2	41
28	Ecogenomic responses of benthic communities under multiple stressors along the marine and adjacent riverine areas of northern Bohai Sea, China. Chemosphere, 2017, 172, 166-174.	4.2	31
29	Zooplankton Community Profiling in a Eutrophic Freshwater Ecosystem-Lake Tai Basin by DNA Metabarcoding. Scientific Reports, 2017, 7, 1773.	1.6	52
30	Responses of earthworms and microbial communities in their guts to Triclosan. Chemosphere, 2017, 168, 1194-1202.	4.2	63
31	Elevated CO2 levels modify TiO2 nanoparticle effects on rice and soil microbial communities. Science of the Total Environment, 2017, 578, 408-416.	3.9	58
32	Indigenous species barcode database improves the identification of zooplankton. PLoS ONE, 2017, 12, e0185697.	1.1	21
33	Effects of tris (2-butoxyethyl) phosphate (TBOEP) on endocrine axes during development of early life stages of zebrafish (Danio rerio). Chemosphere, 2016, 144, 1920-1927.	4.2	50
34	Functional Toxicogenomic Assessment of Triclosan in Human HepG2 Cells Using Genome-Wide CRISPR-Cas9 Screening. Environmental Science & Environmental S	4.6	45
35	Effects of Perfluorooctanoic Acid on Metabolic Profiles in Brain and Liver of Mouse Revealed by a High-throughput Targeted Metabolomics Approach. Scientific Reports, 2016, 6, 23963.	1.6	88

 $_{36}$ Effects of captivity and artificial breeding on microbiota in feces of the red-crowned crane (Grus) Tj ETQq0 0 0 rgBT₁/Qverlock₆₃ Tf 50 6

Yuwei Xie

#	Article	IF	CITATION
37	Occurrence, compositional distribution, and toxicity assessment of pyrethroid insecticides in sediments from the fluvial systems of Chaohu Lake, Eastern China. Environmental Science and Pollution Research, 2016, 23, 10406-10414.	2.7	22
38	Using in situ bacterial communities to monitor contaminants in river sediments. Environmental Pollution, 2016, 212, 348-357.	3.7	89
39	Residues of organophosphorus insecticides in sediment around a highly eutrophic lake, Eastern China. Journal of Soils and Sediments, 2015, 15, 436-444.	1.5	11
40	Comparison of waterborne and in ovo nanoinjection exposures to assess effects of PFOS on zebrafish embryos. Environmental Science and Pollution Research, 2015, 22, 2303-2310.	2.7	9
41	Differential modulation of expression of nuclear receptor mediated genes by tris(2-butoxyethyl) phosphate (TBOEP) on early life stages of zebrafish (Danio rerio). Aquatic Toxicology, 2015, 169, 196-203.	1.9	21
42	Molecular docking, molecular dynamics simulation, and structure-based 3D-QSAR studies on the aryl hydrocarbon receptor agonistic activity of hydroxylated polychlorinated biphenyls. Environmental Toxicology and Pharmacology, 2013, 36, 626-635.	2.0	21
43	Development of a Class-specific Immunochromatographic Strip Test for the Rapid Detection of Organophosphorus Pesticides With a Thiophosphate Group. Hybridoma, 2010, 29, 291-299.	0.5	7