

Veronica O keane

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3122679/veronica-okeane-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

3,723

citations

34

h-index

60

g-index

88

ext. papers

4,261

ext. citations

4.3

avg, IF

5.44

L-index

#	Paper	IF	Citations
86	How does the brain deal with cumulative stress? A review with focus on developmental stress, HPA axis function and hippocampal structure in humans. <i>Neurobiology of Disease</i> , 2013 , 52, 24-37	7.5	344
85	Antenatal depression predicts depression in adolescent offspring: prospective longitudinal community-based study. <i>Journal of Affective Disorders</i> , 2009 , 113, 236-43	6.6	233
84	Sexual dysfunction in patients taking conventional antipsychotic medication. <i>British Journal of Psychiatry</i> , 2002 , 181, 49-55	5.4	201
83	Contrasting neuroendocrine responses in depression and chronic fatigue syndrome. <i>Journal of Affective Disorders</i> , 1995 , 34, 283-9	6.6	184
82	Low-dose hydrocortisone in chronic fatigue syndrome: a randomised crossover trial. <i>Lancet, The</i> , 1999 , 353, 455-8	4.0	182
81	Effects of long-term prolactin-raising antipsychotic medication on bone mineral density in patients with schizophrenia. <i>British Journal of Psychiatry</i> , 2004 , 184, 503-8	5.4	159
80	The effects of antipsychotic-induced hyperprolactinaemia on the hypothalamic-pituitary-gonadal axis. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 109-14	1.7	135
79	Two-year outcome of vagus nerve stimulation in treatment-resistant depression. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 273-81	1.7	110
78	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
77	Postnatal depression and child outcome at 11 years: the importance of accurate diagnosis. <i>Journal of Affective Disorders</i> , 2008 , 107, 241-5	6.6	94
76	Antipsychotic drugs: a new risk factor for osteoporosis in young women with schizophrenia?. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 26-31	1.7	93
75	The Hippocampus in Depression: More Than the Sum of Its Parts? Advanced Hippocampal Substructure Segmentation in Depression. <i>Biological Psychiatry</i> , 2019 , 85, 487-497	7.9	89
74	Antipsychotic-induced hyperprolactinaemia, hypogonadism and osteoporosis in the treatment of schizophrenia. <i>Journal of Psychopharmacology</i> , 2008 , 22, 70-5	4.6	88
73	DNA methylation differences at the glucocorticoid receptor gene in depression are related to functional alterations in hypothalamic-pituitary-adrenal axis activity and to early life emotional abuse. <i>Psychiatry Research</i> , 2018 , 265, 341-348	9.9	85
72	A review of Atypical depression in relation to the course of depression and changes in HPA axis organization. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1589-99	5	81
71	Epigenetic Changes of FKBP5 as a Link Connecting Genetic and Environmental Risk Factors with Structural and Functional Brain Changes in Major Depression. <i>Neuropsychopharmacology</i> , 2018 , 43, 1138-1145	8.7	75
70	Single-Nucleotide Polymorphism of the FKBP5 Gene and Childhood Maltreatment as Predictors of Structural Changes in Brain Areas Involved in Emotional Processing in Depression. <i>Neuropsychopharmacology</i> , 2016 , 41, 487-97	8.7	72

69	Changes in hypothalamic-pituitary-adrenal axis measures after vagus nerve stimulation therapy in chronic depression. <i>Biological Psychiatry</i> , 2005 , 58, 963-8	7.9	68
68	Change in sexual dysfunction with aripiprazole: a switching or add-on study. <i>Journal of Psychopharmacology</i> , 2008 , 22, 244-53	4.6	65
67	The effects of vagus nerve stimulation on pro- and anti-inflammatory cytokines in humans: a preliminary report. <i>NeuroImmunoModulation</i> , 2005 , 12, 307-9	2.5	63
66	Changes in the maternal hypothalamic-pituitary-adrenal axis during the early puerperium may be related to the postpartum blues. <i>Journal of Neuroendocrinology</i> , 2011 , 23, 1149-55	3.8	56
65	Increased pituitary-adrenal activation and shortened gestation in a sample of depressed pregnant women: a pilot study. <i>Journal of Affective Disorders</i> , 2011 , 130, 300-5	6.6	56
64	Sexual dysfunction in depression. <i>Human Psychopharmacology</i> , 2000 , 15, 337-345	2.3	55
63	Developmental model of depression applied to prenatal depression: role of present and past life events, past emotional disorders and pregnancy stress. <i>PLoS ONE</i> , 2010 , 5, e12942	3.7	55
62	Bone mineral density and its relationship to prolactin levels in patients taking antipsychotic treatment. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 259-61	1.7	51
61	D-fenfluramine-induced prolactin and cortisol release in major depression: response to treatment. <i>Journal of Affective Disorders</i> , 1992 , 26, 143-50	6.6	51
60	Prevalence of post-stroke depression in an Irish sample and its relationship with disability and outcome following inpatient rehabilitation. <i>Disability and Rehabilitation</i> , 2004 , 26, 71-7	2.4	50
59	Thyroxine replacement increases central 5-hydroxytryptamine activity and reduces depressive symptoms in hypothyroidism. <i>Neuroendocrinology</i> , 1996 , 64, 65-9	5.6	48
58	Prolactin and schizophrenia: clinical consequences of hyperprolactinaemia. <i>Life Sciences</i> , 2002 , 71, 979-988	2.8	47
57	Factors associated with burden of primary headache in a specialty clinic. <i>Headache</i> , 2003 , 43, 638-44	4.2	44
56	Altered tryptophan catabolite concentrations in major depressive disorder and associated changes in hippocampal subfield volumes. <i>Psychoneuroendocrinology</i> , 2018 , 95, 8-17	5	42
55	Epigenetics and the glucocorticoid receptor: A review of the implications in depression. <i>Psychiatry Research</i> , 2016 , 242, 349-356	9.9	40
54	Assessment of serotonergic function in major depression using d-fenfluramine: relation to clinical variables and antidepressant response. <i>Biological Psychiatry</i> , 1998 , 44, 555-61	7.9	39
53	Diurnal Hypothalamic-Pituitary-Adrenal Axis Measures and Inflammatory Marker Correlates in Major Depressive Disorder. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	36
52	Functional magnetic resonance imaging correlates of emotion recognition and voluntary attentional regulation in depression: A generalized psycho-physiological interaction study. <i>Journal of Affective Disorders</i> , 2017 , 208, 535-544	6.6	33

51	Effect of metyrapone on the pituitary-adrenal axis in depression: relation to dexamethasone suppressor status. <i>Neuroendocrinology</i> , 1992 , 56, 533-8	5.6	33
50	Vagus nerve stimulation in chronic treatment-resistant depression: preliminary findings of an open-label study. <i>British Journal of Psychiatry</i> , 2006 , 189, 282-3	5.4	31
49	Longitudinal functional connectivity changes correlate with mood improvement after regular exercise in a dose-dependent fashion. <i>European Journal of Neuroscience</i> , 2016 , 43, 1089-96	3.5	30
48	Antenatal depression and the impact on infant cognitive, language and motor development at six and twelve months postpartum. <i>Early Human Development</i> , 2019 , 134, 41-46	2.2	22
47	Effects of early life adversity and FKBP5 genotype on hippocampal subfields volume in major depression. <i>Journal of Affective Disorders</i> , 2019 , 252, 152-159	6.6	21
46	A population survey of prevalence rates of antenatal depression in the Irish obstetric services using the Edinburgh Postnatal Depression Scale (EPDS). <i>Archives of Women's Mental Health</i> , 2019 , 22, 349-355 ⁵	5	20
45	Serotonergic function and negative and depressive symptomatology in schizophrenia and major depression. <i>Psychoneuroendocrinology</i> , 1997 , 22, 539-48	5	20
44	Papez's Forgotten Tract: 80 Years of Unreconciled Findings Concerning the Thalamocingulate Tract. <i>Frontiers in Neuroanatomy</i> , 2019 , 13, 14	3.6	19
43	Effect of fluoxetine on noradrenergic mediated growth hormone release: a double blind, placebo-controlled study. <i>Biological Psychiatry</i> , 1991 , 30, 377-82	7.9	17
42	Reduced bone mineral density in patients with schizophrenia receiving prolactin raising anti-psychotic medication. <i>Journal of Psychopharmacology</i> , 2003 , 17, 455-8	4.6	16
41	Hippocampal and Amygdalar Volume Changes in Major Depressive Disorder: A Targeted Review and Focus on Stress. <i>Chronic Stress</i> , 2020 , 4, 2470547020944553	3	16
40	Growth hormone responses to pyridostigmine in schizophrenia: evidence for cholinergic dysfunction. <i>Biological Psychiatry</i> , 1994 , 36, 582-8	7.9	15
39	Expression of glucocorticoid inducible genes is associated with reductions in cornu ammonis and dentate gyrus volumes in patients with major depressive disorder. <i>Development and Psychopathology</i> , 2014 , 26, 1209-17	4.3	14
38	Three case reports of secondary mania: evidence supporting a right frontotemporal locus. <i>European Psychiatry</i> , 2003 , 18, 32-3	6	14
37	Evolving model of depression as an expression of multiple interacting risk factors. <i>British Journal of Psychiatry</i> , 2000 , 177, 482-3	5.4	14
36	Pyridostigmine induced growth hormone release in mania: focus on the cholinergic/somatostatin system. <i>Clinical Endocrinology</i> , 1994 , 40, 93-6	3.4	14
35	Aerobic exercise increases hippocampal subfield volumes in younger adults and prevents volume decline in the elderly. <i>Brain Imaging and Behavior</i> , 2020 , 14, 1577-1587	4.1	13
34	Primary care and youth mental health in Ireland: qualitative study in deprived urban areas. <i>BMC Family Practice</i> , 2013 , 14, 194	2.6	12

33	Do noradrenergic reuptake inhibitors affect serotonergic function in depression?. <i>Psychopharmacology</i> , 1997 , 134, 406-10	4.7	12
32	Specificity of the pyridostigmine/growth hormone challenge in the diagnosis of depression. <i>Biological Psychiatry</i> , 1997 , 42, 827-33	7.9	10
31	Differing central amine receptor sensitivity in different migraine subtypes? A neuroendocrine study using buspirone. <i>Pain</i> , 2003 , 101, 283-290	8	10
30	Platelet surface glycoprotein expression in post-stroke depression: a preliminary study. <i>Psychiatry Research</i> , 2003 , 118, 175-81	9.9	10
29	Untangling the dorsal diencephalic conduction system: a review of structure and function of the stria medullaris, habenula and fasciculus retroflexus. <i>Brain Structure and Function</i> , 2020 , 225, 1437-1458 ⁴		9
28	A comprehensive regional neurochemical theory in depression: a protocol for the systematic review and meta-analysis of 1H-MRS studies in major depressive disorder. <i>Systematic Reviews</i> , 2018 , 7, 158	3	8
27	Cornu Ammonis Changes Are at the Core of Hippocampal Pathology in Depression. <i>Chronic Stress</i> , 2019 , 3, 2470547019849376	3	6
26	Amygdala substructure volumes in Major Depressive Disorder. <i>NeuroImage: Clinical</i> , 2021 , 31, 102781	5.3	6
25	The hypothalamic-pituitary-adrenal axis in the perinatal period: Its relationship with major depressive disorder and early life adversity. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 552-563	3.8	5
24	Perinatal depression and psychosis: an update. <i>BJ Psych Advances</i> , 2015 , 21, 5-14	0.8	5
23	Plasma homovanillic acid profile at different phases of the ovulatory cycle in healthy women. <i>Biological Psychiatry</i> , 1996 , 39, 1039-43	7.9	5
22	Cholinergic and adrenergic function in depressed and healthy subjects: A neuroendocrine test battery using the growth hormone axis. <i>Human Psychopharmacology</i> , 1994 , 9, 171-179	2.3	5
21	Magnetic resonance diffusion weighted imaging using constrained spherical deconvolution-based tractography of the extracranial course of the facial nerve. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020 , 130, e44-e56	2	4
20	Awakening Neuropsychiatric Research Into the Stria Medullaris: Development of a Diffusion-Weighted Imaging Tractography Protocol of This Key Limbic Structure. <i>Frontiers in Neuroanatomy</i> , 2018 , 12, 39	3.6	4
19	Associations Between Forced and "Persuaded" First Intercourse and Later Health Outcomes in Women. <i>Violence Against Women</i> , 2019 , 25, 528-548	2.6	4
18	Costs and outcomes associated with an aripiprazole add-on or switching open-label study in psychosis. <i>Journal of Psychopharmacology</i> , 2011 , 25, 675-84	4.6	4
17	Mood matters: a national survey on attitudes to depression. <i>Irish Journal of Medical Science</i> , 2019 , 188, 1317-1327	1.9	3
16	Changes in biomarkers of bone turnover in an aripiprazole add-on or switching study. <i>Schizophrenia Research</i> , 2016 , 170, 245-51	3.6	3

15	Growth hormone responses to GABAB receptor stimulation throughout the menstrual cycle of healthy females. <i>Human Psychopharmacology</i> , 1994 , 9, 129-134	2.3	3
14	Psychedelic Therapy's Transdiagnostic Effects: A Research Domain Criteria (RDoC) Perspective.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 800072	5	3
13	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatria Biologica</i> , 2011 , 18, 55-67	0.2	2
12	Planning perinatal psychiatry services for Ireland. <i>Irish Journal of Psychological Medicine</i> , 2010 , 27, 3-5	3	2
11	Transcranial magnetic stimulation: an alternative physical treatment in depression. <i>Irish Journal of Psychological Medicine</i> , 2001 , 18, 79-81	3	2
10	The premenstrual syndrome: a psychoneuroendocrine perspective. <i>Baillieres's Clinical Endocrinology and Metabolism</i> , 1991 , 5, 143-65		2
9	Acute extrapyramidal reactions following lithium and sulpiride co-administration: Two case reports. <i>Human Psychopharmacology</i> , 1991 , 6, 67-69	2.3	1
8	The human dorsal hippocampal commissure: Delineating connections across the midline using multi-modal neuroimaging in major depressive disorder. <i>NeuroImage Reports</i> , 2021 , 1, 100062		1
7	Antenatal depression and maternal infant directed speech during the first postnatal year. <i>Research in Social and Administrative Pharmacy</i> , 2021 , 64, 101605	2.9	1
6	C-reactive protein is related to a distinct set of alterations in resting-state functional connectivity contributing to a differential pathophysiology of major depressive disorder.. <i>Psychiatry Research - Neuroimaging</i> , 2022 , 321, 111440	2.9	0
5	No Effect of Coenzyme Q10 on Cognitive Function, Psychological Symptoms, and Health-related Outcomes in Schizophrenia and Schizoaffective Disorder: Results of a Randomized, Placebo-Controlled Trial. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 53-57	1.7	0
4	Management of depression during pregnancy. <i>Progress in Neurology and Psychiatry</i> , 2009 , 13, 6-11	0.8	
3	Perinatal depression and children's developmental outcomes at 2 years postpartum. <i>Early Human Development</i> , 2021 , 156, 105346	2.2	
2	Integrating the Stress Systems and Neuroimaging in Depression 2016 , 269-308		
1	Patient, family and clinician preferences for the intensity and implementation of patient and family participation in healthcare design and delivery in psychiatry. <i>European Journal of Psychiatry</i> , 2019 , 33, 8-16		1