

# Tatsuya Koike

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3124478/publications.pdf>

Version: 2024-02-01

36  
papers

509  
citations

623734

14  
h-index

713466

21  
g-index

37  
all docs

37  
docs citations

37  
times ranked

771  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Monounsaturated fatty acids might be key factors in the Mediterranean diet that suppress rheumatoid arthritis disease activity: The TOMORROW study. <i>Clinical Nutrition</i> , 2018, 37, 675-680.  | 5.0 | 56        |
| 2  | Cyclic AMP enhances Smad-mediated BMP signaling through PKA-CREB pathway. <i>Journal of Bone and Mineral Metabolism</i> , 2008, 26, 478-484.  | 2.7 | 41        |
| 3  | Parathyroid hormone enhances bone morphogenetic protein activity by increasing intracellular $3\text{-}\beta\text{-cyclic adenosine monophosphate}$ accumulation in osteoblastic MC3T3-E1 cells. <i>Bone</i> , 2009, 44, 872-877.               | 2.9 | 37        |
| 4  | Abatacept might increase bone mineral density at femoral neck for patients with rheumatoid arthritis in clinical practice: AIRTIGHT study. <i>Rheumatology International</i> , 2018, 38, 777-784.   | 3.0 | 34        |
| 5  | Relationships between serum 25-hydroxycalciferol, vitamin D intake and disease activity in patients with rheumatoid arthritis –“TOMORROW study. <i>Modern Rheumatology</i> , 2015, 25, 246-250.   | 1.8 | 28        |
| 6  | Delayed wound healing and postoperative surgical site infections in patients with rheumatoid arthritis treated with or without biological disease-modifying antirheumatic drugs. <i>Clinical Rheumatology</i> , 2016, 35, 1475-1481.            | 2.2 | 28        |
| 7  | Bone morphogenetic protein activities are enhanced by $3\text{-}\beta\text{-cyclic adenosine monophosphate}$ through suppression of Smad6 expression in osteoprogenitor cells. <i>Bone</i> , 2006, 38, 206-214.                                 | 2.9 | 22        |
| 8  | High frequency of vertebral fracture and low bone quality in patients with rheumatoid arthritis –“Results from TOMORROW study. <i>Modern Rheumatology</i> , 2017, 27, 398-404.  | 1.8 | 22        |
| 9  | The limited effects of anti-tumor necrosis factor blockade on bone health in patients with rheumatoid arthritis under the use of glucocorticoid. <i>Journal of Bone and Mineral Metabolism</i> , 2014, 32, 593-600.                             | 2.7 | 21        |
| 10 | Incidence rate of falls and its risk factors in patients with rheumatoid arthritis compared to controls: Four years of the TOMORROW study. <i>Modern Rheumatology</i> , 2017, 27, 8-14.   | 1.8 | 21        |
| 11 | Use of etanercept in a patient with rheumatoid arthritis on hemodialysis. <i>Modern Rheumatology</i> , 2008, 18, 293-295.   | 1.8 | 20        |
| 12 | Use of bisphosphonate might be important to improve bone mineral density in patients with rheumatoid arthritis even under tight control: the TOMORROW study. <i>Rheumatology International</i> , 2017, 37, 999-1005.                            | 3.0 | 18        |
| 13 | Use of etanercept in a patient with rheumatoid arthritis on hemodialysis. <i>Modern Rheumatology</i> , 2008, 18, 293-295.   | 1.8 | 17        |
| 14 | Loss of lean body mass affects low bone mineral density in patients with rheumatoid arthritis –“results from the TOMORROW study. <i>Modern Rheumatology</i> , 2017, 27, 946-952.  | 1.8 | 16        |
| 15 | Levels of interleukin-1 beta can predict response to tocilizumab therapy in rheumatoid arthritis: the PETITE (predictors of effectiveness of tocilizumab therapy) study. <i>Rheumatology International</i> , 2016, 36, 349-357.                 | 3.0 | 13        |
| 16 | Change in dietary inflammatory index score is associated with control of long-term rheumatoid arthritis disease activity in a Japanese cohort: the TOMORROW study. <i>Arthritis Research and Therapy</i> , 2021, 23, 105.                       | 3.5 | 11        |
| 17 | Use of infliximab in a patient with pyoderma gangrenosum and rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 598-601.  | 1.8 | 10        |
| 18 | High titer of anti-citrullinated peptide antibody is a risk factor for severe carotid atherosclerotic plaque in patients with rheumatoid arthritis: the TOMORROW study. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 949-959. | 1.9 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Soybean isoflavone can protect against osteoarthritis in ovariectomized rats. <i>Journal of Food Science and Technology</i> , 2020, 57, 3409-3414.  | 2.8 | 9         |
| 20 | Double-blinded randomized controlled trial to reveal the effects of Brazilian propolis intake on rheumatoid arthritis disease activity index; BeeDAL. <i>PLoS ONE</i> , 2021, 16, e0252357.   | 2.5 | 9         |
| 21 | Use of infliximab in a patient with pyoderma gangrenosum and rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 598-601.  | 1.8 | 9         |
| 22 | Evaluation of work disability in Japanese patients with rheumatoid arthritis: from the TOMORROW study. <i>Clinical Rheumatology</i> , 2018, 37, 1763-1771.  | 2.2 | 8         |
| 23 | Use of local electroporation enhances methotrexate effects with minimum dose in adjuvant-induced arthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 637-641.  | 6.7 | 6         |
| 24 | Hyperleptinemia suppresses aggravation of arthritis of collagen-antibody-induced arthritis in mice. <i>Journal of Orthopaedic Science</i> , 2015, 20, 1106-1113.  | 1.1 | 6         |
| 25 | Preference of surgical procedure for the forefoot deformity in the rheumatoid arthritis patientsâ€”A prospective, randomized, internal controlled study. <i>Modern Rheumatology</i> , 2015, 25, 362-366.  | 1.8 | 5         |
| 26 | Change in skeletal muscle mass is associated with lipid profiles in female rheumatoid arthritis patients -TOMORROW study-. <i>Clinical Nutrition</i> , 2021, 40, 4500-4506.   | 5.0 | 5         |
| 27 | Treatment of rheumatoid arthritis by molecular-targeted agents: efficacy and limitations. <i>Journal of Orthopaedic Science</i> , 2015, 20, 951-7.  | 1.1 | 5         |
| 28 | Acquired leptin resistance by high-fat feeding reduces inflammation from collagen antibody-induced arthritis in mice. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, 707-13.   | 0.8 | 5         |
| 29 | The bioimpedance phase angle is more useful than sarcopenia as a predictor of falls in patients with rheumatoid arthritis: Results from a 2-y prospective cohort study. <i>Nutrition</i> , 2022, 102, 111729.   | 2.4 | 5         |
| 30 | Do rheumatoid arthritis patients have low back pain or radiological lumbar lesions more frequently than the healthy population? â€” Cross-sectional analysis in a cohort study with age and sex-matched healthy volunteers. <i>Spine Journal</i> , 2020, 20, 1995-2002. | 1.3 | 4         |
| 31 | Incidence of and risk factors for spondylolisthesis, scoliosis, and vertebral fracture in rheumatoid arthritis. <i>Journal of Bone and Mineral Metabolism</i> , 2022, 40, 120-131.  | 2.7 | 4         |
| 32 | Safety of Intra-articular Methotrexate Injection With and Without Electroporation for Inflammatory Small Joints in Patients With Rheumatoid Arthritis. <i>Clinical Medicine Insights: Arthritis and Musculoskeletal Disorders</i> , 2019, 12, 117954411988630.          | 1.2 | 3         |
| 33 | Open reduction of the dislocated hip in juvenile idiopathic arthritis: a case report. <i>Modern Rheumatology</i> , 2004, 14, 399-401.   | 1.8 | 1         |
| 34 | Open reduction of the dislocated hip in juvenile idiopathic arthritis: a case report. <i>Modern Rheumatology</i> , 2004, 14, 399-401.   | 1.8 | 1         |
| 35 | Painkillers in the treatment of inflammatory arthritis: past, present and future. <i>Rheumatology</i> , 2022, , .   | 1.9 | 0         |
| 36 | Incidence of New Carotid Plaques in Rheumatoid Arthritis Patients: Six Years Prospective Results of the TOMORROW Study. <i>Modern Rheumatology</i> , 0, , .   | 1.8 | 0         |