## Katsunori Kimoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3124892/publications.pdf

Version: 2024-02-01

687363 580821 30 839 13 25 citations h-index g-index papers 33 33 33 1366 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Palaeoceanography of the Japan Sea Across the Midâ€Pleistocene Transition: Insights From IODP Exp. 346, Site U1427. Paleoceanography and Paleoclimatology, 2022, 37, .	2.9	5
2	Phylogeography and shell morphology of the pelagic snail Limacina helicina in the Okhotsk Sea and western North Pacific. Marine Biodiversity, 2021, 51, 1.	1.0	5
3	Rapid Reduction of pH and CaCO <sub>3</sub> Saturation State in the Tsugaru Strait by the Intensified Tsugaru Warm Current During 2012–2019. Geophysical Research Letters, 2021, 48, e2020GL091332.	4.0	15
4	Ecology, Morphology, Phylogeny and Taxonomic Revision of Giant Radiolarians, Orodaria ord. nov. (Radiolaria; Rhizaria; SAR). Protist, 2021, 172, 125808.	1.5	6
5	New evaluation of speciesâ€specific biogenic silica flux of radiolarians (Rhizaria) in the western Arctic Ocean using microfocus Xâ€ray computed tomography. Limnology and Oceanography, 2021, 66, 3901-3915.	3.1	1
6	Observation of asexual reproduction with symbiont transmission in planktonic foraminifera. Journal of Plankton Research, 2020, 42, 403-410.	1.8	18
7	Seasonal and Interannual Variations in Nitrogen Availability and Particle Export in the Northwestern North Pacific Subtropical Gyre. Journal of Geophysical Research: Oceans, 2020, 125, e2019JC015600.	2.6	9
8	Sensitivity of planktic foraminiferal test bulk density to ocean acidification. Scientific Reports, 2019, 9, 9803.	3.3	17
9	Microâ€CT Scanning of Tests of Three Planktic Foraminiferal Species to Clarify DissolutionProcess and Progress. Geochemistry, Geophysics, Geosystems, 2019, 20, 6051-6065.	2.5	10
10	Phaeodaria: An Important Carrier of Particulate Organic Carbon in the Mesopelagic Twilight Zone of the North Pacific Ocean. Global Biogeochemical Cycles, 2019, 33, 1146-1160.	4.9	15
11	Effect of Euxinic Conditions on Planktic Foraminifers: Culture Experiments and Implications for Past and Future Environments. Paleoceanography and Paleoclimatology, 2019, 34, 54-62.	2.9	4
12	Horizontal and vertical distribution of polycystine radiolarians in the western Arctic Ocean during the late summers of 2013 and 2015. Polar Biology, 2019, 42, 285-305.	1.2	6
13	Effect of nutritional condition on photosymbiotic consortium of cultured Globigerinoides sacculifer (Rhizaria, Foraminifera). Symbiosis, 2018, 76, 25-39.	2.3	18
14	A Geomagnetic Paleointensity Record of 0.6 to 3.2ÂMa From Sediments in the Western Equatorial Pacific and Remanent Magnetization Lockâ€n Depth. Journal of Geophysical Research: Solid Earth, 2017, 122, 7525-7543.	3.4	19
15	Comparison of carbon cycle between the western Pacific subarctic and subtropical time-series stations: highlights of the K2S1 project. Journal of Oceanography, 2017, 73, 647-667.	1.7	30
16	2S-B1-3Three-dimensional Analysis of the Whole Cytoplasm of Foraminifera Using Array Tomography Method. Microscopy (Oxford, England), 2017, 66, i14-i14.	1.5	0
17	Ontogenetic dynamics of photosymbiosis in cultured planktic foraminifers revealed by fast repetition rate fluorometry. Marine Micropaleontology, 2016, 122, 44-52.	1.2	22
18	Two new living Entactinaria (Radiolaria) species from the Arctic province: Joergensenium arcticum n. sp. and Joergensenium clevei n. sp Marine Micropaleontology, 2016, 124, 75-94.	1.2	8

#	Article	IF	CITATIONS
19	Observation of the dissolution process of <i>Globigerina bulloides</i> tests (planktic foraminifera) by Xâ€ray microcomputed tomography. Paleoceanography, 2015, 30, 317-331.	3.0	30
20	Flux variations and vertical distributions of siliceous Rhizaria (Radiolaria and Phaeodaria) in the western Arctic Ocean: indices of environmental changes. Biogeosciences, 2015, 12, 2019-2046.	3.3	30
21	Enhanced role of eddies in the Arctic marine biological pump. Nature Communications, 2014, 5, 3950.	12.8	95
22	Ocean acidification from 1997 to 2011 in the subarctic western North Pacific Ocean. Biogeosciences, 2013, 10, 7817-7827.	3.3	38
23	High resolution optically stimulated luminescence dating of a sediment core from the southwestern Sea of Okhotsk. Geochemistry, Geophysics, Geosystems, 2012, 13, .	2.5	13
24	Variations of East Asian summer monsoon since the last deglaciation based on Mg/Ca and oxygen isotope of planktic foraminifera in the northern East China Sea. Paleoceanography, 2010, 25, n/a-n/a.	3.0	109
25	1131 Space Structure System Inspired by Basic Structure of Marine Plankton. The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME, 2010, 2009.22, 389.	0.0	0
26	Space Structure Design Inspired by Morphology of Marine Plankton. , 2009, , .		0
27	Molecular evidence for an independent origin of modern triserial planktonic foraminifera from benthic ancestors. Marine Micropaleontology, 2008, 69, 334-340.	1.2	34
28	Interlaboratory comparison study of calibration standards for foraminiferal Mg/Ca thermometry. Geochemistry, Geophysics, Geosystems, 2008, 9, .	2.5	168
29	History of the inflow of the warm Tsushima Current into the Sea of Japan between 3.5 and 0.8 Ma. Palaeogeography, Palaeoclimatology, Palaeoecology, 2006, 236, 355-366.	2.3	114
30	Living coccolithophorids in surface waters of the Tsugaru Strait during March-September 2003. JAMSTEC Report of Research and Development, 2005, 1, 69-72.	0.2	0