
Myriam Labalette

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3125549/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Accumulation of memory T cells from childhood to old age: Central and effector memory cells in CD4+ versus effector memory and terminally differentiated memory cells in CD8+ compartment. Mechanisms of Ageing and Development, 2006, 127, 274-281.	2.2	294
2	Alloimmunisation to Donor Antigens and Immune Rejection Following Foetal Neural Grafts to the Brain in Patients with Huntington's Disease. PLoS ONE, 2007, 2, e166.	1.1	104
3	The Lymphoid Variant of Hypereosinophilic Syndrome. Medicine (United States), 2014, 93, 255-266.	0.4	98
4	Plasma levels of IL-7 and IL-15 in the first month after myeloablative BMT are predictive biomarkers of both acute GVHD and relapse. Bone Marrow Transplantation, 2010, 45, 1546-1552.	1.3	90
5	Peripheral blood natural killer cell count is associated with clinical outcome in patients with aaIPI 2–3 diffuse large B-cell lymphoma. Annals of Oncology, 2007, 18, 1209-1215.	0.6	86
6	Multi-site Analytical Evaluation of the Abbott ARCHITECT Tacrolimus Assay. Therapeutic Drug Monitoring, 2009, 31, 198-204.	1.0	83
7	CYP3A5 and ABCB1 polymorphisms in donor and recipient: impact on Tacrolimus dose requirements and clinical outcome after renal transplantation. Nephrology Dialysis Transplantation, 2011, 26, 3046-3050.	0.4	73
8	Predictive Factors of Acute Rejection after Early Cyclosporine Withdrawal in Renal Transplant Recipients Who Receive Mycophenolate Mofetil: Results from a Prospective, Randomized Trial. Journal of the American Society of Nephrology: JASN, 2005, 16, 2509-2516.	3.0	66
9	Matching for the nonconventional MHC-I MICA gene significantly reduces the incidence of acute and chronic GVHD. Blood, 2016, 128, 1979-1986.	0.6	66
10	Bâ€cell subpopulations in children: National reference values. Immunity, Inflammation and Disease, 2014, 2, 131-140.	1.3	58
11	Altered B lymphocyte homeostasis and functions in systemic sclerosis. Autoimmunity Reviews, 2018, 17, 244-255.	2.5	58
12	Risk factors and outcome of graft failure after HLA matched and mismatched unrelated donor hematopoietic stem cell transplantation: a study on behalf of SFGM-TC and SFHI. Bone Marrow Transplantation, 2016, 51, 687-691.	1.3	55
13	POEMS syndrome: report on six patients with unusual clinical signs, elevated levels of cytokines, macrophage involvement and chromosomal aberrations of bone marrow plasma cells. Leukemia, 1997, 11, 1318-1323.	3.3	52
14	A high proportion of donor CD4+ T cells expressing the lymph node-homing chemokine receptor CCR7 increases incidence and severity of acute graft-versus-host disease in patients undergoing allogeneic stem cell transplantation for hematological malignancy. Leukemia, 2006, 20, 1557-1565.	3.3	52
15	Beneficial Metabolic Effects of Rapamycin Are Associated with Enhanced Regulatory Cells in Diet-Induced Obese Mice. PLoS ONE, 2014, 9, e92684.	1.1	51
16	Impact of rabbit ATG-containing myeloablative conditioning regimens on the outcome of patients undergoing unrelated single-unit cord blood transplantation for hematological malignancies. Bone Marrow Transplantation, 2015, 50, 45-50.	1.3	47
17	Peripheral human CD8+CD28+T lymphocytes give rise to CD28–progeny, but IL-4 prevents loss of CD28 expression. International Immunology, 1999, 11, 1327-1336.	1.8	45
18	Monitoring <scp>CAR</scp> Tâ€cells using flow cytometry. Cytometry Part B - Clinical Cytometry, 2021, 100, 218-224.	0.7	45

MYRIAM LABALETTE

#	Article	IF	CITATIONS
19	Using Human CD20-Transfected Murine Lymphomatous B Cells to Evaluate the Efficacy of Intravitreal and Intracerebral Rituximab Injections in Mice. , 2008, 49, 4738.		42
20	Plasma levels of IL-7 and IL-15 after reduced intensity conditioned allo-SCT and relationship to acute GVHD. Bone Marrow Transplantation, 2011, 46, 1374-1381.	1.3	42
21	Influence of Cytochrome P450 3A5 (CYP3A5) Genetic Polymorphism on the Pharmacokinetics of the Prolonged-Release, Once-Daily Formulation of Tacrolimus in Stable Renal Transplant Recipients. Clinical Pharmacokinetics, 2011, 50, 451-459.	1.6	41
22	RECALL RESPONSE TO CYTOMEGALOVIRUS IN ALLOGRAFT RECIPIENTS. Transplantation, 1997, 63, 693-698.	0.5	40
23	NaÃ⁻ve subset develops the most important alloreactive response among human <scp>CD</scp> 4 ⁺ <scp>T</scp> lymphocytes in Human Leukocyte Antigenâ€identical related setting. European Journal of Haematology, 2014, 92, 491-496.	1.1	39
24	Defect in recruiting effector memory CD8+T-cells in malignant pleural effusions compared to normal pleural fluid. BMC Cancer, 2013, 13, 324.	1.1	37
25	CD3-CD4+ lymphoid variant of hypereosinophilic syndrome: nodal and extranodal histopathological and immunophenotypic features of a peripheral indolent clonal T-cell lymphoproliferative disorder. Haematologica, 2015, 100, 1086-95.	1.7	37
26	Role of B cells in the pathogenesis of systemic sclerosis. Revue De Medecine Interne, 2017, 38, 113-124.	0.6	37
27	Treatment of severe Crohn's disease with anti-CD4 monoclonal antibody. Alimentary Pharmacology and Therapeutics, 1996, 10, 721-727.	1.9	34
28	Pregnancy after liver transplantation: Focusing on risks to the mother. Transplantation Proceedings, 1997, 29, 2470-2471.	0.3	32
29	Posttransplant Major Histocompatibility Complex Class I Chain-Related Gene A Antibodies and Long-Term Graft Outcomes in a Multicenter Cohort of 779 Kidney Transplant Recipients. Transplantation, 2012, 93, 1258-1264.	0.5	32
30	Cytokine concentrations in exhaled breath condensates in systemic sclerosis. Inflammation Research, 2008, 57, 151-156.	1.6	31
31	Effect of In Vitro and In Vivo Anakinra on Cytokines Production in Schnitzler Syndrome. PLoS ONE, 2013, 8, e59327.	1.1	31
32	A standardized flow cytometry procedure for the monitoring of regulatory T cells in clinical trials. Cytometry Part B - Clinical Cytometry, 2018, 94, 777-782.	0.7	29
33	Proinflammatory B-cell profile in the early phases of MS predicts an active disease. Neurology: Neuroimmunology and NeuroInflammation, 2018, 5, e431.	3.1	29
34	Assessment of the Risk of Chronic Allograft Dysfunction after Renal Transplantation in a Randomized Cyclosporine Withdrawal Trial. Transplantation, 2006, 82, 657-662.	0.5	28
35	IMMUNOMODULATORY EFFECT OF PENTOXIFYLLINE DURING HUMAN ALLOGRAFT REJECTION. Transplantation, 2000, 69, 1102-1107.	0.5	28
36	Value of the Overall Pneumococcal Polysaccharide Response in the Diagnosis of Primary Humoral Immunodeficiencies. Frontiers in Immunology, 2017, 8, 1862.	2.2	26

MYRIAM LABALETTE

#	Article	IF	CITATIONS
37	Characterization, quantification, and localization of passenger T lymphocytes and NK cells in human liver before transplantation. Transplant International, 1995, 8, 273-279.	0.8	25
38	Diagnosis of primary antibody and complement deficiencies in young adults after a first invasive bacterial infection. Clinical Microbiology and Infection, 2017, 23, 576.e1-576.e5.	2.8	25
39	IMPLICATION OF CYCLOSPORINE IN UP-REGULATION OF Bcl-2 EXPRESSION AND MAINTENANCE OF CD8 LYMPHOCYTOSIS IN CYTOMEGALOVIRUS-INFECTED ALLOGRAFT RECIPIENTS. Transplantation, 1995, 59, 1714-1723.	0.5	24
40	Highly Focused Clonal Composition of CD8+ CD28neg T Cellsin Aqueous Humor of Fuchs Heterochromic Cyclitis. Experimental Eye Research, 2002, 75, 317-325.	1.2	21
41	Development and Evaluation of a Simulation Procedure to Take Into Account Various Assays for the Bayesian Dose Adjustment of Tacrolimus. Therapeutic Drug Monitoring, 2011, 33, 171-177.	1.0	18
42	Suggestive evidence of a role of HLA-DRB4 mismatches in the outcome of allogeneic hematopoietic stem cell transplantation with HLA-10/10-matched unrelated donors: a French–Swiss retrospective study. Bone Marrow Transplantation, 2015, 50, 1316-1320.	1.3	18
43	Comparative analysis of naÃ⁻ve and memory CD4+ and CD8+ T-cell subsets in bone marrow and G-CSF–mobilized peripheral blood stem cell allografts: impact of donor characteristics. Experimental Hematology, 2007, 35, 861-871.	0.2	16
44	Specific Polysaccharide Antibody Deficiency Revealed by Severe Bacterial Infections in Adulthood: A Report on 11 Cases. Clinical Infectious Diseases, 2017, 65, 328-331.	2.9	15
45	B Cell Homeostasis and Functional Properties Are Altered in an Hypochlorous Acid-Induced Murine Model of Systemic Sclerosis. Frontiers in Immunology, 2017, 8, 53.	2.2	14
46	Immune Reconstitution following Myeloablative Allogeneic Hematopoietic Stem Cell Transplantation: The Impact of Expanding CD28negative CD8+ T Cells on Relapse. Biology of Blood and Marrow Transplantation, 2009, 15, 496-504.	2.0	13
47	Long-Term Kinetics of a T-Lymphocytes Subset in Kidney Transplant Recipients: Relationship With Posttransplant Malignancies. Transplantation Proceedings, 2009, 41, 3323-3325.	0.3	13
48	HLAâ€ÐRB3/4/5 mismatches are associated with increased risk of acute GVHD in 10/10 matched unrelated donor hematopoietic cell transplantation. American Journal of Hematology, 2018, 93, 994-1001.	2.0	11
49	Donor caveolin 1 (CAV1) genetic polymorphism influences graft function after renal transplantation. Fibrogenesis and Tissue Repair, 2015, 8, 8.	3.4	10
50	Interferon-Î ³ Release Assay vs. Tuberculin Skin Test for Tuberculosis Screening in Exposed Healthcare Workers: A Longitudinal Multicenter Comparative Study. Infection Control and Hospital Epidemiology, 2015, 36, 569-574.	1.0	10
51	Pentoxifylline Prevents Upregulation of Monocyte Tissue Factor in Renal Transplant Recipients Undergoing Post-graft Complications. Thrombosis and Haemostasis, 2000, 84, 764-769.	1.8	9
52	Three-year outcome of isolated glomerulitis on 3-month protocol biopsies of donor HLA antibody negative patients. Transplant International, 2012, 25, 663-670.	0.8	9
53	An avoidable cause of thymoglobulin anaphylaxis. Allergy, Asthma and Clinical Immunology, 2017, 13, 13.	0.9	9
54	Compatibility at amino acid position 98 of MICB reduces the incidence of graft-versus-host disease in conjunction with the CMV status. Bone Marrow Transplantation, 2020, 55, 1367-1378.	1.3	9

MYRIAM LABALETTE

#	Article	IF	CITATIONS
55	IMPROVEMENT IN THE OUTCOME OF REJECTION WITH PENTOXIFYLLINE IN RENAL TRANSPLANTATION. Transplantation, 1998, 65, 385-389.	0.5	9
56	Immunoglobulin G (IgG) and IgG subclass reference intervals in children, using Optilite® reagents. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1319-1327.	1.4	8
57	Assessment of T-cell polarization onÂthe basis of surface marker expression: Diagnosis and potential therapeutic implications in lymphocytic variant hypereosinophilic syndrome. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 1110-1114.e2.	2.0	7
58	Donor-derived CD4+/CCR7+ T-cell partial selective depletion does not alter acquired anti-infective immunity. Bone Marrow Transplantation, 2014, 49, 611-615.	1.3	6
59	Simple gene signature to assess murine fibroblast polarization. Scientific Reports, 2022, 12, .	1.6	6
60	Prolongation of Cardiac Allograft Survival by Selective Injection of Donor Liver Leukocytes in Non-Immunosuppressed Rats. European Surgical Research, 2000, 32, 274-278.	0.6	5
61	Liver allograft tolerance: Do donor thymus-independent T cells play a role? Preliminary results in a nude rat model. Transplantation Proceedings, 1997, 29, 2177-2178.	0.3	3
62	Novel <i><scp>HLA</scp>â€C*07:314</i> allele identified by sequenceâ€based typing in a French lymphoblastic leukemia patient. Tissue Antigens, 2013, 82, 439-440.	1.0	3
63	A Low Effective Dose of Interleukin-7 Is Sufficient to Maintain Cord Blood T Cells Alive without Potentiating Allo-Immune Responses. Biology of Blood and Marrow Transplantation, 2015, 21, 625-631.	2.0	2
64	Trough Levels and Antibodies to Ustekinumab are not Correlated to Response to Ustekinumab Treatment in Crohn's Disease Patients. Gastroenterology, 2017, 152, S388.	0.6	2
65	Improvement in long-term graft survival in cadaveric renal transplant recipients treated with mycophenolate mofetil. Transplant International, 2004, 17, 525-530.	0.8	2
66	Protein-losing Enteropathy as a Complication and/or Differential Diagnosis of Common Variable Immunodeficiency. Journal of Clinical Immunology, 2022, 42, 1461-1472.	2.0	2
67	Commutation isotypique vers l'IgE : une séquence ordonnée de contacts intercellulaires et de cytokines appropriées dirige le switch. Revue Francaise D'allergologie Et D'immunologie Clinique, 1995, 35, 554-564.	0.1	1
68	Cellules dendritiques et synthèse des IgE. Revue Francaise D'allergologie Et D'immunologie Clinique, 1997, 37, 261-268.	0.1	1
69	Acute respiratory distress syndrome and severe acute respiratory syndrome: circulating interleukin 4Âlevel could be a marker. Médecine Et Maladies Infectieuses, 2004, 34, 328-330.	5.1	1
70	Reply to Gilchrist et al. and to Musher. Clinical Infectious Diseases, 2018, 66, 637-638.	2.9	1
71	HLA-DRB4 Mismatch Is Associated with Worse Outcomes in Unrelated Allogeneic Hematopoietic Stem Cell Transplantation for Hematological Malignancies. Blood, 2012, 120, 4540-4540.	0.6	1
72	Classical pathway activity C3c, C4 and C1-inhibitor protein reference intervals determination in EDTA plasma. Biochemia Medica, 2019, 29, 559-569.	1.2	1

Myriam Labalette

#	Article	IF	CITATIONS
73	Switching conventional cyclosporine treatment to microemulsion formulation in patients who need three divided doses. Transplantation Proceedings, 1997, 29, 2448-2449.	0.3	0
74	54 Immune profile of peripheral and pleural fluid T cells in alignant mesothelioma and pleural metastasis of adenocarcinoma. Lung Cancer, 2006, 54, S14.	0.9	0
75	The Number of B Cell Epitopes Recognized as a Possible Tool to Improve the Predictive Value of DSA Detected by Flow Beads Assays for Acute Rejection and Graft Loss. Transplantation, 2012, 94, 179.	0.5	0
76	The novel <i><scp>HLA</scp>â€B*39:93</i> allele was identified by sequenceâ€based typing in a French family. Tissue Antigens, 2015, 85, 144-145.	1.0	0
77	Impact of Tacrolimus Daily Dose Limitation in Renal Transplant Recipients Expressing CYP3A5: A Retrospective Study. Journal of Personalized Medicine, 2021, 11, 1002.	1.1	0
78	Proportions of T-Cell CD8+ Subsets Lacking CD28 Expression at Day 30 after Myeloablative Allogeneic Stem Cell Transplantation Are Predictive for Relapse and Chronic GVHD Blood, 2007, 110, 2979-2979.	0.6	0
79	Immune Reactions Following Reduced-Intensity Allogeneic Stem Cell Transplantation (Allo-CST): Role of Plasma IL-7 and IL-15 Levels, and Their Receptors. Blood, 2010, 116, 1251-1251.	0.6	0
80	Low Dose Interleukin-7 Supplementation Increases Intrinsic Cord Blood T Cell Survival without Enhancing Proliferative Alloresponses. Blood, 2012, 120, 4353-4353.	0.6	0